

Playback Portal

User Guide



Release Playback Portal 7.8

Document Revision: A0
Distribution Status: Published
Publication Date: December 2025

PROPRIETARY AND CONFIDENTIAL INFORMATION

Information herein is proprietary information and trade secrets of NiCE Ltd. and/or its affiliated companies (Affiliates). This document and the information herein is the exclusive property of NiCE and its Affiliates and shall not be disclosed, in whole or in part, to any third party or utilized for any purpose other than the express purpose for which it has been provided.

IMPORTANT NOTICE

Subject always to any existing terms and conditions agreed between you and NiCE or any Affiliate with respect to the products which are the subject matter of this document, neither NiCE nor any of its Affiliates shall bear any responsibility or liability to a client or to any person or entity with respect to liability, loss or damage caused or alleged to be caused directly or indirectly by any product supplied or any reliance placed on the content of this document. This includes, but is not limited to, any interruption of service, loss of business or anticipatory profits or consequential damage resulting from the use or operation of any products supplied or the content of this document. Information in this document is subject to change without notice and does not represent a commitment on the part of NiCE or any Affiliate.

All information included in this document, such as text, graphics, photos, logos and images, is the exclusive property of NiCE or in Affiliate and is protected by United States and international copyright laws. Permission is granted to use, view and photocopy (or print) materials from this document only in connection with the products to which this document relates and subject to the terms of license applicable to such products. Any other use, copying, distribution, retransmission or modification of the information in this document without the express prior written permission of NiCE or an Affiliate is strictly prohibited. In the event of any permitted copying, redistribution or publication of copyrighted material, no changes in, or deletion of, author attribution, trademark legend or copyright notice shall be made.

Products supplied may be protected by one or more of the US patents listed at www.nice.com/Patents

For the full list of trademarks of NiCE and its Affiliates, visit www.nice.com/Nice-Trademarks. All other marks used are the property of their respective proprietors.

All contents of this document are: Copyright © 2025 NiCE Ltd. All rights reserved.

For assistance, contact your local supplier or nearest NiCE Customer Service Center: www.nice.com/company/global-locations

For more information about NiCE, visit www.nice.com

NiCE values diversity and inclusion. Our documentation aims to use language free of bias based on race, color, age, sex, sexual orientation, disabilities, religion, national origin, or any other characteristic protected by applicable law.

CONTENTS

1: Playback Portal Functionality, Features, and Formats	5
How Does NiCE Playback Portal Work?	5
What Can Users Do?	8
Supported Audio Formats	9
Documentation Revision History	10
 2: Starting NiCE Playback Portal	 11
 3: Creating and Managing Queries	 13
Creating Queries	14
Query Examples	20
Defining Agents/Groups as Filter Criteria	23
Managing Queries	25
Renaming Queries	27
Viewing Query Results	28
Sorting Query Results	28
Grouping Query Results	28
Hiding, Showing and Rearranging Columns	29
Viewing Quality Management (QM) Information	30
 4: Playing back Calls	 33
 5: Pinning Calls	 35
 6: Saving Calls	 37
Saving a Single Call	38
Saving Multiple Calls	40

	44
7: Putting Calls on Litigation Hold	45
Locking Calls	46
Unlocking Calls	50
Viewing Locked Calls	51
8: Using Administrator Privileges	53
Assigning Privileges in a Multi-tenant System	54
Creating Playback Portal Profiles	56
Managing Business User Access and Privileges	58
Defining Column Preferences for Business Users	61
Auditing Playback Portal	63
Audit Categories and Message Types	63
Naming Conventions for Restoring Databases	66
Mapping Databases on Playback Portal Database Server	69
Changing Database Mapping	71
Running the Force Delete Audit Job	72
Configuring Playback Portal	73
Setting the Log Level in Playback Portal	77
Configure the Log Level for Legacy Services	77
Configure the Log Level for Services in Playback Portal	78
Viewing Log Files	80

Playback Portal Functionality, Features, and Formats

How Does NiCE Playback Portal Work?

Playback Portal is a solution that enables searching and playing back of interactions from legacy sites, from within the current NiCE Applications Suite.

For example, if a system is upgraded from NiCE Perform 3.2 to NiCE Engage Platform, the interactions from the NiCE Perform 3.2 system can be played back using Playback Portal.


The type of interactions that can be played back depends on the legacy site:

Legacy Site	Standard Interactions	Encrypted Interactions	Stereo Interactions
Generic	√	√	X
NICE Log 8.9	√	X	X
NICE Perform eXpress	√	X	X
NICE Perform Release 3.0 Service Pack 4	√	√	√
NICE Perform Release 3.x	√	√	√
NICE Interaction Management Release 4.1	√	√	√


Legacy Site	Standard Interactions	Encrypted Interactions	Stereo Interactions
NiCE Engage Platform 6.x	✓	✓	✓
NiCE Engage Platform 7.x	✓	✓	✓

The images below shows how NiCE Playback Portal plays back from legacy sites, according to scale.

Large-scale environment



Small-scale environment



What Can Users Do?

In the NiCE Playback Portal, there are two types of users:

- Business users
- Administrators

By default, business users are allowed to find and play back calls only. In addition, business users can do the following, if assigned the necessary privileges by administrators:

- Put calls on Litigation Hold (see [Putting Calls on Litigation Hold](#))
- Pin calls (see [Pinning Calls](#))
- Save calls (see [Saving Calls](#))

In addition to the actions that business users can perform, administrators can do the following:

- Assign privileges to business users (see [Managing Business User Access and Privileges](#))
- Configure NiCE Playback Portal
- View the NiCE Audit Trail (see [Auditing Playback Portal](#))
- Add new legacy sites (see [Mapping Databases on Playback Portal Database Server](#))

Administrator privileges are assigned by NICE Interaction Management/Engage superusers. For more information, see the *Engage Users Administrator* guide.

Supported Audio Formats

The NiCE Playback Portal allows playback of audio interactions only. All formats mentioned here support playback, saving, and bulk extraction.

Legacy System (Input) Format	Playback Portal (Output) Formats
AUD	WAV, WMA
WAV	WAV, WMA
NMF	WAV, WMA

For generic databases, NiCE Playback portal supports WAV, WMA and MP3 formats.

Documentation Revision History


Revision	Date	Software Version	Description
A0	Dec 2025	Playback Portal 7.8	New guide for Playback Portal 7.8.

Starting NiCE Playback Portal

NiCE Playback Portal is compatible with Google Chrome browser with the IE Tab Extension.


➔ To start the NiCE Playback Portal:

1. Log in to NICE Interaction Management or NiCE Engage, depending on which system you use.
2. In the navigation bar, select Playback Portal. If you don't see the Playback Portal tab after logging in, contact your system administrator to make sure you have the necessary authorizations.



The Playback Portal main window opens.

[View image](#)



[This page intentionally left blank]

Creating and Managing Queries

NiCE Playback Portal allows you to find and play back calls stored on legacy environments. To find calls, you must create and run a query.

 **Important!** After upgrading to Playback Portal 7.8, you must [edit](#) each saved query for the nice_cls database to delete and re-enter every instance of the Agent ID. Alternatively, you can [delete](#) and [recreate](#) the queries. If this is not done, an error may occur when the query is run.

The following sections explain how to create, run and modify your queries and provides an example of a query.

Creating Queries

You create queries to search calls from legacy sites. When querying NICE Interaction Management or NiCE Engage Platform operational databases (instead of the Data Mart), you create separate queries for each data hub.

For example, you can search for all calls that took place from 28 August to 1 September of the same year, or calls that were handled by a specific agent.

Queries can be of the following two types:

- Private - accessible to you only
- Public - accessible to all users

➔ To create a new query:

1. In the Sites pane, select a legacy site.


View image



NOTE: You create a query for the selected legacy site only. To search for calls that meet the same parameters on another legacy site, select that legacy site and create a new query. When querying NICE Interaction Management or NiCE Engage Platform operational databases, create a separate query for each Data Hub.


2. In the Queries pane, right click the Private or Public folder and select New Query.

View image



The NiCE Playback Portal Query Builder window opens.


[View image](#)



3. In the General tab, define a time frame for the query in one of the following ways:
 - Select Show Last. Then select a time interval (minutes, hours, days, etc.) and type in the appropriate time value (for example, 3 hours, 12 days).

NOTE: Keyboard Accessibility - On the first access, use the up and down arrow keys to select the Show Last and range (From) buttons. Afterwards, use the Tab and Alt+Tab keys to access these buttons. Type in the appropriate time value. Then use the Tab key to navigate to the time interval units field and use the up and down arrow keys to select the time interval units (minutes, hours, days, etc.).

[View image](#)



- Select From to define a specific time period. In the From and To fields, type in the dates or click the arrow button to select dates from the displayed calendar. Type in or browse to the exact hours and minutes.

NOTE: Keyboard Accessibility - Use the Tab or Alt+Tab keys to navigate between the From and To fields. Type in the dates. Use the Tab key to navigate to the hours and type in the exact hours and minutes or use the up and down keys to select hours and minutes.

The time frames are displayed in the local time of the legacy site. For example: if a user in Berlin (GMT +1) creates a query for a legacy site from New York (GMT -4), the results are displayed in the New York local time (GMT -4).

The results that are displayed differ between NICE Perform and NICE Interaction Management / NiCE Engage Platform in the following manner:

- **NICE Perform:** The search results will display only interactions based on the start time that was specified. The time range is based on local time.
- **NICE Interaction Management or NiCE Engage Platform:** If one of the interactions that is part of the complete call starts within the specified range, the results will display all of the interactions that are part of this complete call. Some of the displayed interactions that are part of the complete call might be out of the specified range.

[View image](#)

From: 2010/01/20 09:44:55

To:

Sun	Mon	Tue	Wed	Thu	Fri	Sat
27	28	29	30	31	1	2
3	4	5	6	7	8	9
10	11	12	13	14	15	16
17	18	19	20	21	22	23
24	25	26	27	28	29	30
31	1	2	3	4	5	6

Today: 1/20/2010

- (Optional) To ensure a comprehensive view and playback of entire interactions, select Include all segments related to the complete call. This eliminates the need for additional queries.

 **Important!** For sites upgraded from Playback Portal 6.x.x to Playback Portal 7.5.x, also open the Column Preferences window and select the Segments Compound ID column. Failure to select this column prevents the grouping of query results by the Segments Compound ID group.

For all other Playback Portal 7.5.x sites (not upgraded), this column is automatically included in the query.

- If the time criteria are the only search criteria you need for your query, proceed to [Step 12](#).
- If you need additional query criteria, click the Free Expression tab.

NOTE: Keyboard Accessibility - Use the Page Down key to navigate to the Free Expression tab. Use right arrow key to enter the tab. Navigate within the Free Expression tab between fields with the <Tab> and <Alt +Tab> keys.

[View image](#)

The screenshot shows the 'Playback Portal New Query' dialog with the 'Free Expressions' tab selected. The interface includes a sidebar with 'General', 'Agents', and 'Free Expressions' tabs. The main area is divided into several sections:

- Binding Operator:** Radio buttons for 'AND' (selected) and 'OR'.
- Field:** A tree view showing a folder 'nice_interactions_XX' containing fields like 'Segment ID', 'Internal Segment Client Start Time', 'Internal Segment Client Stop Time', 'Segment Start Time', 'Segment Stop Time', and 'Segment Duration'.
- Operators:** A set of buttons for comparison operators: '<', '>', '<=', '>=', '=', and '<>'. Below these are buttons for 'LIKE', 'NOT LIKE', and 'BETWEEN'.
- Value:** A text input field for the query value.
- Current Expression:** A text input field showing the current expression, with 'Add', 'Delete', 'Update', and 'Clear All' buttons below it.
- Whole Expression:** A table with columns 'Order', 'Bind...', 'Open Pare...', 'Expression', and 'Close Pare...'. A 'Preview' button is to the left of the table.
- Footer:** A note '* AND operator has higher priority than OR operator' and 'Up', 'Down' buttons. At the bottom are 'Save And Run', 'Save', and 'Cancel' buttons.

The Free Expression tab is divided into the following areas:

Name	Description
Binding Operator	Operators between expressions
Field	Fields from the legacy database and their types
Operators	Comparison operators between the value and the query results
Value	Query value
Current Expression	The currently selected query expression
Whole Expression	The list of already defined query expressions

7. Define an expression:

- From the Field list, select a data type field.
- Select an Operator. The available operators change depending on the data type fields.

You can select either the Equal or Not Equal operators to define whether your query results must equal or differ from the value you entered in the Value field.

You can select the Between operators to show query results that fall between the values you entered in the Value field.

- c. Enter a value.

The expression appears in the Current Expression field.

Example: To search for archived calls stored on either the Storage Center or ESM devices, select the `iarchiveID` field in the Field list and then select one of the following values:

- 1 for Storage Center
- 2 for ESM devices

8. Click Add.

The expression appears in the Whole Expression area.

9. To add parentheses to your expression:

- a. Select your expression in the Whole Expression area.
- b. Click the Open Parentheses field and select the required parentheses type.
- c. Click the Close Parentheses field and select the required parentheses type.

10. If you want your query to meet several search criteria or only one of them, you can add expressions to your query. To add an additional expression:

- a. Select a Binding Operation (And or Or).
- b. Define the expression as described in [Step 7](#).

11. You can perform the following actions with your expressions:

- To change the order of an expression, select the expression and click Up or Down.
- To preview the whole expression, click Preview.
- To delete all expressions, click Clear All.
- To delete one expression, select it and click Delete.
- To modify an expression, select it, modify its values and click Update.

12. Click Save and Run to save the query and run it immediately, or click Save to save the query.


Keyboard Accessibility:

Use the Ctrl + R keys to Save and Run.

Use the Ctrl + S keys or Enter key to Save.

Use the Ctrl + Z keys to Cancel.

[View image](#)

A screenshot of a 'Save Query' dialog box. The dialog has a title bar with the text 'Save Query'. Below the title bar, there are two labels: 'Query Name' and 'Query Description'. Under 'Query Name' is a single-line text input field. Under 'Query Description' is a multi-line text input field. At the bottom right of the dialog are two buttons: 'OK' and 'Cancel'.

13. Type in the query name and description. Click OK.

The new query appears in the Queries pane, below the selected folder. The query icon appears next to the query name.

Query Examples

These are some examples of Playback Portal queries.

Example 1: General

This example shows how to find calls with the following parameters:

- Shorter than 10 minutes (600 sec.)
- Agent ID - 40067
- Direction IN or OUT

➔ To find calls:

1. Select the Duration field, select Less (<), type in the value (600 sec) into the Value field and click Add.
2. Select the Agent ID field, select Equal (=), select AND for the binding operator, type in the value (40067) into the Value field and click Add.

3. Select the Direction field, select Equal (=), select AND for the binding operator, type in the value (IN) into the Value field and click Add.
4. Select the Direction field, select Equal' (=), select OR for the binding operator, type in the value (OUT) into the Value field and click Add.
5. Use parentheses if needed.
6. Click Save and Run to run the query.

Example 2: Finding Calls with QM Information

This example shows how to find calls with QM information.

➔ To find calls:

1. Select the Segment was Evaluated field, type in the value (1) into the Value field and click Add.

The bitIsInteractionEvaluated = 1 expression appears in the Whole Expression area.

Whole Expression:	Order	Bindin...	Open Pare...	Expression	Close Pare...
Preview	000			bitIsInteractionEvaluated = 1	


2. If needed, add other expressions, such as time range, agent, etc.
3. Click Save and Run to run the query.

Example 3: Querying Specific Calls

This example shows how to find calls from specific phone number(s) done by specific agents and/or group of agents.

➔ To find calls:

1. Open the Column Preferences Window.
2. Select the Data Name nvcPhoneNumber2 instead of nvcPhoneNumber as the Participant Phone Number to display in the query results grid:



3. Click Save and Run to run the query.

Defining Agents/Groups as Filter Criteria

You can define users (agents) and user groups as criteria when building a query using the **Agents** tab. You can use this function for the following purposes.

➔ To define agents as filter criteria:


1. In the Playback Portal New Query window, click the **Agents** tab.

Keyboard Accessibility

Use the Page Down key to navigate to the **Agents** tab. On first access to the **Agents** window, the active pane is **Organization** and **All Users** is highlighted. Use the up and down arrow keys to navigate between **Groups**.

The **Agents** window opens.

[View image](#)



2. Expand the Groups tree to view a hierarchy of groups and agents.
3. Click a branch in the tree. The groups or agents directly under that branch appear in the Group Members list box.
4. From the Group Members list box, select the groups or agents that are your filter criteria and click Add. The names are moved to the Selected Members list box.

You can enter the first letters of a user name in the text box above the list box to quickly jump to the appropriate user name.

Keyboard Accessibility

Use the Up or Down arrow key to navigate to a group member to add or delete. To select a list of adjacent group members to add or delete, use the Shift + arrow keys. Then use the Tab key to navigate to the > or < button to add or delete the selected group members and then press the Enter key.

5. Repeat steps 3 and 4 as needed to select agents/groups from various branches in the organization.
6. If required, select the Show deleted users checkbox. If you have just mapped a new legacy database (under 24 hours), run the Force Delete Audit job to update the Playback Portal Database Server. See *Running the Force Delete Audit Job*.
7. Click Save and Run to run the query or Save to save the query for future use.

Keyboard Accessibility

Use the Ctrl + R keys to Save and Run.

Use the Ctrl + S keys or Enter key to Save.

Use the Ctrl + Z keys to Cancel.

Managing Queries

This section explains how to run, edit and delete existing queries.

You can view the existing queries for each individual legacy site in the Public or Private folders in the Queries pane.

➔ To run a query:


1. In the Sites pane, select a legacy site.

View image



2. In the Queries pane, right-click the query you want to run and select Run Query.

View image



➡ To edit a query

1. In the Queries pane, select the query you want to edit and click the Edit button () or right-click the query and select Edit from the menu that appears.

The NICE Playback Portal Query Builder window opens displaying all the filter criteria that were defined for the query.

2. Edit the query criteria as needed.
3. Click Save to save the query without running it or click Save and Run to save the query and run it.

➡ To delete a query:

1. In the Queries pane, select the query you want to delete and click the Delete button () or right-click the query and select Delete from the menu that appears.

2. In the confirmation message that appears, click Yes.

The query is deleted from the system.


Renaming Queries

You can rename an existing query or change its description.

➔ To rename a query or change its description:


1. Right-click a query in the Queries pane and select Rename Query in the menu that appears.

View image



The Rename Query window is displayed.

View image



2. Enter a new query name or query description and click Ok.

Viewing Query Results

When you run a query, it returns calls that conform to the defined parameters. The results appear in a table format in the Results pane, each column representing a different parameter.

[View image](#)

The screenshot shows a software interface with a 'Queries' pane on the left and a 'Results for Query' pane on the right. The 'Queries' pane shows a tree structure with 'Public' and 'Private' folders under '13y'. The 'Results for Query' pane shows the results for the '13y (Public)' query. It includes a 'Group by' dropdown set to 'Start Time' and a status bar indicating '1500 Records found.' The results are displayed in a table with columns: Start Time, Stop Time, Duration, and Agent Name. The first row is a group header for 'Apr 03, 2008 (1016)'. Subsequent rows show individual call records with timestamps and durations.

Start Time	Stop Time	Duration	Agent Name
Apr 03, 2008 (1016)			
4/3/2008 11:57:...	4/4/2008 12:12:...	00:15:02	
4/3/2008 11:55:...	4/4/2008 12:10:...	00:15:02	
4/3/2008 11:54:...	4/4/2008 12:09:...	00:15:02	
4/3/2008 11:53:...	4/4/2008 12:08:...	00:15:01	
4/3/2008 11:53:...	4/4/2008 12:08:...	00:15:02	

Sorting Query Results

You can sort query results in either ascending or descending order.

➔ To sort query results:

1. Click the header of the column, by which you want to sort the calls.

The query results are rearranged and sorted in ascending/descending order based on the values in the selected column.

2. Click the column header again to change the sort order.

Grouping Query Results

You can organize query results in groups. A group is a set of results that have a certain parameter in common, such as Start Time or Agent ID. You can determine the common parameter by selecting a column name.

When you group items by a column name, the Results list displays group headers and the results that belong under each group (similar to an outline). You can then collapse and expand the group headers to display or hide the results they contain.

➔ To group query results:


- From the Group by drop-down list, select a column name.

Group by : Start Time ▼

The Results pane is refreshed to display all items in groups under the selected headers (based on the value in that column name). The groups and the items inside the groups appear in ascending order.

➔ To ungroup query results:

- From the Group by drop-down list, select None.



Hiding, Showing and Rearranging Columns

You can hide, show and rearrange columns in the Results pane using the Column Preferences window.


Important!

Administrators can specify which columns appear in queries for all users by selecting the default columns. See [Defining Column Preferences for Business Users](#) on page 61.

To open the Column Preferences window

- Click the Column Preferences button ().

The Column Preferences Form window is displayed for the business user.



To hide or show columns in the Results pane

- In the Column Preferences window, select or clear the relevant checkbox in the Visible column.

To change the column order

- Select a column and move it up or down using the arrow buttons on the right side of the Column Preferences window.

Viewing Quality Management (QM) Information

NOTE:

- This function is available only if you have the necessary privileges assigned to you by the administrator.
- After the administrator assigns to you the privileges, you must log out and log in again for the function to become available.

Quality Management (QM) information is based on evaluation of an agent's performance or customer experience in a specific call or a segment of a call. Evaluation is performed using various forms by the agent's manager who assigns a score to the agent.

If a legacy database contains QM information and you have the necessary privileges, you can view it in your query results.

➔ To view QM information:


- In the Results pane, right-click an interaction and select View QM Information.

View image

Group by : None		318 Records found.				
	Segment Start Time	Segment Stop Time	Segment Duration	First Name	Last Name	Segment was Evaluated
	5/30/2016 7:30:...	5/30/2016 7:31:...	00:01:10			☒
	5/30/2016 7:30:...	5/30/2016 7:31:...	00:01:10	52525	52525	☒
	5/24/2016 1:56:...	5/24/2016 1:59:...	00:02:48	agent 5	agent 5	☒
	5/24/2016 1:56:...	5/24/2016 1:59:...	00:02:48	agent 5	agent 5	☒
	5/24/2016 1:56:...	5/24/2016 1:59:...	00:02:48	agent 5	agent 5	☒
	5/24/2016 1:56:...	5/24/2016 1:59:...	00:02:48	agent 5	agent 5	☒
	5/24/2016 1:56:...	5/24/2016 1:59:...	00:02:48	agent 5	agent 5	☒

If the interaction has no QM information, the following message is displayed: There are no evaluations for the selected call

View image



Otherwise, the Evaluations window is displayed, showing the QM information of the selected interaction.

View image

User Guide - Playback Portal 7.8
Playback Portal (A0)


Playing back Calls

You can select one call at a time and play it back from your desktop.

- For playback of calls, Playback Portal only supports Windows media player (Legacy).
- Playback of complete calls is not supported.
- If the calls are stored on a Logger, Storage Center or ESM Device, the Player appears automatically, and you can play the calls back. The  icon changes to .
- If the calls are stored on a cassette, then the calls must be retrieved before they can be played back. A retrieval message appears, prompting you to retrieve the calls from a specific cassette. Ask your administrator to place the cassette into the Logger.
- After the calls are retrieved, you can play them back on the Player. See [Pinning Calls](#) on how to retain access to the call, after playing it back.
- If the call wasn't found on any of the existing storage devices, the following information message is displayed and the  icon changes to . Contact your administrator to locate the call:

The selected call was not found. Playback cannot be initialized. In case the call exists on tape, retrieve it to retrieval logger and try again.


View image



➔ To play back a call:

- In your query results, double-click the call or select the call and click the Play button (.

View image



➔ To change the play speed:

- Use the Play Speed slider.




The range of play speeds is between 0.5 and 2.0.

➔ To change the play speed:

- Right-click the NICE Playback Portal Player and select Play speed and then the required speed from the menu.

View image



Pinning Calls

NOTE:

- This function is available only if you have the necessary privileges assigned to you by the administrator.
- After the administrator assigns to you the privileges, you must log out and log in again for the function to become available.

Played back calls are stored on the Playback Portal Stream Server for 15 days, after which they are deleted. To be able to play back a call again after the 15-day period expires, the NiCE Playback Portal must retrieve the call again from the source storage.

To prevent a call from being deleted from the Playback Portal Stream Server, the user must pin the call. The call remains pinned until the user chooses to unpin it, in which case the call is deleted from the Playback Portal Stream Server in the regular manner.

Encrypted calls cannot be pinned and are saved in the Playback Portal stream folder during playback.


TIP: Pin calls that you might need in the future, in the following cases:

- Calls stored on tapes (this eliminates the need to change the tape, if the right tape is not in the Logger)
- Very long calls of over half an hour long (this save the time required to stream the calls from the server)

 To pin a call

1. Play back a call.
2. Select the Pin Call checkbox as shown below or select the call in the Results pane and click the Pin Selected Call button.

 [View image](#)



The call is pinned.

3. To unpin the call, clear the Pin Call checkbox.

Saving Calls

NOTE:

- This function is available only if you have the necessary privileges assigned to you by the administrator.
- After the administrator assigns to you the privileges, you must log out and log in again for the function to become available.

The NICE Playback Portal allows you to save calls locally on your computer for repeated playbacks or for sending calls to other employees within the company.



Important! Locally saved calls are no longer encrypted and can be played back by anyone who has access to your computer.

Saving a Single Call

You can save a single call locally on your computer for repeated playback or for sending it to other employees within the company.

You can save calls in the following formats:

- WAV
- WMA


➔ To save a single call

1. In the Results pane, double-click the call you wish to save.

The NiCE Playback Portal Player opens.


2. Click the Save button () in the NiCE Playback Portal Player during the playback.

[View image](#)



3. In the Save as window that opens, specify the desired file name, format and location and click Save.

[View image](#)



Saving Multiple Calls

The NiCE Playback Portal allows you to save a large amount of calls (up to 1500 at a time) locally on your computer using the Bulk Extraction function.

Calls can be saved in the following formats:

- WAV
- WMA

Calls can be saved from ESM devices and from Storage Center (NAS Location).

You can save multiple calls from different legacy sites.

NOTE:

- Saving to a network folder is not supported.
- Saving from Loggers is not supported.

➔ To save multiple calls:

1. Select calls from the Playback Portal result panel.


View image

Start Time	Stop Time	Rec Start Time	Duration	Extension	Trunk
2/14/2010 1:16:...	2/14/2010 1:16:...	2/14/2010 1:16:...	00:00:12	1	0000/00000
2/14/2010 1:16:...	2/14/2010 1:16:...	2/14/2010 1:16:...	00:00:08	1	0000/00000
2/14/2010 1:07:...	2/14/2010 1:07:...	2/14/2010 1:07:...	00:00:04	1	0000/00000
2/14/2010 12:5:...	2/14/2010 1:00:...	2/14/2010 12:5:...	00:00:20	1	0000/00000
2/14/2010 12:5:...	2/14/2010 12:5:...	2/14/2010 12:5:...	00:00:08	1	0000/00000
2/14/2010 12:3:...	2/14/2010 12:3:...	2/14/2010 12:3:...	00:00:12	1	0000/00000
2/14/2010 12:3:...	2/14/2010 12:3:...	2/14/2010 12:3:...	00:00:08	1	0000/00000
2/14/2010 12:3:...	2/14/2010 12:3:...	2/14/2010 12:3:...	00:00:08	1	0000/00000
2/14/2010 12:2:...	2/14/2010 12:2:...	2/14/2010 12:2:...	00:00:12	1	0000/00000
2/14/2010 12:2:...	2/14/2010 12:2:...	2/14/2010 12:2:...	00:00:12	1	0000/00000
2/14/2010 9:51:...	2/14/2010 9:51:...	2/14/2010 9:51:...	00:00:04	1	0000/00000
2/14/2010 9:50:...	2/14/2010 9:50:...	2/14/2010 9:50:...	00:00:04	1	0000/00000
2/14/2010 8:41:...	2/14/2010 8:42:...	2/14/2010 8:41:...	00:00:08	1	0000/00000

2. Click the Extract Selected Calls icon ().


The Playback Portal Extraction window opens with the selected calls.

View image



- Click the Browse button (...) and in the Save as window that opens, specify the desired prefix, media type and location and click Save.

View image




4. To generate a metadata summary of the extracted calls in CSV format, click **Generate a summary file of saved calls**.

The summary file includes the following pre-defined interaction meta data fields:

- Site ID
- Call ID
- Start time
- Stop time
- Duration
- Agent name
- Agent ID
- Extension
- Phone number
- Dialed in number
- Direction
- Logger
- Channel

[View image](#)



5. Click **Start**.

NOTE: The Status column shows the saving process status. The statuses are as follows:

- Idle - waiting to be handled.
- Locating and Located - the server is copying and converting files from the source location (ESM/NAS) to the destination folder.
- Extracted - calls were downloaded successfully to the destination folder
- Locate Failure - failed to locate files
- Extract Failure - failed to save the selected files

After the files are saved, a confirmation message is displayed. If you saved a summary file, the CSV file is at the same location as the media files.

Putting Calls on Litigation Hold

NOTE:

- This function is available only if you have the necessary privileges assigned to you by the administrator.
- After the administrator assigns to you the privileges, you must log out and log in again for the function to become available.

The Litigation Hold feature allows you to lock calls to prevent their deletion in compliance with regulatory requirements.

You can lock up to 1500 interactions at a time.

For NICE Interaction Management 4.1 and NiCE Engage Platform legacy databases: Calls that were put on litigation hold prior to mapping a legacy database to Playback Portal will appear as locked after mapping and will not be deleted. Starting from Playback Portal 6.7, administrators can unlock such calls. On earlier versions, such calls cannot be unlocked by any user.

For NICE Perform 3.5 legacy databases: Calls that were put on litigation hold prior to mapping a legacy database to Playback Portal will appear as unlocked after mapping and will be deleted on the original expiration date.

When you use the Playback Portal to lock or unlock an interaction in a legacy database the business data column iLitigationBD (Alias:Litigation BD) is not updated. [Viewing Locked Calls](#) on page 51 describes alternate methods for viewing locked interactions.

Locking Calls


 **Important!** Only the user, who locks a call, can unlock it. Make sure the user unlocks all locks, before the user becomes unavailable for any reason.

You can lock calls to prevent their deletion. Calls can be locked by several users at the same time.

➔ To lock interactions:


1. After running your query, as explained in [Managing Queries](#), in the Results pane, select the calls you want to lock. You can select a maximum of 1500 calls for a site at the same time. To select multiple calls, hold down Ctrl and click the calls.

View image




2. Click the Litigation Hold icon ().

View image



The Litigation Hold Wizard opens, and the Introduction screen is displayed.


View image



3. Click Next.

The Set Reason window is displayed.


View image



4. Specify a reason for locking the interactions and click Next.

The Confirmation screen is displayed.


View image



5. Click Next to lock the interactions.

The Lock Results screen is displayed.

View image



Other possible results are:

- Interaction previously locked by the same user – The user can lock each interaction only once.
- Interaction not archived – A non-archived interaction cannot be locked.
- Interaction erased – A deleted interaction cannot be locked.
- No force deletion date – Locking interactions that will not be deleted in the future (no force deletion date) is not supported.

- **Failed to lock** – An unknown error that prevents the interaction from being locked. In most cases, the error is caused by invalid data in the Database.

6. Click Finish to close the wizard.

Unlocking Calls


Calls can be locked by a number of users at the same time. Before a call can be deleted, it must first be unlocked by all users who have previously locked it.

➔ To unlock interactions:

1. Click the Manage Locked Interactions button ()

The Manage Litigation Holds window opens.

View image



The screenshot shows the 'Manage Litigation Holds' window. At the top, there is a 'Site:' dropdown menu set to 'nim48_dw' and a 'Page' indicator showing '1'. Below this is the section 'Locked Interactions' with the text 'Select interactions to unlock' and 'Number of Interactions is:352'. A table lists 20 locked interactions with columns: Locked by, Interaction ID, Agent Name, Interaction Start Time, Date Locked, and Reason for Lock. All 'Locked by' entries are 'NICE Superuser'. The 'Reason for Lock' for all entries is 'Default litigation for new ...'. At the bottom right of the table is an 'Unlock' button.

Locked by	Interaction ID	Agent Name	Interaction Start Time	Date Locked	Reason for Lock
NICE Superuser	6396935616806846481	Legacy user, w...	3/13/2017 10:57:18 AM	8/13/2024	Default litigation for new ...
NICE Superuser	6396935728526327813	Legacy user, w...	3/13/2017 10:57:48 AM	8/13/2024	Default litigation for new ...
NICE Superuser	6396940040673492999	Legacy user, w...	3/13/2017 11:14:26 AM	8/13/2024	Default litigation for new ...
NICE Superuser	6396940487350091785	Legacy user, w...	3/13/2017 11:16:10 AM	8/13/2024	Default litigation for new ...
NICE Superuser	6396941616926490635	Legacy user, w...	3/13/2017 11:20:33 AM	8/13/2024	Default litigation for new ...
NICE Superuser	6396944400065298445	Legacy user, w...	3/13/2017 11:31:21 AM	8/13/2024	Default litigation for new ...
NICE Superuser	6396944627698565135	Legacy user, w...	3/13/2017 11:32:13 AM	8/13/2024	Default litigation for new ...
NICE Superuser	6396968086809935889	Legacy user, w...	3/13/2017 1:03:16 PM	8/13/2024	Default litigation for new ...
NICE Superuser	6396989059135242259	Legacy user, w...	3/13/2017 2:24:40 PM	8/13/2024	Default litigation for new ...
NICE Superuser	6397008678495518739	Legacy user, w...	3/13/2017 3:40:50 PM	8/13/2024	Default litigation for new ...
NICE Superuser	6397011470274592769	Legacy user, w...	3/13/2017 3:51:37 PM	8/13/2024	Default litigation for new ...
NICE Superuser	6397011676433022979	Legacy user, w...	3/13/2017 3:52:26 PM	8/13/2024	Default litigation for new ...
NICE Superuser	6397291549386932229	Legacy user, w...	3/14/2017 9:58:29 AM	8/13/2024	Default litigation for new ...
NICE Superuser	6397697617069932545	Legacy user, w...	3/15/2017 12:14:13 PM	8/13/2024	Default litigation for new ...
NICE Superuser	6397697681494441987	Legacy user, w...	3/15/2017 12:14:50 PM	8/13/2024	Default litigation for new ...
NICE Superuser	6397733505831337987	Legacy user, w...	3/15/2017 2:33:44 PM	8/13/2024	Default litigation for new ...
NICE Superuser	6397734085651922949	Legacy user, w...	3/15/2017 2:35:52 PM	8/13/2024	Default litigation for new ...
NICE Superuser	6397741193822797863	Legacy user, w...	3/15/2017 3:03:19 PM	8/13/2024	Default litigation for new ...
NICE Superuser	6397741275427176491	Legacy user, w...	3/15/2017 3:03:40 PM	8/13/2024	Default litigation for new ...
NICE Superuser	6397741391391293491	Legacy user, w...	3/15/2017 3:04:06 PM	8/13/2024	Default litigation for new ...
NICE Superuser	6397741498765475901	Legacy user, w...	3/15/2017 3:04:30 PM	8/13/2024	Default litigation for new ...
NICE Superuser	6397741550305083455	Legacy user, w...	3/15/2017 3:04:42 PM	8/13/2024	Default litigation for new ...

2. Select a legacy site in the Site field.
3. Select the calls you want to unlock.
4. Click Unlock.
5. In the Confirmation window that opens, click Yes.

Viewing Locked Calls


When you use the Playback Portal to lock or unlock an interaction in a legacy database the business data column iLitigationBD (Alias:Litigation BD) is not updated. You can view locked calls either in the Manage Litigation Holds window, or in the Audit Trail log.

➔ To view locked calls:

- Do either of the following:
 - Click the Manage Locked Interactions button ().

The Manage Litigation Holds window opens.

View image



The screenshot shows the 'Manage Litigation Holds' window. At the top, there's a 'Site' dropdown menu set to 'nim48_da'. Below it, the 'Locked Interactions' section displays a table with columns: Locked by, Interaction ID, Agent Name, Interaction Start Time, Date Locked, and Reason for Lock. The table lists 20 interactions, all locked by 'NICE Superuser'. The 'Reason for Lock' column contains the text 'Default litigation for new ...'. At the bottom right of the table, it says 'Number of Interactions is:352'. There is an 'Unlock' button at the bottom right of the window.

Locked by	Interaction ID	Agent Name	Interaction Start Time	Date Locked	Reason for Lock
NICE Superuser	6396935616806846481	Legacy user, w...	3/13/2017 10:57:18 AM	8/13/2024	Default litigation for new ...
NICE Superuser	6396935728526327813	Legacy user, w...	3/13/2017 10:57:48 AM	8/13/2024	Default litigation for new ...
NICE Superuser	6396940040673492999	Legacy user, w...	3/13/2017 11:14:26 AM	8/13/2024	Default litigation for new ...
NICE Superuser	6396940487350091785	Legacy user, w...	3/13/2017 11:16:10 AM	8/13/2024	Default litigation for new ...
NICE Superuser	6396941616926490635	Legacy user, w...	3/13/2017 11:20:33 AM	8/13/2024	Default litigation for new ...
NICE Superuser	6396944400065298445	Legacy user, w...	3/13/2017 11:31:21 AM	8/13/2024	Default litigation for new ...
NICE Superuser	6396944627698565135	Legacy user, w...	3/13/2017 11:32:13 AM	8/13/2024	Default litigation for new ...
NICE Superuser	6396968086809935889	Legacy user, w...	3/13/2017 1:03:16 PM	8/13/2024	Default litigation for new ...
NICE Superuser	6396989059135242259	Legacy user, w...	3/13/2017 2:24:40 PM	8/13/2024	Default litigation for new ...
NICE Superuser	6397008678495518739	Legacy user, w...	3/13/2017 3:40:50 PM	8/13/2024	Default litigation for new ...
NICE Superuser	6397011470274592769	Legacy user, w...	3/13/2017 3:51:37 PM	8/13/2024	Default litigation for new ...
NICE Superuser	6397011676433022979	Legacy user, w...	3/13/2017 3:52:26 PM	8/13/2024	Default litigation for new ...
NICE Superuser	6397291549386932229	Legacy user, w...	3/14/2017 9:58:29 AM	8/13/2024	Default litigation for new ...
NICE Superuser	6397697617069932545	Legacy user, w...	3/15/2017 12:14:13 PM	8/13/2024	Default litigation for new ...
NICE Superuser	6397697681494441987	Legacy user, w...	3/15/2017 12:14:50 PM	8/13/2024	Default litigation for new ...
NICE Superuser	6397733505831337987	Legacy user, w...	3/15/2017 2:33:44 PM	8/13/2024	Default litigation for new ...
NICE Superuser	6397734085651922949	Legacy user, w...	3/15/2017 2:35:52 PM	8/13/2024	Default litigation for new ...
NICE Superuser	6397741193822797863	Legacy user, w...	3/15/2017 3:03:19 PM	8/13/2024	Default litigation for new ...
NICE Superuser	6397741275427176491	Legacy user, w...	3/15/2017 3:03:40 PM	8/13/2024	Default litigation for new ...
NICE Superuser	6397741391391293491	Legacy user, w...	3/15/2017 3:04:06 PM	8/13/2024	Default litigation for new ...
NICE Superuser	6397741498765475901	Legacy user, w...	3/15/2017 3:04:30 PM	8/13/2024	Default litigation for new ...
NICE Superuser	6397741550305083455	Legacy user, w...	3/15/2017 3:04:42 PM	8/13/2024	Default litigation for new ...

- Run an Audit Trail query as described in [Auditing Playback Portal](#) on page 63 to view Litigation Hold operations logged in the Audit Trail log.

[This page intentionally left blank]

Using Administrator Privileges

This section is relevant for NiCE Playback Portal administrators only. It describes what privileges administrators have and how they can use them.

Assigning Privileges in a Multi-tenant System

Playback Portal can be installed on multi-tenant NiCE Engage systems. In a multi-tenant solution all configuration is handled by a Service Provider Administrator, who can view and modify settings for all tenants. Tenant Administrators handle User Administration for users in their tenant only.

The workflow for assigning privileges in a multi-tenant system is as follows:

1. The Service Provider Administrator creates the appropriate profiles for each tenant, as described in [Creating Playback Portal Profiles](#) on page 56.
2. For each tenant, the Service Provider Administrator creates a user who will be the Playback Portal Tenant User Administrator. The Service Provider Administrator assigns the user a profile that includes the Playback Portal User Administrator privilege. The Service Provider Administrator then logs in to the Playback Portal, and selects the site and groups that the Tenant User Administrator can view and manage.

 **Warning:** During this step, it is imperative to carefully assign each Tenant User Administrator access only to their tenant.

3. In a multi-tenant environment, the Service Provider Administrator must map the tenants to the legacy sites. See *Mapping Tenants* in the *Playback Portal Deployment* document.

Make sure you map the tenants only to the legacy sites to which they belong.

4. The Playback Portal Tenant User Administrators log in to the Playback Portal and assign privileges to other Playback Portal users in their tenant, as described in [Managing Business User Access and Privileges](#) on page 58.

EXAMPLE

If the user PBP_agent10 (as shown in the graphic) belongs to a tenant that includes only the legacy site LegacyDB3, then PBP_agent10 must be assigned privileges only for LegacyDB3. This ensures that the user has access only to the relevant data, maintaining the integrity and security of the multi-tenant environment.

8: Using Administrator Privileges

Assigning Privileges in a Multi-tenant System

Playback Portal Privileges Settings

COMP_MU03

Search for user...

Administrator, MU03
Smith, John03

☐ All Assigned Privileges	Description
☐ Litigation Hold	Provides the ability to define that an interaction cannot be deleted
☐ Pin Call	Provides the ability to retain the interaction file in IIS Server
☐ QM Info	Provides the ability to view QM Information
☐ Save Interactions	Provides the ability to save one or multiple interactions to the file system

Display groups from Legacy site: SITE01

SITE01	All Groups
SITE02	☒ G52253
SITE03	☒ test Group 1
SITE04	☒ test Group 2
SITE06	☐ test Group 3
SITE07	☐ Unmapped Users Team
	☐ UsersGroup1
	☐ UsersGroup2

Select all subgroups

Unselect all subgroups

Save Exit

Creating Playback Portal Profiles

Playback Portal profiles are required to manage the privileges of Playback Portal users. Playback Portal profiles are created and configured in the NICE Interaction Management / NiCE Engage Platform Users Administrator.

For detailed information, see *Creating a New Profile* in *Users Administrator*.

➔ To create Playback Portal profiles:

1. Log into NICE Interaction Management / NiCE Engage Platform as a Superuser.
2. Create the Playback Portal profiles with the following privileges:

NOTE: If you are in a multi-tenant system, for each of your tenants you need to create profiles with the Playback Portal User Administrator privilege (for users who will manage Playback Portal privileges), and profiles with Playback Portal Use application privilege (for users who need to create and run queries and play back calls).

Privilege	Description	Which Profile Requires this Privilege?
Use application	Create and run queries, play back calls, and use additional functions, if assigned the respective privileges by system or user administrators.	Required for all profiles: ■ Business User ■ User Administrator ■ System Administrator
User Administrator (for Playback Portal 6.8 and above only)	Assign privileges to business users.	User Administrator
Administrator	Assign privileges to business users and configure the system. Administrator privileges are not limited to a specific legacy site or group, and are effective for the entire system.	System Administrator (in a multi-tenant system, Service Provider Administrator)  Important! In a multi-tenant environment, the Administrator privilege is not available for tenant users.

3. After creating the Playback Portal profiles, assign them to users. In a multi-tenant environment, assign at least one user in each tenant a profile that includes the User Administrator privilege, so that they can manage the business users for their tenant. In other environments, you can optionally assign users a profile that includes the User Administrator privilege, if you would like them to be able to manage business users along with the System Administrator.
4. It may take up to an hour for the updated profiles to appear in the User Administrator.
To speed up the process, your IT administrator can perform the following steps (in on-premise environments). In Cloud environments, contact NiCE for assistance.

If you have a connection to the SQL server, run these jobs:

- Nice Creates Explicit Privilege Info Table
- Nice DW Creates Explicit Privilege Info Table
- Nice SyncUserPrivilegesTables

Managing Business User Access and Privileges

This section explains how to assign and remove privileges for business users. Along with the System Administrator, users with the User Administrator profile can both assign and remove privileges for business users.

Playback Portal lets you search users by username with or without a middle name. It displays the username using the same naming conventions as defined in the User Administrator and the same order as in NiCE Engage Platform (first name, middle name, last name).


Assigning Privileges

NOTE: In multi-tenant systems, users with the User Administrator privilege can only assign privileges to Business Users within their tenant.

➔ To assign privileges:

1. In the Playback Portal application, click the Privileges Settings icon (). The format of how the user is displayed in the left pane is identical to NiCE Engage Platform. For example, if the username is displayed as first name, middle name and last name in NiCE Engage, it will be displayed in the same way in Playback Portal.

View image



Playback Portal Privileges Settings

COMP_MU03

Search for user...

Administrator, MU03
Smith, John03

All Assigned Privileges	Description
☐ Litigation Hold	Provides the ability to define that an interaction cannot be deleted
☐ Pin Call	Provides the ability to retain the interaction file in IIS Server
☐ QM Info	Provides the ability to view QM Information
☐ Save Interactions	Provides the ability to save one or multiple interactions to the file system

Display groups from Legacy site: SITE01

SITE01
SITE02
SITE03
SITE04
SITE06
SITE07

All Groups

- ☒ G52253
- ☒ test Group 1
- ☒ test Group 2
- ☐ test Group 3
- ☐ Unmapped Users Team
- ☐ UsersGroup1
- ☐ UsersGroup2

Select all subgroups

Unselect all subgroups

Save Exit

2. In the left-hand area, select a user. Users with Playback Portal Administrator privileges are not displayed in Playback Portal Privileges Settings window.

You can select multiple users and change their privileges per group or subgroup in a legacy site.

When you select multiple users, the privileges are shown for the first user on the list. If you do not make any changes, the privileges of the users you selected remain intact. If you make changes, they apply to all selected users for the selected legacy site only.

3. In the upper right-hand area, select one or more privileges.

Litigation Hold

Enables locking/unlocking calls to prevent their deletion in compliance with regulatory requirements.

Pin Call

Played back calls are stored on the Playback Portal Stream Server for 15 days, after which they are deleted. To prevent a call from being deleted from the Playback Portal Stream Server, users can pin the call.

Enables pinning calls.

QM Info

View QM information in your query results.

Save Interactions

Provides the ability to save one or more interactions

4. If you are a Service Provider Administrator in a multi-tenant environment, select the tenant's site in the Select site area.

 **Warning:** Ensure that each user is granted access only to the Legacy sites (databases) belonging to the same tenant to which the user belongs. If you don't, security problems and data leaks will occur.

5. In the Display groups from Legacy site area , select a legacy site, and then select one or more groups in that legacy site.

When you select a group, its subgroups are not selected automatically. To select only some of the subgroups, expand the group and select the subgroups that you want.

To select all subgroups in a group, use the Select all subgroups checkbox.

To select only the group itself, without its subgroups, use the Unselect all subgroups checkbox.

6. Click Save.


Removing Privileges

Before deleting a user from Engage Users Administrator, you must remove all their associated privileges in Playback Portal.

➡ To remove privileges:

1. In the Playback Portal application, click the Privileges Settings icon ().

View image



2. In the left-hand area, click to select the user whose privileges you want to remove. Remember, users with Playback Portal Administrator privileges will not appear in this list. Multiple users can be selected simultaneously if group or subgroup privileges need to be removed for a legacy site.
3. In the upper right-hand area, deselect any checked privileges that you want to remove from the user.
4. In the Display groups from Legacy site: area, deselect any legacy sites and groups to remove the user's access. If you need to remove access to specific subgroups:
 - Expand the group and deselect the specific subgroups.
 - Use the Unselect all subgroups checkbox to remove access to all subgroups within a group.
5. Click Save.

Defining Column Preferences for Business Users


The administrator can define default column preferences for new business users and those business users who have not yet changed their preferences. The business users who have already changed their column preferences as explained in [Hiding, Showing and Rearranging Columns](#) on page 29 will not be affected by the below actions.

➔ To define column preferences for new business users:

1. Click the Column Preferences button (🔍).

The Column Preferences window appears.

View image



2. Select or clear checkboxes in the Default columns as needed.

The selected columns are displayed in the Results pane after a new business user runs a query.

3. To change the order of columns, select a column and move it up or down using the arrow buttons on the right side of the Column Preferences window.

4. Click OK to save the changes and exit.

Auditing Playback Portal

NiCE Playback Portal usage is audited, and usage details can be searched for in NiCE Audit Trail. This section explains which actions are audited, and how to view the NiCE Audit Trail.

NOTE:

- The Playback Portal Audit Trail is part of the Audit Trail.
- For further information on using the Audit Trail, refer to the Business Analyzer.

Audit Categories and Message Types

Category	Message Title
Playback Portal Calls Litigation	Playback Portal Litigation Hold Lock
Playback Portal Calls Litigation	Playback Portal Litigation Hold Unlock
Playback Portal Pin Calls	Playback Portal Call Pinned
Playback Portal Pin Calls	Playback Portal Call Unpinned
Playback Portal Permissions	Playback Portal Privilege Granted
Playback Portal Permissions	Playback Portal Privilege Removed
Playback Portal Permissions	Playback Portal Legacy Site Group Access Granted
Playback Portal Permissions	Playback Portal Legacy Site Group Access Declined
Playback Portal Bulk Extraction	Playback Portal Bulk Extraction
Playback Portal Playback/Save	Playback Portal Interaction Playback Start
Playback Portal Playback/Save	Playback Portal Interaction Save


➡ To open Audit Trail:

1. Log in to Application Suite.
2. Click the Business Analyzer tab.




3. Click the Audit Trail tab on the left-hand pane.

View image



4. Select New: Audit Trail Query.
The Advanced Query window opens.

View image



5. Create your query and run it. Use the messages option to filter specific categories and message types.

Naming Conventions for Restoring Databases

This section gives general naming conventions when restoring databases and specific examples for the different source systems.

Syntax

<database name><logical site name>

Case

Only use lowercase letters for the database names. The system does not recognize database names containing capital letters.

Examples of Names for Restored Databases by Source

NICE Log 8.9 - Example

- If there is one nice_cls database, the naming must be:
 - {nice_cls_sitename1}
- If there are two nice_cls databases, the naming must be:
 - {nice_cls_sitename1}
 - {nice_cls_sitename2}

NICE Perform Release 3.x - Example

This is an example of the database names when there are two nice_interactions databases and two nice_admin databases:

- {nice_interactions_sitename1}
- {nice_admin_sitename1}
- {nice_crypto_sitename1}- Only for sites with media encryption
- {nice_interactions_sitename2}
- {nice_admin_sitename2}
- {nice_crypto_sitename2}- Only for sites with media encryption

NICE Interaction Management 4.1 and Engage - Single Data Hub - Example

- {nice_dw_singledatahubname}
- {nice_admin_singledatahubname_sitename}
- {nice_crypto_singledatahubname_sitename} - Only for sites with media encryption

NICE Interaction Management 4.1 and Engage - Multi Data Hub - Example

- {nice_dw_multidatahubnamea}
- {nice_admin_multidatahubnamea_sitename1} for the primary
- {nice_admin_multidatahubnamea_sitename2} for the secondary
- {nice_crypto_multidatahubnamea_sitename1} for the primary
- {nice_crypto_multidatahubnamea_sitename2} for the secondary
- {nice_dw_multidatahubnameb}
- {nice_admin_multidatahubnameb_sitename1} for the primary
- {nice_admin_multidatahubnameb_sitename2} for the secondary
- {nice_crypto_multidatahubnameb_sitename1} for the primary - Only for sites with media encryption
- {nice_crypto_multidatahubnameb_sitename2} for the secondary (Optional for Media Encryption)

More Guidelines for Multi Data Hubs:

- All data hubs must be prepared and restored on the Playback Portal Database Server.
- The Multi Data Hub name used for the nice_admin and nice_crypto databases must be exactly the same as it is on the nice_dw database. Remember: The database names are case-sensitive. Use small letters only.

For example:

- {nice_dw_customername}
- {nice_admin_customername_master} for primary (Mandatory)
- {nice_admin_customername_sec} for secondary (Mandatory)
- {nice_crypto_customername_master} for primary - Only for sites with media encryption
- {nice_crypto_customername_sec} for secondary - Only for sites with media encryption

NICE Interaction Management 4.1/NiCE Engage Platform - Operational Database as a Source - Example

- nice_opr_admin_{sitename}
- nice_opr_interactions_{sitename}
- nice_opr_storage_center_{sitename}
- nice_opr_qa_{sitename}

- nice_opr_crypto_{sitename} - Only for sites with media encryption

Generic Databases - Example

Generic databases are third-party system databases integrated with Playback Portal.

- {nice_generic_sitename}

Mapping Databases on Playback Portal Database Server

To play back interactions from legacy and generic databases on Playback Portal, you must first map these databases on the Playback Portal Database Server.

Legacy databases (NICE Log 8.9, NICE Perform eXpress, NICE Perform 3.x, NICE Interaction Management, and NiCE Engage Platform databases) are mapped to the Playback Portal Database Server as part of the installation procedure. You can map additional legacy databases at any time after that using the Site Configuration Tool. This section describes how to use the Site Configuration Tool to map additional legacy databases.

Generic databases (third-party system databases integrated with Playback Portal) must be migrated to Playback Portal before you can map them. Use a dedicated migration procedure to migrate your generic databases to Playback Portal.

Make sure the legacy and/or generic databases are named as described in [Naming Conventions for Restoring Databases](#) on page 66.


If your system is integrated with the Compliance Center, the NiCE Engage system mapped in the Playback Portal will appear in the Policy Manager application and be available for mass deletion.

If you need to change an existing mapping, see [Changing Database Mapping](#) on page 71.

➔ To map legacy databases:

1. For NICE Log 8.9 databases only:
 - a. Navigate to `dbo.GROUP_MEMBERS > Triggers` and check for the `tr_member_insert` trigger.
 - b. If the `tr_member_insert` trigger is there, disable it by right-clicking and selecting `Disable`.



View image



2. In the Playback Portal application, click the Configuration button ().

The Site Configuration Tool opens displaying the available legacy databases.

View image



The available databases are identified automatically.

In the Site Configuration Tool, databases of each type of generic and legacy system are displayed in a separate window. Use Back and Next to navigate between types of generic and legacy systems.

3. Perform the following steps for each legacy database:

NOTE: NICE Interaction Management and NiCE Engage Platform legacy databases are Multi Data Hub made up of a Primary site and Secondary sites. You must repeat the procedure below for each site before the legacy database can be mapped.

- a. Specify a name in the Display Name field to identify the legacy database in Playback Portal. For systems with Compliance Center, the name is the Display Name with an identifier that is the database in the Playback Portal (for example: LegacySystem_IdX).



Important! The Display Name field supports uppercase and lowercase letters (A–Z, a–z), digits (0–9), and the following special characters: hyphens (-) and underscores (_). Spaces are not allowed.

- b. Select Yes or No in the Force Deletion field to determine if the media will be permanently deleted on the retention expiration date, as defined in the legacy system.
- c. Click Map to map the legacy database.
(NICE Perform 3.x, NICE Interaction Management, Engage systems and generic Uptivity only) If the database is encrypted, after you click Map:
 - Set the Database Master Key password in the pop-up window that appears and click OK.
 - Enter the Database Master Key password and click OK.
4. Click Back or Next to navigate to another legacy system and repeat the steps above.
5. In multi-tenant environments, the Service Provider Administrator must map the tenants. See [Mapping Tenants](#) in the *Playback Portal Deployment* document.
6. When you are finished mapping the databases, close the Playback Portal Site Configuration Tool.
7. Run the Force Delete Audit job, as explained in [Running the Force Delete Audit Job](#) on the next page.

Changing Database Mapping

If required, legacy databases already mapped to Playback Portal, can be updated or unmapped.

- If a new QM database has been added to an already mapped legacy database, click **Update** to map it.

For example, the image above shows a QM database called nice_qa_35qmPri that has been added to the nice_interactions_35 legacy database and is highlighted in red.

- Click **Unmap** to unmap a legacy database.

Running the Force Delete Audit Job

Run the Force Delete Audit job after:


- Installing or upgrading Playback Portal
- Mapping new databases

This job prepares CLS 8.9 legacy sites for forced deletion, NICE Perform 3.x legacy sites for playback and forced deletion, and NICE Interaction Management 4.1 and NICE Engage Platform sites for playback and forced deletion.

The forced deletion is for the media of calls that reach their expiration date as defined in the legacy system, but not the metadata on the database.

➡ To run the Force Delete Audit job:

1. Using the NICE Services account, log in to the Playback Portal Database Server.
2. Open SQL Management Studio.
3. Under Jobs, right-click NICE Force Delete Audit and select Execute.



Configuring Playback Portal

This section explains how to configure Playback Portal using the Advanced Settings window.


➔ To configure Playback Portal:

1. Click the Configuration button ()

2. Click Advanced Settings.

The Advanced Settings window appears.

[View image](#)



3. Select configure the options in the General tab as needed:

Work Area	Field	Description
Playback Portal Stream Server Details	Hostname/IP Address	Hostname or IP address of the Playback Portal Stream Server
	Port	Enter the Playback Portal Stream Server port number.
	Enable HTTPS	Select to enable secure communication.
	Server Certificate Name	Change the name of the Playback Portal Stream Server Certificate.  Important! Change the server certificate only after deploying a new Server Certificate.
Retrieval Logger hostname	Logger hostname	Host name of Logger or the IP address

4. Click Databases to open the Databases tab and configure as needed.

View image

The screenshot shows the 'Playback Portal Advanced Settings' dialog box with the 'Databases' tab selected. The dialog is divided into two main sections: 'Playback Portal database server credentials' and 'Operational database server credentials'. Each section contains fields for 'Hostname/IP address' and 'Port' (set to 1433). Below these fields is a 'Connect using' section with two radio buttons: 'Windows (NT) authentication' and 'SQL server authentication'. The 'SQL server authentication' option is selected in both sections. Under 'SQL server authentication', there are fields for 'SQL login name' and 'SQL password'. At the bottom right of the dialog are 'OK' and 'Cancel' buttons.

Playback Portal Advanced Settings

General **Databases** Folders

Playback Portal database server credentials

Hostname/IP address: Port: 1433

Connect using

☐ Windows (NT) authentication

☒ SQL server authentication

SQL login name:

SQL password:

Operational database server credentials

Hostname/IP address: Port: 1433

Connect using

☐ Windows (NT) authentication

☒ SQL server authentication

SQL login name:


SQL password:

OK Cancel

Work Area	Field	Description
Playback Portal database server credentials / Operational database server credentials	Hostname/IP Address	Hostname or IP address of the Playback Portal Database Server
	Windows (NT) Authentication	Select this option for Windows Authentication
	SQL Server Authentication	Select this option for SQL authentication
	Windows Login Name (appears when Windows Authentication is selected)	Enter your Windows login name
	Windows Password (appears when Windows Authentication is selected)	Enter your Windows password
	SQL Login Name (appears when SQL Server Authentication is selected)	Enter SQL Windows login name
	SQL Server Authentication (appears when SQL Server Authentication is selected)	Enter SQL Windows password

- Click Folders to open the Folders tab and configure as needed.

[View image](#)



Field	Description
Temporary Streaming Directory	Enter a temporary IIS Server streaming directory for Playback Portal.
Temporary Save Directory	Enter a temporary IIS Server save directory for Playback Portal.
Interactions Retentions (days)	Enter the amount of days interactions are kept on the server for.
Encrypted Interactions Retention (minutes)	Enter the amount of minutes encrypted interactions are kept on the server for.
Log Level	From the dropdown menu, select the log level.

Setting the Log Level in Playback Portal

This section explains how to set the log level for the different services in Playback Portal.

For the legacy services, the log level is configured in the Playback Portal Advanced Settings. See [Configure the Log Level for Legacy Services](#) below.

For the services introduced in Playback Portal 7.x, the log level is configured are configured in Platform Admin. See [Configure the Log Level for Services in Playback Portal](#) on the next page.

Configure the Log Level for Legacy Services


This procedure describes how to set the log level for these services:

- NICE ES Force Delete Service - Located on the Playback Portal Stream Server
- NICE ES Playback Portal Server - Located on the Playback Portal Stream Server
- NICE Playback Portal AppServer Proxy Service - Located on the Applications Server

➔ To set the log level for legacy services:

1. On the Playback Portal Stream Server or the Applications Server, click the Configuration button ().
2. Click Advanced Settings and open the Folders tab.

[View image](#)



3. From the Log level drop-down list, select the required level and click OK.

- Debug
- Info
- Warning
- Error

The levels are arranged in order of increasing inclusiveness. This means that the higher the level you set, the more the entries you will see. For example, if you set the Info level, you will not see Debug entries. However, you will see Info, Warning and Error entries.

For more information, go to:

<https://logging.apache.org/log4net/release/manual/introduction.html>

4. Restart the services on the relevant server.

For large scale environments: Restart the NICE ES Force Delete Service and NICE ES Playback Portal Server Service on the Playback Portal Stream Server, and restart NICE Playback Portal AppServer Proxy Service on the Applications Server.

For small scale environments: Restart the NICE ES Force Delete Service, NICE ES Playback Portal Server Service, and NICE Playback Portal AppServer Proxy Service on the Applications Server.

Configure the Log Level for Services in Playback Portal

This procedure describes how to set the log level for these services on the Applications Server:

- Nice Playback Deletion Manager
- Nice Playback Retrieval Manager
- NICE Playback Portal Deletion Worker
- NICE Playback Portal Extraction Manager
- NICE Playback Portal Extraction Worker
- NICE Playback Portal Transcoding Worker

The log levels supported for these services are:

- TRACE
- DEBUG
- INFO
- WARN
- ERROR


➔ To set the log level of the services:

1. On the Applications Server, go to ...Program files > NICE Systems > PlatformAdmin

2. On the File Explorer address line type cmd and press Enter.

The command line appears.

[View image](#)



3. Type these commands to update the log levels:

- For the Nice Playback Deletion Manager and Nice Playback Retrieval Manager, enter the following and press Enter:

```
padm update resource pbp-deletion-manager -p Logging/LogLevel -v <log level>
```


```
padm update resource pbp-retrieval-manager -p Logging/LogLevel -v <log level>
```

Example: To set the log level for the Nice Playback Deletion Manager to DEBUG, enter `padm update resource pbp-deletion-manager -p Logging/LogLevel -v DEBUG`

- For the Playback Portal Deletion Worker Service: enter `padm update resource pbp-deletion-worker -p LogLevel -v <log level>` and press Enter.

Example: To set the log level to DEBUG, enter `padm update resource pbp-deletion-worker -p LogLevel -v DEBUG`

[View image](#)



Viewing Log Files

You can view log files on a user's computer or on the Playback Portal Stream Server.

➡ To view the log file on a user's computer:

1. Enter the following command in the Run dialog box:

```
%UserProfile%\AppData\Local\NICE\PlaybackPortalClient.log
```

2. Click Ok. Navigate to the relevant location and double-click to view the relevant log file.

Location	Log files for...
D:\Program files\NICE Systems\Logs\pbp-app-server-proxy	NICE Playback Portal AppServer Proxy Service
D:\Program files\NICE Systems\Logs	■ PBP-Deletion-Manager ■ PBP-Deletion-Worker ■ PBP-Extraction-Worker ■ PBP-Manager ■ Pbp-Retrieval-Manager ■ pbp-stream-server ■ Pbp-Transcoding-Worker ■ PBP-Extraction-Manager