

Nmap Scan Result

a. Summary - No. of Vulnerable Ports Open

Total Count : : 7

b. Detailed Report

i. Port Number: 22

ii. Protocol: tcp

iii. Service: ssh

iv. Recommended Action or Best Practices: Ensure strong SSH configurations, including key-based authentication and disabling root login.

i. Port Number: 25

ii. Protocol: tcp

iii. Service: smtp

iv. Recommended Action or Best Practices: Implement proper email filtering and authentication mechanisms.

i. Port Number: 80

ii. Protocol: tcp

iii. Service: http

iv. Recommended Action or Best Practices: Apply security headers, keep software updated, and implement secure coding practices.

i. Port Number: 110

ii. Protocol: tcp

iii. Service: pop3

iv. Recommended Action or Best Practices: Consider using POP3 over SSL/TLS (POP3S) for secure email retrieval.

i. Port Number: 443

ii. Protocol: tcp

iii. Service: https

iv. Recommended Action or Best Practices: Apply security best practices for HTTPS services.

i. Port Number: 587

ii. Protocol: tcp

iii. Service: submission

iv. Recommended Action or Best Practices: Secure email submission by using submission over SSL/TLS.

i. Port Number: 993

ii. Protocol: tcp

iii. Service: imaps

iv. Recommended Action or Best Practices: Implement IMAPS (IMAP over SSL/TLS) for secure email access.

ZAP Scan Result

a. Summary

i. No. of Total Vulnerabilities Identified: : 206

ii. No. of Total Vulnerabilities Identified grouped on Risk Rating: : {'Informational': 152, 'Low': 50, 'Medium': 4}

b. Detailed Report

i. Vulnerability Summary: Retrieved from Cache

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. **Description:** The content was retrieved from a shared cache. If the response data is sensitive, personal or user-specific, this may result in sensitive information being leaked. In some cases, this may even result in a user gaining complete control of the session of another user, depending on the configuration of the caching components in use in their environment. This is primarily an issue where caching servers such as "proxy" caches are configured on the local network. This configuration is typically found in corporate or educational environments, for instance.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/_api/
- **Method:** GET
- **Parameter:** No parameter specified
- **Attack:** No attack specified
- **Evidence:** Age: 939

i. Vulnerability Summary: Retrieved from Cache

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. **Description:** The content was retrieved from a shared cache. If the response data is sensitive, personal or user-specific, this may result in sensitive information being leaked. In some cases, this may even result in a user gaining complete control of the session of another user, depending on the configuration of the caching components in use in their environment. This is primarily an issue where caching servers such as "proxy" caches are configured on the local network. This configuration is typically found in corporate or educational environments, for instance.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/robots.txt
- **Method:** GET
- **Parameter:** No parameter specified
- **Attack:** No attack specified
- **Evidence:** Age: 882

i. Vulnerability Summary: Retrieved from Cache

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. **Description:** The content was retrieved from a shared cache. If the response data is sensitive, personal or user-specific, this may result in sensitive information being leaked. In some cases, this may even result in a user gaining complete control of the session of another user, depending on the configuration of the caching components in use in their environment. This is primarily an issue where caching servers such as "proxy" caches are configured on the local network. This configuration is typically found in corporate or educational environments, for instance.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/sitemap.xml
- **Method:** GET

- **Parameter:** No parameter specified
- **Attack:** No attack specified
- **Evidence:** Age: 882

i. Vulnerability Summary: Retrieved from Cache

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: The content was retrieved from a shared cache. If the response data is sensitive, personal or user-specific, this may result in sensitive information being leaked. In some cases, this may even result in a user gaining complete control of the session of another user, depending on the configuration of the caching components in use in their environment. This is primarily an issue where caching servers such as "proxy" caches are configured on the local network. This configuration is typically found in corporate or educational environments, for instance.

v. Details to Reproduce the Instance:

- **URL:** <http://quarksek.com/>
- **Method:** GET
- **Parameter:** No parameter specified
- **Attack:** No attack specified
- **Evidence:** Age: 943

i. Vulnerability Summary: Retrieved from Cache

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: The content was retrieved from a shared cache. If the response data is sensitive, personal or user-specific, this may result in sensitive information being leaked. In some cases, this may even result in a user gaining complete control of the session of another user, depending on the configuration of the caching components in use in their environment. This is primarily an issue where caching servers such as "proxy" caches are configured on the local network. This configuration is typically found in corporate or educational environments, for instance.

v. Details to Reproduce the Instance:

- **URL:** <http://quarksek.com>
- **Method:** GET
- **Parameter:** No parameter specified
- **Attack:** No attack specified
- **Evidence:** Age: 943

i. Vulnerability Summary: Timestamp Disclosure - Unix

ii. Risk Rating: Low

iii. Confidence Rating: Low

iv. Description: A timestamp was disclosed by the application/web server - Unix

v. Details to Reproduce the Instance:

- **URL:** <http://quarksek.com/robots.txt>
- **Method:** GET
- **Parameter:** X-Wix-Request-Id
- **Attack:** No attack specified
- **Evidence:** 1710756608

i. Vulnerability Summary: Timestamp Disclosure - Unix

ii. Risk Rating: Low

iii. Confidence Rating: Low

iv. Description: A timestamp was disclosed by the application/web server - Unix

v. Details to Reproduce the Instance:

- **URL:** <http://quarksek.com/sitemap.xml>

- **Method:** GET
- **Parameter:** X-Wix-Request-Id
- **Attack:** No attack specified
- **Evidence:** 1710756608

i. Vulnerability Summary: Timestamp Disclosure - Unix

ii. Risk Rating: Low

iii. Confidence Rating: Low

iv. Description: A timestamp was disclosed by the application/web server - Unix

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/_api/
- **Method:** GET
- **Parameter:** X-Wix-Request-Id
- **Attack:** No attack specified
- **Evidence:** 1710756608

i. Vulnerability Summary: Timestamp Disclosure - Unix

ii. Risk Rating: Low

iii. Confidence Rating: Low

iv. Description: A timestamp was disclosed by the application/web server - Unix

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com
- **Method:** GET
- **Parameter:** X-Wix-Request-Id
- **Attack:** No attack specified
- **Evidence:** 1710756608

i. Vulnerability Summary: Timestamp Disclosure - Unix

ii. Risk Rating: Low

iii. Confidence Rating: Low

iv. Description: A timestamp was disclosed by the application/web server - Unix

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/
- **Method:** GET
- **Parameter:** X-Wix-Request-Id
- **Attack:** No attack specified
- **Evidence:** 1710756608

i. Vulnerability Summary: Retrieved from Cache

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: The content was retrieved from a shared cache. If the response data is sensitive, personal or user-specific, this may result in sensitive information being leaked. In some cases, this may even result in a user gaining complete control of the session of another user, depending on the configuration of the caching components in use in their environment. This is primarily an issue where caching servers such as "proxy" caches are configured on the local network. This configuration is typically found in corporate or educational environments, for instance.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/pro-gallery-webapp/v1/galleries/
- **Method:** GET
- **Parameter:** No parameter specified

- **Attack:** No attack specified
- **Evidence:** Age: 0

i. Vulnerability Summary: Timestamp Disclosure - Unix

ii. Risk Rating: Low

iii. Confidence Rating: Low

iv. Description: A timestamp was disclosed by the application/web server - Unix

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/_partials
- **Method:** GET
- **Parameter:** X-Wix-Request-Id
- **Attack:** No attack specified
- **Evidence:** 1710756608

i. Vulnerability Summary: Timestamp Disclosure - Unix

ii. Risk Rating: Low

iii. Confidence Rating: Low

iv. Description: A timestamp was disclosed by the application/web server - Unix

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/pro-gallery-webapp/v1/galleries/
- **Method:** GET
- **Parameter:** X-Wix-Request-Id
- **Attack:** No attack specified
- **Evidence:** 1710756608

i. Vulnerability Summary: Cross-Domain Misconfiguration

ii. Risk Rating: Medium

iii. Confidence Rating: Medium

iv. Description: Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/_partials/
- **Method:** GET
- **Parameter:** No parameter specified
- **Attack:** No attack specified
- **Evidence:** Access-Control-Allow-Origin: *

i. Vulnerability Summary: Retrieved from Cache

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: The content was retrieved from a shared cache. If the response data is sensitive, personal or user-specific, this may result in sensitive information being leaked. In some cases, this may even result in a user gaining complete control of the session of another user, depending on the configuration of the caching components in use in their environment. This is primarily an issue where caching servers such as "proxy" caches are configured on the local network. This configuration is typically found in corporate or educational environments, for instance.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/*?lightbox
- **Method:** GET
- **Parameter:** No parameter specified
- **Attack:** No attack specified
- **Evidence:** Age: 884

i. Vulnerability Summary: Retrieved from Cache

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: The content was retrieved from a shared cache. If the response data is sensitive, personal or user-specific, this may result in sensitive information being leaked. In some cases, this may even result in a user gaining complete control of the session of another user, depending on the configuration of the caching components in use in their environment. This is primarily an issue where caching servers such as "proxy" caches are configured on the local network. This configuration is typically found in corporate or educational environments, for instance.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/_partials/
- **Method:** GET
- **Parameter:** No parameter specified
- **Attack:** No attack specified
- **Evidence:** Age: 0

i. Vulnerability Summary: Timestamp Disclosure - Unix

ii. Risk Rating: Low

iii. Confidence Rating: Low

iv. Description: A timestamp was disclosed by the application/web server - Unix

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/*?lightbox
- **Method:** GET
- **Parameter:** X-Wix-Request-Id
- **Attack:** No attack specified
- **Evidence:** 1710756608

i. Vulnerability Summary: Timestamp Disclosure - Unix

ii. Risk Rating: Low

iii. Confidence Rating: Low

iv. Description: A timestamp was disclosed by the application/web server - Unix

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/_partials/
- **Method:** GET
- **Parameter:** X-Wix-Request-Id
- **Attack:** No attack specified
- **Evidence:** 1710756609

i. Vulnerability Summary: Session Management Response Identified

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: The given response has been identified as containing a session management token. The 'Other Info' field contains a set of header tokens that can be used in the Header Based Session Management Method. If the request is in a context which has a Session Management Method set to "Auto-Detect" then this rule will change the session management to use the tokens identified.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/pro-gallery-webapp/v1
- **Method:** GET
- **Parameter:** TS01e85bed
- **Attack:** No attack specified
- **Evidence:** 01d72e6d16e3a334d8cb5146f8d41deee7f45ba4c1075a5655441d66187581fad47ed2fc0edb1e1b0d645229b67496feb91c1d346c

i. Vulnerability Summary: Session Management Response Identified

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: The given response has been identified as containing a session management token. The 'Other Info' field contains a set of header tokens that can be used in the Header Based Session Management Method. If the request is in a context which has a Session Management Method set to "Auto-Detect" then this rule will change the session management to use the tokens identified.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/pro-gallery-webapp
- **Method:** GET
- **Parameter:** TS01e85bed
- **Attack:** No attack specified
- **Evidence:** 015b43050a357d7174ed954ceb27ff407d59f28f552eba7422822ece062e59da5dd721816b6f23aeebebe5b258b3f77611db57bffc

i. Vulnerability Summary: Retrieved from Cache

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: The content was retrieved from a shared cache. If the response data is sensitive, personal or user-specific, this may result in sensitive information being leaked. In some cases, this may even result in a user gaining complete control of the session of another user, depending on the configuration of the caching components in use in their environment. This is primarily an issue where caching servers such as "proxy" caches are configured on the local network. This configuration is typically found in corporate or educational environments, for instance.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/_api/
- **Method:** GET
- **Parameter:** No parameter specified
- **Attack:** No attack specified
- **Evidence:** Age: 813

i. Vulnerability Summary: Retrieved from Cache

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: The content was retrieved from a shared cache. If the response data is sensitive, personal or user-specific, this may result in sensitive information being leaked. In some cases, this may even result in a user gaining complete control of the session of another user, depending on the configuration of the caching components in use in their environment. This is primarily an issue where caching servers such as "proxy" caches are configured on the local network. This configuration is typically found in corporate or educational environments, for instance.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/*?lightbox
- **Method:** GET
- **Parameter:** No parameter specified
- **Attack:** No attack specified
- **Evidence:** Age: 909

i. Vulnerability Summary: Cross-Domain Misconfiguration

ii. Risk Rating: Medium

iii. Confidence Rating: Medium

iv. Description: Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com
- **Method:** GET
- **Parameter:** No parameter specified

- **Attack:** No attack specified
- **Evidence:** Access-Control-Allow-Origin: *

i. Vulnerability Summary: Retrieved from Cache

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: The content was retrieved from a shared cache. If the response data is sensitive, personal or user-specific, this may result in sensitive information being leaked. In some cases, this may even result in a user gaining complete control of the session of another user, depending on the configuration of the caching components in use in their environment. This is primarily an issue where caching servers such as "proxy" caches are configured on the local network. This configuration is typically found in corporate or educational environments, for instance.

v. Details to Reproduce the Instance:

- **URL:** <http://quarksek.com/>
- **Method:** GET
- **Parameter:** No parameter specified
- **Attack:** No attack specified
- **Evidence:** Age: 967

i. Vulnerability Summary: Retrieved from Cache

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: The content was retrieved from a shared cache. If the response data is sensitive, personal or user-specific, this may result in sensitive information being leaked. In some cases, this may even result in a user gaining complete control of the session of another user, depending on the configuration of the caching components in use in their environment. This is primarily an issue where caching servers such as "proxy" caches are configured on the local network. This configuration is typically found in corporate or educational environments, for instance.

v. Details to Reproduce the Instance:

- **URL:** <http://quarksek.com/sitemap.xml>
- **Method:** GET
- **Parameter:** No parameter specified
- **Attack:** No attack specified
- **Evidence:** Age: 964

i. Vulnerability Summary: Retrieved from Cache

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: The content was retrieved from a shared cache. If the response data is sensitive, personal or user-specific, this may result in sensitive information being leaked. In some cases, this may even result in a user gaining complete control of the session of another user, depending on the configuration of the caching components in use in their environment. This is primarily an issue where caching servers such as "proxy" caches are configured on the local network. This configuration is typically found in corporate or educational environments, for instance.

v. Details to Reproduce the Instance:

- **URL:** <http://quarksek.com/robots.txt>
- **Method:** GET
- **Parameter:** No parameter specified
- **Attack:** No attack specified
- **Evidence:** Age: 908

i. Vulnerability Summary: Retrieved from Cache

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: The content was retrieved from a shared cache. If the response data is sensitive, personal or user-specific, this may result in sensitive information being leaked. In some cases, this may even result in a user gaining complete control of the session of another user, depending on the configuration of the caching components in use in their environment. This is primarily an issue where caching servers such as "proxy" caches are configured on the local network.

This configuration is typically found in corporate or educational environments, for instance.

v. Details to Reproduce the Instance:

- **URL:** <http://quarksek.com>
- **Method:** GET
- **Parameter:** No parameter specified
- **Attack:** No attack specified
- **Evidence:** Age: 968

i. Vulnerability Summary: Timestamp Disclosure - Unix

ii. Risk Rating: Low

iii. Confidence Rating: Low

iv. Description: A timestamp was disclosed by the application/web server - Unix

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/_partials
- **Method:** GET
- **Parameter:** X-Wix-Request-Id
- **Attack:** No attack specified
- **Evidence:** 1710756634

i. Vulnerability Summary: Retrieved from Cache

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: The content was retrieved from a shared cache. If the response data is sensitive, personal or user-specific, this may result in sensitive information being leaked. In some cases, this may even result in a user gaining complete control of the session of another user, depending on the configuration of the caching components in use in their environment. This is primarily an issue where caching servers such as "proxy" caches are configured on the local network. This configuration is typically found in corporate or educational environments, for instance.

v. Details to Reproduce the Instance:

- **URL:** <http://quarksek.com/pro-gallery-webapp/v1/galleries>
- **Method:** GET
- **Parameter:** No parameter specified
- **Attack:** No attack specified
- **Evidence:** Age: 0

i. Vulnerability Summary: Timestamp Disclosure - Unix

ii. Risk Rating: Low

iii. Confidence Rating: Low

iv. Description: A timestamp was disclosed by the application/web server - Unix

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/_api/
- **Method:** GET
- **Parameter:** X-Wix-Request-Id
- **Attack:** No attack specified
- **Evidence:** 1710756634

i. Vulnerability Summary: Timestamp Disclosure - Unix

ii. Risk Rating: Low

iii. Confidence Rating: Low

iv. Description: A timestamp was disclosed by the application/web server - Unix

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/*?lightbox
- **Method:** GET
- **Parameter:** X-Wix-Request-Id
- **Attack:** No attack specified
- **Evidence:** 1710756633

i. Vulnerability Summary: Timestamp Disclosure - Unix

ii. Risk Rating: Low

iii. Confidence Rating: Low

iv. Description: A timestamp was disclosed by the application/web server - Unix

v. Details to Reproduce the Instance:

- **URL:** <http://quarksek.com/sitemap.xml>
- **Method:** GET
- **Parameter:** X-Wix-Request-Id
- **Attack:** No attack specified
- **Evidence:** 1710756633

i. Vulnerability Summary: Content Security Policy (CSP) Header Not Set

ii. Risk Rating: Medium

iii. Confidence Rating: High

iv. Description: Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

v. Details to Reproduce the Instance:

- **URL:** <http://quarksek.com/pro-gallery-webapp/v1>
- **Method:** GET
- **Parameter:** No parameter specified
- **Attack:** No attack specified
- **Evidence:** No evidence available

i. Vulnerability Summary: Content Security Policy (CSP) Header Not Set

ii. Risk Rating: Medium

iii. Confidence Rating: High

iv. Description: Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

v. Details to Reproduce the Instance:

- **URL:** <http://quarksek.com/pro-gallery-webapp>
- **Method:** GET
- **Parameter:** No parameter specified
- **Attack:** No attack specified
- **Evidence:** No evidence available

i. Vulnerability Summary: Retrieved from Cache

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: The content was retrieved from a shared cache. If the response data is sensitive, personal or user-specific, this may result in sensitive information being leaked. In some cases, this may even result in a user gaining complete control of the session of another user, depending on the configuration of the caching components in use in their environment. This is primarily an issue where caching servers such as "proxy" caches are configured on the local network. This configuration is typically found in corporate or educational environments, for instance.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/_api
- **Method:** GET
- **Parameter:** No parameter specified
- **Attack:** No attack specified
- **Evidence:** Age: 909

i. Vulnerability Summary: Timestamp Disclosure - Unix

ii. Risk Rating: Low

iii. Confidence Rating: Low

iv. Description: A timestamp was disclosed by the application/web server - Unix

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/
- **Method:** GET
- **Parameter:** X-Wix-Request-Id
- **Attack:** No attack specified
- **Evidence:** 1710756633

i. Vulnerability Summary: Timestamp Disclosure - Unix

ii. Risk Rating: Low

iii. Confidence Rating: Low

iv. Description: A timestamp was disclosed by the application/web server - Unix

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/robots.txt
- **Method:** GET
- **Parameter:** X-Wix-Request-Id
- **Attack:** No attack specified
- **Evidence:** 1710756633

i. Vulnerability Summary: Timestamp Disclosure - Unix

ii. Risk Rating: Low

iii. Confidence Rating: Low

iv. Description: A timestamp was disclosed by the application/web server - Unix

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com
- **Method:** GET
- **Parameter:** X-Wix-Request-Id
- **Attack:** No attack specified
- **Evidence:** 1710756633

i. Vulnerability Summary: Timestamp Disclosure - Unix

ii. Risk Rating: Low

iii. Confidence Rating: Low

iv. Description: A timestamp was disclosed by the application/web server - Unix

v. Details to Reproduce the Instance:

- **URL:** <http://quarksek.com/pro-gallery-webapp/v1/galleries>
- **Method:** GET
- **Parameter:** X-Wix-Request-Id
- **Attack:** No attack specified
- **Evidence:** 1710756633

i. Vulnerability Summary: Timestamp Disclosure - Unix

ii. Risk Rating: Low

iii. Confidence Rating: Low

iv. Description: A timestamp was disclosed by the application/web server - Unix

v. Details to Reproduce the Instance:

- **URL:** <http://quarksek.com/pro-gallery-webapp/v1/galleries/>
- **Method:** GET
- **Parameter:** X-Wix-Request-Id
- **Attack:** No attack specified
- **Evidence:** 1710756634

i. Vulnerability Summary: Cookie No HttpOnly Flag

ii. Risk Rating: Low

iii. Confidence Rating: Medium

iv. Description: A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.

v. Details to Reproduce the Instance:

- **URL:** <http://quarksek.com/pro-gallery-webapp/v1>
- **Method:** GET
- **Parameter:** XSRF-TOKEN
- **Attack:** No attack specified
- **Evidence:** Set-Cookie: XSRF-TOKEN

i. Vulnerability Summary: Cookie No HttpOnly Flag

ii. Risk Rating: Low

iii. Confidence Rating: Medium

iv. Description: A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.

v. Details to Reproduce the Instance:

- **URL:** <http://quarksek.com/pro-gallery-webapp>
- **Method:** GET
- **Parameter:** XSRF-TOKEN
- **Attack:** No attack specified
- **Evidence:** Set-Cookie: XSRF-TOKEN

i. Vulnerability Summary: Timestamp Disclosure - Unix

ii. Risk Rating: Low

iii. Confidence Rating: Low

iv. Description: A timestamp was disclosed by the application/web server - Unix

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/_api

- **Method:** GET
- **Parameter:** X-Wix-Request-Id
- **Attack:** No attack specified
- **Evidence:** 1710756633

i. Vulnerability Summary: Cookie No HttpOnly Flag

ii. Risk Rating: Low

iii. Confidence Rating: Medium

iv. Description: A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/pro-gallery-webapp/v1
- **Method:** GET
- **Parameter:** TS01e85bed
- **Attack:** No attack specified
- **Evidence:** Set-Cookie: TS01e85bed

i. Vulnerability Summary: Cookie No HttpOnly Flag

ii. Risk Rating: Low

iii. Confidence Rating: Medium

iv. Description: A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/pro-gallery-webapp
- **Method:** GET
- **Parameter:** TS01e85bed
- **Attack:** No attack specified
- **Evidence:** Set-Cookie: TS01e85bed

i. Vulnerability Summary: Cookie No HttpOnly Flag

ii. Risk Rating: Low

iii. Confidence Rating: Medium

iv. Description: A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/pro-gallery-webapp/v1
- **Method:** GET
- **Parameter:** TS01f19cbc
- **Attack:** No attack specified
- **Evidence:** Set-Cookie: TS01f19cbc

i. Vulnerability Summary: Cookie No HttpOnly Flag

ii. Risk Rating: Low

iii. Confidence Rating: Medium

iv. Description: A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/pro-gallery-webapp
- **Method:** GET

- **Parameter:** TS01f19cbc
- **Attack:** No attack specified
- **Evidence:** Set-Cookie: TS01f19cbc

i. Vulnerability Summary: Timestamp Disclosure - Unix

ii. Risk Rating: Low

iii. Confidence Rating: Low

iv. Description: A timestamp was disclosed by the application/web server - Unix

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/_partials/
- **Method:** GET
- **Parameter:** X-Wix-Request-Id
- **Attack:** No attack specified
- **Evidence:** 1710756634

i. Vulnerability Summary: Cookie with SameSite Attribute None

ii. Risk Rating: Low

iii. Confidence Rating: Medium

iv. Description: A cookie has been set with its SameSite attribute set to "none", which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/pro-gallery-webapp/v1
- **Method:** GET
- **Parameter:** XSRF-TOKEN
- **Attack:** No attack specified
- **Evidence:** Set-Cookie: XSRF-TOKEN

i. Vulnerability Summary: Cookie with SameSite Attribute None

ii. Risk Rating: Low

iii. Confidence Rating: Medium

iv. Description: A cookie has been set with its SameSite attribute set to "none", which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/pro-gallery-webapp
- **Method:** GET
- **Parameter:** XSRF-TOKEN
- **Attack:** No attack specified
- **Evidence:** Set-Cookie: XSRF-TOKEN

i. Vulnerability Summary: Cookie with SameSite Attribute None

ii. Risk Rating: Low

iii. Confidence Rating: Medium

iv. Description: A cookie has been set with its SameSite attribute set to "none", which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/pro-gallery-webapp/v1
- **Method:** GET
- **Parameter:** TS01e85bed
- **Attack:** No attack specified

- **Evidence:** Set-Cookie: TS01e85bed

i. Vulnerability Summary: Cookie with SameSite Attribute None

ii. Risk Rating: Low

iii. Confidence Rating: Medium

iv. Description: A cookie has been set with its SameSite attribute set to "none", which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/pro-gallery-webapp
- **Method:** GET
- **Parameter:** TS01e85bed
- **Attack:** No attack specified
- **Evidence:** Set-Cookie: TS01e85bed

i. Vulnerability Summary: Cookie with SameSite Attribute None

ii. Risk Rating: Low

iii. Confidence Rating: Medium

iv. Description: A cookie has been set with its SameSite attribute set to "none", which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/pro-gallery-webapp/v1
- **Method:** GET
- **Parameter:** TS01f19cbc
- **Attack:** No attack specified
- **Evidence:** Set-Cookie: TS01f19cbc

i. Vulnerability Summary: Cookie with SameSite Attribute None

ii. Risk Rating: Low

iii. Confidence Rating: Medium

iv. Description: A cookie has been set with its SameSite attribute set to "none", which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/pro-gallery-webapp
- **Method:** GET
- **Parameter:** TS01f19cbc
- **Attack:** No attack specified
- **Evidence:** Set-Cookie: TS01f19cbc

i. Vulnerability Summary: Cross-Domain JavaScript Source File Inclusion

ii. Risk Rating: Low

iii. Confidence Rating: Medium

iv. Description: The page includes one or more script files from a third-party domain.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/pro-gallery-webapp/v1
- **Method:** GET
- **Parameter:** //static.parastorage.com/services/third-party/es5-shim/2.1.0/es5-shim.min.js
- **Attack:** No attack specified
- **Evidence:**

i. Vulnerability Summary: Cross-Domain JavaScript Source File Inclusion

ii. Risk Rating: Low

iii. Confidence Rating: Medium

iv. Description: The page includes one or more script files from a third-party domain.

v. Details to Reproduce the Instance:

- **URL:** `http://quarksek.com/pro-gallery-webapp`
- **Method:** GET
- **Parameter:** `//static.parastorage.com/services/third-party/es5-shim/2.1.0/es5-shim.min.js`
- **Attack:** No attack specified
- **Evidence:**

i. Vulnerability Summary: Cross-Domain JavaScript Source File Inclusion

ii. Risk Rating: Low

iii. Confidence Rating: Medium

iv. Description: The page includes one or more script files from a third-party domain.

v. Details to Reproduce the Instance:

- **URL:** `http://quarksek.com/pro-gallery-webapp`
- **Method:** GET
- **Parameter:** `//ajax.googleapis.com/ajax/libs/jquery/1.10.2/jquery.min.js`
- **Attack:** No attack specified
- **Evidence:**

i. Vulnerability Summary: Cross-Domain JavaScript Source File Inclusion

ii. Risk Rating: Low

iii. Confidence Rating: Medium

iv. Description: The page includes one or more script files from a third-party domain.

v. Details to Reproduce the Instance:

- **URL:** `http://quarksek.com/pro-gallery-webapp/v1`
- **Method:** GET
- **Parameter:** `//ajax.googleapis.com/ajax/libs/jquery/1.10.2/jquery.min.js`
- **Attack:** No attack specified
- **Evidence:**

i. Vulnerability Summary: Cross-Domain JavaScript Source File Inclusion

ii. Risk Rating: Low

iii. Confidence Rating: Medium

iv. Description: The page includes one or more script files from a third-party domain.

v. Details to Reproduce the Instance:

- **URL:** `http://quarksek.com/pro-gallery-webapp/v1`
- **Method:** GET
- **Parameter:** `//static.parastorage.com/services/third-party/angularjs/1.2.28/angular.min.js`
- **Attack:** No attack specified
- **Evidence:**

i. Vulnerability Summary: Cross-Domain JavaScript Source File Inclusion

ii. Risk Rating: Low

iii. Confidence Rating: Medium

iv. **Description:** The page includes one or more script files from a third-party domain.

v. Details to Reproduce the Instance:

- **URL:** <http://quarksek.com/pro-gallery-webapp>
- **Method:** GET
- **Parameter:** `//static.parastorage.com/services/third-party/angularjs/1.2.28/angular.min.js`
- **Attack:** No attack specified
- **Evidence:**

i. Vulnerability Summary: Cross-Domain JavaScript Source File Inclusion

ii. **Risk Rating:** Low

iii. **Confidence Rating:** Medium

iv. **Description:** The page includes one or more script files from a third-party domain.

v. Details to Reproduce the Instance:

- **URL:** <http://quarksek.com/pro-gallery-webapp>
- **Method:** GET
- **Parameter:** `//static.parastorage.com/services/third-party/angularjs/1.2.28/18n/angular-locale_en.js`
- **Attack:** No attack specified
- **Evidence:**

i. Vulnerability Summary: Cross-Domain JavaScript Source File Inclusion

ii. **Risk Rating:** Low

iii. **Confidence Rating:** Medium

iv. **Description:** The page includes one or more script files from a third-party domain.

v. Details to Reproduce the Instance:

- **URL:** <http://quarksek.com/pro-gallery-webapp/v1>
- **Method:** GET
- **Parameter:** `//static.parastorage.com/services/third-party/angularjs/1.2.28/18n/angular-locale_en.js`
- **Attack:** No attack specified
- **Evidence:**

i. Vulnerability Summary: Cross-Domain JavaScript Source File Inclusion

ii. **Risk Rating:** Low

iii. **Confidence Rating:** Medium

iv. **Description:** The page includes one or more script files from a third-party domain.

v. Details to Reproduce the Instance:

- **URL:** <http://quarksek.com/pro-gallery-webapp/v1>
- **Method:** GET
- **Parameter:** `//static.parastorage.com/services/third-party/angular-translate/1.1.1/angular-translate.min.js`
- **Attack:** No attack specified
- **Evidence:**

i. Vulnerability Summary: Cross-Domain JavaScript Source File Inclusion

ii. **Risk Rating:** Low

iii. **Confidence Rating:** Medium

iv. **Description:** The page includes one or more script files from a third-party domain.

v. Details to Reproduce the Instance:

- **URL:** <http://quarksek.com/pro-gallery-webapp>

- **Method:** GET
- **Parameter:** //static.parastorage.com/services/third-party/angular-translate/1.1.1/angular-translate.min.js
- **Attack:** No attack specified
- **Evidence:**

i. Vulnerability Summary: Cross-Domain JavaScript Source File Inclusion

ii. Risk Rating: Low

iii. Confidence Rating: Medium

iv. Description: The page includes one or more script files from a third-party domain.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/pro-gallery-webapp/v1
- **Method:** GET
- **Parameter:** //static.parastorage.com/services/wix-public/1.719.0/scripts/error-pages/locale/messages_en.js
- **Attack:** No attack specified
- **Evidence:**

i. Vulnerability Summary: Cross-Domain JavaScript Source File Inclusion

ii. Risk Rating: Low

iii. Confidence Rating: Medium

iv. Description: The page includes one or more script files from a third-party domain.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/pro-gallery-webapp
- **Method:** GET
- **Parameter:** //static.parastorage.com/services/wix-public/1.719.0/scripts/error-pages/locale/messages_en.js
- **Attack:** No attack specified
- **Evidence:**

i. Vulnerability Summary: Cross-Domain JavaScript Source File Inclusion

ii. Risk Rating: Low

iii. Confidence Rating: Medium

iv. Description: The page includes one or more script files from a third-party domain.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/pro-gallery-webapp/v1
- **Method:** GET
- **Parameter:** //static.parastorage.com/services/wix-public/1.719.0/scripts/error-pages/app.js
- **Attack:** No attack specified
- **Evidence:**

i. Vulnerability Summary: Cross-Domain JavaScript Source File Inclusion

ii. Risk Rating: Low

iii. Confidence Rating: Medium

iv. Description: The page includes one or more script files from a third-party domain.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/pro-gallery-webapp
- **Method:** GET
- **Parameter:** //static.parastorage.com/services/wix-public/1.719.0/scripts/error-pages/app.js
- **Attack:** No attack specified
- **Evidence:**

i. Vulnerability Summary: Timestamp Disclosure - Unix

ii. Risk Rating: Low

iii. Confidence Rating: Low

iv. Description: A timestamp was disclosed by the application/web server - Unix

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/pro-gallery-webapp
- **Method:** GET
- **Parameter:** X-Wix-Request-Id
- **Attack:** No attack specified
- **Evidence:** 1710756634

i. Vulnerability Summary: Timestamp Disclosure - Unix

ii. Risk Rating: Low

iii. Confidence Rating: Low

iv. Description: A timestamp was disclosed by the application/web server - Unix

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/pro-gallery-webapp/v1
- **Method:** GET
- **Parameter:** X-Wix-Request-Id
- **Attack:** No attack specified
- **Evidence:** 1710756633

i. Vulnerability Summary: Timestamp Disclosure - Unix

ii. Risk Rating: Low

iii. Confidence Rating: Low

iv. Description: A timestamp was disclosed by the application/web server - Unix

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/pro-gallery-webapp/v1
- **Method:** GET
- **Parameter:** Set-Cookie
- **Attack:** No attack specified
- **Evidence:** 1710756634

i. Vulnerability Summary: Timestamp Disclosure - Unix

ii. Risk Rating: Low

iii. Confidence Rating: Low

iv. Description: A timestamp was disclosed by the application/web server - Unix

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/pro-gallery-webapp
- **Method:** GET
- **Parameter:** Set-Cookie
- **Attack:** No attack specified
- **Evidence:** 1710756634

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/pro-gallery-webapp
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/**?lightbox
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** <http://quarksek.com/pro-gallery-webapp/v1>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/_partials/
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/_api/
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** <http://quarksek.com/pro-gallery-webapp>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/_partials
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/pro-gallery-webapp/v1
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/_api
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/pro-gallery-webapp
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** <http://quarksek.com/pro-gallery-webapp/v1>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** <http://quarksek.com>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** <http://quarksek.com/pro-gallery-webapp/v1>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/_partials/
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** <http://quarksek.com/>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** <http://quarksek.com/pro-gallery-webapp>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/*?lightbox
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** <http://quarksek.com/robots.txt>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** <http://quarksek.com/pro-gallery-webapp/v1/galleries/>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** <http://quarksek.com/pro-gallery-webapp/v1>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** <http://quarksek.com/sitemap.xml>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/_partials
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/pro-gallery-webapp/v1
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/pro-gallery-webapp
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/_api/
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/_api
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** <http://quarksek.com/pro-gallery-webapp/v1>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** msnbot/1.1 (+<http://search.msn.com/msnbot.htm>)
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** <http://quarksek.com/pro-gallery-webapp>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (compatible; Googlebot/2.1; +<http://www.google.com/bot.html>)
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/_partials/
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** <http://quarksek.com>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** <http://quarksek.com/pro-gallery-webapp/v1>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (compatible; Yahoo! Slurp; <http://help.yahoo.com/help/us/ysearch/slurp>)
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** <http://quarksek.com/>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** <http://quarksek.com/robots.txt>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** <http://quarksek.com/pro-gallery-webapp/v1/galleries/>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/*?lightbox
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** <http://quarksek.com/pro-gallery-webapp/v1>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** <http://quarksek.com/pro-gallery-webapp>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** msnbot/1.1 (+http://search.msn.com/msnbot.htm)
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** <http://quarksek.com/sitemap.xml>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/_partials
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** <http://quarksek.com/pro-gallery-webapp>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (compatible; Yahoo! Slurp; <http://help.yahoo.com/help/us/ysearch/slurp>)
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/_partials/
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/_api/
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/pro-gallery-webapp
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/robots.txt
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** <http://quarksek.com/pro-gallery-webapp>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/*?lightbox
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** <http://quarksek.com/sitemap.xml>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** <http://quarksek.com/pro-gallery-webapp/v1>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/_api
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** <http://quarksek.com/pro-gallery-webapp>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/_partials/
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** <http://quarksek.com/pro-gallery-webapp>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/_api/
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/robots.txt
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/_partials
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/*?lightbox
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/_api
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** <http://quarksek.com/sitemap.xml>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** <http://quarksek.com/pro-gallery-webapp/v1>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/_partials/
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/_api/
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** <http://quarksek.com>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** <http://quarksek.com/robots.txt>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** <http://quarksek.com/>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/*?lightbox
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/_partials
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** <http://quarksek.com/sitemap.xml>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/_api
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/_partials/
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** msnbot/1.1 (+http://search.msn.com/msnbot.htm)
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** <http://quarksek.com/pro-gallery-webapp/v1>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/_api/
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** <http://quarksek.com>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** msnbot/1.1 (+http://search.msn.com/msnbot.htm)
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/*?lightbox
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** msnbot/1.1 (+http://search.msn.com/msnbot.htm)
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** <http://quarksek.com/>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** msnbot/1.1 (+http://search.msn.com/msnbot.htm)
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** <http://quarksek.com/sitemap.xml>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/_partials/
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/_api
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** <http://quarksek.com/robots.txt>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/_api/
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** msnbot/1.1 (+http://search.msn.com/msnbot.htm)
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/_partials
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** <http://quarksek.com>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/*?lightbox
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** <http://quarksek.com/>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (compatible; Yahoo! Slurp; <http://help.yahoo.com/help/us/ysearch/slurp>)
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/_partials/
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** <http://quarksek.com/sitemap.xml>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** msnbot/1.1 (+<http://search.msn.com/msnbot.htm>)
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/_api
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** msnbot/1.1 (+<http://search.msn.com/msnbot.htm>)
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** <http://quarksek.com/robots.txt>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** msnbot/1.1 (+<http://search.msn.com/msnbot.htm>)
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/_api/
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (compatible; Yahoo! Slurp; <http://help.yahoo.com/help/us/ysearch/slurp>)
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/_partials
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** msnbot/1.1 (+<http://search.msn.com/msnbot.htm>)
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** <http://quarksek.com>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/*?lightbox
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** <http://quarksek.com/>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/_partials/
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** <http://quarksek.com/sitemap.xml>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/_api
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/robots.txt
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/_api/
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/_partials
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/*?lightbox
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/_partials/
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/sitemap.xml
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/_api
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/robots.txt
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/_partials
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. **Confidence Rating:** Medium

iv. **Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. **Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/_api/
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
- **Evidence:** No evidence available

i. **Vulnerability Summary: User Agent Fuzzer**

ii. **Risk Rating:** Informational

iii. **Confidence Rating:** Medium

iv. **Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. **Details to Reproduce the Instance:**

- **URL:** http://quarksek.com
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
- **Evidence:** No evidence available

i. **Vulnerability Summary: User Agent Fuzzer**

ii. **Risk Rating:** Informational

iii. **Confidence Rating:** Medium

iv. **Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. **Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/*?lightbox
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
- **Evidence:** No evidence available

i. **Vulnerability Summary: User Agent Fuzzer**

ii. **Risk Rating:** Informational

iii. **Confidence Rating:** Medium

iv. **Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. **Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/_partials/
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
- **Evidence:** No evidence available

i. **Vulnerability Summary: User Agent Fuzzer**

ii. **Risk Rating:** Informational

iii. **Confidence Rating:** Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/sitemap.xml
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/_api
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/robots.txt
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/_partials
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/_api/
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/*?lightbox
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** <http://quarksek.com/>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** <http://quarksek.com/sitemap.xml>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/_api
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** <http://quarksek.com/robots.txt>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/_partials
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/_api/
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/sitemap.xml
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/_api
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** <http://quarksek.com/robots.txt>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/_partials
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
- **Evidence:** No evidence available