

# Nmap Scan Result

**a. Summary - No. of Vulnerable Ports Open**

Total Count : : 7

**b. Detailed Report**

**i. Port Number: 21**

**ii. Protocol:** tcp

**iii. Service:** ftp

**iv. Recommended Action or Best Practices:** Ensure secure FTP configurations. Consider using SFTP or FTPS instead.

**i. Port Number: 25**

**ii. Protocol:** tcp

**iii. Service:** smtp

**iv. Recommended Action or Best Practices:** Implement proper email filtering and authentication mechanisms.

**i. Port Number: 80**

**ii. Protocol:** tcp

**iii. Service:** http

**iv. Recommended Action or Best Practices:** Apply security headers, keep software updated, and implement secure coding practices.

**i. Port Number: 110**

**ii. Protocol:** tcp

**iii. Service:** pop3

**iv. Recommended Action or Best Practices:** Consider using POP3 over SSL/TLS (POP3S) for secure email retrieval.

**i. Port Number: 443**

**ii. Protocol:** tcp

**iii. Service:** https

**iv. Recommended Action or Best Practices:** Apply security best practices for HTTPS services.

**i. Port Number: 587**

**ii. Protocol:** tcp

**iii. Service:** submission

**iv. Recommended Action or Best Practices:** Secure email submission by using submission over SSL/TLS.

**i. Port Number: 993**

**ii. Protocol:** tcp

**iii. Service:** imaps

**iv. Recommended Action or Best Practices:** Implement IMAPS (IMAP over SSL/TLS) for secure email access.

# ZAP Scan Result

## a. Summary

i. No. of Total Vulnerabilities Identified: : 120

ii. No. of Total Vulnerabilities Identified grouped on Risk Rating: : {'Medium': 12, 'Informational': 64, 'Low': 44}

## b. Detailed Report

### i. Vulnerability Summary: Missing Anti-clickjacking Header

ii. Risk Rating: Medium

iii. Confidence Rating: Medium

iv. **Description:** The response does not include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options to protect against 'ClickJacking' attacks.

#### v. Details to Reproduce the Instance:

- **URL:** https://srcw.ac.in/sitemap.xml
- **Method:** GET
- **Parameter:** x-frame-options
- **Attack:** No attack specified
- **Evidence:** No evidence available

### i. Vulnerability Summary: Missing Anti-clickjacking Header

ii. Risk Rating: Medium

iii. Confidence Rating: Medium

iv. **Description:** The response does not include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options to protect against 'ClickJacking' attacks.

#### v. Details to Reproduce the Instance:

- **URL:** https://srcw.ac.in/robots.txt
- **Method:** GET
- **Parameter:** x-frame-options
- **Attack:** No attack specified
- **Evidence:** No evidence available

### i. Vulnerability Summary: Missing Anti-clickjacking Header

ii. Risk Rating: Medium

iii. Confidence Rating: Medium

iv. **Description:** The response does not include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options to protect against 'ClickJacking' attacks.

#### v. Details to Reproduce the Instance:

- **URL:** https://srcw.ac.in/
- **Method:** GET
- **Parameter:** x-frame-options
- **Attack:** No attack specified
- **Evidence:** No evidence available

### i. Vulnerability Summary: Re-examine Cache-control Directives

ii. **Risk Rating:** Informational

iii. **Confidence Rating:** Low

iv. **Description:** The cache-control header has not been set properly or is missing, allowing the browser and proxies to cache content. For static assets like css, js, or image files this might be intended, however, the resources should be reviewed to ensure that no sensitive content will be cached.

v. **Details to Reproduce the Instance:**

- **URL:** https://srcw.ac.in/sitemap.xml
- **Method:** GET
- **Parameter:** cache-control
- **Attack:** No attack specified
- **Evidence:** no-store,no-cache,max-age=0

i. **Vulnerability Summary: Re-examine Cache-control Directives**

ii. **Risk Rating:** Informational

iii. **Confidence Rating:** Low

iv. **Description:** The cache-control header has not been set properly or is missing, allowing the browser and proxies to cache content. For static assets like css, js, or image files this might be intended, however, the resources should be reviewed to ensure that no sensitive content will be cached.

v. **Details to Reproduce the Instance:**

- **URL:** https://srcw.ac.in/robots.txt
- **Method:** GET
- **Parameter:** cache-control
- **Attack:** No attack specified
- **Evidence:** no-store,no-cache,max-age=0

i. **Vulnerability Summary: Re-examine Cache-control Directives**

ii. **Risk Rating:** Informational

iii. **Confidence Rating:** Low

iv. **Description:** The cache-control header has not been set properly or is missing, allowing the browser and proxies to cache content. For static assets like css, js, or image files this might be intended, however, the resources should be reviewed to ensure that no sensitive content will be cached.

v. **Details to Reproduce the Instance:**

- **URL:** https://srcw.ac.in/
- **Method:** GET
- **Parameter:** cache-control
- **Attack:** No attack specified
- **Evidence:** no-store,no-cache,max-age=0

i. **Vulnerability Summary: Content Security Policy (CSP) Header Not Set**

ii. **Risk Rating:** Medium

iii. **Confidence Rating:** High

iv. **Description:** Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

v. **Details to Reproduce the Instance:**

- **URL:** https://srcw.ac.in/sitemap.xml
- **Method:** GET
- **Parameter:** No parameter specified
- **Attack:** No attack specified
- **Evidence:** No evidence available

i. **Vulnerability Summary: Content Security Policy (CSP) Header Not Set**

ii. **Risk Rating:** Medium

iii. **Confidence Rating:** High

iv. **Description:** Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

v. **Details to Reproduce the Instance:**

- **URL:** <https://srcw.ac.in/robots.txt>
- **Method:** GET
- **Parameter:** No parameter specified
- **Attack:** No attack specified
- **Evidence:** No evidence available

i. **Vulnerability Summary: Content Security Policy (CSP) Header Not Set**

ii. **Risk Rating:** Medium

iii. **Confidence Rating:** High

iv. **Description:** Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

v. **Details to Reproduce the Instance:**

- **URL:** <https://srcw.ac.in/>
- **Method:** GET
- **Parameter:** No parameter specified
- **Attack:** No attack specified
- **Evidence:** No evidence available

i. **Vulnerability Summary: Cookie No HttpOnly Flag**

ii. **Risk Rating:** Low

iii. **Confidence Rating:** Medium

iv. **Description:** A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.

v. **Details to Reproduce the Instance:**

- **URL:** <https://srcw.ac.in/sitemap.xml>
- **Method:** GET
- **Parameter:** nevercache-b39818
- **Attack:** No attack specified
- **Evidence:** Set-Cookie: nevercache-b39818

i. **Vulnerability Summary: Cookie No HttpOnly Flag**

ii. **Risk Rating:** Low

iii. **Confidence Rating:** Medium

iv. **Description:** A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.

v. **Details to Reproduce the Instance:**

- **URL:** <https://srcw.ac.in/robots.txt>
- **Method:** GET
- **Parameter:** nevercache-b39818
- **Attack:** No attack specified
- **Evidence:** Set-Cookie: nevercache-b39818

**i. Vulnerability Summary: Cookie No HttpOnly Flag**

**ii. Risk Rating:** Low

**iii. Confidence Rating:** Medium

**iv. Description:** A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.

**v. Details to Reproduce the Instance:**

- **URL:** https://srcw.ac.in/
- **Method:** GET
- **Parameter:** nevercache-b39818
- **Attack:** No attack specified
- **Evidence:** Set-Cookie: nevercache-b39818

**i. Vulnerability Summary: Cookie without SameSite Attribute**

**ii. Risk Rating:** Low

**iii. Confidence Rating:** Medium

**iv. Description:** A cookie has been set without the SameSite attribute, which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.

**v. Details to Reproduce the Instance:**

- **URL:** https://srcw.ac.in/sitemap.xml
- **Method:** GET
- **Parameter:** nevercache-b39818
- **Attack:** No attack specified
- **Evidence:** Set-Cookie: nevercache-b39818

**i. Vulnerability Summary: Cookie without SameSite Attribute**

**ii. Risk Rating:** Low

**iii. Confidence Rating:** Medium

**iv. Description:** A cookie has been set without the SameSite attribute, which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.

**v. Details to Reproduce the Instance:**

- **URL:** https://srcw.ac.in/robots.txt
- **Method:** GET
- **Parameter:** nevercache-b39818
- **Attack:** No attack specified
- **Evidence:** Set-Cookie: nevercache-b39818

**i. Vulnerability Summary: Cookie without SameSite Attribute**

**ii. Risk Rating:** Low

**iii. Confidence Rating:** Medium

**iv. Description:** A cookie has been set without the SameSite attribute, which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.

**v. Details to Reproduce the Instance:**

- **URL:** https://srcw.ac.in/
- **Method:** GET
- **Parameter:** nevercache-b39818
- **Attack:** No attack specified
- **Evidence:** Set-Cookie: nevercache-b39818

**i. Vulnerability Summary: Cookie Without Secure Flag**

ii. **Risk Rating:** Low

iii. **Confidence Rating:** Medium

iv. **Description:** A cookie has been set without the secure flag, which means that the cookie can be accessed via unencrypted connections.

v. **Details to Reproduce the Instance:**

- **URL:** https://srcw.ac.in/robots.txt
- **Method:** GET
- **Parameter:** nevercache-b39818
- **Attack:** No attack specified
- **Evidence:** Set-Cookie: nevercache-b39818

**i. Vulnerability Summary: Cookie Without Secure Flag**

ii. **Risk Rating:** Low

iii. **Confidence Rating:** Medium

iv. **Description:** A cookie has been set without the secure flag, which means that the cookie can be accessed via unencrypted connections.

v. **Details to Reproduce the Instance:**

- **URL:** https://srcw.ac.in/sitemap.xml
- **Method:** GET
- **Parameter:** nevercache-b39818
- **Attack:** No attack specified
- **Evidence:** Set-Cookie: nevercache-b39818

**i. Vulnerability Summary: Cookie Without Secure Flag**

ii. **Risk Rating:** Low

iii. **Confidence Rating:** Medium

iv. **Description:** A cookie has been set without the secure flag, which means that the cookie can be accessed via unencrypted connections.

v. **Details to Reproduce the Instance:**

- **URL:** https://srcw.ac.in/
- **Method:** GET
- **Parameter:** nevercache-b39818
- **Attack:** No attack specified
- **Evidence:** Set-Cookie: nevercache-b39818

**i. Vulnerability Summary: Strict-Transport-Security Header Not Set**

ii. **Risk Rating:** Low

iii. **Confidence Rating:** High

iv. **Description:** HTTP Strict Transport Security (HSTS) is a web security policy mechanism whereby a web server declares that complying user agents (such as a web browser) are to interact with it using only secure HTTPS connections (i.e. HTTP layered over TLS/SSL). HSTS is an IETF standards track protocol and is specified in RFC 6797.

v. **Details to Reproduce the Instance:**

- **URL:** https://srcw.ac.in/sitemap.xml
- **Method:** GET
- **Parameter:** No parameter specified
- **Attack:** No attack specified
- **Evidence:** No evidence available

**i. Vulnerability Summary: Strict-Transport-Security Header Not Set**

ii. **Risk Rating:** Low

iii. **Confidence Rating:** High

**iv. Description:** HTTP Strict Transport Security (HSTS) is a web security policy mechanism whereby a web server declares that complying user agents (such as a web browser) are to interact with it using only secure HTTPS connections (i.e. HTTP layered over TLS/SSL). HSTS is an IETF standards track protocol and is specified in RFC 6797.

**v. Details to Reproduce the Instance:**

- **URL:** <https://srcw.ac.in/robots.txt>
- **Method:** GET
- **Parameter:** No parameter specified
- **Attack:** No attack specified
- **Evidence:** No evidence available

**i. Vulnerability Summary: Strict-Transport-Security Header Not Set**

**ii. Risk Rating:** Low

**iii. Confidence Rating:** High

**iv. Description:** HTTP Strict Transport Security (HSTS) is a web security policy mechanism whereby a web server declares that complying user agents (such as a web browser) are to interact with it using only secure HTTPS connections (i.e. HTTP layered over TLS/SSL). HSTS is an IETF standards track protocol and is specified in RFC 6797.

**v. Details to Reproduce the Instance:**

- **URL:** <https://srcw.ac.in/>
- **Method:** GET
- **Parameter:** No parameter specified
- **Attack:** No attack specified
- **Evidence:** No evidence available

**i. Vulnerability Summary: Timestamp Disclosure - Unix**

**ii. Risk Rating:** Low

**iii. Confidence Rating:** Low

**iv. Description:** A timestamp was disclosed by the application/web server - Unix

**v. Details to Reproduce the Instance:**

- **URL:** <https://srcw.ac.in/sitemap.xml>
- **Method:** GET
- **Parameter:** No parameter specified
- **Attack:** No attack specified
- **Evidence:** 1710705073

**i. Vulnerability Summary: Timestamp Disclosure - Unix**

**ii. Risk Rating:** Low

**iii. Confidence Rating:** Low

**iv. Description:** A timestamp was disclosed by the application/web server - Unix

**v. Details to Reproduce the Instance:**

- **URL:** <https://srcw.ac.in/robots.txt>
- **Method:** GET
- **Parameter:** No parameter specified
- **Attack:** No attack specified
- **Evidence:** 1710705073

**i. Vulnerability Summary: Timestamp Disclosure - Unix**

**ii. Risk Rating:** Low

**iii. Confidence Rating:** Low

**iv. Description:** A timestamp was disclosed by the application/web server - Unix

**v. Details to Reproduce the Instance:**

- **URL:** <https://srcw.ac.in/>
- **Method:** GET
- **Parameter:** No parameter specified
- **Attack:** No attack specified
- **Evidence:** 1710705073

**i. Vulnerability Summary: X-Content-Type-Options Header Missing**

**ii. Risk Rating:** Low

**iii. Confidence Rating:** Medium

**iv. Description:** The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.

**v. Details to Reproduce the Instance:**

- **URL:** <https://srcw.ac.in/robots.txt>
- **Method:** GET
- **Parameter:** x-content-type-options
- **Attack:** No attack specified
- **Evidence:** No evidence available

**i. Vulnerability Summary: X-Content-Type-Options Header Missing**

**ii. Risk Rating:** Low

**iii. Confidence Rating:** Medium

**iv. Description:** The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.

**v. Details to Reproduce the Instance:**

- **URL:** <https://srcw.ac.in/>
- **Method:** GET
- **Parameter:** x-content-type-options
- **Attack:** No attack specified
- **Evidence:** No evidence available

**i. Vulnerability Summary: X-Content-Type-Options Header Missing**

**ii. Risk Rating:** Low

**iii. Confidence Rating:** Medium

**iv. Description:** The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.

**v. Details to Reproduce the Instance:**

- **URL:** <https://srcw.ac.in/sitemap.xml>
- **Method:** GET
- **Parameter:** x-content-type-options
- **Attack:** No attack specified
- **Evidence:** No evidence available

**i. Vulnerability Summary: Hidden File Found**

**ii. Risk Rating:** Medium

**iii. Confidence Rating:** Low



**iv. Description:** A sensitive file was identified as accessible or available. This may leak administrative, configuration, or credential information which can be leveraged by a malicious individual to further attack the system or conduct social engineering efforts.

**v. Details to Reproduce the Instance:**

- **URL:** https://srcw.ac.in/.hg
- **Method:** GET
- **Parameter:** No parameter specified
- **Attack:** No attack specified
- **Evidence:** HTTP/1.1 202 Accepted

**i. Vulnerability Summary: Hidden File Found**

**ii. Risk Rating:** Medium

**iii. Confidence Rating:** Low

**iv. Description:** A sensitive file was identified as accessible or available. This may leak administrative, configuration, or credential information which can be leveraged by a malicious individual to further attack the system or conduct social engineering efforts.

**v. Details to Reproduce the Instance:**

- **URL:** https://srcw.ac.in/.bzt
- **Method:** GET
- **Parameter:** No parameter specified
- **Attack:** No attack specified
- **Evidence:** HTTP/1.1 202 Accepted

**i. Vulnerability Summary: Hidden File Found**

**ii. Risk Rating:** Medium

**iii. Confidence Rating:** Low

**iv. Description:** A sensitive file was identified as accessible or available. This may leak administrative, configuration, or credential information which can be leveraged by a malicious individual to further attack the system or conduct social engineering efforts.

**v. Details to Reproduce the Instance:**

- **URL:** https://srcw.ac.in/.\_dars
- **Method:** GET
- **Parameter:** No parameter specified
- **Attack:** No attack specified
- **Evidence:** HTTP/1.1 202 Accepted

**i. Vulnerability Summary: Hidden File Found**

**ii. Risk Rating:** Medium

**iii. Confidence Rating:** Low

**iv. Description:** A sensitive file was identified as accessible or available. This may leak administrative, configuration, or credential information which can be leveraged by a malicious individual to further attack the system or conduct social engineering efforts.

**v. Details to Reproduce the Instance:**

- **URL:** https://srcw.ac.in/BitKeeper
- **Method:** GET
- **Parameter:** No parameter specified
- **Attack:** No attack specified
- **Evidence:** HTTP/1.1 202 Accepted

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <https://srcw.ac.in/>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <https://srcw.ac.in/sitemap.xml>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <https://srcw.ac.in>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <https://srcw.ac.in/robots.txt>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <https://srcw.ac.in/>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <https://srcw.ac.in/sitemap.xml>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <https://srcw.ac.in/robots.txt>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <https://srcw.ac.in>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <https://srcw.ac.in/>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <https://srcw.ac.in>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <https://srcw.ac.in/robots.txt>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <https://srcw.ac.in/sitemap.xml>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** https://srcw.ac.in/
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** https://srcw.ac.in/robots.txt
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** https://srcw.ac.in/sitemap.xml
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** https://srcw.ac.in
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** https://srcw.ac.in/
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** https://srcw.ac.in/robots.txt
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** https://srcw.ac.in/sitemap.xml
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** https://srcw.ac.in
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <https://srcw.ac.in/>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <https://srcw.ac.in/robots.txt>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <https://srcw.ac.in>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <https://srcw.ac.in/sitemap.xml>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <https://srcw.ac.in/>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** msnbot/1.1 (+http://search.msn.com/msnbot.htm)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <https://srcw.ac.in/sitemap.xml>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** msnbot/1.1 (+http://search.msn.com/msnbot.htm)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <https://srcw.ac.in/robots.txt>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** msnbot/1.1 (+http://search.msn.com/msnbot.htm)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <https://srcw.ac.in>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** msnbot/1.1 (+http://search.msn.com/msnbot.htm)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium



**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <https://srcw.ac.in/>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (compatible; Yahoo! Slurp; <http://help.yahoo.com/help/us/ysearch/slurp>)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <https://srcw.ac.in/robots.txt>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (compatible; Yahoo! Slurp; <http://help.yahoo.com/help/us/ysearch/slurp>)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <https://srcw.ac.in/sitemap.xml>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (compatible; Yahoo! Slurp; <http://help.yahoo.com/help/us/ysearch/slurp>)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <https://srcw.ac.in>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (compatible; Yahoo! Slurp; <http://help.yahoo.com/help/us/ysearch/slurp>)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <https://srcw.ac.in/>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (iPhone; U; CPU iPhone OS 3\_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <https://srcw.ac.in/robots.txt>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (iPhone; U; CPU iPhone OS 3\_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <https://srcw.ac.in/sitemap.xml>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (iPhone; U; CPU iPhone OS 3\_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <https://srcw.ac.in>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (iPhone; U; CPU iPhone OS 3\_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

iii. **Confidence Rating:** Medium

iv. **Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. **Details to Reproduce the Instance:**

- **URL:** https://srcw.ac.in/
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (iPhone; CPU iPhone OS 8\_0\_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
- **Evidence:** No evidence available

i. **Vulnerability Summary: User Agent Fuzzer**

ii. **Risk Rating:** Informational

iii. **Confidence Rating:** Medium

iv. **Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. **Details to Reproduce the Instance:**

- **URL:** https://srcw.ac.in/sitemap.xml
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (iPhone; CPU iPhone OS 8\_0\_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
- **Evidence:** No evidence available

i. **Vulnerability Summary: User Agent Fuzzer**

ii. **Risk Rating:** Informational

iii. **Confidence Rating:** Medium

iv. **Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. **Details to Reproduce the Instance:**

- **URL:** https://srcw.ac.in/robots.txt
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (iPhone; CPU iPhone OS 8\_0\_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
- **Evidence:** No evidence available

i. **Vulnerability Summary: User Agent Fuzzer**

ii. **Risk Rating:** Informational

iii. **Confidence Rating:** Medium

iv. **Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. **Details to Reproduce the Instance:**

- **URL:** https://srcw.ac.in
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (iPhone; CPU iPhone OS 8\_0\_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
- **Evidence:** No evidence available

i. **Vulnerability Summary: User Agent Fuzzer**

ii. **Risk Rating:** Informational

iii. **Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <https://srcw.ac.in/>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <https://srcw.ac.in/sitemap.xml>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <https://srcw.ac.in/robots.txt>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <https://srcw.ac.in>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <https://srcw.ac.in/>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <https://srcw.ac.in/sitemap.xml>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <https://srcw.ac.in/robots.txt>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <https://srcw.ac.in>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
- **Evidence:** No evidence available

**i. Vulnerability Summary: Timestamp Disclosure - Unix**

**ii. Risk Rating:** Low

**iii. Confidence Rating:** Low

**iv. Description:** A timestamp was disclosed by the application/web server - Unix

**v. Details to Reproduce the Instance:**

- **URL:** <https://srcw.ac.in/robots.txt>
- **Method:** GET
- **Parameter:** No parameter specified
- **Attack:** No attack specified
- **Evidence:** 1710705141

**i. Vulnerability Summary: Timestamp Disclosure - Unix**

**ii. Risk Rating:** Low

**iii. Confidence Rating:** Low

**iv. Description:** A timestamp was disclosed by the application/web server - Unix

**v. Details to Reproduce the Instance:**

- **URL:** <https://srcw.ac.in/sitemap.xml>
- **Method:** GET
- **Parameter:** No parameter specified
- **Attack:** No attack specified
- **Evidence:** 1710705141

**i. Vulnerability Summary: Timestamp Disclosure - Unix**

**ii. Risk Rating:** Low

**iii. Confidence Rating:** Low

**iv. Description:** A timestamp was disclosed by the application/web server - Unix

**v. Details to Reproduce the Instance:**

- **URL:** <https://srcw.ac.in/>
- **Method:** GET
- **Parameter:** No parameter specified
- **Attack:** No attack specified
- **Evidence:** 1710705141

**i. Vulnerability Summary: Timestamp Disclosure - Unix**

**ii. Risk Rating:** Low

**iii. Confidence Rating:** Low

**iv. Description:** A timestamp was disclosed by the application/web server - Unix

**v. Details to Reproduce the Instance:**

- **URL:** <https://srcw.ac.in/>
- **Method:** GET
- **Parameter:** No parameter specified
- **Attack:** No attack specified
- **Evidence:** 1710705397

**i. Vulnerability Summary: Timestamp Disclosure - Unix**

**ii. Risk Rating:** Low

**iii. Confidence Rating:** Low

**iv. Description:** A timestamp was disclosed by the application/web server - Unix

**v. Details to Reproduce the Instance:**

- **URL:** <https://srcw.ac.in/robots.txt>
- **Method:** GET
- **Parameter:** No parameter specified

- **Attack:** No attack specified
- **Evidence:** 1710705397

**i. Vulnerability Summary: Timestamp Disclosure - Unix**

**ii. Risk Rating:** Low

**iii. Confidence Rating:** Low

**iv. Description:** A timestamp was disclosed by the application/web server - Unix

**v. Details to Reproduce the Instance:**

- **URL:** https://srcw.ac.in/sitemap.xml
- **Method:** GET
- **Parameter:** No parameter specified
- **Attack:** No attack specified
- **Evidence:** 1710705397

**i. Vulnerability Summary: Timestamp Disclosure - Unix**

**ii. Risk Rating:** Low

**iii. Confidence Rating:** Low

**iv. Description:** A timestamp was disclosed by the application/web server - Unix

**v. Details to Reproduce the Instance:**

- **URL:** https://srcw.ac.in/robots.txt
- **Method:** GET
- **Parameter:** No parameter specified
- **Attack:** No attack specified
- **Evidence:** 1710705424

**i. Vulnerability Summary: Timestamp Disclosure - Unix**

**ii. Risk Rating:** Low

**iii. Confidence Rating:** Low

**iv. Description:** A timestamp was disclosed by the application/web server - Unix

**v. Details to Reproduce the Instance:**

- **URL:** https://srcw.ac.in/
- **Method:** GET
- **Parameter:** No parameter specified
- **Attack:** No attack specified
- **Evidence:** 1710705424

**i. Vulnerability Summary: Timestamp Disclosure - Unix**

**ii. Risk Rating:** Low

**iii. Confidence Rating:** Low

**iv. Description:** A timestamp was disclosed by the application/web server - Unix

**v. Details to Reproduce the Instance:**

- **URL:** https://srcw.ac.in/sitemap.xml
- **Method:** GET
- **Parameter:** No parameter specified
- **Attack:** No attack specified
- **Evidence:** 1710705424

**i. Vulnerability Summary: Timestamp Disclosure - Unix**

ii. **Risk Rating:** Low

iii. **Confidence Rating:** Low

iv. **Description:** A timestamp was disclosed by the application/web server - Unix

v. **Details to Reproduce the Instance:**

- **URL:** https://srcw.ac.in/sitemap.xml
- **Method:** GET
- **Parameter:** No parameter specified
- **Attack:** No attack specified
- **Evidence:** 1710705564

i. **Vulnerability Summary: Timestamp Disclosure - Unix**

ii. **Risk Rating:** Low

iii. **Confidence Rating:** Low

iv. **Description:** A timestamp was disclosed by the application/web server - Unix

v. **Details to Reproduce the Instance:**

- **URL:** https://srcw.ac.in/
- **Method:** GET
- **Parameter:** No parameter specified
- **Attack:** No attack specified
- **Evidence:** 1710705564

i. **Vulnerability Summary: Timestamp Disclosure - Unix**

ii. **Risk Rating:** Low

iii. **Confidence Rating:** Low

iv. **Description:** A timestamp was disclosed by the application/web server - Unix

v. **Details to Reproduce the Instance:**

- **URL:** https://srcw.ac.in/robots.txt
- **Method:** GET
- **Parameter:** No parameter specified
- **Attack:** No attack specified
- **Evidence:** 1710705564

i. **Vulnerability Summary: Timestamp Disclosure - Unix**

ii. **Risk Rating:** Low

iii. **Confidence Rating:** Low

iv. **Description:** A timestamp was disclosed by the application/web server - Unix

v. **Details to Reproduce the Instance:**

- **URL:** https://srcw.ac.in/sitemap.xml
- **Method:** GET
- **Parameter:** No parameter specified
- **Attack:** No attack specified
- **Evidence:** 1710705603

i. **Vulnerability Summary: Timestamp Disclosure - Unix**

ii. **Risk Rating:** Low

iii. **Confidence Rating:** Low

iv. **Description:** A timestamp was disclosed by the application/web server - Unix



**v. Details to Reproduce the Instance:**

- **URL:** <https://srcw.ac.in/robots.txt>
- **Method:** GET
- **Parameter:** No parameter specified
- **Attack:** No attack specified
- **Evidence:** 1710705603

**i. Vulnerability Summary: Timestamp Disclosure - Unix**

**ii. Risk Rating:** Low

**iii. Confidence Rating:** Low

**iv. Description:** A timestamp was disclosed by the application/web server - Unix

**v. Details to Reproduce the Instance:**

- **URL:** <https://srcw.ac.in/>
- **Method:** GET
- **Parameter:** No parameter specified
- **Attack:** No attack specified
- **Evidence:** 1710705604

**i. Vulnerability Summary: Timestamp Disclosure - Unix**

**ii. Risk Rating:** Low

**iii. Confidence Rating:** Low

**iv. Description:** A timestamp was disclosed by the application/web server - Unix

**v. Details to Reproduce the Instance:**

- **URL:** <https://srcw.ac.in/sitemap.xml>
- **Method:** GET
- **Parameter:** No parameter specified
- **Attack:** No attack specified
- **Evidence:** 1710705604

**i. Vulnerability Summary: Timestamp Disclosure - Unix**

**ii. Risk Rating:** Low

**iii. Confidence Rating:** Low

**iv. Description:** A timestamp was disclosed by the application/web server - Unix

**v. Details to Reproduce the Instance:**

- **URL:** <https://srcw.ac.in/robots.txt>
- **Method:** GET
- **Parameter:** No parameter specified
- **Attack:** No attack specified
- **Evidence:** 1710705604

**i. Vulnerability Summary: Timestamp Disclosure - Unix**

**ii. Risk Rating:** Low

**iii. Confidence Rating:** Low

**iv. Description:** A timestamp was disclosed by the application/web server - Unix

**v. Details to Reproduce the Instance:**

- **URL:** <https://srcw.ac.in/>
- **Method:** GET
- **Parameter:** No parameter specified

- **Attack:** No attack specified
- **Evidence:** 1710705603

**i. Vulnerability Summary: Missing Anti-clickjacking Header**

**ii. Risk Rating:** Medium

**iii. Confidence Rating:** Medium

**iv. Description:** The response does not include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options to protect against 'ClickJacking' attacks.

**v. Details to Reproduce the Instance:**

- **URL:** https://srcw.ac.in/infrastructure
- **Method:** GET
- **Parameter:** x-frame-options
- **Attack:** No attack specified
- **Evidence:** No evidence available

**i. Vulnerability Summary: Re-examine Cache-control Directives**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Low

**iv. Description:** The cache-control header has not been set properly or is missing, allowing the browser and proxies to cache content. For static assets like css, js, or image files this might be intended, however, the resources should be reviewed to ensure that no sensitive content will be cached.

**v. Details to Reproduce the Instance:**

- **URL:** https://srcw.ac.in/infrastructure
- **Method:** GET
- **Parameter:** cache-control
- **Attack:** No attack specified
- **Evidence:** no-store,no-cache,max-age=0

**i. Vulnerability Summary: Content Security Policy (CSP) Header Not Set**

**ii. Risk Rating:** Medium

**iii. Confidence Rating:** High

**iv. Description:** Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

**v. Details to Reproduce the Instance:**

- **URL:** https://srcw.ac.in/infrastructure
- **Method:** GET
- **Parameter:** No parameter specified
- **Attack:** No attack specified
- **Evidence:** No evidence available

**i. Vulnerability Summary: Cookie No HttpOnly Flag**

**ii. Risk Rating:** Low

**iii. Confidence Rating:** Medium

**iv. Description:** A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.

**v. Details to Reproduce the Instance:**

- **URL:** https://srcw.ac.in/infrastructure
- **Method:** GET

- **Parameter:** nevercache-b39818
- **Attack:** No attack specified
- **Evidence:** Set-Cookie: nevercache-b39818

**i. Vulnerability Summary: Cookie without SameSite Attribute**

**ii. Risk Rating:** Low

**iii. Confidence Rating:** Medium

**iv. Description:** A cookie has been set without the SameSite attribute, which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.

**v. Details to Reproduce the Instance:**

- **URL:** https://srcw.ac.in/infrastructure
- **Method:** GET
- **Parameter:** nevercache-b39818
- **Attack:** No attack specified
- **Evidence:** Set-Cookie: nevercache-b39818

**i. Vulnerability Summary: Cookie Without Secure Flag**

**ii. Risk Rating:** Low

**iii. Confidence Rating:** Medium

**iv. Description:** A cookie has been set without the secure flag, which means that the cookie can be accessed via unencrypted connections.

**v. Details to Reproduce the Instance:**

- **URL:** https://srcw.ac.in/infrastructure
- **Method:** GET
- **Parameter:** nevercache-b39818
- **Attack:** No attack specified
- **Evidence:** Set-Cookie: nevercache-b39818

**i. Vulnerability Summary: Strict-Transport-Security Header Not Set**

**ii. Risk Rating:** Low

**iii. Confidence Rating:** High

**iv. Description:** HTTP Strict Transport Security (HSTS) is a web security policy mechanism whereby a web server declares that complying user agents (such as a web browser) are to interact with it using only secure HTTPS connections (i.e. HTTP layered over TLS/SSL). HSTS is an IETF standards track protocol and is specified in RFC 6797.

**v. Details to Reproduce the Instance:**

- **URL:** https://srcw.ac.in/infrastructure
- **Method:** GET
- **Parameter:** No parameter specified
- **Attack:** No attack specified
- **Evidence:** No evidence available

**i. Vulnerability Summary: Timestamp Disclosure - Unix**

**ii. Risk Rating:** Low

**iii. Confidence Rating:** Low

**iv. Description:** A timestamp was disclosed by the application/web server - Unix

**v. Details to Reproduce the Instance:**

- **URL:** https://srcw.ac.in/infrastructure
- **Method:** GET
- **Parameter:** No parameter specified
- **Attack:** No attack specified

- **Evidence:** 1710705820

**i. Vulnerability Summary: Timestamp Disclosure - Unix**

**ii. Risk Rating:** Low

**iii. Confidence Rating:** Low

**iv. Description:** A timestamp was disclosed by the application/web server - Unix

**v. Details to Reproduce the Instance:**

- **URL:** https://srcw.ac.in/sitemap.xml
- **Method:** GET
- **Parameter:** No parameter specified
- **Attack:** No attack specified
- **Evidence:** 1710705820

**i. Vulnerability Summary: Timestamp Disclosure - Unix**

**ii. Risk Rating:** Low

**iii. Confidence Rating:** Low

**iv. Description:** A timestamp was disclosed by the application/web server - Unix

**v. Details to Reproduce the Instance:**

- **URL:** https://srcw.ac.in/robots.txt
- **Method:** GET
- **Parameter:** No parameter specified
- **Attack:** No attack specified
- **Evidence:** 1710705820

**i. Vulnerability Summary: X-Content-Type-Options Header Missing**

**ii. Risk Rating:** Low

**iii. Confidence Rating:** Medium

**iv. Description:** The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.

**v. Details to Reproduce the Instance:**

- **URL:** https://srcw.ac.in/infrastructure
- **Method:** GET
- **Parameter:** x-content-type-options
- **Attack:** No attack specified
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** https://srcw.ac.in/infrastructure
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** https://srcw.ac.in/infrastructure
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** https://srcw.ac.in/infrastructure
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** https://srcw.ac.in/infrastructure
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** https://srcw.ac.in/infrastructure
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

ii. **Risk Rating:** Informational

iii. **Confidence Rating:** Medium

iv. **Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. **Details to Reproduce the Instance:**

- **URL:** https://srcw.ac.in/infrastructure
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

ii. **Risk Rating:** Informational

iii. **Confidence Rating:** Medium

iv. **Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. **Details to Reproduce the Instance:**

- **URL:** https://srcw.ac.in/infrastructure
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** msnbot/1.1 (+http://search.msn.com/msnbot.htm)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

ii. **Risk Rating:** Informational

iii. **Confidence Rating:** Medium

iv. **Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. **Details to Reproduce the Instance:**

- **URL:** https://srcw.ac.in/infrastructure
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

ii. **Risk Rating:** Informational

iii. **Confidence Rating:** Medium

iv. **Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. **Details to Reproduce the Instance:**

- **URL:** https://srcw.ac.in/infrastructure
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (iPhone; U; CPU iPhone OS 3\_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** https://srcw.ac.in/infrastructure
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (iPhone; CPU iPhone OS 8\_0\_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** https://srcw.ac.in/infrastructure
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** https://srcw.ac.in/infrastructure
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
- **Evidence:** No evidence available