# **Nmap Scan Result**

# a. Summary - No. of Vulnerable Ports Open

Total Count :: 0

b. Detailed Report

# **ZAP Scan Result**

- a. Summary
- i. No. of Total Vulnerabilities Identified: : 193
- ii. No. of Total Vulnerabilities Identified grouped on Risk Rating: : {'Informational': 183, 'Low': 9, 'Medium': 1}
- b. Detailed Report
- i. Vulnerability Summary: User Agent Fuzzer
- ii. Risk Rating: Informational
- iii. Confidence Rating: Medium
- iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.
- v. Details to Reproduce the Instance:
- URL: https://periodictable2004.netlify.com
- Method: GET
- Parameter: Header User-Agent
- Attack: Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
- Evidence: No evidence available
- i. Vulnerability Summary: User Agent Fuzzer
- ii. Risk Rating: Informational
- iii. Confidence Rating: Medium
- iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.
- v. Details to Reproduce the Instance:
- URL: https://periodictable2004.netlify.com
- Method: GET
- Parameter: Header User-Agent
- Attack: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
- Evidence: No evidence available
- i. Vulnerability Summary: User Agent Fuzzer
- ii. Risk Rating: Informational
- iii. Confidence Rating: Medium

### v. Details to Reproduce the Instance:

• URL: https://periodictable2004.netlify.com

· Method: GET

• Parameter: Header User-Agent

• Attack: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)

• Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

### v. Details to Reproduce the Instance:

URL: https://periodictable2004.netlify.com/sitemap.xml

Method: GET

· Parameter: Header User-Agent

• Attack: Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)

• Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

# v. Details to Reproduce the Instance:

URL: https://periodictable2004.netlify.com/robots.txt

• Method: GET

• Parameter: Header User-Agent

• Attack: Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)

• Evidence: No evidence available

# i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

# v. Details to Reproduce the Instance:

URL: https://periodictable2004.netlify.com

• Method: GET

Parameter: Header User-Agent

Attack: Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko

• Evidence: No evidence available

# i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

### v. Details to Reproduce the Instance:

• URL: https://periodictable2004.netlify.com/sitemap.xml

Method: GET

• Parameter: Header User-Agent

• Attack: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)

• Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

### v. Details to Reproduce the Instance:

URL: https://periodictable2004.netlify.com

Method: GET

Parameter: Header User-Agent

Attack: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0

• Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

# v. Details to Reproduce the Instance:

URL: https://periodictable2004.netlify.com/robots.txt

• Method: GET

• Parameter: Header User-Agent

• Attack: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)

• Evidence: No evidence available

# i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

# v. Details to Reproduce the Instance:

• URL: https://periodictable2004.netlify.com/sitemap.xml

Method: GET

· Parameter: Header User-Agent

• Attack: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)

Evidence: No evidence available

# i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

### v. Details to Reproduce the Instance:

• URL: https://periodictable2004.netlify.com/robots.txt

Method: GET

· Parameter: Header User-Agent

• Attack: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)

• Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

### v. Details to Reproduce the Instance:

URL: https://periodictable2004.netlify.com/sitemap.xml

· Method: GET

Parameter: Header User-Agent

• Attack: Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko

• Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

# v. Details to Reproduce the Instance:

URL: https://periodictable2004.netlify.com/robots.txt

• Method: GET

• Parameter: Header User-Agent

• Attack: Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko

• Evidence: No evidence available

# i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

# v. Details to Reproduce the Instance:

URL: https://periodictable2004.netlify.com/sitemap.xml

• Method: GET

· Parameter: Header User-Agent

Attack: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0

Evidence: No evidence available

# i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

### v. Details to Reproduce the Instance:

• URL: https://periodictable2004.netlify.com/robots.txt

· Method: GET

· Parameter: Header User-Agent

Attack: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0

Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

### v. Details to Reproduce the Instance:

URL: https://periodictable2004.netlify.com/

Method: GET

Parameter: Header User-Agent

• Attack: Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)

• Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

# v. Details to Reproduce the Instance:

URL: https://periodictable2004.netlify.com/sitemap.xml

• Method: GET

• Parameter: Header User-Agent

• Attack: Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)

• Evidence: No evidence available

# i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

# v. Details to Reproduce the Instance:

URL: https://periodictable2004.netlify.com/robots.txt

Method: GET

· Parameter: Header User-Agent

• Attack: Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)

Evidence: No evidence available

# i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

### v. Details to Reproduce the Instance:

• URL: https://periodictable2004.netlify.com/

· Method: GET

· Parameter: Header User-Agent

• Attack: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)

• Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

### v. Details to Reproduce the Instance:

URL: https://periodictable2004.netlify.com/sitemap.xml

Method: GET

Parameter: Header User-Agent

• Attack: msnbot/1.1 (+http://search.msn.com/msnbot.htm)

• Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

# v. Details to Reproduce the Instance:

• URL: https://periodictable2004.netlify.com/sitemap.xml

• Method: GET

• Parameter: Header User-Agent

Attack: Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)

• Evidence: No evidence available

# i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

# v. Details to Reproduce the Instance:

URL: https://periodictable2004.netlify.com/

Method: GET

· Parameter: Header User-Agent

• Attack: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)

• Evidence: No evidence available

# i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

### v. Details to Reproduce the Instance:

• URL: https://periodictable2004.netlify.com/sitemap.xml

· Method: GET

· Parameter: Header User-Agent

Attack: Mozilla/5.0 (iPhone; U; CPU iPhone OS 3\_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341
 Safari/528.16

• Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

### v. Details to Reproduce the Instance:

• URL: https://periodictable2004.netlify.com

Method: GET

Parameter: Header User-Agent

• Attack: Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)

• Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

### v. Details to Reproduce the Instance:

• URL: https://periodictable2004.netlify.com/robots.txt

• Method: GET

• Parameter: Header User-Agent

Attack: msnbot/1.1 (+http://search.msn.com/msnbot.htm)

• Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

### v. Details to Reproduce the Instance:

URL: https://periodictable2004.netlify.com/

· Method: GET

Parameter: Header User-Agent

Attack: Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko

• Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

### v. Details to Reproduce the Instance:

• URL: https://periodictable2004.netlify.com/robots.txt

Method: GET

· Parameter: Header User-Agent

• Attack: Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)

Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

### v. Details to Reproduce the Instance:

URL: https://periodictable2004.netlify.com

Method: GET

Parameter: Header User-Agent

• Attack: msnbot/1.1 (+http://search.msn.com/msnbot.htm)

• Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

# v. Details to Reproduce the Instance:

• URL: https://periodictable2004.netlify.com/robots.txt

• Method: GET

• Parameter: Header User-Agent

Attack: Mozilla/5.0 (iPhone; U; CPU iPhone OS 3\_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341
 Safari/528.16

• Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

### v. Details to Reproduce the Instance:

• URL: https://periodictable2004.netlify.com

· Method: GET

• Parameter: Header User-Agent

• Attack: Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)

• Evidence: No evidence available

# i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

### v. Details to Reproduce the Instance:

• URL: https://periodictable2004.netlify.com/sitemap.xml

Method: GET

· Parameter: Header User-Agent

Attack: Mozilla/5.0 (iPhone; CPU iPhone OS 8\_0\_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4

Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

### v. Details to Reproduce the Instance:

• URL: https://periodictable2004.netlify.com/robots.txt

Method: GET

Parameter: Header User-Agent

Attack: Mozilla/5.0 (iPhone; CPU iPhone OS 8\_0\_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4

Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

# v. Details to Reproduce the Instance:

• URL: https://periodictable2004.netlify.com/

• Method: GET

• Parameter: Header User-Agent

Attack: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0

• Evidence: No evidence available

# i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

# v. Details to Reproduce the Instance:

• URL: https://periodictable2004.netlify.com

Method: GET

· Parameter: Header User-Agent

Attack: Mozilla/5.0 (iPhone; U; CPU iPhone OS 3\_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16

• Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

### v. Details to Reproduce the Instance:

• URL: https://periodictable2004.netlify.com/sitemap.xml

Method: GET

Parameter: Header User-Agent

• Attack: Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0

Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

### v. Details to Reproduce the Instance:

URL: https://periodictable2004.netlify.com/robots.txt

Method: GET

Parameter: Header User-Agent

• Attack: Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0

• Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

# v. Details to Reproduce the Instance:

• URL: https://periodictable2004.netlify.com

Method: GET

• Parameter: Header User-Agent

Attack: Mozilla/5.0 (iPhone; CPU iPhone OS 8\_0\_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4

• Evidence: No evidence available

# i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

# v. Details to Reproduce the Instance:

URL: https://periodictable2004.netlify.com/sitemap.xml

Method: GET

Parameter: Header User-Agent

• Attack: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36

• Evidence: No evidence available

# i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

### v. Details to Reproduce the Instance:

• URL: https://periodictable2004.netlify.com

Method: GET

· Parameter: Header User-Agent

• Attack: Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0

Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

### v. Details to Reproduce the Instance:

URL: https://periodictable2004.netlify.com/robots.txt

Method: GET

Parameter: Header User-Agent

Attack: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36

• Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

# v. Details to Reproduce the Instance:

URL: https://periodictable2004.netlify.com/

• Method: GET

• Parameter: Header User-Agent

Attack: Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)

• Evidence: No evidence available

# i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

# v. Details to Reproduce the Instance:

URL: https://periodictable2004.netlify.com

• Method: GET

· Parameter: Header User-Agent

• Attack: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36

• Evidence: No evidence available

# i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

### v. Details to Reproduce the Instance:

• URL: https://periodictable2004.netlify.com/

· Method: GET

• Parameter: Header User-Agent

• Attack: msnbot/1.1 (+http://search.msn.com/msnbot.htm)

• Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

### v. Details to Reproduce the Instance:

URL: https://periodictable2004.netlify.com/

Method: GET

Parameter: Header User-Agent

• Attack: Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)

• Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

# v. Details to Reproduce the Instance:

URL: https://periodictable2004.netlify.com/

• Method: GET

• Parameter: Header User-Agent

Attack: Mozilla/5.0 (iPhone; U; CPU iPhone OS 3\_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341
 Safari/528.16

• Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

### v. Details to Reproduce the Instance:

• URL: https://periodictable2004.netlify.com/

· Method: GET

Parameter: Header User-Agent

• Attack: Mozilla/5.0 (iPhone; CPU iPhone OS 8\_0\_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4

• Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

### v. Details to Reproduce the Instance:

• URL: https://periodictable2004.netlify.com/

· Method: GET

· Parameter: Header User-Agent

• Attack: Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0

Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

### v. Details to Reproduce the Instance:

URL: https://periodictable2004.netlify.com/

Method: GET

Parameter: Header User-Agent

• Attack: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36

• Evidence: No evidence available

### i. Vulnerability Summary: Retrieved from Cache

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: The content was retrieved from a shared cache. If the response data is sensitive, personal or user-specific, this may result in sensitive information being leaked. In some cases, this may even result in a user gaining complete control of the session of another user, depending on the configuration of the caching components in use in their environment. This is primarily an issue where caching servers such as "proxy" caches are configured on the local network. This configuration is typically found in corporate or educational environments, for instance.

### v. Details to Reproduce the Instance:

• URL: http://quarksek.com

Method: GET

• Parameter: No parameter specified

Attack: No attack specifiedEvidence: Age: 1500

# i. Vulnerability Summary: Retrieved from Cache

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: The content was retrieved from a shared cache. If the response data is sensitive, personal or user-specific, this may result in sensitive information being leaked. In some cases, this may even result in a user gaining complete control of the session of another user, depending on the configuration of the caching components in use in their environment. This is primarily an issue where caching servers such as "proxy" caches are configured on the local network. This configuration is typically found in corporate or educational environments, for instance.

### v. Details to Reproduce the Instance:

• URL: http://quarksek.com/robots.txt

• Method: GET

• Parameter: No parameter specified

Attack: No attack specifiedEvidence: Age: 1494

### i. Vulnerability Summary: Retrieved from Cache

ii. Risk Rating: Informational

#### iii. Confidence Rating: Medium

iv. Description: The content was retrieved from a shared cache. If the response data is sensitive, personal or user-specific, this may result in sensitive information being leaked. In some cases, this may even result in a user gaining complete control of the session of another user, depending on the configuration of the caching components in use in their environment. This is primarily an issue where caching servers such as "proxy" caches are configured on the local network. This configuration is typically found in corporate or educational environments, for instance.

#### v. Details to Reproduce the Instance:

• URL: http://quarksek.com/\*?lightbox

Method: GET

Parameter: No parameter specified

Attack: No attack specifiedEvidence: Age: 1494

i. Vulnerability Summary: Retrieved from Cache

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: The content was retrieved from a shared cache. If the response data is sensitive, personal or user-specific, this may result in sensitive information being leaked. In some cases, this may even result in a user gaining complete control of the session of another user, depending on the configuration of the caching components in use in their environment. This is primarily an issue where caching servers such as "proxy" caches are configured on the local network. This configuration is typically found in corporate or educational environments, for instance.

### v. Details to Reproduce the Instance:

URL: http://quarksek.com/\_api/

Method: GET

Parameter: No parameter specified

Attack: No attack specifiedEvidence: Age: 1494

i. Vulnerability Summary: Retrieved from Cache

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: The content was retrieved from a shared cache. If the response data is sensitive, personal or user-specific, this may result in sensitive information being leaked. In some cases, this may even result in a user gaining complete control of the session of another user, depending on the configuration of the caching components in use in their environment. This is primarily an issue where caching servers such as "proxy" caches are configured on the local network. This configuration is typically found in corporate or educational environments, for instance.

### v. Details to Reproduce the Instance:

• URL: http://quarksek.com/sitemap.xml

Method: GET

• Parameter: No parameter specified

Attack: No attack specifiedEvidence: Age: 1494

i. Vulnerability Summary: Timestamp Disclosure - Unix

ii. Risk Rating: Low

iii. Confidence Rating: Low

iv. Description: A timestamp was disclosed by the application/web server - Unix

### v. Details to Reproduce the Instance:

• URL: http://quarksek.com/sitemap.xml

• Method: GET

Parameter: X-Wix-Request-Id
 Attack: No attack specified
 Evidence: 1711292097

### i. Vulnerability Summary: Timestamp Disclosure - Unix

ii. Risk Rating: Low

iii. Confidence Rating: Low

iv. Description: A timestamp was disclosed by the application/web server - Unix

### v. Details to Reproduce the Instance:

URL: http://quarksek.com

· Method: GET

Parameter: X-Wix-Request-Id
 Attack: No attack specified
 Evidence: 1711292097

### i. Vulnerability Summary: Timestamp Disclosure - Unix

ii. Risk Rating: Low

iii. Confidence Rating: Low

iv. Description: A timestamp was disclosed by the application/web server - Unix

### v. Details to Reproduce the Instance:

URL: http://quarksek.com/\_api/

Method: GET

Parameter: X-Wix-Request-Id
Attack: No attack specified
Evidence: 1711292098

# i. Vulnerability Summary: Timestamp Disclosure - Unix

ii. Risk Rating: Low

iii. Confidence Rating: Low

 $\textbf{iv. Description:} \ \textbf{A timestamp was disclosed by the application/web server - Unix}$ 

# v. Details to Reproduce the Instance:

• URL: http://quarksek.com/\*?lightbox

• Method: GET

Parameter: X-Wix-Request-Id
Attack: No attack specified
Evidence: 1711292098

# i. Vulnerability Summary: Timestamp Disclosure - Unix

ii. Risk Rating: Low

iii. Confidence Rating: Low

iv. Description: A timestamp was disclosed by the application/web server - Unix

### v. Details to Reproduce the Instance:

URL: http://quarksek.com/robots.txt

Method: GET

Parameter: X-Wix-Request-Id
 Attack: No attack specified
 Evidence: 1711292097

# i. Vulnerability Summary: Retrieved from Cache

ii. Risk Rating: Informational

iv. Description: The content was retrieved from a shared cache. If the response data is sensitive, personal or user-specific, this may result in sensitive information being leaked. In some cases, this may even result in a user gaining complete control of the session of another user, depending on the configuration of the caching components in use in their environment. This is primarily an issue where caching servers such as "proxy" caches are configured on the local network. This configuration is typically found in corporate or educational environments, for instance.

### v. Details to Reproduce the Instance:

• URL: http://quarksek.com/

· Method: GET

· Parameter: No parameter specified

Attack: No attack specifiedEvidence: Age: 1500

### i. Vulnerability Summary: Cross-Domain Misconfiguration

ii. Risk Rating: Medium

iii. Confidence Rating: Medium

iv. Description: Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server

### v. Details to Reproduce the Instance:

· URL: http://quarksek.com/\_partials/

Method: GET

· Parameter: No parameter specified

Attack: No attack specified

Evidence: Access-Control-Allow-Origin: \*

### i. Vulnerability Summary: Timestamp Disclosure - Unix

ii. Risk Rating: Low

iii. Confidence Rating: Low

iv. Description: A timestamp was disclosed by the application/web server - Unix

# v. Details to Reproduce the Instance:

• URL: http://quarksek.com/

• Method: GET

Parameter: X-Wix-Request-Id
Attack: No attack specified
Evidence: 1711292098

# i. Vulnerability Summary: Retrieved from Cache

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: The content was retrieved from a shared cache. If the response data is sensitive, personal or user-specific, this may result in sensitive information being leaked. In some cases, this may even result in a user gaining complete control of the session of another user, depending on the configuration of the caching components in use in their environment. This is primarily an issue where caching servers such as "proxy" caches are configured on the local network. This configuration is typically found in corporate or educational environments, for instance.

# v. Details to Reproduce the Instance:

URL: http://quarksek.com/pro-gallery-webapp/v1/galleries/

• Method: GET

• Parameter: No parameter specified

• Attack: No attack specified

• Evidence: Age: 0

### i. Vulnerability Summary: Timestamp Disclosure - Unix

ii. Risk Rating: Low

iii. Confidence Rating: Low

iv. Description: A timestamp was disclosed by the application/web server - Unix

### v. Details to Reproduce the Instance:

• URL: http://quarksek.com/\_partials

· Method: GET

Parameter: X-Wix-Request-Id
Attack: No attack specified
Evidence: 1711292098

i. Vulnerability Summary: Retrieved from Cache

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: The content was retrieved from a shared cache. If the response data is sensitive, personal or user-specific, this may result in sensitive information being leaked. In some cases, this may even result in a user gaining complete control of the session of another user, depending on the configuration of the caching components in use in their environment. This is primarily an issue where caching servers such as "proxy" caches are configured on the local network. This configuration is typically found in corporate or educational environments, for instance.

### v. Details to Reproduce the Instance:

URL: http://quarksek.com/\_partials/

Method: GET

· Parameter: No parameter specified

Attack: No attack specified

Evidence: Age: 0

i. Vulnerability Summary: Timestamp Disclosure - Unix

ii. Risk Rating: Low

iii. Confidence Rating: Low

iv. Description: A timestamp was disclosed by the application/web server - Unix

# v. Details to Reproduce the Instance:

• URL: http://quarksek.com/pro-gallery-webapp/v1/galleries/

• Method: GET

Parameter: X-Wix-Request-Id
Attack: No attack specified
Evidence: 1711292098

i. Vulnerability Summary: Timestamp Disclosure - Unix

ii. Risk Rating: Low

iii. Confidence Rating: Low

iv. Description: A timestamp was disclosed by the application/web server - Unix

### v. Details to Reproduce the Instance:

URL: http://quarksek.com/\_partials/

Method: GET

Parameter: X-Wix-Request-Id
 Attack: No attack specified
 Evidence: 1711292099

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

### v. Details to Reproduce the Instance:

• URL: http://quarksek.com/\*?lightbox

· Method: GET

Parameter: Header User-Agent

• Attack: Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)

• Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

### v. Details to Reproduce the Instance:

• URL: http://quarksek.com/

Method: GET

• Parameter: Header User-Agent

Attack: Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)

• Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

### v. Details to Reproduce the Instance:

• URL: http://quarksek.com/\_partials/

· Method: GET

· Parameter: Header User-Agent

• Attack: Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)

• Evidence: No evidence available

# i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

### v. Details to Reproduce the Instance:

• URL: http://quarksek.com/\_api/

· Method: GET

• Parameter: Header User-Agent

• Attack: Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)

• Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

# iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

### v. Details to Reproduce the Instance:

URL: http://quarksek.com

· Method: GET

· Parameter: Header User-Agent

• Attack: Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)

• Evidence: No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

### v. Details to Reproduce the Instance:

• URL: http://quarksek.com/pro-gallery-webapp

• Method: GET

· Parameter: Header User-Agent

• Attack: Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)

• Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

#### v. Details to Reproduce the Instance:

• URL: http://quarksek.com/pro-gallery-webapp/v1

Method: GET

• Parameter: Header User-Agent

• Attack: Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)

• Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

# v. Details to Reproduce the Instance:

• URL: http://quarksek.com/\_api

Method: GET

Parameter: Header User-Agent

• Attack: Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)

• Evidence: No evidence available

# i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

# v. Details to Reproduce the Instance:

• URL: http://quarksek.com/\_partials

Method: GET

· Parameter: Header User-Agent

Attack: Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)

• Evidence: No evidence available

# i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

### v. Details to Reproduce the Instance:

• URL: http://quarksek.com/\*?lightbox

• Method: GET

Parameter: Header User-Agent

• Attack: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)

• Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

#### v. Details to Reproduce the Instance:

• URL: http://quarksek.com/pro-gallery-webapp

Method: GET

Parameter: Header User-Agent

• Attack: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)

• Evidence: No evidence available

# i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

# v. Details to Reproduce the Instance:

• URL: http://quarksek.com/pro-gallery-webapp/v1

Method: GFT

• Parameter: Header User-Agent

• Attack: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)

• Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

# v. Details to Reproduce the Instance:

URL: http://quarksek.com/pro-gallery-webapp

Method: GET

• Parameter: Header User-Agent

• Attack: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)

• Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

#### v. Details to Reproduce the Instance:

• URL: http://quarksek.com/\_partials/

Method: GET

• Parameter: Header User-Agent

• Attack: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)

• Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

### v. Details to Reproduce the Instance:

URL: http://quarksek.com/pro-gallery-webapp/v1

Method: GET

· Parameter: Header User-Agent

• Attack: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)

• Evidence: No evidence available

# i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

### v. Details to Reproduce the Instance:

• URL: http://quarksek.com/

Method: GET

• Parameter: Header User-Agent

• Attack: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)

• Evidence: No evidence available

# i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

# v. Details to Reproduce the Instance:

URL: http://quarksek.com/\_api

Method: GET

• Parameter: Header User-Agent

Attack: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)

• Evidence: No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

### v. Details to Reproduce the Instance:

• URL: http://quarksek.com/pro-gallery-webapp

Method: GET

· Parameter: Header User-Agent

Attack: Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko

• Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

### v. Details to Reproduce the Instance:

URL: http://quarksek.com/pro-gallery-webapp/v1

Method: GET

• Parameter: Header User-Agent

• Attack: Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko

Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

### v. Details to Reproduce the Instance:

• URL: http://quarksek.com

Method: GET

Parameter: Header User-Agent

• Attack: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)

• Evidence: No evidence available

# i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

# v. Details to Reproduce the Instance:

URL: http://quarksek.com/robots.txt

• Method: GET

Parameter: Header User-Agent

• Attack: Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)

• Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

### v. Details to Reproduce the Instance:

• URL: http://quarksek.com/\_api/

Method: GET

· Parameter: Header User-Agent

• Attack: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)

• Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

### v. Details to Reproduce the Instance:

URL: http://quarksek.com/pro-gallery-webapp

Method: GET

Parameter: Header User-Agent

Attack: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0

• Evidence: No evidence available

# i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

# v. Details to Reproduce the Instance:

• URL: http://quarksek.com/pro-gallery-webapp/v1

• Method: GET

• Parameter: Header User-Agent

• Attack: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0

• Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

# v. Details to Reproduce the Instance:

• URL: http://quarksek.com/\_partials/

Method: GET

Parameter: Header User-Agent

Attack: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)

Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

### v. Details to Reproduce the Instance:

• URL: http://quarksek.com/\_partials

Method: GET

Parameter: Header User-Agent

• Attack: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)

• Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

#### v. Details to Reproduce the Instance:

URL: http://quarksek.com/pro-gallery-webapp

Method: GET

· Parameter: Header User-Agent

• Attack: Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)

• Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

### v. Details to Reproduce the Instance:

• URL: http://quarksek.com/pro-gallery-webapp/v1

Method: GET

Parameter: Header User-Agent

Attack: Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)

• Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

### v. Details to Reproduce the Instance:

• URL: http://quarksek.com/\_api

Method: GET

Parameter: Header User-Agent

Attack: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)

• Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

### iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

#### v. Details to Reproduce the Instance:

• URL: http://quarksek.com/

Method: GET

• Parameter: Header User-Agent

• Attack: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)

• Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

#### v. Details to Reproduce the Instance:

URL: http://quarksek.com/pro-gallery-webapp

· Method: GET

Parameter: Header User-Agent

Attack: msnbot/1.1 (+http://search.msn.com/msnbot.htm)

• Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

### v. Details to Reproduce the Instance:

• URL: http://quarksek.com/pro-gallery-webapp/v1

Method: GET

• Parameter: Header User-Agent

Attack: msnbot/1.1 (+http://search.msn.com/msnbot.htm)

• Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

### v. Details to Reproduce the Instance:

• URL: http://quarksek.com/\_api/

• Method: GET

Parameter: Header User-Agent

• Attack: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)

• Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

### iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

### v. Details to Reproduce the Instance:

• URL: http://quarksek.com/\*?lightbox

Method: GET

· Parameter: Header User-Agent

• Attack: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)

• Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

#### v. Details to Reproduce the Instance:

URL: http://quarksek.com/sitemap.xml

· Method: GET

Parameter: Header User-Agent

• Attack: Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)

• Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

### v. Details to Reproduce the Instance:

• URL: http://quarksek.com/\_partials/

• Method: GET

· Parameter: Header User-Agent

Attack: Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko

• Evidence: No evidence available

# i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

### v. Details to Reproduce the Instance:

• URL: http://quarksek.com/pro-gallery-webapp

· Method: GET

· Parameter: Header User-Agent

Attack: Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)

• Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

### v. Details to Reproduce the Instance:

• URL: http://quarksek.com/pro-gallery-webapp/v1

· Method: GET

· Parameter: Header User-Agent

• Attack: Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)

• Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

### v. Details to Reproduce the Instance:

URL: http://quarksek.com

Method: GET

Parameter: Header User-Agent

• Attack: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)

• Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

# v. Details to Reproduce the Instance:

• URL: http://quarksek.com/\_api

• Method: GET

• Parameter: Header User-Agent

• Attack: Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko

• Evidence: No evidence available

# i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

# v. Details to Reproduce the Instance:

• URL: http://quarksek.com/pro-gallery-webapp

• Method: GET

· Parameter: Header User-Agent

Attack: Mozilla/5.0 (iPhone; U; CPU iPhone OS 3\_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341
 Safari/528.16

• Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

### v. Details to Reproduce the Instance:

• URL: http://quarksek.com/pro-gallery-webapp/v1

· Method: GET

· Parameter: Header User-Agent

Attack: Mozilla/5.0 (iPhone; U; CPU iPhone OS 3\_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341
 Safari/528.16

• Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

### v. Details to Reproduce the Instance:

URL: http://quarksek.com/\_partials

Method: GET

Parameter: Header User-Agent

• Attack: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)

Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

### v. Details to Reproduce the Instance:

• URL: http://quarksek.com/\*?lightbox

Method: GET

• Parameter: Header User-Agent

Attack: Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko

• Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

### v. Details to Reproduce the Instance:

• URL: http://quarksek.com/\_api/

· Method: GET

Parameter: Header User-Agent

• Attack: Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko

• Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

### v. Details to Reproduce the Instance:

• URL: http://quarksek.com/pro-gallery-webapp

· Method: GET

· Parameter: Header User-Agent

Attack: Mozilla/5.0 (iPhone; CPU iPhone OS 8\_0\_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4

Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

### v. Details to Reproduce the Instance:

URL: http://quarksek.com/pro-gallery-webapp/v1

Method: GET

Parameter: Header User-Agent

Attack: Mozilla/5.0 (iPhone; CPU iPhone OS 8\_0\_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4

• Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

# v. Details to Reproduce the Instance:

• URL: http://quarksek.com/\_partials/

• Method: GET

• Parameter: Header User-Agent

Attack: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0

• Evidence: No evidence available

# i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

# v. Details to Reproduce the Instance:

• URL: http://quarksek.com/pro-gallery-webapp

Method: GET

Parameter: Header User-Agent

• Attack: Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0

• Evidence: No evidence available

# i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

### v. Details to Reproduce the Instance:

• URL: http://quarksek.com/sitemap.xml

Method: GET

· Parameter: Header User-Agent

Attack: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)

• Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

### v. Details to Reproduce the Instance:

URL: http://quarksek.com/pro-gallery-webapp/v1

Method: GET

Parameter: Header User-Agent

• Attack: Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0

• Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

# v. Details to Reproduce the Instance:

• URL: http://quarksek.com/\_api

• Method: GET

• Parameter: Header User-Agent

Attack: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0

• Evidence: No evidence available

# i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

# v. Details to Reproduce the Instance:

• URL: http://quarksek.com/

• Method: GET

· Parameter: Header User-Agent

• Attack: Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko

• Evidence: No evidence available

# i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

### v. Details to Reproduce the Instance:

• URL: http://quarksek.com/pro-gallery-webapp

Method: GET

Parameter: Header User-Agent

Attack: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36

Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

### v. Details to Reproduce the Instance:

URL: http://quarksek.com/pro-gallery-webapp/v1

Method: GET

Parameter: Header User-Agent

Attack: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36

• Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

# v. Details to Reproduce the Instance:

• URL: http://quarksek.com

Method: GET

• Parameter: Header User-Agent

• Attack: Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko

• Evidence: No evidence available

# i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

# v. Details to Reproduce the Instance:

• URL: http://quarksek.com/\*?lightbox

• Method: GET

· Parameter: Header User-Agent

Attack: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0

Evidence: No evidence available

# i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

### v. Details to Reproduce the Instance:

• URL: http://quarksek.com/\_api/

· Method: GET

· Parameter: Header User-Agent

Attack: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0

Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

### v. Details to Reproduce the Instance:

URL: http://quarksek.com/\_partials/

Method: GET

Parameter: Header User-Agent

• Attack: Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)

• Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

# v. Details to Reproduce the Instance:

URL: http://quarksek.com/\_partials

• Method: GET

• Parameter: Header User-Agent

Attack: Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko

• Evidence: No evidence available

# i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

# v. Details to Reproduce the Instance:

• URL: http://quarksek.com/\_api

Method: GET

Parameter: Header User-Agent

• Attack: Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)

Evidence: No evidence available

# i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

### v. Details to Reproduce the Instance:

• URL: http://quarksek.com/sitemap.xml

Method: GET

· Parameter: Header User-Agent

• Attack: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)

• Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

### v. Details to Reproduce the Instance:

URL: http://quarksek.com/

Method: GET

Parameter: Header User-Agent

Attack: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0

• Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

# v. Details to Reproduce the Instance:

URL: http://quarksek.com/\_api/

• Method: GET

• Parameter: Header User-Agent

Attack: Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)

• Evidence: No evidence available

# i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

# v. Details to Reproduce the Instance:

• URL: http://quarksek.com/\_partials/

Method: GET

· Parameter: Header User-Agent

• Attack: msnbot/1.1 (+http://search.msn.com/msnbot.htm)

• Evidence: No evidence available

# i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

### v. Details to Reproduce the Instance:

• URL: http://quarksek.com/\_api

Method: GET

· Parameter: Header User-Agent

• Attack: msnbot/1.1 (+http://search.msn.com/msnbot.htm)

• Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

### v. Details to Reproduce the Instance:

URL: http://quarksek.com/pro-gallery-webapp/v1/galleries

Method: GET

Parameter: Header User-Agent

• Attack: Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0

• Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

# v. Details to Reproduce the Instance:

URL: http://quarksek.com/pro-gallery-webapp/v1/galleries/

• Method: GET

• Parameter: Header User-Agent

Attack: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36

• Evidence: No evidence available

# i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

# v. Details to Reproduce the Instance:

• URL: http://quarksek.com

• Method: GET

· Parameter: Header User-Agent

Attack: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0

Evidence: No evidence available

# i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

### v. Details to Reproduce the Instance:

• URL: http://quarksek.com/\*?lightbox

· Method: GET

· Parameter: Header User-Agent

• Attack: Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)

• Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

### v. Details to Reproduce the Instance:

URL: http://quarksek.com/\_partials

Method: GET

Parameter: Header User-Agent

Attack: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0

• Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

# v. Details to Reproduce the Instance:

• URL: http://quarksek.com/robots.txt

• Method: GET

• Parameter: Header User-Agent

Attack: Mozilla/5.0 (iPhone; CPU iPhone OS 8\_0\_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4

• Evidence: No evidence available

# i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

# v. Details to Reproduce the Instance:

URL: http://quarksek.com/sitemap.xml

Method: GET

Parameter: Header User-Agent

• Attack: Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko

Evidence: No evidence available

# i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

### v. Details to Reproduce the Instance:

• URL: http://quarksek.com/\_partials/

Method: GET

· Parameter: Header User-Agent

• Attack: Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)

Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

### v. Details to Reproduce the Instance:

URL: http://quarksek.com/\_api

Method: GET

Parameter: Header User-Agent

• Attack: Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)

• Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

# v. Details to Reproduce the Instance:

URL: http://quarksek.com/\_api/

• Method: GET

• Parameter: Header User-Agent

Attack: msnbot/1.1 (+http://search.msn.com/msnbot.htm)

• Evidence: No evidence available

# i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

# v. Details to Reproduce the Instance:

URL: http://quarksek.com/

• Method: GET

· Parameter: Header User-Agent

• Attack: Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)

Evidence: No evidence available

# i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

### v. Details to Reproduce the Instance:

• URL: http://quarksek.com/pro-gallery-webapp/v1/galleries

Method: GET

Parameter: Header User-Agent

Attack: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36

Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

### v. Details to Reproduce the Instance:

URL: http://quarksek.com/\_partials

Method: GET

Parameter: Header User-Agent

• Attack: Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)

• Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

## v. Details to Reproduce the Instance:

• URL: http://quarksek.com/\*?lightbox

• Method: GET

Parameter: Header User-Agent

Attack: msnbot/1.1 (+http://search.msn.com/msnbot.htm)

• Evidence: No evidence available

# i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

## v. Details to Reproduce the Instance:

• URL: http://quarksek.com

Method: GET

· Parameter: Header User-Agent

Attack: Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)

• Evidence: No evidence available

## i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

### v. Details to Reproduce the Instance:

• URL: http://quarksek.com/\_partials/

· Method: GET

· Parameter: Header User-Agent

Attack: Mozilla/5.0 (iPhone; U; CPU iPhone OS 3\_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341
 Safari/528.16

• Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

### v. Details to Reproduce the Instance:

URL: http://quarksek.com/robots.txt

Method: GET

· Parameter: Header User-Agent

Attack: Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0

Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

### v. Details to Reproduce the Instance:

• URL: http://quarksek.com/\_api

Method: GET

Parameter: Header User-Agent

 Attack: Mozilla/5.0 (iPhone; U; CPU iPhone OS 3\_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16

• Evidence: No evidence available

## i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

# v. Details to Reproduce the Instance:

• URL: http://quarksek.com/sitemap.xml

Method: GET

• Parameter: Header User-Agent

Attack: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0

Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

### v. Details to Reproduce the Instance:

• URL: http://quarksek.com/\_partials/

Method: GET

Parameter: Header User-Agent

Attack: Mozilla/5.0 (iPhone; CPU iPhone OS 8\_0\_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4

Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

### v. Details to Reproduce the Instance:

URL: http://quarksek.com/\_api/

Method: GET

Parameter: Header User-Agent

Attack: Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)

• Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

## v. Details to Reproduce the Instance:

URL: http://quarksek.com/\_partials

• Method: GET

• Parameter: Header User-Agent

• Attack: msnbot/1.1 (+http://search.msn.com/msnbot.htm)

• Evidence: No evidence available

# i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

## v. Details to Reproduce the Instance:

• URL: http://quarksek.com/\_api

Method: GET

· Parameter: Header User-Agent

Attack: Mozilla/5.0 (iPhone; CPU iPhone OS 8\_0\_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4

Evidence: No evidence available

## i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

### v. Details to Reproduce the Instance:

• URL: http://quarksek.com

Method: GET

· Parameter: Header User-Agent

• Attack: msnbot/1.1 (+http://search.msn.com/msnbot.htm)

• Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

### v. Details to Reproduce the Instance:

URL: http://quarksek.com/robots.txt

Method: GET

Parameter: Header User-Agent

• Attack: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36

• Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

## v. Details to Reproduce the Instance:

• URL: http://quarksek.com/\*?lightbox

• Method: GET

• Parameter: Header User-Agent

• Attack: Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)

• Evidence: No evidence available

# i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

## v. Details to Reproduce the Instance:

• URL: http://quarksek.com/\_partials/

Method: GET

Parameter: Header User-Agent

Attack: Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0

• Evidence: No evidence available

## i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

### v. Details to Reproduce the Instance:

• URL: http://quarksek.com/

Method: GET

· Parameter: Header User-Agent

• Attack: msnbot/1.1 (+http://search.msn.com/msnbot.htm)

Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

### v. Details to Reproduce the Instance:

• URL: http://quarksek.com/\_api

Method: GET

Parameter: Header User-Agent

• Attack: Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0

• Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

## v. Details to Reproduce the Instance:

• URL: http://quarksek.com/\_api/

• Method: GET

• Parameter: Header User-Agent

Attack: Mozilla/5.0 (iPhone; U; CPU iPhone OS 3\_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341
 Safari/528.16

• Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

### v. Details to Reproduce the Instance:

• URL: http://quarksek.com/sitemap.xml

· Method: GET

• Parameter: Header User-Agent

• Attack: Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)

• Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

### v. Details to Reproduce the Instance:

• URL: http://quarksek.com/\_partials

Method: GET

· Parameter: Header User-Agent

• Attack: Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)

Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

### v. Details to Reproduce the Instance:

URL: http://quarksek.com/\_partials/

Method: GET

Parameter: Header User-Agent

Attack: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36

• Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

## v. Details to Reproduce the Instance:

• URL: http://quarksek.com

Method: GET

Parameter: Header User-Agent

Attack: Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)

• Evidence: No evidence available

# i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

## v. Details to Reproduce the Instance:

• URL: http://quarksek.com/\*?lightbox

Method: GET

· Parameter: Header User-Agent

Attack: Mozilla/5.0 (iPhone; U; CPU iPhone OS 3\_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341
 Safari/528.16

• Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

### v. Details to Reproduce the Instance:

• URL: http://quarksek.com/\_api

· Method: GET

· Parameter: Header User-Agent

Attack: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36

Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

### v. Details to Reproduce the Instance:

URL: http://quarksek.com/\_api/

Method: GET

Parameter: Header User-Agent

Attack: Mozilla/5.0 (iPhone; CPU iPhone OS 8\_0\_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4

• Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

## v. Details to Reproduce the Instance:

• URL: http://quarksek.com/\_partials

• Method: GET

Parameter: Header User-Agent

Attack: Mozilla/5.0 (iPhone; U; CPU iPhone OS 3\_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341
 Safari/528.16

• Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

### v. Details to Reproduce the Instance:

URL: http://quarksek.com

Method: GET

Parameter: Header User-Agent

Attack: Mozilla/5.0 (iPhone; U; CPU iPhone OS 3\_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341
 Safari/528.16

Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

### v. Details to Reproduce the Instance:

• URL: http://quarksek.com/

Method: GET

· Parameter: Header User-Agent

• Attack: Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)

• Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

### v. Details to Reproduce the Instance:

• URL: http://quarksek.com/sitemap.xml

Method: GET

Parameter: Header User-Agent

• Attack: msnbot/1.1 (+http://search.msn.com/msnbot.htm)

• Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

## v. Details to Reproduce the Instance:

• URL: http://quarksek.com/\*?lightbox

• Method: GET

Parameter: Header User-Agent

Attack: Mozilla/5.0 (iPhone; CPU iPhone OS 8\_0\_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4

• Evidence: No evidence available

# i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

## v. Details to Reproduce the Instance:

URL: http://quarksek.com/\_api/

Method: GET

· Parameter: Header User-Agent

Attack: Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0

Evidence: No evidence available

## i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

### v. Details to Reproduce the Instance:

• URL: http://quarksek.com

Method: GET

· Parameter: Header User-Agent

Attack: Mozilla/5.0 (iPhone; CPU iPhone OS 8\_0\_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4

Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

### v. Details to Reproduce the Instance:

URL: http://quarksek.com/

Method: GET

Parameter: Header User-Agent

Attack: Mozilla/5.0 (iPhone; U; CPU iPhone OS 3\_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341

Safari/528.16

Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

### v. Details to Reproduce the Instance:

• URL: http://quarksek.com/\_partials

· Method: GET

Parameter: Header User-Agent

• Attack: Mozilla/5.0 (iPhone; CPU iPhone OS 8\_0\_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4

• Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

### v. Details to Reproduce the Instance:

URL: http://quarksek.com/\*?lightbox

· Method: GET

Parameter: Header User-Agent

Attack: Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0

• Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

### v. Details to Reproduce the Instance:

• URL: http://quarksek.com/\_api/

· Method: GET

· Parameter: Header User-Agent

• Attack: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36

Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

### v. Details to Reproduce the Instance:

URL: http://quarksek.com/

Method: GET

Parameter: Header User-Agent

• Attack: Mozilla/5.0 (iPhone; CPU iPhone OS 8\_0\_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4

• Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

## v. Details to Reproduce the Instance:

• URL: http://quarksek.com

• Method: GET

• Parameter: Header User-Agent

Attack: Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0

• Evidence: No evidence available

# i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

## v. Details to Reproduce the Instance:

• URL: http://quarksek.com/sitemap.xml

Method: GET

Parameter: Header User-Agent

• Attack: Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)

• Evidence: No evidence available

## i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

### v. Details to Reproduce the Instance:

• URL: http://quarksek.com/\_partials

Method: GET

Parameter: Header User-Agent

• Attack: Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0

Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

### v. Details to Reproduce the Instance:

URL: http://quarksek.com/\*?lightbox

Method: GET

Parameter: Header User-Agent

• Attack: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36

• Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

## v. Details to Reproduce the Instance:

• URL: http://quarksek.com

• Method: GET

• Parameter: Header User-Agent

Attack: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36

• Evidence: No evidence available

# i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

## v. Details to Reproduce the Instance:

• URL: http://quarksek.com/

• Method: GET

· Parameter: Header User-Agent

• Attack: Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0

Evidence: No evidence available

## i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

### v. Details to Reproduce the Instance:

• URL: http://quarksek.com/\_partials

· Method: GET

· Parameter: Header User-Agent

Attack: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36

Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

### v. Details to Reproduce the Instance:

URL: http://quarksek.com/

Method: GET

Parameter: Header User-Agent

Attack: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36

• Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

## v. Details to Reproduce the Instance:

• URL: http://quarksek.com/sitemap.xml

• Method: GET

• Parameter: Header User-Agent

Attack: Mozilla/5.0 (iPhone; U; CPU iPhone OS 3\_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341
 Safari/528.16

• Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

### v. Details to Reproduce the Instance:

URL: http://quarksek.com/sitemap.xml

· Method: GET

Parameter: Header User-Agent

• Attack: Mozilla/5.0 (iPhone; CPU iPhone OS 8\_0\_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4

• Evidence: No evidence available

### i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

### v. Details to Reproduce the Instance:

• URL: http://quarksek.com/sitemap.xml

Method: GET

• Parameter: Header User-Agent

• Attack: Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0

• Evidence: No evidence available

## i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

## iii. Confidence Rating: Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

### v. Details to Reproduce the Instance:

URL: http://quarksek.com/sitemap.xml

Method: GET

• Parameter: Header User-Agent

• Attack: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36

• Evidence: No evidence available