

# Nmap Scan Result

## a. Summary - No. of Vulnerable Ports Open

Total Count : : 0

## b. Detailed Report

# ZAP Scan Result

## a. Summary

i. No. of Total Vulnerabilities Identified: : 137

ii. No. of Total Vulnerabilities Identified grouped on Risk Rating: : {'Informational': 127, 'Medium': 1, 'Low': 9}

## b. Detailed Report

### i. Vulnerability Summary: Retrieved from Cache

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. **Description:** The content was retrieved from a shared cache. If the response data is sensitive, personal or user-specific, this may result in sensitive information being leaked. In some cases, this may even result in a user gaining complete control of the session of another user, depending on the configuration of the caching components in use in their environment. This is primarily an issue where caching servers such as "proxy" caches are configured on the local network. This configuration is typically found in corporate or educational environments, for instance.

### v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/sitemap.xml
- **Method:** GET
- **Parameter:** No parameter specified
- **Attack:** No attack specified
- **Evidence:** Age: 0

### i. Vulnerability Summary: Retrieved from Cache

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. **Description:** The content was retrieved from a shared cache. If the response data is sensitive, personal or user-specific, this may result in sensitive information being leaked. In some cases, this may even result in a user gaining complete control of the session of another user, depending on the configuration of the caching components in use in their environment. This is primarily an issue where caching servers such as "proxy" caches are configured on the local network. This configuration is typically found in corporate or educational environments, for instance.

### v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/robots.txt
- **Method:** GET
- **Parameter:** No parameter specified
- **Attack:** No attack specified
- **Evidence:** Age: 0

### i. Vulnerability Summary: Retrieved from Cache

ii. **Risk Rating:** Informational

iii. **Confidence Rating:** Medium

iv. **Description:** The content was retrieved from a shared cache. If the response data is sensitive, personal or user-specific, this may result in sensitive information being leaked. In some cases, this may even result in a user gaining complete control of the session of another user, depending on the configuration of the caching components in use in their environment. This is primarily an issue where caching servers such as "proxy" caches are configured on the local network. This configuration is typically found in corporate or educational environments, for instance.

v. **Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/\*?lightbox
- **Method:** GET
- **Parameter:** No parameter specified
- **Attack:** No attack specified
- **Evidence:** Age: 0

i. **Vulnerability Summary: Cross-Domain Misconfiguration**

ii. **Risk Rating:** Medium

iii. **Confidence Rating:** Medium

iv. **Description:** Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server

v. **Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/\_partials/
- **Method:** GET
- **Parameter:** No parameter specified
- **Attack:** No attack specified
- **Evidence:** Access-Control-Allow-Origin: \*

i. **Vulnerability Summary: Retrieved from Cache**

ii. **Risk Rating:** Informational

iii. **Confidence Rating:** Medium

iv. **Description:** The content was retrieved from a shared cache. If the response data is sensitive, personal or user-specific, this may result in sensitive information being leaked. In some cases, this may even result in a user gaining complete control of the session of another user, depending on the configuration of the caching components in use in their environment. This is primarily an issue where caching servers such as "proxy" caches are configured on the local network. This configuration is typically found in corporate or educational environments, for instance.

v. **Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/\_api/
- **Method:** GET
- **Parameter:** No parameter specified
- **Attack:** No attack specified
- **Evidence:** Age: 0

i. **Vulnerability Summary: Retrieved from Cache**

ii. **Risk Rating:** Informational

iii. **Confidence Rating:** Medium

iv. **Description:** The content was retrieved from a shared cache. If the response data is sensitive, personal or user-specific, this may result in sensitive information being leaked. In some cases, this may even result in a user gaining complete control of the session of another user, depending on the configuration of the caching components in use in their environment. This is primarily an issue where caching servers such as "proxy" caches are configured on the local network. This configuration is typically found in corporate or educational environments, for instance.

v. **Details to Reproduce the Instance:**

- **URL:** http://quarksek.com
- **Method:** GET
- **Parameter:** No parameter specified
- **Attack:** No attack specified

- **Evidence:** Age: 5

**i. Vulnerability Summary: Retrieved from Cache**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** The content was retrieved from a shared cache. If the response data is sensitive, personal or user-specific, this may result in sensitive information being leaked. In some cases, this may even result in a user gaining complete control of the session of another user, depending on the configuration of the caching components in use in their environment. This is primarily an issue where caching servers such as "proxy" caches are configured on the local network. This configuration is typically found in corporate or educational environments, for instance.

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/
- **Method:** GET
- **Parameter:** No parameter specified
- **Attack:** No attack specified
- **Evidence:** Age: 6

**i. Vulnerability Summary: Timestamp Disclosure - Unix**

**ii. Risk Rating:** Low

**iii. Confidence Rating:** Low

**iv. Description:** A timestamp was disclosed by the application/web server - Unix

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com
- **Method:** GET
- **Parameter:** X-Wix-Request-Id
- **Attack:** No attack specified
- **Evidence:** 1711290603

**i. Vulnerability Summary: Timestamp Disclosure - Unix**

**ii. Risk Rating:** Low

**iii. Confidence Rating:** Low

**iv. Description:** A timestamp was disclosed by the application/web server - Unix

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/robots.txt
- **Method:** GET
- **Parameter:** X-Wix-Request-Id
- **Attack:** No attack specified
- **Evidence:** 1711290603

**i. Vulnerability Summary: Timestamp Disclosure - Unix**

**ii. Risk Rating:** Low

**iii. Confidence Rating:** Low

**iv. Description:** A timestamp was disclosed by the application/web server - Unix

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/\*?lightbox
- **Method:** GET
- **Parameter:** x-wix-request-id
- **Attack:** No attack specified
- **Evidence:** 1711290603

**i. Vulnerability Summary: Timestamp Disclosure - Unix**

**ii. Risk Rating:** Low

**iii. Confidence Rating:** Low

**iv. Description:** A timestamp was disclosed by the application/web server - Unix

**v. Details to Reproduce the Instance:**

- **URL:** <http://quarksek.com/sitemap.xml>
- **Method:** GET
- **Parameter:** x-wix-request-id
- **Attack:** No attack specified
- **Evidence:** 1711290603

**i. Vulnerability Summary: Timestamp Disclosure - Unix**

**ii. Risk Rating:** Low

**iii. Confidence Rating:** Low

**iv. Description:** A timestamp was disclosed by the application/web server - Unix

**v. Details to Reproduce the Instance:**

- **URL:** [http://quarksek.com/\\_api/](http://quarksek.com/_api/)
- **Method:** GET
- **Parameter:** x-wix-request-id
- **Attack:** No attack specified
- **Evidence:** 1711290603

**i. Vulnerability Summary: Timestamp Disclosure - Unix**

**ii. Risk Rating:** Low

**iii. Confidence Rating:** Low

**iv. Description:** A timestamp was disclosed by the application/web server - Unix

**v. Details to Reproduce the Instance:**

- **URL:** <http://quarksek.com/>
- **Method:** GET
- **Parameter:** X-Wix-Request-Id
- **Attack:** No attack specified
- **Evidence:** 1711290603

**i. Vulnerability Summary: Retrieved from Cache**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** The content was retrieved from a shared cache. If the response data is sensitive, personal or user-specific, this may result in sensitive information being leaked. In some cases, this may even result in a user gaining complete control of the session of another user, depending on the configuration of the caching components in use in their environment. This is primarily an issue where caching servers such as "proxy" caches are configured on the local network. This configuration is typically found in corporate or educational environments, for instance.

**v. Details to Reproduce the Instance:**

- **URL:** <http://quarksek.com/pro-gallery-webapp/v1/galleries/>
- **Method:** GET
- **Parameter:** No parameter specified
- **Attack:** No attack specified
- **Evidence:** Age: 0

**i. Vulnerability Summary: Retrieved from Cache**

ii. **Risk Rating:** Informational

iii. **Confidence Rating:** Medium

iv. **Description:** The content was retrieved from a shared cache. If the response data is sensitive, personal or user-specific, this may result in sensitive information being leaked. In some cases, this may even result in a user gaining complete control of the session of another user, depending on the configuration of the caching components in use in their environment. This is primarily an issue where caching servers such as "proxy" caches are configured on the local network. This configuration is typically found in corporate or educational environments, for instance.

v. **Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/\_partials/
- **Method:** GET
- **Parameter:** No parameter specified
- **Attack:** No attack specified
- **Evidence:** Age: 0

i. **Vulnerability Summary: Timestamp Disclosure - Unix**

ii. **Risk Rating:** Low

iii. **Confidence Rating:** Low

iv. **Description:** A timestamp was disclosed by the application/web server - Unix

v. **Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/\_partials
- **Method:** GET
- **Parameter:** X-Wix-Request-Id
- **Attack:** No attack specified
- **Evidence:** 1711290603

i. **Vulnerability Summary: Timestamp Disclosure - Unix**

ii. **Risk Rating:** Low

iii. **Confidence Rating:** Low

iv. **Description:** A timestamp was disclosed by the application/web server - Unix

v. **Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/\_partials/
- **Method:** GET
- **Parameter:** X-Wix-Request-Id
- **Attack:** No attack specified
- **Evidence:** 1711290604

i. **Vulnerability Summary: Timestamp Disclosure - Unix**

ii. **Risk Rating:** Low

iii. **Confidence Rating:** Low

iv. **Description:** A timestamp was disclosed by the application/web server - Unix

v. **Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/pro-gallery-webapp/v1/galleries/
- **Method:** GET
- **Parameter:** X-Wix-Request-Id
- **Attack:** No attack specified
- **Evidence:** 1711290603

i. **Vulnerability Summary: User Agent Fuzzer**

ii. **Risk Rating:** Informational

iii. **Confidence Rating:** Medium

iv. **Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. **Details to Reproduce the Instance:**

- **URL:** http://quarksek.com
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
- **Evidence:** No evidence available

i. **Vulnerability Summary: User Agent Fuzzer**

ii. **Risk Rating:** Informational

iii. **Confidence Rating:** Medium

iv. **Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. **Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
- **Evidence:** No evidence available

i. **Vulnerability Summary: User Agent Fuzzer**

ii. **Risk Rating:** Informational

iii. **Confidence Rating:** Medium

iv. **Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. **Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/\*?lightbox
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
- **Evidence:** No evidence available

i. **Vulnerability Summary: User Agent Fuzzer**

ii. **Risk Rating:** Informational

iii. **Confidence Rating:** Medium

iv. **Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. **Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
- **Evidence:** No evidence available

i. **Vulnerability Summary: User Agent Fuzzer**

ii. **Risk Rating:** Informational

iii. **Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** [http://quarksek.com/\\*?lightbox](http://quarksek.com/*?lightbox)
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** [http://quarksek.com/\\_partials](http://quarksek.com/_partials)
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <http://quarksek.com>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** [http://quarksek.com/\\_api/](http://quarksek.com/_api/)
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/\_partials/
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/pro-gallery-webapp
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/\*?lightbox
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium



**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/\_partials/
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/\_partials
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/\*?lightbox
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** [http://quarksek.com/\\_api/](http://quarksek.com/_api/)
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** [http://quarksek.com/\\_partials/](http://quarksek.com/_partials/)
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <http://quarksek.com/pro-gallery-webapp/v1>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <http://quarksek.com/pro-gallery-webapp>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/\_partials
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/\_partials/
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/\*?lightbox
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/\_api/
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/pro-gallery-webapp
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/pro-gallery-webapp/v1
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <http://quarksek.com/pro-gallery-webapp/v1/galleries>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** [http://quarksek.com/\\_api/](http://quarksek.com/_api/)
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** [http://quarksek.com/\\*?lightbox](http://quarksek.com/*?lightbox)
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <http://quarksek.com/pro-gallery-webapp/v1>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** [http://quarksek.com/\\_partials](http://quarksek.com/_partials)
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <http://quarksek.com/pro-gallery-webapp/v1/galleries>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <http://quarksek.com/sitemap.xml>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** [http://quarksek.com/\\_partials/](http://quarksek.com/_partials/)
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <http://quarksek.com/>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <http://quarksek.com/pro-gallery-webapp/v1/galleries/>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <http://quarksek.com/pro-gallery-webapp/v1/galleries/>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <http://quarksek.com/pro-gallery-webapp/>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** [http://quarksek.com/\\*?lightbox](http://quarksek.com/*?lightbox)
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** msnbot/1.1 (+<http://search.msn.com/msnbot.htm>)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <http://quarksek.com/sitemap.xml>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** [http://quarksek.com/\\_api/](http://quarksek.com/_api/)
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** [http://quarksek.com/\\_partials/](http://quarksek.com/_partials/)
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (compatible; Googlebot/2.1; +<http://www.google.com/bot.html>)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium



**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <http://quarksek.com/pro-gallery-webapp/v1/galleries>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** [http://quarksek.com/\\_partials](http://quarksek.com/_partials)
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <http://quarksek.com/>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** [http://quarksek.com/\\*?lightbox](http://quarksek.com/*?lightbox)
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <http://quarksek.com/pro-gallery-webapp/v1/galleries>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <http://quarksek.com/pro-gallery-webapp>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** [http://quarksek.com/\\_partials/](http://quarksek.com/_partials/)
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** msnbot/1.1 (+http://search.msn.com/msnbot.htm)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <http://quarksek.com/>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** msnbot/1.1 (+http://search.msn.com/msnbot.htm)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <http://quarksek.com/pro-gallery-webapp/v1/galleries>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <http://quarksek.com/pro-gallery-webapp>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** msnbot/1.1 (+http://search.msn.com/msnbot.htm)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <http://quarksek.com/pro-gallery-webapp/v1/galleries>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** msnbot/1.1 (+http://search.msn.com/msnbot.htm)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <http://quarksek.com/pro-gallery-webapp/v1>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** [http://quarksek.com/\\*?lightbox](http://quarksek.com/*?lightbox)
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (iPhone; U; CPU iPhone OS 3\_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <http://quarksek.com/sitemap.xml>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <http://quarksek.com/pro-gallery-webapp>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (compatible; Yahoo! Slurp; <http://help.yahoo.com/help/us/ysearch/slurp>)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <http://quarksek.com/pro-gallery-webapp/v1/galleries>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (compatible; Yahoo! Slurp; <http://help.yahoo.com/help/us/ysearch/slurp>)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/\_partials/
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/pro-gallery-webapp
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (iPhone; U; CPU iPhone OS 3\_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/\_partials
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/\_api/
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <http://quarksek.com/pro-gallery-webapp/v1/galleries>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (iPhone; U; CPU iPhone OS 3\_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** [http://quarksek.com/\\*?lightbox](http://quarksek.com/*?lightbox)
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (iPhone; CPU iPhone OS 8\_0\_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <http://quarksek.com/pro-gallery-webapp>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (iPhone; CPU iPhone OS 8\_0\_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <http://quarksek.com/>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (compatible; Yahoo! Slurp; <http://help.yahoo.com/help/us/ysearch/slurp>)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <http://quarksek.com>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <http://quarksek.com/pro-gallery-webapp/v1/galleries>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (iPhone; CPU iPhone OS 8\_0\_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <http://quarksek.com/sitemap.xml>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <http://quarksek.com/pro-gallery-webapp>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <http://quarksek.com/pro-gallery-webapp/v1>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** [http://quarksek.com/\\_api/](http://quarksek.com/_api/)
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** msnbot/1.1 (+http://search.msn.com/msnbot.htm)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** [http://quarksek.com/\\_partials](http://quarksek.com/_partials)
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** msnbot/1.1 (+http://search.msn.com/msnbot.htm)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <http://quarksek.com/pro-gallery-webapp>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium



**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** [http://quarksek.com/\\*?lightbox](http://quarksek.com/*?lightbox)
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** [http://quarksek.com/\\_partials/](http://quarksek.com/_partials/)
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (iPhone; U; CPU iPhone OS 3\_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <http://quarksek.com/pro-gallery-webapp/v1/galleries>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <http://quarksek.com/sitemap.xml>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <http://quarksek.com/>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (iPhone; U; CPU iPhone OS 3\_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** [http://quarksek.com/\\_api/](http://quarksek.com/_api/)
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (compatible; Yahoo! Slurp; <http://help.yahoo.com/help/us/ysearch/slurp>)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** [http://quarksek.com/\\*?lightbox](http://quarksek.com/*?lightbox)
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <http://quarksek.com/pro-gallery-webapp/v1>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (compatible; Googlebot/2.1; [+http://www.google.com/bot.html](http://www.google.com/bot.html))
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** [http://quarksek.com/\\_partials/](http://quarksek.com/_partials/)
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (iPhone; CPU iPhone OS 8\_0\_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** [http://quarksek.com/\\_partials](http://quarksek.com/_partials)
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (compatible; Yahoo! Slurp; <http://help.yahoo.com/help/us/ysearch/slurp>)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** [http://quarksek.com/\\_api/](http://quarksek.com/_api/)
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (iPhone; U; CPU iPhone OS 3\_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <http://quarksek.com/sitemap.xml>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (compatible; Googlebot/2.1; [+http://www.google.com/bot.html](http://www.google.com/bot.html))
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** [http://quarksek.com/\\_partials/](http://quarksek.com/_partials/)
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <http://quarksek.com/pro-gallery-webapp/v1>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** msnbot/1.1 (+http://search.msn.com/msnbot.htm)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** [http://quarksek.com/\\_partials](http://quarksek.com/_partials)
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (iPhone; U; CPU iPhone OS 3\_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <http://quarksek.com/>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (iPhone; CPU iPhone OS 8\_0\_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** [http://quarksek.com/\\_partials/](http://quarksek.com/_partials/)
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** [http://quarksek.com/\\_api/](http://quarksek.com/_api/)
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (iPhone; CPU iPhone OS 8\_0\_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <http://quarksek.com/sitemap.xml>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** msnbot/1.1 (+http://search.msn.com/msnbot.htm)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <http://quarksek.com/pro-gallery-webapp/v1>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/\_partials
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (iPhone; CPU iPhone OS 8\_0\_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/\_api/
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <http://quarksek.com/sitemap.xml>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (compatible; Yahoo! Slurp; <http://help.yahoo.com/help/us/ysearch/slurp>)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <http://quarksek.com/pro-gallery-webapp/v1>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (iPhone; U; CPU iPhone OS 3\_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** [http://quarksek.com/\\_partials](http://quarksek.com/_partials)
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <http://quarksek.com>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** msnbot/1.1 (+<http://search.msn.com/msnbot.htm>)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <http://quarksek.com/>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <http://quarksek.com/sitemap.xml>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (iPhone; U; CPU iPhone OS 3\_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <http://quarksek.com/pro-gallery-webapp/v1>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (iPhone; CPU iPhone OS 8\_0\_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** [http://quarksek.com/\\_api/](http://quarksek.com/_api/)
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium



**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/\_partials
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/sitemap.xml
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (iPhone; CPU iPhone OS 8\_0\_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/pro-gallery-webapp/v1
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/sitemap.xml
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/pro-gallery-webapp/v1
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/sitemap.xml
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (iPhone; U; CPU iPhone OS 3\_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (iPhone; CPU iPhone OS 8\_0\_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
- **Evidence:** No evidence available