

AFTER VISIT SUMMARY

Akshay R. Margam DoB: 8/31/2001 7/23/2025 Barnes-Jewish Hospital Emergency Department 314-362-9123

Instructions

Keep the wound clean and dry for 24 hours, afterwards you may rinse gently with soap and water and pat dry. Do not submerge the wound under water such as with swimming or taking a bath. The wound was left open to allow it to heal slowly. Surgery would like to see you in one week to follow up on the wounds healing. Please take the antibiotics to help prevent infection. Scar massage after initial healing and sunscreen over the scar can help minimize the final scar visibility, though you will most likely have a visible scar for life. Take tylenol and ibuprofen for pain. This is most effective when you alternate medications every 3 hours (take tylenol, wait three hours then take ibuprofen, wait three hours take tylenol again).

If you develop fever > 101F, pus discharging from the wound, spreading redness around the wound or other concerning symptoms, you may be developing a wound infection and should return to your doctor or the ER as soon as possible.]



Your medications have changed



START taking:
amoxicillin-clavulanate (AUGMENTIN)

Review your updated medication list below.



Pick up these medications from any pharmacy with your printed prescription
amoxicillin-clavulanate

Today's Visit

You were seen by Enyo Ablordeppey, MD, Christian Gerhart, MD, Sierra Vohsen, MD, and Rachel O'Dell, MD

Reason for Visit
Leg Injury

Diagnoses

- Stab wound of right lower extremity, initial encounter
- Foreign body (FB) in soft tissue



Imaging Tests
XR Tibia Fibula Right 2 Views



Done Today
Foreign Body Removal
Procedural Sedation



Medications Given
cefTRIAxone (ROCEPHIN) 2,000 mg/
20 mL in sterile water (premix) 2,000
mg Last given at 2:09 PM
fentaNYL (SUBLIMAZE) preservative
free injection Last given at 2:05 PM
ketamine (KETALAR) injection Last
given at 2:28 PM
ketamine (KETALAR) injection Last
given at 2:29 PM
midazolam (VERSED) 1 mg/mL
injection 1 mg Last given at 2:19 PM
Tdap (BOOSTRIX) 2.5-8-5 Lf-mcg-Lf/
0.5mL vaccine 0.5 mL Last given at
2:14 PM



Immunizations Given
Tdap

What's Next

JUL
31
2025

HOSPITAL OUTPATIENT VISIT
Thursday July 31 10:00 AM

BJH Center for Outpatient Health Acute and Critical Care Services
4901 Forest Park Avenue
Center for Outpatient Health
Suite 340
Saint Louis MO 63108
314-362-1300

Physician Referral Line

If you currently do not have a primary care physician, please call the physician referral line at: **314-TOP-DOCS (867-3627) or 866-867-3627.**

ED Nurse Coordinator Line (call if you have questions about your discharge instructions or in 3 days to be told pending test results): **314-574-9309.**



our Medication List



START

amoxicillin-clavulanate 875-125 mg per tablet
Commonly known as: AUGMENTIN

Take 1 tablet (875 mg of amoxicillin total) by mouth 2 (two) times a day for 7 days

MyChart

Make sure to sign up for MyChart, which offers easy access to your test results, upcoming appointments, your current health information, and a lot more. To sign up, look for an email or text from us with further instructions. If you don't see an email or text, contact the MyChart Patient Support desk for assistance signing up at 314-273-1966 or toll-free at 866-273-1966.

The Emergency Department is for the treatment of medical/surgical emergencies. It is very important that you be seen by your primary care physician or home clinic for on-going care within the time frame recommended by your ED provider.



BARNES JEWISH Hospital

BJC HealthCare
Barnes-Jewish Hospital Emergency Department
1 Barnes Jewish Hospital Plaza
Saint Louis MO 63110-1003
Dept: 314-362-9123

Patient: Akshay Raj Margam
Gender: male
DOB: 8/31/2001
MRN: 202606450
Acct:
Encounter date: 7/23/2025

Margam, Akshay Raj #202606450
(CSN:2282204961) (23 y.o. M) (Adm:
07/23/25)

BJH ED-BJH CC-02R-CC-02R

I, Akshay Raj Margam, on 07/23/25, received patient instructions and the after visit summary was reviewed with me.

I have read or had the instructions reviewed with me and understand the instructions given to me by my caregivers.

Patient Signature: _____

Date/Time: _____



Patient: Akshay Raj Margam
Gender: male
DOB: 8/31/2001
MRN: 202606450
Acct:
Encounter date: 7/23/2025

Emergency Department Procedural Sedation Discharge Instructions

You have undergone "procedural sedation."

This procedure is used so that patients may undergo very painful procedures such as fracture repairs, dislocation repairs, and spinal taps, with minimal discomfort and virtually no memory of the event.

During the procedure, you were given medication to make you very sleepy and medication for pain control. Often patients cannot remember what happened during the procedure. This is a very desirable effect of the medication.

During the procedure, nurses and doctors monitored your vital signs (blood pressure, heart rate, and respiratory rate), and the amount of oxygen in your blood.

Before you go home, your doctors and nurses will make sure that you are awake enough to go home safely.

Effects of Sedation

- Drugs can stay in body up to 24 hours
- May feel drowsy, sleepy, dizzy, light headed or nauseated
- May have headache
- May have brief memory loss

Sedation Precautions

- Do not drive, operate equipment, drink alcohol, smoke, make important legal decisions or sign any legal document for at least 24 hours

Emergency phone number

- Call 911 if you have an emergency

Activity Restrictions

- Careful when standing, changing positions, walking, climbing stairs
- Resume normal activities slowly
- Go back to regular work or exercise as directed by physician

Dietary Restrictions

- Slowly progress from liquids to a light meal as directed by physician

Medications

- Take medications and herbal supplements as directed by physician