

Learning tailwind

**Rapidly build modern websites
without ever leaving your HTML.**

A utility-first CSS framework packed with classes like `flex`, `pt-4`, `text-center` and `rotate-90` that can be composed to build any design, directly in your markup.


Get started

🔍 Quick search...

⌘ K

Initialize project

<https://tailwindcss.com/docs/guides/vite>



Installing with Vite - Installation


Integrate Tailwind CSS with frameworks like Laravel, SvelteKit, React Router, and SolidJS.

Things to know in a frontend framework

1. Flex
2. Grids
3. Responsiveness
4. background color, text color, hover,

Flex

```
1
2 export default function Test() {
3   return <div>
4     <div style={{background: "green"}}>
5       Hi there from the first div
6     </div>
7     <div style={{background: "red"}}>
8       Hi there from the second div
9     </div>
10    <div style={{background: "pink"}}>
11      Hi there from the third
12    </div>
13  </div>
14 }
```




Flex


```
2 export default function Test() {  
3   return <div style={{display: "flex"}}>  
4     <div>  
5       <div style={{background: "green"}}>  
6         Hi there from the first div  
7       </div>  
8       <div style={{background: "red"}}>  
9         Hi there from the second div  
10      </div>  
11      <div style={{background: "pink"}}>  
12        Hi there from the third  
13      </div>  
14    </div>  
15  </div>  
16 </div>  
17 }
```

localhost:3000/test
Hi there from the first divHi there from the second divHi there from the third

Flex



Flex




Grids

Grids in tw

Equal widths

my-app > src > pages > TS test.tsx > ...

```
1 |  
2 export default function Test() {  
3   return <div className="grid grid-cols-3">  
4     <div style={{background: "green"}}>  
5       Hi there from the first div  
6     </div>  
7     <div style={{background: "red"}}>  
8       Hi there from the second div  
9     </div>  
10    <div style={{background: "pink"}}>  
11      Hi there from the third  
12    </div>  
13  </div>  
14 }
```




Grids in tw

unequal widths

my-app > src > pages > TS test.tsx > ...

```
1 |  
2 export default function Test() {  
3   return <div className="grid grid-cols-12">  
4     <div className="col-span-5" style={{background: "green"}}>  
5       Hi there from the first div  
6     </div>  
7     <div className="col-span-5" style={{background: "red"}}>  
8       Hi there from the second div  
9     </div>  
10    <div className="col-span-2" style={{background: "pink"}}>  
11      Hi there from the third  
12    </div>  
13  </div>  
14 }
```



Responsiveness

<https://tailwindcss.com/docs/responsive-design>

Breakpoint prefix	Minimum width	CSS
<code>`sm`</code>	640px	<code>`@media (min-width: 640px) { ... }`</code>
<code>`md`</code>	768px	<code>`@media (min-width: 768px) { ... }`</code>
<code>`lg`</code>	1024px	<code>`@media (min-width: 1024px) { ... }`</code>
<code>`xl`</code>	1280px	<code>`@media (min-width: 1280px) { ... }`</code>
<code>`2xl`</code>	1536px	<code>`@media (min-width: 1536px) { ... }`</code>

Mobile first

Working mobile-first

By default, Tailwind uses a mobile-first breakpoint system, similar to what you might be used to in other frameworks like Bootstrap.

What this means is that unprefix utilities (like `uppercase`) take effect on all screen sizes, while prefixed utilities (like `md:uppercase`) only take effect at the specified breakpoint *and above*.

Targeting mobile screens

Where this approach surprises people most often is that to style something for mobile, you need to use the unprefix version of a utility, not the `sm:` prefixed version. Don't think of `sm:` as meaning "on small screens", think of it as "at the small *breakpoint*".



❌ Don't use `sm:` to target mobile devices

```
<!-- This will only center text on screens 640px and wider, not on small screens -->
<div class="sm:text-center"></div>
```

✅ Use unprefix utilities to target mobile, and override them at larger breakpoints

```
<!-- This will center text on mobile, and left align it on screens 640px and wider -->
<div class="text-center sm:text-left"></div>
```

Use case



Code

my-app > src > pages > TS test.tsx > Test

```
1
2 export default function Test() {
3   return <div className="grid grid-cols-12">
4     <div className="col-span-12 md:col-span-5" style={{background: "green"}}>
5       Hi there from the first div
6     </div>
7     <div className="col-span-12 md:col-span-5" style={{background: "red"}}>
8       Hi there from the second div
9     </div>
10    <div className="col-span-12 md:col-span-2" style={{background: "pink"}}>
11      Hi there from the third
12    </div>
13  </div>
14 }
```

Color system

Tailwind includes an expertly-crafted default color palette out-of-the-box that is a great starting point if you don't have your own specific branding in mind.

Slate											
	50	100	200	300	400	500	600	700	800	900	950
	#f8fafc	#f1f5f9	#e2e8f0	#cbd5e1	#94a3b8	#64748b	#475569	#334155	#1e293b	#0f172a	#020617
Gray											
	50	100	200	300	400	500	600	700	800	900	950
	#f9fafb	#f3f4f6	#e5e7eb	#d1d5db	#9ca3af	#6b7280	#4b5563	#374151	#1f2937	#111827	#030712
Zinc											
	50	100	200	300	400	500	600	700	800	900	950
	#fafafa	#f4f4f5	#e4e4e7	#d4d4d8	#a1a1aa	#71717a	#52525b	#3f3f46	#27272a	#18181b	#09090b
Neutral											
	50	100	200	300	400	500	600	700	800	900	950
	#fafafa	#f5f5f5	#e5e5e5	#d4d4d4	#a3a3a3	#737373	#525252	#404040	#262626	#171717	#0a0a0a
Stone											
	50	100	200	300	400	500	600	700	800	900	950
	#fafaf9	#f5f5f4	#e7e5e4	#d6d3d1	#a8a29e	#78716c	#57534e	#44403c	#292524	#1c1917	#0c0a09
Red											
	50	100	200	300	400	500	600	700	800	900	950
	#fef2f2	#fee2e2	#fecaca	#fca5a5	#f87171	#ef4444	#dc2626	#b91c1c	#991b1b	#7f1d1d	#450a0a
Orange											
	50	100	200	300	400	500	600	700	800	900	950
	#fff7ed	#ffedd5	#fed7aa	#fdb462	#fb931c	#f97316	#ea580c	#c2410c	#9a3412	#7c2d12	#431407

Extending the config

Extending the colors

Changing the breakpoints

```
/** @type {import('tailwindcss').Config} */
export default {
  content: [
    './index.html',
    './src/**/*.{js,ts,jsx,tsx}',
  ],
  theme: {
    extend: {
      colors: {
        red: {
          500: 'red'
        }
      },
      screens: {
        md: '768px', // Adjust this to your desired `md` breakpoint
        lg: '1024px', // Adjust this to your desired `lg` breakpoint
      },
    },
  },
  plugins: [],
}
```

Backgrounds/font colors

```
export default function Test() {  
  return <div style={{background: "green", color: 'red'}}>  
    Hi there from the first div  
  </div>  
}
```

```
-app / src / pages / 15 test.tsx / 15 test  
1  
2 export default function Test() {  
3   return <div className="bg-green-500 text-red-500" >  
4     Hi there from the first div  
5   </div>  
6 }
```

Font size

```
y-app > src > pages > TS test.tsx > ...  
1 |  
2 | export default function Test() {  
3 |   return <div className="bg-green-500 text-red-500 text-xs" >  
4 |     Hi there from the first div  
5 |   </div>  
6 | }
```

Typography

Font Size

Utilities for controlling the font size of an element.

Class	Properties
text-xs	font-size: 0.75rem; /* 12px */ line-height: 1rem; /* 16px */
text-sm	font-size: 0.875rem; /* 14px */ line-height: 1.25rem; /* 20px */
text-base	font-size: 1rem; /* 16px */ line-height: 1.5rem; /* 24px */
text-lg	font-size: 1.125rem; /* 18px */ line-height: 1.75rem; /* 28px */
text-xl	font-size: 1.25rem; /* 20px */ line-height: 1.75rem; /* 28px */
text-2xl	font-size: 1.5rem; /* 24px */ line-height: 2rem; /* 32px */

Basic usage


Border radius

Class	Properties
	<code>border-end-start-radius: 0.25rem; /* 4px */</code>
<code>rounded-s-md</code>	<code>border-start-start-radius: 0.375rem; /* 6px */</code> <code>border-end-start-radius: 0.375rem; /* 6px */</code>
<code>rounded-s-lg</code>	<code>border-start-start-radius: 0.5rem; /* 8px */</code> <code>border-end-start-radius: 0.5rem; /* 8px */</code>
<code>rounded-s-xl</code>	<code>border-start-start-radius: 0.75rem; /* 12px */</code> <code>border-end-start-radius: 0.75rem; /* 12px */</code>
<code>rounded-s-2xl</code>	<code>border-start-start-radius: 1rem; /* 16px */</code> <code>border-end-start-radius: 1rem; /* 16px */</code>
<code>rounded-s-3xl</code>	<code>border-start-start-radius: 1.5rem; /* 24px */</code> <code>border-end-start-radius: 1.5rem; /* 24px */</code>

Basic usage

Rounded corners

Use utilities like `rounded-sm`, `rounded`, or `rounded-lg` to apply different border radius sizes to an element.




Vanilla to tailwind

/-app > src > pages > TS test.tsx > TestNative

```
1
2 // With tailwind
3 export default function TestTw() {
4   return <div className="bg-green-500 text-red-500 text-xs rounded" >
5     |   Hi there from the first div
6   </div>
7 }
8
9 // Without tailwind
10 export function TestNative() {
11   return <div style={{background: "green", color: "red", fontSize: "12px", borderRadius: "4px"}}>
12     |   Hi there from the first div
13   </div>
14 }
```

Project

Screen #1



Verify Your Age

Please confirm your birth year. This data will not be stored.

Continue

Screen #1




Verify Your Age

Please confirm your birth year. This data will not be stored.

27 July 2002

Continue

Screen #2



Let's Get Started

Email Id


Continue

Webinar.gg

Webinar App

Continue

Screen #2



Let's Get Started

prabhleen@gmail.com

Continue

Screen #3



Check Your Email For A Code

Please enter the verification code sent to your email id **prabhleen@gmail.com**

🕒 09:32

Verify

Can't find the email? Click [here](#) to resend.

Screen #3



Check Your Email For A Code

Please enter the verification code sent to your email id prabhleen@gmail.com

🕒 09:32

Verify

Can't find the email? Click [here](#) to resend.

Take home assignment



Home



Webinars



Billing



User Management



Settings



Prabhleen Kaur

prabhleen@gmail.com

9899999882

Delhi, India

Monday, 14 October

Good morning, Prabhleen! 🙌



Monday, 14 October 2024



11:30 AM

Live



11:30 AM

UX Webinar

11:30 AM

Upcoming



11:30 AM

My first Webinar

11:30 AM

Upcoming



11:30 AM

Important Webinar

11:30 AM

Upcoming



11:30 AM

Webinar 1



Schedule a Webinar



Join a Webinar



Open Recordings