JAVA AND DBMS PROJECT

ROLL NO:231901005,14,44

```
AUDIT DETAILS:
package student.information.system;
import javax.swing.JOptionPane;
import java.awt.*;
import java.sql.Connection;
import java.sql.PreparedStatement;
import java.sql.ResultSet;
import java.util.Calendar;
import java.util.GregorianCalendar;
import javax.swing.*;
import net.proteanit.sql.DbUtils;
public class Audit_details extends javax.swing.JFrame {
Connection conn=null;
ResultSet rs=null;
PreparedStatement pst=null;
  /**
  * Creates new form Audit_details
  public Audit_details() {
    initComponents();
    conn=db.java_db();
    Toolkit toolkit = getToolkit();
    Dimension size = toolkit.getScreenSize();
    setLocation(size.width/2 - getWidth()/2,
    size.height/2 - getHeight()/2);
    Update_table3();
  }
  private void Update_table3() {
  try{
    String sql ="select * from Audit";
```

```
pst=conn.prepareStatement(sql);
    rs=pst.executeQuery();
    tbl_3.setModel(DbUtils.resultSetToTableModel(rs));
  catch(Exception e){
  JOptionPane.showMessageDialog(null, e);
  finally {
      try{
         rs.close();
         pst.close();
      catch(Exception e){
    }
  * This method is called from within the constructor to initialize the form.
  * WARNING: Do NOT modify this code. The content of this method is always
  * regenerated by the Form Editor.
  */
  @SuppressWarnings("unchecked")
  // <editor-fold defaultstate="collapsed" desc="Generated Code">//GEN-
BEGIN:initComponents
  private void initComponents() {
    jPanel3 = new javax.swing.JPanel();
    jScrollPane3 = new javax.swing.JScrollPane();
    tbl_3 = new javax.swing.JTable();
    jButton1 = new javax.swing.JButton();
    ¡Panel4 = new javax.swing.JPanel();
    jLabel2 = new javax.swing.JLabel();
    txt_search = new javax.swing.JTextField();
    setDefaultCloseOperation(javax.swing.WindowConstants.DISPOSE_ON_CLOSE);
    setResizable(false);
    jPanel3.setBorder(javax.swing.BorderFactory.createTitledBorder(null,
"Login_Record", javax.swing.border.TitledBorder.DEFAULT_JUSTIFICATION,
javax.swing.border.TitledBorder.DEFAULT_POSITION, new java.awt.Font("Adobe
```

```
Arabic", 1, 14))); // NOI18N
    tbl_3.setModel(new javax.swing.table.DefaultTableModel(
      new Object [][] {
         {null, null, null, null},
         {null, null, null, null},
         {null, null, null, null},
         {null, null, null, null}
      new String [] {
         "Title 1", "Title 2", "Title 3", "Title 4"
    ));
    jScrollPane3.setViewportView(tbl_3);
    jButton1.setIcon(new javax.swing.lmageIcon(getClass().getResource("/student/
information/system/images/erase-128.png"))); // NOI18N
    ¡Button1.setText("Reset");
    ¡Button1.addActionListener(new java.awt.event.ActionListener() {
      public void actionPerformed(java.awt.event.ActionEvent evt) {
        jButton1ActionPerformed(evt);
      }
    });
    javax.swing.GroupLayout jPanel3Layout = new
javax.swing.GroupLayout(jPanel3);
    ¡Panel3.setLayout(¡Panel3Layout);
    jPanel3Layout.setHorizontalGroup(
iPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
       .addGroup(jPanel3Layout.createSequentialGroup()
         .addContainerGap()
 .addGroup(jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.
LEADING)
           .addComponent(jScrollPane3, javax.swing.GroupLayout.DEFAULT_SIZE,
557, Short.MAX_VALUE)
           . add Group (javax. swing. Group Layout. A lignment. TRAILING, \\
¡Panel3Layout.createSequentialGroup()
             .addGap(0, 0, Short.MAX_VALUE)
             .addComponent(jButton1)))
         .addContainerGap())
    jPanel3Layout.setVerticalGroup(
```

```
.addComponent(jScrollPane3, javax.swing.GroupLayout.DEFAULT_SIZE,
327, Short.MAX_VALUE)
 .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.UNRELATED)
        .addComponent(jButton1)
        .addGap(6, 6, 6))
    );
    jPanel4.setBorder(javax.swing.BorderFactory.createTitledBorder(null, "Search",
javax.swing.border.TitledBorder.DEFAULT_JUSTIFICATION,
javax.swing.border.TitledBorder.DEFAULT_POSITION, new java.awt.Font("Adobe
Arabic", 1, 14))); // NOI18N
    ¡Label2.setText("ID:");
    txt_search.addKeyListener(new java.awt.event.KeyAdapter() {
      public void keyReleased(java.awt.event.KeyEvent evt) {
        txt_searchKeyReleased(evt);
    });
    javax.swing.GroupLayout jPanel4Layout = new
javax.swing.GroupLayout(jPanel4);
    ¡Panel4.setLayout(¡Panel4Layout);
    jPanel4Layout.setHorizontalGroup(
jPanel4Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
      .addGroup(jPanel4Layout.createSequentialGroup()
        .addContainerGap()
        .addComponent(jLabel2)
        .addGap(18, 18, 18)
        .addComponent(txt_search)
        .addContainerGap())
    jPanel4Layout.setVerticalGroup(
jPanel4Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
      .addGroup(jPanel4Layout.createSequentialGroup()
        .addContainerGap()
 .addGroup(jPanel4Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.
BASELINE)
          .addComponent(txt_search, javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
          .addComponent(jLabel2))
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
```

```
);
    javax.swing.GroupLayout layout = new
javax.swing.GroupLayout(getContentPane());
    getContentPane().setLayout(layout);
    layout.setHorizontalGroup(
      layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
      .addGroup(layout.createSequentialGroup()
        .addComponent(jPanel3, javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGap(0, 0, Short.MAX_VALUE))
      .addGroup(layout.createSequentialGroup()
        .addContainerGap()
        .addComponent(jPanel4, javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        .addContainerGap())
    );
    layout.setVerticalGroup(
      layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
      .addGroup(layout.createSequentialGroup()
        .addGap(20, 20, 20)
        .addComponent(jPanel4, javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGap(26, 26, 26)
        .addComponent(jPanel3, javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
    );
    pack();
  }// </editor-fold>//GEN-END:initComponents
  private void txt_searchKeyReleased(java.awt.event.KeyEvent evt) {//GEN-
FIRST:event_txt_searchKeyReleased
    // TODO add your handling code here:
    try{
      String sql ="select * from Audit where emp_id=? ";
      pst=conn.prepareStatement(sql);
      pst.setString(1,txt_search.getText());
      rs=pst.executeQuery();
      tbl_3.setModel(DbUtils.resultSetToTableModel(rs));
```

```
}catch(Exception e){
      JOptionPane.showMessageDialog(null, e);
    finally {
      try{
         rs.close();
         pst.close();
      catch(Exception e){
  }//GEN-LAST:event_txt_searchKeyReleased
  private void jButton1ActionPerformed(java.awt.event.ActionEvent evt) {//GEN-
FIRST:event_jButton1ActionPerformed
    // TODO add your handling code here:
    Update_table3();
    txt_search.setText("");
  }//GEN-LAST:event_jButton1ActionPerformed
  * @param args the command line arguments
  public static void main(String args[]) {
    /* Set the Nimbus look and feel */
    //<editor-fold defaultstate="collapsed" desc=" Look and feel setting code
(optional) ">
    /* If Nimbus (introduced in Java SE 6) is not available, stay with the default look
and feel.
     * For details see http://download.oracle.com/javase/tutorial/uiswing/
lookandfeel/plaf.html
     */
    try {
      for (javax.swing.UIManager.LookAndFeelInfo info:
javax.swing.UIManager.getInstalledLookAndFeels()) {
         if ("Nimbus".equals(info.getName())) {
```

```
javax.swing.UIManager.setLookAndFeel(info.getClassName());
           break:
         }
      }
    } catch (ClassNotFoundException ex) {
java.util.logging.Logger.getLogger(Audit_details.class.getName()).log(java.util.loggin
g.Level.SEVERE, null, ex);
    } catch (InstantiationException ex) {
java.util.logging.Logger.getLogger(Audit_details.class.getName()).log(java.util.loggin
g.Level.SEVERE, null, ex);
    } catch (IllegalAccessException ex) {
java.util.logging.Logger.getLogger(Audit_details.class.getName()).log(java.util.loggin
g.Level.SEVERE, null, ex);
    } catch (javax.swing.UnsupportedLookAndFeelException ex) {
java.util.logging.Logger.getLogger(Audit_details.class.getName()).log(java.util.loggin
g.Level.SEVERE, null, ex);
    }
    //</editor-fold>
    //</editor-fold>
    //</editor-fold>
    //</editor-fold>
    /* Create and display the form */
    java.awt.EventQueue.invokeLater(new Runnable() {
      public void run() {
         new Audit_details().setVisible(true);
    });
  // Variables declaration - do not modify//GEN-BEGIN:variables
  private javax.swing.JButton jButton1;
  private javax.swing.JLabel jLabel2;
  private javax.swing.JPanel jPanel3;
  private javax.swing.JPanel jPanel4;
  private javax.swing.JScrollPane jScrollPane3;
  private javax.swing.JTable tbl_3;
  private javax.swing.JTextField txt_search;
  // End of variables declaration//GEN-END:variables
}
DB JAVA:
package student.information.system;
import java.sql.*;
```

```
import javax.swing.*;
public class db {
  Connection conn=null;
  public static Connection java_db(){
    try{
      Class.forName("org.sqlite.JDBC");
       Connection conn
=DriverManager.getConnection("jdbc:sqlite:studentInfo.sqlite");
      //JOptionPane.showMessageDialog(null, "Connection to database is
successful");
      return conn;
    }catch (Exception e){
      JOptionPane.showMessageDialog(null, e);
      return null;
    }
  }
LOGIN JAVA:
package student.information.system;
import java.text.DateFormat;
import java.text.SimpleDateFormat;
import java.util.Date;
import java.util.GregorianCalendar;
import javax.swing.JOptionPane;
import com.sun.glass.events.KeyEvent;
import java.awt.*;
import java.io.File;
import java.io.FileNotFoundException;
import java.io.FileWriter;
import java.io.IOException;
import java.io.Writer;
import java.sql.Connection;
import java.sql.PreparedStatement;
import java.sql.ResultSet;
import java.text.DateFormat;
import java.text.SimpleDateFormat;
import javax.swing.*;
import java.util.Calendar;
import java.util.Date;
import java.util.GregorianCalendar;
import java.util.LinkedList;
```

```
import java.util.Scanner;
import java.util.logging.Level;
import java.util.logging.Logger;
public class Login extends javax.swing.JFrame {
public static Writer newWriter, SortWriter;
  Connection conn=null;
ResultSet rs=null:
PreparedStatement pst=null;
  public Login() {
    initComponents();
     conn=db.java_db();
    Toolkit toolkit = getToolkit();
    Dimension size = toolkit.getScreenSize();
    setLocation(size.width/2 - getWidth()/2,
    size.height/2 - getHeight()/2);
    currentDate();
public void currentDate (){
    Calendar cal = new GregorianCalendar();
    int month = cal.get(Calendar.MONTH);
    int year = cal.get(Calendar.YEAR);
    int day = cal.get(Calendar.DAY_OF_MONTH);
    txt_date.setText((month+1)+"/"+day+"/"+year);
  }
  // <editor-fold defaultstate="collapsed" desc="Generated Code">//GEN-
BEGIN:initComponents
  private void initComponents() {
    ¡Panel1 = new javax.swing.JPanel();
    jLabel2 = new javax.swing.JLabel();
    jLabel3 = new javax.swing.JLabel();
    ¡Button1 = new javax.swing.JButton();
    txt_username = new javax.swing.JTextField();
    txt_password = new javax.swing.JPasswordField();
    txt_combo = new javax.swing.JComboBox<>();
    jLabel4 = new javax.swing.JLabel();
    jLabel1 = new javax.swing.JLabel();
    jMenuBar1 = new javax.swing.JMenuBar();
    txt_date = new javax.swing.JMenu();
    txt_time = new javax.swing.JMenu();
    setDefaultCloseOperation(javax.swing.WindowConstants.EXIT_ON_CLOSE);
    setResizable(false);
```

```
¡Panel1.setLayout(null);
    jLabel2.setFont(new java.awt.Font("Tahoma", 1, 14)); // NOI18N
    jLabel2.setForeground(new java.awt.Color(255, 255, 255));
    jLabel2.setText("Username:");
    ¡Panel1.add(¡Label2);
    jLabel2.setBounds(20, 280, 90, 17);
    jLabel3.setFont(new java.awt.Font("Tahoma", 1, 14));                       // NOI18N
    jLabel3.setForeground(new java.awt.Color(255, 255, 255));
    jLabel3.setText("Password:");
    ¡Panel1.add(jLabel3);
    jLabel3.setBounds(20, 320, 80, 17);
    ¡Button1.setText("Login");
    ¡Button1.addActionListener(new java.awt.event.ActionListener() {
      public void actionPerformed(java.awt.event.ActionEvent evt) {
        jButton1ActionPerformed(evt);
    });
    jPanel1.add(jButton1);
    jButton1.setBounds(180, 390, 70, 30);
    txt_username.addActionListener(new java.awt.event.ActionListener() {
      public void actionPerformed(java.awt.event.ActionEvent evt) {
        txt_usernameActionPerformed(evt);
    });
    iPanel1.add(txt_username);
    txt_username.setBounds(110, 270, 160, 30);
    ¡Panel1.add(txt_password);
    txt_password.setBounds(110, 310, 160, 30);
    txt_combo.setModel(new javax.swing.DefaultComboBoxModel<>(new String[]
{ "Admin", "Student" }));
    txt_combo.addActionListener(new java.awt.event.ActionListener() {
      public void actionPerformed(java.awt.event.ActionEvent evt) {
         txt_comboActionPerformed(evt);
    });
    iPanel1.add(txt_combo);
    txt_combo.setBounds(110, 350, 160, 30);
    jLabel4.setFont(new java.awt.Font("Tahoma", 1, 14)); // NOI18N
    jLabel4.setForeground(new java.awt.Color(255, 255, 255));
    jLabel4.setText("Division:");
    ¡Panel1.add(jLabel4);
```

```
jLabel4.setBounds(20, 360, 70, 17);
    jLabel1.setIcon(new javax.swing.lmageIcon(getClass().getResource("/student/
information/system/images/Presentation1.jpg"))); // NOI18N
    ¡Panel1.add(jLabel1);
    jLabel1.setBounds(0, 0, 660, 430);
    txt_date.setText("Date");
    jMenuBar1.add(txt_date);
    txt_time.setText("Time");
    iMenuBar1.add(txt_time);
    setJMenuBar(jMenuBar1);
    javax.swing.GroupLayout layout = new
javax.swing.GroupLayout(getContentPane());
    getContentPane().setLayout(layout);
    layout.setHorizontalGroup(
      layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
      .addComponent(jPanel1, javax.swing.GroupLayout.DEFAULT_SIZE, 661,
Short.MAX_VALUE)
    );
    layout.setVerticalGroup(
      layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
      .addComponent(jPanel1, javax.swing.GroupLayout.DEFAULT_SIZE, 433,
Short.MAX_VALUE)
    );
    pack();
  }// </editor-fold>//GEN-END:initComponents
  private void jButton1ActionPerformed(java.awt.event.ActionEvent evt) {//GEN-
FIRST:event_jButton1ActionPerformed
     String access;
  access = this.txt_combo.getSelectedItem().toString();
      String p=String.valueOf(this.txt_password.getPassword());
      if(access.equals("Admin") && this.txt_username.getText().equals("admin") &&
p.equals("admin")) {
          JOptionPane.showMessageDialog(null,"Sucess");
          MainMenu j = new MainMenu();
          j.setVisible(true);
          this.dispose();
```

```
Date currentDate = GregorianCalendar.getInstance().getTime();
          DateFormat df = DateFormat.getDateInstance();
          String dateString = df.format(currentDate);
          Date d = new Date();
          SimpleDateFormat sdf = new SimpleDateFormat("HH:mm:ss");
          String timeString = sdf.format(d);
          String value0 = timeString;
          String values = dateString;
          this.dispose();
      else if(access.equals("Student")){
     this.jLabel2.setText("Firstname");
     this.jLabel3.setText("12h Roll No");
        File f=new File("output.txt");
  Scanner sc = null;
    try {
       sc = new Scanner(f);
    } catch (FileNotFoundException ex) {
      Logger.getLogger(StudentInformation.class.getName()).log(Level.SEVERE,
null, ex);
while(sc.hasNextLine()){
  String data = sc.nextLine();
  System.out.println(data);
String variable[] = data.split("\\s+");
String user=variable[0];
String perc=variable[3];
   if(perc.equals(String.valueOf(this.txt_password.getPassword())) &&
user.equals(String.valueOf(this.txt_username.getText()))){
            new StudentInformation(perc).setVisible(true);
            this.setVisible(false);
```

```
}//GEN-LAST:event_jButton1ActionPerformed
  private void txt_usernameActionPerformed(java.awt.event.ActionEvent evt) {//GEN-
FIRST:event_txt_usernameActionPerformed
    // TODO add your handling code here:
  }//GEN-LAST:event_txt_usernameActionPerformed
  private void txt_comboActionPerformed(java.awt.event.ActionEvent evt) {//GEN-
FIRST:event_txt_comboActionPerformed
    // TODO add your handling code here:
String id1=this.txt_combo.getSelectedItem().toString();
if(id1.equals("Student")){
     this.jLabel2.setText("Firstname");
     this.jLabel3.setText("12h Roll No");
}
  }//GEN-LAST:event_txt_comboActionPerformed
  * @param args the command line arguments
  */
  public static void main(String args[]) {
    /* Set the Nimbus look and feel */
    //<editor-fold defaultstate="collapsed" desc=" Look and feel setting code
(optional) ">
    /* If Nimbus (introduced in Java SE 6) is not available, stay with the default look
and feel.
     * For details see http://download.oracle.com/javase/tutorial/uiswing/
lookandfeel/plaf.html
     */
    try {
      for (javax.swing.UIManager.LookAndFeelInfo info:
javax.swing.UIManager.getInstalledLookAndFeels()) {
        if ("Nimbus".equals(info.getName())) {
           javax.swing.UIManager.setLookAndFeel(info.getClassName());
           break:
        }
    } catch (ClassNotFoundException ex) {
java.util.logging.Logger.getLogger(Login.class.getName()).log(java.util.logging.Level.
SEVERE, null, ex);
    } catch (InstantiationException ex) {
java.util.logging.Logger.getLogger(Login.class.getName()).log(java.util.logging.Level.
SEVERE, null, ex);
    } catch (IllegalAccessException ex) {
```

```
java.util.logging.Logger.getLogger(Login.class.getName()).log(java.util.logging.Level.
SEVERE, null, ex);
    } catch (javax.swing.UnsupportedLookAndFeelException ex) {
java.util.logging.Logger.getLogger(Login.class.getName()).log(java.util.logging.Level.
SEVERE, null, ex);
    }
    //</editor-fold>
    /* Create and display the form */
    java.awt.EventQueue.invokeLater(new Runnable() {
      public void run() {
        new Login().setVisible(true);
   });
  // Variables declaration - do not modify//GEN-BEGIN:variables
  private javax.swing.JButton jButton1;
  private javax.swing.JLabel jLabel1;
  private javax.swing.JLabel jLabel2;
  private javax.swing.JLabel jLabel3;
  private javax.swing.JLabel jLabel4;
  private javax.swing.JMenuBar jMenuBar1;
  private javax.swing.JPanel jPanel1;
  private javax.swing.JComboBox<String> txt_combo;
  private javax.swing.JMenu txt_date;
  private javax.swing.JPasswordField txt_password;
  private javax.swing.JMenu txt_time;
  private javax.swing.JTextField txt_username;
  // End of variables declaration//GEN-END:variables
MAIN MENU:
package student.information.system;
import java.awt.Dimension;
import java.awt.Toolkit;
import java.sql.Connection;
import java.sql.PreparedStatement;
import java.sql.ResultSet;
import java.text.DateFormat;
import java.text.SimpleDateFormat;
import java.util.Date;
import java.util.GregorianCalendar;
import javax.swing.JOptionPane;
public class MainMenu extends javax.swing.JFrame {
Connection conn=null;
```

```
ResultSet rs=null;
PreparedStatement pst=null;
  public MainMenu() {
   conn=db.java_db();
    initComponents();
    Toolkit toolkit = getToolkit();
    Dimension size = toolkit.getScreenSize();
    setLocation(size.width/2 - getWidth()/2,
    size.height/2 - getHeight()/2);
  }
  @SuppressWarnings("unchecked")
  // <editor-fold defaultstate="collapsed" desc="Generated Code">//GEN-
BEGIN:initComponents
  private void initComponents() {
    ¡Panel1 = new javax.swing.JPanel();
    ¡Button1 = new javax.swing.JButton();
    ¡Button5 = new javax.swing.JButton();
    jLabel1 = new javax.swing.JLabel();
    ¡MenuBar1 = new javax.swing.JMenuBar();
    jMenu1 = new javax.swing.JMenu();
    jMenuItem1 = new javax.swing.JMenuItem();
    ¡Menultem2 = new javax.swing.JMenultem();
    setDefaultCloseOperation(javax.swing.WindowConstants.DISPOSE_ON_CLOSE);
    setResizable(false);
    ¡Panel1.setLayout(null);
    jButton1.setIcon(new javax.swing.lmageIcon(getClass().getResource("/student/
information/system/images/Add.png"))); // NOI18N
    jButton1.setText("Student Manager");
    ¡Button1.addActionListener(new java.awt.event.ActionListener() {
      public void actionPerformed(java.awt.event.ActionEvent evt) {
        ¡Button1ActionPerformed(evt);
      }
    });
    ¡Panel1.add(¡Button1);
    jButton1.setBounds(570, 430, 190, 60);
    ¡Button5.setIcon(new javax.swing.lmageIcon(getClass().getResource("/student/
information/system/images/logout.png"))); // NOI18N
    ¡Button5.addActionListener(new java.awt.event.ActionListener() {
      public void actionPerformed(java.awt.event.ActionEvent evt) {
        ¡Button5ActionPerformed(evt);
    });
```

```
¡Panel1.add(jButton5);
    ¡Button5.setBounds(750, 10, 40, 30);
    jLabel1.setIcon(new javax.swing.lmageIcon(getClass().getResource("/student/
information/system/images/pnbennet.png"))); // NOI18N
    ¡Panel1.add(¡Label1);
    jLabel1.setBounds(0, 0, 800, 530);
    jMenu1.setText("File");
    jMenultem1.setText("Audit");
    jMenuItem1.addActionListener(new java.awt.event.ActionListener() {
      public void actionPerformed(java.awt.event.ActionEvent evt) {
        iMenuItem1ActionPerformed(evt);
      }
    });
    jMenu1.add(jMenuItem1);
    jMenuItem2.setText("Users");
    jMenuItem2.addActionListener(new java.awt.event.ActionListener() {
      public void actionPerformed(java.awt.event.ActionEvent evt) {
        iMenuItem2ActionPerformed(evt);
    });
    jMenu1.add(jMenuItem2);
    jMenuBar1.add(jMenu1);
    setJMenuBar(jMenuBar1);
    javax.swing.GroupLayout layout = new
javax.swing.GroupLayout(getContentPane());
    getContentPane().setLayout(layout);
    layout.setHorizontalGroup(
      layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
      .addComponent(jPanel1, javax.swing.GroupLayout.DEFAULT_SIZE, 799,
Short.MAX_VALUE)
    );
    layout.setVerticalGroup(
      layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
      .addComponent(jPanel1, javax.swing.GroupLayout.DEFAULT_SIZE, 529,
Short.MAX_VALUE)
    );
    pack();
  }// </editor-fold>//GEN-END:initComponents
  private void jButton5ActionPerformed(java.awt.event.ActionEvent evt) {//GEN-
```

```
FIRST:event_jButton5ActionPerformed
    // TODO add your handling code here:
          Login j = new Login();
          j.setVisible(true);
          this.dispose();
          try{
          Date currentDate = GregorianCalendar.getInstance().getTime();
          DateFormat df = DateFormat.getDateInstance();
          String dateString = df.format(currentDate);
          Date d = new Date();
          SimpleDateFormat sdf = new SimpleDateFormat("HH:mm:ss");
          String timeString = sdf.format(d);
          String value0 = timeString;
          String values = dateString;
          int value = Emp.empld;
          String reg = "insert into Audit (emp_id,date,status) values
(""+value+"",""+value0+" / "+values+"",Logged out')";
          pst=conn.prepareStatement(reg);
          pst.execute();
          this.dispose();
     }catch (Exception e){
        JOptionPane.showMessageDialog(null, e);
    finally {
      try{
        rs.close();
         pst.close();
      catch(Exception e){
      }
  }//GEN-LAST:event_jButton5ActionPerformed
  private void jButton1ActionPerformed(java.awt.event.ActionEvent evt) {//GEN-
FIRST:event_jButton1ActionPerformed
    // TODO add your handling code here:
```

```
StudentInformation j= new StudentInformation();
          j.setVisible(true);
  }//GEN-LAST:event_iButton1ActionPerformed
  private void jMenuItem1ActionPerformed(java.awt.event.ActionEvent evt) {//GEN-
FIRST:event_jMenuItem1ActionPerformed
    // TODO add your handling code here:
          Audit_details i = new Audit_details();
          j.setVisible(true);
  }//GEN-LAST:event_jMenuItem1ActionPerformed
  private void jMenuItem2ActionPerformed(java.awt.event.ActionEvent evt) {//GEN-
FIRST:event_jMenuItem2ActionPerformed
    // TODO add your handling code here:
          users j = new users();
          j.setVisible(true);
  }//GEN-LAST:event_iMenuItem2ActionPerformed
  public static void main(String args[]) {
    try {
      for (javax.swing.UIManager.LookAndFeelInfo info:
javax.swing.UIManager.getInstalledLookAndFeels()) {
        if ("Nimbus".equals(info.getName())) {
           javax.swing.UIManager.setLookAndFeel(info.getClassName());
           break;
    } catch (ClassNotFoundException ex) {
java.util.logging.Logger.getLogger(MainMenu.class.getName()).log(java.util.logging.
Level.SEVERE, null, ex);
    } catch (InstantiationException ex) {
java.util.logging.Logger.getLogger(MainMenu.class.getName()).log(java.util.logging.
Level.SEVERE, null, ex);
    } catch (IllegalAccessException ex) {
java.util.logging.Logger.getLogger(MainMenu.class.getName()).log(java.util.logging.
Level.SEVERE, null, ex);
    } catch (javax.swing.UnsupportedLookAndFeelException ex) {
java.util.logging.Logger.getLogger(MainMenu.class.getName()).log(java.util.logging.
Level.SEVERE, null, ex);
    }
```

```
java.awt.EventQueue.invokeLater(new Runnable() {
      public void run() {
         new MainMenu().setVisible(true);
   });
  }
  // Variables declaration - do not modify//GEN-BEGIN:variables
  private javax.swing.JButton jButton1;
  private javax.swing.JButton jButton5;
  private javax.swing.JLabel jLabel1;
  private javax.swing.JMenu jMenu1;
  private javax.swing.JMenuBar jMenuBar1;
  private javax.swing.JMenuItem jMenuItem1;
  private javax.swing.JMenuItem jMenuItem2;
  private javax.swing.JPanel jPanel1;
  // End of variables declaration//GEN-END:variables
STUDENT INFO:
package student.information.system;
import net.proteanit.sql.DbUtils;
import java.awt.*;
import java.awt.image.BufferedImage;
import java.io.BufferedWriter;
import java.io.ByteArrayOutputStream;
import java.io.File;
import java.io.FileInputStream;
import java.io.FileNotFoundException;
import java.io.FileWriter;
import java.io.IOException;
import java.sql.Connection;
import java.sql.PreparedStatement;
import java.sql.ResultSet;
import java.text.DateFormat;
import java.text.SimpleDateFormat;
import java.util.Calendar;
import java.util.Date;
import java.util.GregorianCalendar;
import java.util.LinkedList;
import java.util.Scanner;
import java.util.logging.Level;
import java.util.logging.Logger;
import javax.imageio.lmagelO;
import javax.swing.*;
```

```
public class StudentInformation extends javax.swing.JFrame {
Connection conn=null;
ResultSet rs=null;
PreparedStatement pst=null;
  public StudentInformation() {
    initComponents();
    conn=db.java_db();
    Toolkit toolkit = getToolkit();
    Dimension size = toolkit.getScreenSize();
    setLocation(size.width/2 - getWidth()/2,
    size.height/2 - getHeight()/2);
    currentDate();
    txt_emp.setText(String.valueOf(Emp.empId).toString());
  public StudentInformation(String StudsId) {
    initComponents();
    Toolkit toolkit = getToolkit();
    Dimension size = toolkit.getScreenSize();
    setLocation(size.width/2 - getWidth()/2,
    size.height/2 - getHeight()/2);
    currentDate();
    txt_search1.setText(StudsId);
    cmd_save.setVisible(false);
    ¡Button3.setVisible(false);
    cmd_save.setEnabled(false);
    jButton3.setEnabled(false);
  }
  public void currentDate (){
    Calendar cal = new GregorianCalendar();
    int month = cal.get(Calendar.MONTH);
    int year = cal.get(Calendar.YEAR);
    int day = cal.get(Calendar.DAY_OF_MONTH);
    lbl_date.setText((month+1)+"/"+day+"/"+year);
    //Time
    int second = cal.get(Calendar.SECOND);
    int minute = cal.get(Calendar.MINUTE);
    int hour = cal.get(Calendar.HOUR);
    lbl_time.setText(hour+":"+(minute)+":"+second);
```

```
* This method is called from within the constructor to initialize the form.
  * WARNING: Do NOT modify this code. The content of this method is always
  * regenerated by the Form Editor.
  @SuppressWarnings("unchecked")
  // <editor-fold defaultstate="collapsed" desc="Generated Code">//GEN-
BEGIN:initComponents
  private void initComponents() {
    jMenuBar2 = new javax.swing.JMenuBar();
    jMenu1 = new javax.swing.JMenu();
    jMenu2 = new javax.swing.JMenu();
    jDialog1 = new javax.swing.JDialog();
    ¡Panel3 = new javax.swing.JPanel();
    jLabel7 = new javax.swing.JLabel();
    txt_tel = new javax.swing.JTextField();
    txt_email = new javax.swing.JTextField();
    jLabel6 = new javax.swing.JLabel();
    jLabel11 = new javax.swing.JLabel();
    r_male = new javax.swing.JRadioButton();
    r_female = new javax.swing.JRadioButton();
    txt_dob = new javax.swing.JTextField();
    jLabel3 = new javax.swing.JLabel();
    txt_surname = new javax.swing.JTextField();
    jLabel2 = new javax.swing.JLabel();
    jLabel1 = new javax.swing.JLabel();
    txt_firstname = new javax.swing.JTextField();
    jDesktopPane1 = new javax.swing.JDesktopPane();
    lbl_img = new javax.swing.JLabel();
    jLabel8 = new javax.swing.JLabel();
    jLabel14 = new javax.swing.JLabel();
    jLabel15 = new javax.swing.JLabel();
    jLabel16 = new javax.swing.JLabel();
    txt_pc = new javax.swing.JTextField();
    txt_apt = new javax.swing.JTextField();
    txt_add2 = new javax.swing.JTextField();
    txt_address = new javax.swing.JTextField();
    cmd_save = new javax.swing.JButton();
    jButton1 = new javax.swing.JButton();
    ¡Button3 = new javax.swing.JButton();
    jLabel5 = new javax.swing.JLabel();
    txt_studentid = new javax.swing.JTextField();
    button2 = new java.awt.Button();
```

}

```
txt_emp = new javax.swing.JLabel();
    jLabel10 = new javax.swing.JLabel();
    ¡Panel5 = new javax.swing.JPanel();
    jLabel13 = new javax.swing.JLabel();
    txt_search1 = new javax.swing.JTextField();
    jMenuBar1 = new javax.swing.JMenuBar();
    File = new javax.swing.JMenu();
    jMenuItem1 = new javax.swing.JMenuItem();
    lbl_date = new javax.swing.JMenu();
    lbl_time = new javax.swing.JMenu();
    jMenu1.setText("File");
    jMenuBar2.add(jMenu1);
    jMenu2.setText("Edit");
    jMenuBar2.add(jMenu2);
    javax.swing.GroupLayout jDialog1Layout = new
javax.swing.GroupLayout(jDialog1.getContentPane());
    ¡Dialog1.getContentPane().setLayout(jDialog1Layout);
    jDialog1Layout.setHorizontalGroup(
jDialog1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
      .addGap(0, 400, Short.MAX_VALUE)
    jDialog1Layout.setVerticalGroup(
jDialog1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
      .addGap(0, 300, Short.MAX_VALUE)
    );
    setDefaultCloseOperation(javax.swing.WindowConstants.DISPOSE_ON_CLOSE);
    setResizable(false);
    jPanel3.setBorder(javax.swing.BorderFactory.createTitledBorder(null, "Student
Information", javax.swing.border.TitledBorder.DEFAULT_JUSTIFICATION,
javax.swing.border.TitledBorder.DEFAULT_POSITION, new java.awt.Font("Adobe
Arabic", 1, 36))); // NOI18N
    jLabel7.setText("Contact Number:");
    jLabel6.setText("Email:");
    jLabel11.setText("Gender:");
    r_male.setText("Male");
    r_male.addActionListener(new java.awt.event.ActionListener() {
      public void actionPerformed(java.awt.event.ActionEvent evt) {
```

```
r_maleActionPerformed(evt);
    });
    r_female.setText("Female");
    r_female.addActionListener(new java.awt.event.ActionListener() {
      public void actionPerformed(java.awt.event.ActionEvent evt) {
        r_femaleActionPerformed(evt);
    });
    jLabel3.setText("Date of Birth:");
    jLabel2.setText("Surname:");
    jLabel1.setText("First name :");
    txt_firstname.addActionListener(new java.awt.event.ActionListener() {
      public void actionPerformed(java.awt.event.ActionEvent evt) {
        txt_firstnameActionPerformed(evt);
    });
    jDesktopPane1.setLayer(lbl_img, javax.swing.JLayeredPane.DEFAULT_LAYER);
    javax.swing.GroupLayout jDesktopPane1Layout = new
javax.swing.GroupLayout(jDesktopPane1);
    ¡DesktopPane1.setLayout(jDesktopPane1Layout);
    jDesktopPane1Layout.setHorizontalGroup(
jDesktopPane1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEA
DING)
      .addGroup(jDesktopPane1Layout.createSequentialGroup()
        .addContainerGap()
        .addComponent(lbl_img, javax.swing.GroupLayout.DEFAULT_SIZE, 231,
Short.MAX_VALUE)
        .addContainerGap())
    );
    iDesktopPane1Layout.setVerticalGroup(
jDesktopPane1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEA
DING)
      .addGroup(jDesktopPane1Layout.createSequentialGroup()
        .addContainerGap()
        .addComponent(lbl_img, javax.swing.GroupLayout.DEFAULT_SIZE, 145,
Short.MAX_VALUE)
        .addContainerGap())
    );
```

```
jLabel8.setText("Address Line 1:");
    jLabel14.setText("Address Line 2 :");
    jLabel15.setText("12th Percentage");
    ¡Label16.setText("Post Code :");
    txt_apt.addActionListener(new java.awt.event.ActionListener() {
      public void actionPerformed(java.awt.event.ActionEvent evt) {
        txt_aptActionPerformed(evt);
    });
    txt_address.addActionListener(new java.awt.event.ActionListener() {
      public void actionPerformed(java.awt.event.ActionEvent evt) {
        txt_addressActionPerformed(evt);
    });
    cmd_save.setIcon(new javax.swing.lmageIcon(getClass().getResource("/
student/information/system/images/Save-icon.png"))); // NOI18N
    cmd_save.setText("Add Record");
    cmd_save.addActionListener(new java.awt.event.ActionListener() {
      public void actionPerformed(java.awt.event.ActionEvent evt) {
        cmd_saveActionPerformed(evt);
    });
    jButton1.setIcon(new javax.swing.ImageIcon(getClass().getResource("/student/
information/system/images/erase-128.png"))); // NOI18N
    jButton1.setText("Clear");
    ¡Button1.addActionListener(new java.awt.event.ActionListener() {
      public void actionPerformed(java.awt.event.ActionEvent evt) {
        jButton1ActionPerformed(evt);
      }
    });
    jButton3.setIcon(new javax.swing.lmageIcon(getClass().getResource("/student/
information/system/images/delete_16x16.gif"))); // NOI18N
    ¡Button3.setText("Delete");
    ¡Button3.addActionListener(new java.awt.event.ActionListener() {
      public void actionPerformed(java.awt.event.ActionEvent evt) {
        jButton3ActionPerformed(evt);
    });
```

```
jLabel5.setText("Student ID:");
    button2.setLabel("Select Your Choices");
    button2.addActionListener(new java.awt.event.ActionListener() {
      public void actionPerformed(java.awt.event.ActionEvent evt) {
        button2ActionPerformed(evt);
    });
    javax.swing.GroupLayout jPanel3Layout = new
javax.swing.GroupLayout(jPanel3);
    ¡Panel3.setLayout(jPanel3Layout);
    jPanel3Layout.setHorizontalGroup(
jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
      .addGroup(jPanel3Layout.createSequentialGroup()
 .addGroup(jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.
LEADING)
          .addGroup(jPanel3Layout.createSequentialGroup()
 .addGroup(jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.
LEADING)
               .addComponent(jLabel6)
               .addComponent(jLabel7)
               .addComponent(jLabel11))
            .addGap(41, 41, 41)
 .addGroup(jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.
LEADING)
               .addGroup(jPanel3Layout.createSequentialGroup()
                 .addComponent(r_male)
                 .addGap(4, 4, 4)
                 .addComponent(r_female))
 .addGroup(jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.
TRAILING, false)
                 .addComponent(txt_tel,
javax.swing.GroupLayout.Alignment.LEADING)
                 .addComponent(txt_email,
javax.swing.GroupLayout.PREFERRED_SIZE, 168,
javax.swing.GroupLayout.PREFERRED_SIZE))))
          .addGroup(jPanel3Layout.createSequentialGroup()
 .addGroup(jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.
LEADING)
               .addComponent(jLabel1)
               .addComponent(jLabel2)
```

```
.addComponent(jLabel3)
               .addComponent(jLabel5))
            .addGap(58, 58, 58)
 .addGroup(jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.
TRAILING, false)
              .addComponent(txt_surname,
javax.swing.GroupLayout.Alignment.LEADING)
              .addComponent(txt_firstname)
              .addComponent(txt_dob)
              .addComponent(txt_studentid,
javax.swing.GroupLayout.DEFAULT_SIZE, 168, Short.MAX_VALUE)))
 .addGroup(jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.
TRAILING)
            .addGroup(jPanel3Layout.createSequentialGroup()
              .addGap(141, 141, 141)
               .addComponent(button2,
javax.swing.GroupLayout.PREFERRED_SIZE, 168,
javax.swing.GroupLayout.PREFERRED_SIZE))
            .addGroup(javax.swing.GroupLayout.Alignment.LEADING,
¡Panel3Layout.createSequentialGroup()
 .addGroup(jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.
LEADING)
                 .addComponent(jLabel14)
                 .addComponent(jLabel15)
                 .addComponent(jLabel16)
                 .addComponent(jLabel8))
               .addGap(48, 48, 48)
 .addGroup(jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.
LEADING)
                .addComponent(txt_pc,
javax.swing.GroupLayout.Alignment.TRAILING,
javax.swing.GroupLayout.PREFERRED_SIZE, 168,
javax.swing.GroupLayout.PREFERRED_SIZE)
 . add Group (jPanel 3 Layout.create Parallel Group (javax.swing. Group Layout. Alignment.) \\
TRAILING)
                   .addComponent(txt_apt,
javax.swing.GroupLayout.PREFERRED_SIZE, 168,
javax.swing.GroupLayout.PREFERRED_SIZE)
 .addGroup(jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.
TRAILING, false)
                     .addComponent(txt_add2,
javax.swing.GroupLayout.Alignment.LEADING)
```

```
.addComponent(txt_address,
javax.swing.GroupLayout.PREFERRED_SIZE, 168,
javax.swing.GroupLayout.PREFERRED_SIZE)))))))
 .addGroup(jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.
LEADING)
          .addGroup(jPanel3Layout.createSequentialGroup()
            .addGap(57, 57, 57)
            .addComponent(jDesktopPane1,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE))
          .addGroup(jPanel3Layout.createSequentialGroup()
            .addGap(243, 243, 243)
 .addGroup(jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.
LEADING)
              .addComponent(jButton3,
javax.swing.GroupLayout.Alignment.TRAILING,
javax.swing.GroupLayout.PREFERRED_SIZE, 134,
javax.swing.GroupLayout.PREFERRED_SIZE)
              .addComponent(cmd_save,
javax.swing.GroupLayout.Alignment.TRAILING,
javax.swing.GroupLayout.PREFERRED_SIZE, 134,
javax.swing.GroupLayout.PREFERRED_SIZE)
              .addComponent(jButton1,
javax.swing.GroupLayout.Alignment.TRAILING,
javax.swing.GroupLayout.PREFERRED_SIZE, 134,
javax.swing.GroupLayout.PREFERRED_SIZE))))
        .addContainerGap(112, Short.MAX_VALUE))
    );
    jPanel3Layout.setVerticalGroup(
jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
      .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
¡Panel3Layout.createSequentialGroup()
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE)
        .addComponent(jDesktopPane1,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGap(18, 18, 18)
        .addComponent(cmd_save, javax.swing.GroupLayout.PREFERRED_SIZE,
44, javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGap(32, 32, 32)
        .addComponent(jButton3, javax.swing.GroupLayout.PREFERRED_SIZE, 44,
javax.swing.GroupLayout.PREFERRED_SIZE)
```

```
.addGap(37, 37, 37)
        .addComponent(jButton1, javax.swing.GroupLayout.PREFERRED_SIZE, 44,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGap(93, 93, 93))
      .addGroup(jPanel3Layout.createSeguentialGroup()
        .addGap(18, 18, 18)
 .addGroup(jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.
TRAILING)
          .addComponent(jLabel5)
          .addComponent(txt_studentid,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE))
 .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)
 .addGroup(jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.
BASELINE)
          .addComponent(jLabel1)
          .addComponent(txt_firstname.
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE))
 .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)
 .addGroup(jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.
LEADING)
          .addComponent(jLabel2)
          .addComponent(txt_surname,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE))
 .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)
 .addGroup(jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.
LEADING)
          .addComponent(jLabel3)
          .addComponent(txt_dob, javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE))
 .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.UNRELATED)
 .addGroup(jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.
BASELINE)
```

```
.addComponent(jLabel11)
          .addComponent(r_male)
          .addComponent(r_female))
 .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)
 .addGroup(jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.
BASELINE)
          .addComponent(txt_email, javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
          .addComponent(jLabel6))
 .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)
 .addGroup(jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.
BASELINE)
          .addComponent(txt_tel, javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
          .addComponent(jLabel7))
 .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.UNRELATED)
 .addGroup(jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.
BASELINE)
          .addComponent(txt_address,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
          .addComponent(jLabel8))
 .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)
 .addGroup(jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.
BASELINE)
          .addComponent(txt_add2, javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
          .addComponent(jLabel14))
 .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.UNRELATED)
 .addGroup(jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.
BASELINE)
          .addComponent(txt_apt, javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
```

```
.addComponent(jLabel15))
 .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.UNRELATED)
 .addGroup(jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.
BASELINE)
          .addComponent(jLabel16)
          .addComponent(txt_pc, javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE))
        .addGap(39, 39, 39)
        .addComponent(button2, javax.swing.GroupLayout.PREFERRED_SIZE, 42,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
    );
    txt_emp.setText("emp");
    jLabel10.setText("Logged in As :");
    jPanel5.setBorder(javax.swing.BorderFactory.createTitledBorder(null, "Search",
javax.swing.border.TitledBorder.DEFAULT_JUSTIFICATION,
javax.swing.border.TitledBorder.DEFAULT_POSITION, new java.awt.Font("Adobe
Arabic", 1, 14))); // NOI18N
    jLabel13.setText("Student ID:");
    txt_search1.addContainerListener(new java.awt.event.ContainerAdapter() {
      public void componentRemoved(java.awt.event.ContainerEvent evt) {
        txt_search1ComponentRemoved(evt);
      }
    });
    txt_search1.addActionListener(new java.awt.event.ActionListener() {
      public void actionPerformed(java.awt.event.ActionEvent evt) {
        txt_search1ActionPerformed(evt);
      }
    });
    txt_search1.addKeyListener(new java.awt.event.KeyAdapter() {
      public void keyReleased(java.awt.event.KeyEvent evt) {
```

txt_search1KeyReleased(evt);

javax.swing.GroupLayout(jPanel5);

jPanel5.setLayout(jPanel5Layout); jPanel5Layout.setHorizontalGroup(

javax.swing.GroupLayout jPanel5Layout = new

});

```
jPanel5Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
      .addGroup(jPanel5Layout.createSequentialGroup()
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE)
        .addComponent(jLabel13)
 .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.UNRELATED)
        .addComponent(txt_search1, javax.swing.GroupLayout.PREFERRED_SIZE,
565, javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGap(8, 8, 8))
    );
    jPanel5Layout.setVerticalGroup(
jPanel5Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
      .addGroup(jPanel5Layout.createSequentialGroup()
        .addContainerGap()
 .addGroup(jPanel5Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.
BASELINE)
          .addComponent(txt_search1,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
          .addComponent(jLabel13))
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
    );
    File.setText("File");
    jMenuItem1.setText("Attach Image");
    jMenuItem1.addActionListener(new java.awt.event.ActionListener() {
      public void actionPerformed(java.awt.event.ActionEvent evt) {
        jMenuItem1ActionPerformed(evt);
    });
    File.add(jMenuItem1);
    jMenuBar1.add(File);
    lbl_date.setText("Date");
    iMenuBar1.add(lbl_date);
    lbl_time.setText("Time");
    jMenuBar1.add(lbl_time);
    setJMenuBar(jMenuBar1);
```

```
javax.swing.GroupLayout layout = new
javax.swing.GroupLayout(getContentPane());
    getContentPane().setLayout(layout);
    layout.setHorizontalGroup(
      layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
      .addGroup(layout.createSequentialGroup()
        .addContainerGap()
 .addGroup(layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADIN
G)
          .addGroup(layout.createSequentialGroup()
            .addComponent(jPanel5, javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addGap(415, 415, 415)
            .addComponent(jLabel10)
 .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)
            .addComponent(txt_emp))
          .addComponent(jPanel3, javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE))
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
    );
    layout.setVerticalGroup(
      layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
      .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
layout.createSequentialGroup()
 .addGroup(layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADIN
G)
          .addGroup(layout.createSequentialGroup()
            .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX VALUE)
            .addComponent(jPanel5, javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE))
          .addGroup(layout.createSequentialGroup()
            .addGap(6, 6, 6)
 .addGroup(layout.createParallelGroup(javax.swing.GroupLayout.Alignment.BASELIN
E)
              .addComponent(jLabel10, javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
              .addComponent(txt_emp))))
```

```
.addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)
        .addComponent(jPanel3, javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addContainerGap())
    );
    pack():
  }// </editor-fold>//GEN-END:initComponents
  private void jMenuItem1ActionPerformed(java.awt.event.ActionEvent evt) {//GEN-
FIRST:event_jMenuItem1ActionPerformed
    // TODO add your handling code here:
    JFileChooser chooser = new JFileChooser();
    chooser.showOpenDialog(null);
    File f = chooser.getSelectedFile();
    filename =f.getAbsolutePath();
    Imagelcon imagelcon = new Imagelcon(new
Imagelcon(filename).getImage().getScaledInstance(Ibl_img.getWidth(),
lbl_img.getHeight(), Image.SCALE_DEFAULT());
    lbl_img.setIcon(imageIcon);
   try {
      File image = new File(filename);
      FileInputStream fis = new FileInputStream (image);
      ByteArrayOutputStream bos= new ByteArrayOutputStream();
      byte[] buf = new byte[1024];
      for(int readNum; (readNum=fis.read(buf))!=-1; ){
        bos.write(buf,0,readNum);
      }
      person_image=bos.toByteArray();
    catch(Exception e){
      JOptionPane.showMessageDialog(null,e);
    }
  }//GEN-LAST:event_jMenuItem1ActionPerformed
  private void jButton1ActionPerformed(java.awt.event.ActionEvent evt) {//GEN-
FIRST:event_iButton1ActionPerformed
    // TODO add your handling code here:
```

```
txt_firstname.setText("");
    txt_surname.setText("");
    txt_tel.setText("");
    txt_dob.setText("");
    txt_email.setText("");
    txt_address.setText("");
    txt_studentid.setText("");
    txt_add2.setText("");
    txt_pc.setText("");
    txt_apt.setText("");
    lbl_img.setIcon(null);
    txt_search1.setText("");
  }//GEN-LAST:event_jButton1ActionPerformed
  private void cmd_saveActionPerformed(java.awt.event.ActionEvent evt) {//GEN-
FIRST:event_cmd_saveActionPerformed
    // TODO add your handling code here:
    int p = JOptionPane.showConfirmDialog(null, "Are you sure you want to add
record?","Add Record",JOptionPane.YES_NO_OPTION);
    if(p==0)
      String value110 = txt_firstname.getText();
      String value2 = txt_surname.getText();
      String value3 = txt_dob.getText();
      String value4 = txt_studentid.getText();
      String value5 = txt_email.getText();
      String value6 = txt_tel.getText();
      String value7 = txt_address.getText();
       String value9 = txt_add2.getText();
       String value10 = txt_apt.getText();
       String value11 = txt_pc.getText();
         StudentData stud= new
StudentData(value110,value2,value3,value4,value5,value6,value7,value9,value10,valu
e11);
      } catch (IOException ex) {
         Logger.getLogger(StudentInformation.class.getName()).log(Level.SEVERE,
null, ex);
      } catch (InterruptedException ex) {
         Logger.getLogger(StudentInformation.class.getName()).log(Level.SEVERE,
null, ex);
```

```
Date currentDate = GregorianCalendar.getInstance().getTime();
      DateFormat df = DateFormat.getDateInstance();
      String dateString = df.format(currentDate);
      Date d = new Date();
      SimpleDateFormat sdf = new SimpleDateFormat("HH:mm:ss");
      String timeString = sdf.format(d);
      String value0 = timeString;
      String value1 = dateString;
      String val = txt_emp.getText().toString();
    }
  }//GEN-LAST:event_cmd_saveActionPerformed
  private void txt_aptActionPerformed(java.awt.event.ActionEvent evt) {//GEN-
FIRST:event_txt_aptActionPerformed
    // TODO add your handling code here:
  }//GEN-LAST:event_txt_aptActionPerformed
  private void txt_firstnameActionPerformed(java.awt.event.ActionEvent evt) {//GEN-
FIRST:event_txt_firstnameActionPerformed
    // TODO add your handling code here:
  }//GEN-LAST:event_txt_firstnameActionPerformed
  private void r_femaleActionPerformed(java.awt.event.ActionEvent evt) {//GEN-
FIRST:event_r_femaleActionPerformed
    // TODO add your handling code here:
    gender = "Female";
    r_female.setSelected(true);
    r_male.setSelected(false);
```

```
}//GEN-LAST:event_r_femaleActionPerformed
  private void r_maleActionPerformed(java.awt.event.ActionEvent evt) {//GEN-
FIRST:event_r_maleActionPerformed
    // TODO add your handling code here:
    gender = "Male";
    r_male.setSelected(true);
    r_female.setSelected(false);
  }//GEN-LAST:event_r_maleActionPerformed
  private void jButton3ActionPerformed(java.awt.event.ActionEvent evt) {//GEN-
FIRST:event_jButton3ActionPerformed
    // TODO add your handling code here:
     int p = JOptionPane.showConfirmDialog(null, "Are you sure you want to delete
record?","Delete",JOptionPane.YES_NO_OPTION);
    if(p==0){
      Date currentDate = GregorianCalendar.getInstance().getTime();
      DateFormat df = DateFormat.getDateInstance();
      String dateString = df.format(currentDate);
      Date d = new Date();
      SimpleDateFormat sdf = new SimpleDateFormat("HH:mm:ss");
      String timeString = sdf.format(d);
      String value0 = timeString;
      String value1 = dateString;
      String val = txt_emp.getText().toString();
String notobedel= String.valueOf(txt_studentid.getText());
File f1 = new File("output.txt");
BufferedWriter writer:
        writer = new BufferedWriter(new FileWriter(f1));
Scanner sc = new Scanner (f1);
while(sc.hasNextLine()){String data = sc.nextLine();
String variable[] = data.split("\\s+");
String da=data.trim();
String studid=variable[3];
if(studid.equals(notobedel)){
continue;
writer.write(data+System.lineSeparator());
writer.close();
sc.close();
}
         JOptionPane.showMessageDialog(null,"Record Deleted");
```

```
}catch(Exception e){
         JOptionPane.showMessageDialog(null, e);
      }finally {
        try{
           rs.close();
           pst.close();
         catch(Exception e){
      }
    }
  }//GEN-LAST:event_jButton3ActionPerformed
  private void txt_search1ComponentRemoved(java.awt.event.ContainerEvent evt) {//
GEN-FIRST:event_txt_search1ComponentRemoved
    // TODO add your handling code here:
  }//GEN-LAST:event_txt_search1ComponentRemoved
  private void txt_search1ActionPerformed(java.awt.event.ActionEvent evt) {//GEN-
FIRST:event txt search1ActionPerformed
      File f = new File("output.txt");
  Scanner sc = null;
    try {
      sc = new Scanner(f);
    } catch (FileNotFoundException ex) {
      Logger.getLogger(StudentInformation.class.getName()).log(Level.SEVERE,
null, ex);
    }
while(sc.hasNextLine()){
  String data = sc.nextLine();
String variable[] = data.split("\\s+");
String p=variable[3];
   if(p.equals(String.valueOf(this.txt_search1.getText()))){//linear Search
     this.txt_studentid.setText(variable[3]);
   this.txt_firstname.setText(variable[0]);
   this.txt_surname.setText(variable[1]);
  // this.jcmbDepartment.setText(variable[4]);
```

```
this.txt_dob.setText(variable[2]);
   this.txt_email.setText(variable[4]);
   this.txt_tel.setText(variable[5]);
   this.txt_address.setText(variable[6]);
   this.txt_add2.setText(variable[7]);
   this.txt_apt.setText(variable[8]);
   this.txt_pc.setText(variable[9]);
   }
}
  }//GEN-LAST:event_txt_search1ActionPerformed
  private void txt_search1KeyReleased(java.awt.event.KeyEvent evt) {//GEN-
FIRST:event_txt_search1KeyReleased
    // TODO add your handling code here:
    try{
       String sql ="select * from Student_Information where id=?";
       pst=conn.prepareStatement(sql);
       pst.setString(1,txt_search1.getText());
       rs=pst.executeQuery();
       String add1 =rs.getString("id");
       txt_studentid.setText(add1);
       String add2 =rs.getString("first_name");
       txt_firstname.setText(add2);
       String add3 =rs.getString("surname");
       txt_surname.setText(add3);
       String add4 =rs.getString("Dob");
       txt_dob.setText(add4);
       String add5 =rs.getString("Email");
       txt_email.setText(add5);
       String add6 =rs.getString("Telephone");
       txt_tel.setText(add6);
       String add7 =rs.getString("Address");
       txt_address.setText(add7);
       String add8 =rs.getString("Address2");
       txt_add2.setText(add8);
```

```
String add9 =rs.getString("Apartment");
      txt_apt.setText(add9);
      String add10 =rs.getString("Post_code");
      txt_pc.setText(add10);
      byte[] img = rs.getBytes("Image");
      Imagelcon imagelcon = new Imagelcon(new
lmagelcon(img).getlmage().getScaledInstance(lbl_img.getWidth(),
lbl_img.getHeight(), Image.SCALE_SMOOTH));
      lbl_img.setIcon(imageIcon);
    }catch(Exception e){
    finally {
      try{
        rs.close();
        pst.close();
      catch(Exception e){
  }//GEN-LAST:event_txt_search1KeyReleased
  private void button2ActionPerformed(java.awt.event.ActionEvent evt) {//GEN-
FIRST:event_button2ActionPerformed
 new Choice(String.valueOf(this.txt_studentid.getText())).setVisible(true);
TODO add your handling code here:
  }//GEN-LAST:event_button2ActionPerformed
  private void txt_addressActionPerformed(java.awt.event.ActionEvent evt) {//GEN-
FIRST:event_txt_addressActionPerformed
    // TODO add your handling code here:
  }//GEN-LAST:event_txt_addressActionPerformed
  public static void main(String args[]) {
    try {
      for (javax.swing.UIManager.LookAndFeelInfo info:
```

```
javax.swing.UIManager.getInstalledLookAndFeels()) {
         if ("Nimbus".equals(info.getName())) {
           javax.swing.UIManager.setLookAndFeel(info.getClassName());
           break;
         }
    } catch (ClassNotFoundException ex) {
java.util.logging.Logger.getLogger(StudentInformation.class.getName()).log(java.util.
logging.Level.SEVERE, null, ex);
    } catch (InstantiationException ex) {
java.util.logging.Logger.getLogger(StudentInformation.class.getName()).log(java.util.
logging.Level.SEVERE, null, ex);
    } catch (IllegalAccessException ex) {
java.util.logging.Logger.getLogger(StudentInformation.class.getName()).log(java.util.
logging.Level.SEVERE, null, ex);
    } catch (javax.swing.UnsupportedLookAndFeelException ex) {
java.util.logging.Logger.getLogger(StudentInformation.class.getName()).log(java.util.
logging.Level.SEVERE, null, ex);
    }
    //</editor-fold>
    /* Create and display the form */
    java.awt.EventQueue.invokeLater(new Runnable() {
       public void run() {
         new StudentInformation().setVisible(true);
    });
```

```
// Variables declaration - do not modify//GEN-BEGIN:variables
private javax.swing.JMenu File;
private java.awt.Button button2;
private javax.swing.JButton cmd_save;
private javax.swing.JButton jButton1;
private javax.swing.JButton jButton3;
private javax.swing.JDesktopPane jDesktopPane1;
private javax.swing.JDialog jDialog1;
private javax.swing.JLabel jLabel1;
private javax.swing.JLabel jLabel10;
private javax.swing.JLabel jLabel11;
private javax.swing.JLabel jLabel13;
private javax.swing.JLabel jLabel14;
private javax.swing.JLabel jLabel15;
private javax.swing.JLabel jLabel16;
private javax.swing.JLabel jLabel2;
private javax.swing.JLabel jLabel3;
private javax.swing.JLabel jLabel5;
private javax.swing.JLabel jLabel6;
private javax.swing.JLabel jLabel7;
private javax.swing.JLabel jLabel8;
private javax.swing.JMenu jMenu1;
private javax.swing.JMenu jMenu2;
private javax.swing.JMenuBar jMenuBar1;
private javax.swing.JMenuBar jMenuBar2;
private javax.swing.JMenuItem jMenuItem1;
private javax.swing.JPanel jPanel3;
private javax.swing.JPanel jPanel5;
private javax.swing.JMenu lbl_date;
private javax.swing.JLabel lbl_img;
private javax.swing.JMenu lbl_time;
private javax.swing.JRadioButton r_female;
private javax.swing.JRadioButton r_male;
private javax.swing.JTextField txt_add2;
private javax.swing.JTextField txt_address;
private javax.swing.JTextField txt_apt;
private javax.swing.JTextField txt_dob;
private javax.swing.JTextField txt_email;
private javax.swing.JLabel txt_emp;
private javax.swing.JTextField txt_firstname;
private javax.swing.JTextField txt_pc;
private javax.swing.JTextField txt_search1;
private javax.swing.JTextField txt_studentid;
private javax.swing.JTextField txt_surname;
private javax.swing.JTextField txt_tel;
// End of variables declaration//GEN-END:variables
private Imagelcon format =null;
```

```
//strin filename
  String filename = null;
  byte[] person_image = null;
  private String gender;
}
package student.information.system;
import java.awt.*;
import java.sql.Connection;
import java.sql.PreparedStatement;
import java.sql.ResultSet;
import javax.swing.*;
public class users extends javax.swing.JFrame {
Connection conn=null;
ResultSet rs=null;
PreparedStatement pst=null;
  public users() {
    initComponents();
    conn=db.java_db();
    Toolkit toolkit = getToolkit();
    Dimension size = toolkit.getScreenSize();
    setLocation(size.width/2 - getWidth()/2,
    size.height/2 - getHeight()/2);
    Fillcombobox();
private void Fillcombobox(){
    try {
       String sql ="select * from Users";
       pst=conn.prepareStatement(sql);
       rs=pst.executeQuery();
       while(rs.next()) {
         String name =rs.getString("username");
         txt_combo.addItem(name);
    }catch (Exception e){
       JOptionPane.showMessageDialog(null, e);
    } finally {
       try{
         rs.close();
```

```
pst.close();
      }catch (Exception e){
    }
  }
  @SuppressWarnings("unchecked")
  // <editor-fold defaultstate="collapsed" desc="Generated Code">//GEN-
BEGIN:initComponents
  private void initComponents() {
    ¡Panel2 = new javax.swing.JPanel();
    cmd_add = new javax.swing.JButton();
    ¡Panel1 = new javax.swing.JPanel();
    jLabel1 = new javax.swing.JLabel();
    txt_password = new javax.swing.JTextField();
    txt_combo = new javax.swing.JComboBox();
    jLabel3 = new javax.swing.JLabel();
    txt_username = new javax.swing.JTextField();
    jLabel2 = new javax.swing.JLabel();
    jLabel4 = new javax.swing.JLabel();
    txt_id = new javax.swing.JTextField();
    jLabel5 = new javax.swing.JLabel();
    txt_dep = new javax.swing.JTextField();
    cmd_delete = new javax.swing.JButton();
    cmd_update = new javax.swing.JButton();
    ¡Button1 = new javax.swing.JButton();
    setDefaultCloseOperation(javax.swing.WindowConstants.DISPOSE_ON_CLOSE);
    cmd_add.setIcon(new javax.swing.lmageIcon(getClass().getResource("/student/
information/system/images/Save-icon.png"))); // NOI18N
    cmd_add.setText("Add ");
    cmd_add.addActionListener(new java.awt.event.ActionListener() {
      public void actionPerformed(java.awt.event.ActionEvent evt) {
        cmd_addActionPerformed(evt);
    });
    jPanel1.setBorder(javax.swing.BorderFactory.createTitledBorder(null,
"Login_Information", javax.swing.border.TitledBorder.DEFAULT_JUSTIFICATION,
javax.swing.border.TitledBorder.DEFAULT_POSITION, new java.awt.Font("Adobe
Arabic", 1, 18))); // NOI18N
    jLabel1.setText("Select Users");
```

```
txt_combo.addPopupMenuListener(new
javax.swing.event.PopupMenuListener() {
      public void popupMenuCanceled(javax.swing.event.PopupMenuEvent evt) {
      public void
popupMenuWillBecomeInvisible(javax.swing.event.PopupMenuEvent evt) {
        txt_comboPopupMenuWillBecomeInvisible(evt);
      public void
popupMenuWillBecomeVisible(javax.swing.event.PopupMenuEvent evt) {
    });
    jLabel3.setText("Password");
    jLabel2.setText("Username");
    jLabel4.setText("Id");
    txt_id.setEditable(false);
    jLabel5.setText("Division");
    javax.swing.GroupLayout jPanel1Layout = new
javax.swing.GroupLayout(jPanel1);
    ¡Panel1.setLayout(¡Panel1Layout);
    jPanel1Layout.setHorizontalGroup(
iPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
      .addGroup(jPanel1Layout.createSequentialGroup()
        .addContainerGap()
 .addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.
LEADING)
 .addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.
LEADING)
            .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
¡Panel1Layout.createSequentialGroup()
 .addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.
TRAILING)
                 .addComponent(jLabel2,
javax.swing.GroupLayout.Alignment.LEADING)
                 .addComponent(jLabel3,
javax.swing.GroupLayout.Alignment.LEADING))
               .addGap(29, 29, 29))
```

```
.addGroup(jPanel1Layout.createSequentialGroup()
              .addComponent(jLabel5)
              .addGap(20, 20, 20)))
          .addGroup(jPanel1Layout.createSequentialGroup()
 .addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.
LEADING)
              .addComponent(jLabel4)
              .addComponent(jLabel1))
 .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)))
 .addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.
TRAILING, false)
          .addComponent(txt_dep)
          .addComponent(txt_password,
javax.swing.GroupLayout.Alignment.LEADING)
          .addComponent(txt_username,
javax.swing.GroupLayout.Alignment.LEADING)
          .addComponent(txt_combo,
javax.swing.GroupLayout.Alignment.LEADING, 0, 160, Short.MAX_VALUE)
          .addComponent(txt_id, javax.swing.GroupLayout.Alignment.LEADING))
        .addContainerGap(42, Short.MAX_VALUE))
    );
    ¡Panel1Layout.setVerticalGroup(
jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
      .addGroup(jPanel1Layout.createSequentialGroup()
        .addContainerGap(25, Short.MAX_VALUE)
 .addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.
BASELINE)
          .addComponent(txt_combo, javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
          .addComponent(jLabel1))
 .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.UNRELATED)
 .addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.
BASELINE)
          .addComponent(txt_id, javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
          .addComponent(jLabel4))
 .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.UNRELATED)
```

```
.addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.
BASELINE)
          .addComponent(jLabel5)
          .addComponent(txt_dep, javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE))
 .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)
 .addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.
BASELINE)
          .addComponent(txt_username,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
          .addComponent(jLabel2))
 .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.UNRELATED)
 .addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.
BASELINE)
          .addComponent(txt_password,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
          .addComponent(jLabel3))
        .addContainerGap())
    );
    cmd_delete.setIcon(new javax.swing.ImageIcon(getClass().getResource("/
student/information/system/images/delete_16x16.gif"))); // NOI18N
    cmd_delete.setText("Delete");
    cmd_delete.addActionListener(new java.awt.event.ActionListener() {
      public void actionPerformed(java.awt.event.ActionEvent evt) {
        cmd_deleteActionPerformed(evt);
    });
    cmd_update.setlcon(new javax.swing.lmagelcon(getClass().getResource("/
student/information/system/images/update icon.png"))); // NOI18N
    cmd_update.setText("Update");
    cmd_update.addActionListener(new java.awt.event.ActionListener() {
      public void actionPerformed(java.awt.event.ActionEvent evt) {
        cmd_updateActionPerformed(evt);
    });
    jButton1.setIcon(new javax.swing.lmageIcon(getClass().getResource("/student/
```

```
information/system/images/erase-128.png"))); // NOI18N
    ¡Button1.setText("Clear");
    jButton1.addActionListener(new java.awt.event.ActionListener() {
      public void actionPerformed(java.awt.event.ActionEvent evt) {
        ¡Button1ActionPerformed(evt);
    });
    javax.swing.GroupLayout jPanel2Layout = new
javax.swing.GroupLayout(jPanel2);
    ¡Panel2.setLayout(¡Panel2Layout);
    ¡Panel2Layout.setHorizontalGroup(
iPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
      .addGroup(jPanel2Layout.createSequentialGroup()
        .addGap(18, 18, 18)
        .addComponent(jPanel1, javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
 .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)
 .addGroup(jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.
LEADING, false)
          .addComponent(cmd_add, javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
          .addComponent(cmd_delete, javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
          .addComponent(cmd_update, javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
          .addComponent(jButton1, javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE))
        .addContainerGap(40, Short.MAX_VALUE))
    ¡Panel2Layout.setVerticalGroup(
jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
      .addGroup(jPanel2Layout.createSequentialGroup()
 .addGroup(jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.
LEADING)
          .addGroup(jPanel2Layout.createSequentialGroup()
            .addGap(48, 48, 48)
            .addComponent(cmd_add)
 .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)
            .addComponent(cmd_update)
```

```
.addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)
            .addComponent(cmd_delete)
 .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)
            .addComponent(jButton1))
          .addGroup(jPanel2Layout.createSequentialGroup()
            .addGap(28, 28, 28)
            .addComponent(jPanel1, javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)))
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
    );
    javax.swing.GroupLayout layout = new
javax.swing.GroupLayout(getContentPane());
    getContentPane().setLayout(layout);
    layout.setHorizontalGroup(
      layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
      .addGroup(layout.createSequentialGroup()
        .addContainerGap()
        .addComponent(jPanel2, javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addContainerGap(11, Short.MAX_VALUE))
    );
    layout.setVerticalGroup(
      layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
      .addGroup(layout.createSequentialGroup()
        .addGap(27, 27, 27)
        .addComponent(jPanel2, javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
    );
    pack();
  }// </editor-fold>//GEN-END:initComponents
  private void cmd_deleteActionPerformed(java.awt.event.ActionEvent evt) {//GEN-
FIRST:event_cmd_deleteActionPerformed
    // TODO add your handling code here:
    int p = JOptionPane.showConfirmDialog(null, "Are you sure you want to delete
record?","Delete",JOptionPane.YES_NO_OPTION);
    if(p==0)
    String sql ="delete from Users where username=? ";
```

```
try{
      pst=conn.prepareStatement(sql);
      pst.setString(1, txt_username.getText());
      pst.execute();
      JOptionPane.showMessageDialog(null,"Record Deleted");
    }catch(Exception e){
      JOptionPane.showMessageDialog(null, e);
    }finally {
      try{
        rs.close();
        pst.close();
      catch(Exception e){
    Fillcombobox();
  }//GEN-LAST:event_cmd_deleteActionPerformed
  private void
txt_comboPopupMenuWillBecomeInvisible(javax.swing.event.PopupMenuEvent evt)
{//GEN-FIRST:event_txt_comboPopupMenuWillBecomeInvisible
     String tmp =(String) txt_combo.getSelectedItem();
     String sql="select * from Users where username=?";
    try{
      pst=conn.prepareStatement(sql);
      pst.setString(1, tmp);
      rs=pst.executeQuery();
      if(rs.next()){
        String add1 =rs.getString("username");
        txt_username.setText(add1);
        String add2 =rs.getString("password");
        txt_password.setText(add2);
        String add3 =rs.getString("id");
```

```
txt_id.setText(add3);
         String add4 =rs.getString("division");
        txt_dep.setText(add4);
      }
    }catch (Exception e){
      JOptionPane.showMessageDialog(null, e);
    finally {
      try{
         rs.close();
         pst.close();
      catch(Exception e){
    }// TODO add your handling code here:
  }//GEN-LAST:event_txt_comboPopupMenuWillBecomeInvisible
  private void cmd_updateActionPerformed(java.awt.event.ActionEvent evt) {//GEN-
FIRST:event_cmd_updateActionPerformed
    // TODO add your handling code here:
    int p = JOptionPane.showConfirmDialog(null, "Are you sure you want to update
record?","Update Record", JOptionPane. YES_NO_OPTION);
    if(p==0){
    try{
      String value1 = txt_id.getText();
      String value2 = txt_username.getText();
      String value3 = txt_password.getText();
      String value4 = txt_dep.getText();
      String sql= "update Users set id=""+value1+"", username=""+value2+"",
password=""+value3+"',division=""+value4+" where id=""+value1+"" ";
      pst=conn.prepareStatement(sql);
      pst.execute();
      JOptionPane.showMessageDialog(null, "Record Updated");
    }catch(Exception e){
```

```
JOptionPane.showMessageDialog(null, e);
    finally {
      try{
        rs.close();
        pst.close();
      catch(Exception e){
    Fillcombobox();
  }//GEN-LAST:event_cmd_updateActionPerformed
  private void jButton1ActionPerformed(java.awt.event.ActionEvent evt) {//GEN-
FIRST:event_jButton1ActionPerformed
    // TODO add your handling code here:
    txt_username.setText("");
    txt_password.setText("");
    txt_dep.setText("");
    txt_id.setText("");
  }//GEN-LAST:event_jButton1ActionPerformed
  private void cmd_addActionPerformed(java.awt.event.ActionEvent evt) {//GEN-
FIRST:event_cmd_addActionPerformed
 int p = JOptionPane.showConfirmDialog(null, "Are you sure you want to add
record?","Add Record", JOptionPane. YES_NO_OPTION);
    if(p==0){}
                 // TODO add your handling code here:
    try {
      String sql ="insert into Users (username,password,division) values (?,?,?) ";
      pst=conn.prepareStatement(sql);
      pst.setString(1,txt_username.getText());
      pst.setString(2,txt_password.getText());
      pst.setString(3,txt_dep.getText());
      pst.execute();
      JOptionPane.showMessageDialog(null,"Data is saved successfully");
    catch (Exception e)
    {
```

```
JOptionPane.showMessageDialog(null,e);
    finally {
      try{
         rs.close();
         pst.close();
      catch(Exception e){
      }
    Fillcombobox();
  }//GEN-LAST:event_cmd_addActionPerformed
  /**
  * @param args the command line arguments
  public static void main(String args[]) {
    /* Set the Nimbus look and feel */
    //<editor-fold defaultstate="collapsed" desc=" Look and feel setting code
(optional) ">
    /* If Nimbus (introduced in Java SE 6) is not available, stay with the default look
and feel.
     * For details see http://download.oracle.com/javase/tutorial/uiswing/
lookandfeel/plaf.html
    */
    try {
      for (javax.swing.UIManager.LookAndFeelInfo info:
javax.swing.UIManager.getInstalledLookAndFeels()) {
        if ("Nimbus".equals(info.getName())) {
           javax.swing.UIManager.setLookAndFeel(info.getClassName());
           break;
    } catch (ClassNotFoundException ex) {
java.util.logging.Logger.getLogger(users.class.getName()).log(java.util.logging.Level.
SEVERE, null, ex);
    } catch (InstantiationException ex) {
java.util.logging.Logger.getLogger(users.class.getName()).log(java.util.logging.Level.
SEVERE, null, ex);
    } catch (IllegalAccessException ex) {
java.util.logging.Logger.getLogger(users.class.getName()).log(java.util.logging.Level.
```

```
SEVERE, null, ex);
    } catch (javax.swing.UnsupportedLookAndFeelException ex) {
java.util.logging.Logger.getLogger(users.class.getName()).log(java.util.logging.Level.
SEVERE, null, ex);
    //</editor-fold>
    //</editor-fold>
    //</editor-fold>
    //</editor-fold>
    /* Create and display the form */
    java.awt.EventQueue.invokeLater(new Runnable() {
      public void run() {
         new users().setVisible(true);
   });
  // Variables declaration - do not modify//GEN-BEGIN:variables
  private javax.swing.JButton cmd_add;
  private javax.swing.JButton cmd_delete;
  private javax.swing.JButton cmd_update;
  private javax.swing.JButton jButton1;
  private javax.swing.JLabel jLabel1;
  private javax.swing.JLabel jLabel2;
  private javax.swing.JLabel jLabel3;
  private javax.swing.JLabel jLabel4;
  private javax.swing.JLabel jLabel5;
  private javax.swing.JPanel jPanel1;
  private javax.swing.JPanel jPanel2;
  private javax.swing.JComboBox txt_combo;
  private javax.swing.JTextField txt_dep;
  private javax.swing.JTextField txt_id;
  private javax.swing.JTextField txt_password;
  private javax.swing.JTextField txt_username;
  // End of variables declaration//GEN-END:variables
}
```