
Cucumber Report



Feature			Scer	nario		Step			
Name	Duration	T	P	F	S	T	P	F	S
Dashboard functionality	3.888 s	1	0	1	0	2	0	0	2
Login functionality	0.170 s	1	0	1	0	5	0	0	5

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	Dashboard functionality	Verify that user is able to navigate to login page from dashboard
2	Login functionality	Verify that user is able to login with valid credential


TAG	Scenario			Feature				
Name	T	P	F	S	T	P	F	S
@Test1	2	0	2	0	2	0	2	0

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration
1	Dashboard functionality	1	0	1	0	3.888 s
2	Login functionality	1	0	1	0	0.170 s

SCENARIOS SUMMARY -- 6 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Dashboard functionality	Verify that user is able to navigate to login page from dashboard	2	0	0	2	3.881 s
2	Login functionality	Verify that user is able to login with valid credential	5	0	0	5	0.169 s

DETAILED SECTION -- 7 -

Dashboard functionality

FAILED	DURATION - 3.888 s	Scenarios		Steps	
		Total - 1		Total - 2	
/ 5:36:22.227 pm //	' 5:36:26.115 pm /	Pass - 0	1	Pass - 0	2
		Fail - 1		Fail - 0	
		Skip - 0		Skip - 2	

Verify that user is able to navigate to login page from dashboard




#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()	FAILED	3.704 s
	org.openqa.selenium.InvalidArgumentException: invalid argument (Session info: chrome=121.0.6167.162) Build info: version: '4.14.0', revision: 'e5a96349ce' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [e40634b144b8c5e34301b2d955490319, get {url=www.google.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 121.0.6167.162, chrome: {chromedriverVersion: 121.0.6167.85 (3f98d690ad7e, userDataDir: C:\Users\coditas\AppData\Lo}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53977}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53977/devtoo, se:cdpVersion: 121.0.6167.162, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e40634b144b8c5e34301b2d955490319		
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java.133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java.133)		
	at org.openqa.selenium.remote.tottec.wsc.wsc.wsc.ttpResponseCodec.decode(wsc.nttpResponseCodec.java.sz) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:191)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:304) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteNavigation.to(RemoteWebDriver.java:1102) at utils.GenericUtils.launchUrl(GenericUtils.java:32) at Hooks.Hooks.setup(Hooks.java:28)		
1	Given User is on Dashboard page	SKIPPED	0.003 s
2	When User tap on sign in	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.151 s
	Verify that user is able to navigate to login page from dashboard		

Login functionality

DURATION - 0.170 s	Scenarios		Steps	
	Total - 1		Total - 5	
// 5:36:26.311 pm /	Pass - 0	1	Pass - 0	5
	Fail - 1.		Fail - 0	
	Skip - 0		Skip - 5	
		Total - 1 Pass - 0 Fail - 1	Total - 1 Pass - 0 Fail - 1	Total - 1 Pass - 0 Pail - 1 Pass - 0 Fail - 0

Verify that user is able to login with valid credential



#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()	FAILED	0.009 s
	org.openqa.selenium.InvalidArgumentException: invalid argument (Session info: chrome=121.0.6167.162) Build info: version: '4.14.0', revision: 'e5a96349ce' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [e40634b144b8c5e34301b2d955490319, get {url=www.google.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 121.0.6167.162, chrome: {chromedtriverVersion: 121.0.6167.85 (3f98d690ad7e, userDataDir: C:Users\coditas\AppData\Lo), fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53977}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53977/devtoo, se:cdpVersion: 121.0.6167.162, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e40634b144b8c5e34301b2d955490319 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:386) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:33) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:304) at org.openqa.selenium.remote.RemoteWebDr		
1	Given User is on login page	SKIPPED	0.001 s
2	When User tap on sign in with google button	SKIPPED	0.001 s
3	And User login into the application with email as "akshay.shirsath@coditas.com" and password as ""	SKIPPED	0.001 s
4	And User clicks on next button	SKIPPED	0.001 s
5	Then Verify user navigates to dashboard page by title as "Dashboard"	SKIPPED	0.001 s
	AFTER - Hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.144 s
	Verify that user is able to login with valid credential		