Technology : Angular JS, use of Angular directives will be strongly preferred.

We need to prepare a three view component as shown below. Basically each term can have four children. That is "BT","NT","UF","USE". On expanding NT , the nodes for NT will be loaded. I have attached a sample json for a term , for level 1 display and also for level 2 to level 5 display display.

Level 1

Level2

- Crop commodities
  - BT
  - NT
    - Fruit
   - Herbs and spices
    - Grasses
    - Nuts and Seeds
    - Vegetables
      - BT
      - RT
      - NT
      - UF
    - Processing Crop
    - Food crops
    - Stalk and stem crops

Level 3

- □ 📂 Crop commodities
  - ⊞ 📁 BT
  - □ 📂 NT
    - ⊞ 📁 Fruit
    - ⊞ 📁 Herbs and spices
    - ⊞ 📁 Grasses
    - ⊞ 📁 Nuts and Seeds
    - □ 📂 Vegetables
      - ⊞ 📁 BT
      - ⊞ 📁 RT
      - □ 📂 NT
        - ⊞ 📁 Vegetables without sauce, including cream style corn and stewed tomatoes
        - ⊞ 📁 Vegetables with sauce
        - ⊞ 📁 Vegetables primarily used for garnish or flavouring, fresh, canned or frozen, but not dried
        - ⊞ 📁 Seaweed
        - ⊞ 📁 Lettuce and sprouts
        - ⊞ 📁 Vegetable juice and vegetable drink

Level 4