datacamp

Python For Data Science

Pandas Basics Cheat Sheet

Learn Pandas Basics online at www.DataCamp.com

Pandas

The **Pandas** library is built on NumPy and provides easy-to-use **data structures** and **data analysis** tools for the Python programming language.

Use the following import convention:

```
>>> import pandas as pd
```

> Pandas Data Structures

Series

A **one-dimensional** labeled array capable of holding any data type

Index →

a	3
b	-5
c	7
d	4

```
>>> s = pd.Series([3, -5, 7, 4], index=['a', 'b', 'c', 'd'])
```

Dataframe

A **two-dimensional** labeled data structure with columns of potentially different types

Columns →

Index →	Country	Capital	Population
0	Belgium	Brussels	11190846
1	India	New Delhi	1303171035
2	Brazil	Brasilia	207847528

```
>>> data = {'Country': ['Belgium', 'India', 'Brazil'],
            'Capital': ['Brussels', 'New Delhi', 'Brasília'],
            'Population': [11190846, 1303171035, 207847528]}
>>> df = pd.DataFrame(data,
                      columns=['Country', 'Capital', 'Population'])
```

> Dropping

```
>>> s.drop(['a', 'c']) #Drop values from rows (axis=0)
>>> df.drop('Country', axis=1) #Drop values from columns(axis=1)
```

> Asking For Help

```
>>> help(pd.Series.loc)
```

> Sort & Rank

```
>>> df.sort_index() #Sort by labels along an axis
>>> df.sort_values(by='Country') #Sort by the values along an axis
>>> df.rank() #Assign ranks to entries
```

> I/O

Read and Write to CSV

```
>>> pd.read_csv('file.csv', header=None, nrows=5)
>>> df.to_csv('myDataFrame.csv')
```

Read and Write to Excel

```
>>> pd.read_excel('file.xlsx')
>>> df.to_excel('dir/myDataFrame.xlsx', sheet_name='Sheet1')
```

Read multiple sheets from the same file

```
>>> xlsx = pd.ExcelFile('file.xls')
>>> df = pd.read_excel(xlsx, 'Sheet1')
```

Read and Write to SQL Query or Database Table

```
>>> from sqlalchemy import create_engine
>>> engine = create_engine('sqlite:///:memory:')
>>> pd.read_sql("SELECT * FROM my_table;", engine)
>>> pd.read_sql_table('my_table', engine)
>>> pd.read_sql_query("SELECT * FROM my_table;", engine)
```

read_sql() **is a convenience wrapper around** read_sql_table() **and** read_sql_query()

```
>>> df.to_sql('myDf', engine)
```

> Selection

Also see NumPy Arrays

Getting

```
>>> s['b'] #Get one element
 -5
>>> df[1:] #Get subset of a DataFrame
   Country Capital Population
 1 India New Delhi 1303171035
 2 Brazil Brasília 207847528
```

Selecting, Boolean Indexing & Setting

By Position

```
>>> df.iloc[[0],[0]] #Select single value by row & column
 'Belgium'
>>> df.iat([0],[0])
 'Belgium'
```

By Label

```
>>> df.loc[[0], ['Country']] #Select single value by row & column labels
 'Belgium'
>>> df.at([0], ['Country'])
 'Belgium'
```

By Label/Position

```
>>> df.ix[2] #Select single row of subset of rows
 Country Brazil
 Capital Brasília
 Population 207847528
>>> df.ix[:,'Capital'] #Select a single column of subset of columns
 0 Brussels
 1 New Delhi
 2 Brasília
>>> df.ix[1,'Capital'] #Select rows and columns
 'New Delhi'
```

Boolean Indexing

```
>>> s[~(s > 1)] #Series s where value is not >1
>>> s[(s < -1) | (s > 2)] #s where value is <-1 or >2
>>> df[df['Population']>1200000000] #Use filter to adjust DataFrame
```

Setting

```
>>> s['a'] = 6 #Set index a of Series s to 6
```

> Retrieving Series/DataFrame Information

Basic Information

```
>>> df.shape #(rows,columns)
>>> df.index #Describe index
>>> df.columns #Describe DataFrame columns
>>> df.info() #Info on DataFrame
>>> df.count() #Number of non-NA values
```

Summary

```
>>> df.sum() #Sum of values
>>> df.cumsum() #Cummulative sum of values
>>> df.min()/df.max() #Minimum/maximum values
>>> df.idxmin()/df.idxmax() #Minimum/Maximum index value
>>> df.describe() #Summary statistics
>>> df.mean() #Mean of values
>>> df.median() #Median of values
```

> Applying Functions

```
>>> f = lambda x: x*2
>>> df.apply(f) #Apply function
>>> df.applymap(f) #Apply function element-wise
```

> Data Alignment

Internal Data Alignment

NA values are introduced in the indices that don't overlap:

```
>>> s3 = pd.Series([7, -2, 3], index=['a', 'c', 'd'])
>>> s + s3
 a 10.0
 b NaN
 c 5.0
 d 7.0
```

Arithmetic Operations with Fill Methods

You can also do the internal data alignment yourself with the help of the fill methods:

```
>>> s.add(s3, fill_values=0)
 a 10.0
 b -5.0
 c 5.0
 d 7.0
>>> s.sub(s3, fill_value=2)
>>> s.div(s3, fill_value=4)
>>> s.mul(s3, fill_value=3)
```