Day 3 - document 2

Resolving conflicts


Lets assume in the project we have JOE and AKSHAT
both are developers

Now Joe has raised a PR and have created a file lets suppose
with the name jrtrela text file1.txt and content This is Joe's initial test file.
And manager approved the PR and his file is now in master branch


Lets say AKshat is unaware of this file created by joe....
so akshat also created file jrtrela text file1.txt with different content :
" This is akshat's file" in his branch
Akshat is unaware that there is already a file with same name but different content

Now akshat raise the PR

Lets see what happens



on github master branch already the file with same name but different content exist



Akshat is unaware of this file in master

git status
git add .
git commit -m"c2"
git push -u origin branchname #change the branchname with your actual branch name

```
aksha@Akshat UCRT64 ~/OneDrive/Desktop/apachewebsite (mytestbranch12)
$ git status
On branch mytestbranch12
Your branch is up to date with 'origin/mytestbranch12'.

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        jrtrela text file1.txt.txt


nothing added to commit but untracked files present (use "git add" to track)

aksha@Akshat UCRT64 ~/OneDrive/Desktop/apachewebsite (mytestbranch12)
$ git add .

aksha@Akshat UCRT64 ~/OneDrive/Desktop/apachewebsite (mytestbranch12)
$ git commit -m"c2"
[mytestbranch12 74a22f9] c2
 1 file changed, 1 insertion(+)
 create mode 100644 jrtrela text file1.txt.txt


aksha@Akshat UCRT64 ~/OneDrive/Desktop/apachewebsite (mytestbranch12)
$ git push -u origin mytestbranch12
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 16 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 304 bytes | 304.00 KiB/s, done.
Total 3 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/letslearn207/apachewebsite
   c512c10..74a22f9  mytestbranch12 -> mytestbranch12
branch 'mytestbranch12' set up to track 'origin/mytestbranch12'.


aksha@Akshat UCRT64 ~/OneDrive/Desktop/apachewebsite (mytestbranch12)
$
```




in the branch we have same file name but different content

AKshat, will now go and raise the PR






akshat click on Create pull request



Akshat does not know what JOE is working on ...if akshat randomly change JOE's file it might cause JOE's functionality to break ...
In this case akshat will involve the manager/TL/Github owner with JOE and they will together solve this issue on the call....

Click on resolve conflict




jrtrela text file1.txt - file name which has conflict (same file two developer are using with different content)

AKshat is trying to put the file with the content : hello this is akshat


but the file already exist with the content
This is Joe;s initial test file

in the call joe and akshat will discuss and come to final content



final approved content

confirm merge



Code | Pull requests | Agents | Actions | Projects | Wiki | Security and quality | Insights | Se

Files

master

Go to file T

- .github
- css
- icon

apachewebsite / jrtrela text file1.txt

letslearn207 Merge branch 'master' into mytestbranch12

Code | Blame | 1 lines (1 loc) · 46 Bytes

```
1  this file is created joe and edited by akshat
```

How you can perform the lab:
1) Create a repo with name : testrepo1 on github
2) create a file with name : training.txt
content: hello welcome to the github training
3)commit it and push it to master

###
4) Now create a branch
5) update the file training.txt
with content: Hello, i have learned git and github
(remove previous content)
6) Push it to github branch
7) Raise PR and solve the conflict