ASSIGNMENT – 39

MACHINE LEARNING

C) Kernel **D) SMOTE**

In Q1 to Q11, only one option is correct, choose the correct option:
1. Which of the following methods do we use to find the best fit line for data in Linear Regression?
<u>A) Least Square Error</u> B) Maximum Likelihood
C) Logarithmic Loss D) Both A and B
2. Which of the following statement is true about outliers in linear regression?
A) Linear regression is sensitive to outliers B) linear regression is not sensitive to outliers
C) Can't say D) none of these
3. A line falls from left to right if a slope is?
A) Positive B) Negative
<u>C) Zero</u> D) Undefined
4. Which of the following will have symmetric relation between dependent variable and independent
variable?
<u>A) Regression</u> B) Correlation
C) Both of them D) None of these
5. Which of the following is the reason for over fitting condition?
A) High bias and high variance B) Low bias and low variance
<u>C) Low bias and high variance</u> D) none of these
6. If output involves label then that model is called as:
A) Descriptive model <u>B) Predictive model</u>
C) Reinforcement learning D) All of the above
7. Lasso and Ridge regression techniques belong to?
A) Cross validation B) Removing outliers
C) SMOTE D) Regularization
8. To overcome with imbalance dataset which technique can be used?
A) Cross validation B) Regularization

9. The AUC Receiver Operator Characteristic (AUCROC) curve is an evaluation metric for binary

classification problems. It uses _____ to make graph?

- A) TPR and FPR B) Sensitivity and precision
- C) Sensitivity and Specificity D) Recall and precision
- 10. In AUC Receiver Operator Characteristic (AUCROC) curve for the better model area under the curve should be less.
- A) True **B) False**
- 11. Pick the feature extraction from below:
- A) Construction bag of words from a email

B) Apply PCA to project high dimensional data

- C) Removing stop words
- D) Forward selection

In Q12, more than one options are correct, choose all the correct options:

12. Which of the following is true about Normal Equation used to compute the coefficient of the Linear Regression?

A) We don't have to choose the learning rate.

B) It becomes slow when number of features is very large.

C) We need to iterate.

D) It does not make use of dependent variable.

ASSIGNMENT – 39

MACHINE LEARNING

Q13 and Q15 are subjective answer type questions, Answer them briefly.

13. Explain the term regularization?

* Regularization refers to techniques that are used to calibrate machine learning models in order to minimize the adjusted loss function and prevent overfitting or underfitting. Using Regularization, we can fit our machine learning model appropriately on a given test set and hence reduce the errors in it.

There are two main types of regularization techniques: Ridge Regularization and Lasso Regularization.

- 14. Which particular algorithms are used for regularization?
- * 1) Ridge Regression
- 2)LASSO (Least Absolute Shrinkage and Selection Operator) Regression
- 3)Elastic-Net Regression
- 15. Explain the term error present in linear regression equation?
- * Error is the difference between the actual value and Predicted value and the goal is to reduce this difference.