



Algorithm:

- ① Start
- ② Import Libraries
- ③ Define Input Range
- ④ Compute function
- ⑤ Plot Graph
- ⑥ Display Output
- ⑦ Stop



## Algorithm:


1. Start
2. Input  $x_1, x_2$
3. Set weights
4. Compute Net =  $w_0x_1 + w_2x_2$
5. Apply threshold
6. Display result
7. Stop





Algorithm:


1. Start
2. Initialize weight & bias
3. Input ASCII number
4. Convert to binary feature
5. Compute net =  $wx + b$
6. Apply activation
7. Compare with actual output
8. Update weights
9. Repeat until trained
10. Stop



## Algorithm

1. Start
2. Initialize weight
3. Input dataset
4. Compute output
5. Calculate error
6. Update weights  
 $w = w + \eta (\text{error}) \times$
7. Plot decision boundary
- 8 Stop








## Algorithm

1. Start
2. Initialize weight
3. Forward pass
4. Compute error
5. Backpropagate error
6. Update weights
7. Repeat until convergence
8. Stop






### Algorithm

1. Start
2. Load dataset
3. Initialize network
4. Forward pass
5. Compute loss
6. ~~Loss~~ Back propagation
7. Update weights
8. classify output
9. Stop






### Algorithm:

1. Start.
2. Initialize clusters
3. Input pattern
4. Compare with existing clusters
5. If match  $\rightarrow$  update cluster
6. Else  $\rightarrow$  create new cluster
7. Repeat
8. Stop








## Algorithm:

1. start
2. Initialize network
3. Forward propagate
4. Compute error
5. Backpropagate
6. Update weight
7. Predict output
8. Stop






Algorithm.

1. start
2. Load Dataset
3. Split Data
4. Build Model (logistic Regression)
5. compile Model
6. Train model
7. Make Prediction
8. Evaluate model
9. Accuracy acceptable?
10. Display Result
11. Stop





### Algorithm:

1. Start
2. Load Dataset
3. Preprocess Data
4. Build CNN Model
5. Compile Model
6. Train Model
7. Test
8. Results
9. Stop



