

Experiment 26

Clone an existing GitHub repository to your local machine and make a small change in one of the files.

Tasks:

- **Choose an existing public GitHub repository (e.g., your own or a sample repository).**
- **Clone the repository to your local machine using `git clone <repository_url>`**
- **Navigate into the cloned repository directory and open one of the files.**
- **Make a small edit, such as modifying a line of text or fixing a typo.**
- **Save your changes.**

Step 1: Select an Existing Public GitHub Repository

First, log in to your GitHub account.


For this experiment, we use the existing public repository:

Git-Branch-MergeConflict-Lab

1. Open the repository on GitHub.
2. Click the green **Code** button.
3. Select **HTTPS**.
4. Copy the repository URL.

The URL will be similar to:

<https://github.com/aktchaya02/Git-Branch-MergeConflict-Lab.git>



Step 2: Clone the Repository

Open **Command Prompt**.

Because you already cloned this repository earlier, Git originally showed:

fatal: destination path 'Git-Branch-MergeConflict-Lab' already exists

Therefore, for this experiment, you cloned it into a **new local folder** named:

Git-Branch-MergeConflict-Lab-Clone

Use:

```
git clone https://github.com/aktchaya02/Git-Branch-MergeConflict-Lab.git Git-Branch-MergeConflict-Lab-Clone
```

The last part:

Git-Branch-MergeConflict-Lab-Clone

is the new local folder name.

A successful result looks similar to:

Cloning into 'Git-Branch-MergeConflict-Lab-Clone'...

Receiving objects: 100%

Resolving deltas: 100%

This means the repository has been successfully downloaded to your computer.

```
C:\Users\Hp>git clone https://github.com/aktchaya02/Git-Branch-MergeConflict-Lab.git Git-Branch-MergeConflict-Lab-Clone
Cloning into 'Git-Branch-MergeConflict-Lab-Clone'...
remote: Enumerating objects: 19, done.
remote: Counting objects: 100% (19/19), done.
remote: Compressing objects: 100% (10/10), done.
remote: Total 19 (delta 5), reused 10 (delta 2), pack-reused 0 (from 0)
Receiving objects: 100% (19/19), done.
Resolving deltas: 100% (5/5), done.
```

Step 3: Navigate into the Cloned Repository

After cloning, enter the new repository folder:

```
cd Git-Branch-MergeConflict-Lab-Clone
```

Then display the files:

```
dir
```

You should see:

```
README.md
```

The cd command moves into the repository directory, while dir displays the files inside it.

```
C:\Users\Hp>cd Git-Branch-MergeConflict-Lab-Clone

C:\Users\Hp\Git-Branch-MergeConflict-Lab-Clone>dir
Volume in drive C is Windows
Volume Serial Number is 6E6C-91A1

Directory of C:\Users\Hp\Git-Branch-MergeConflict-Lab-Clone

10-08-2026  08:46    <DIR>          .
10-08-2026  08:46    <DIR>          ..
10-08-2026  08:46                208 README.md
               1 File(s)                208 bytes
               2 Dir(s)  22,097,338,368 bytes free
```

Step 4: Open the Repository in Visual Studio Code

To open the cloned repository in VS Code, run:


```
code .
```

Visual Studio Code will open the repository.

On the left side, under **Explorer**, you should see:

Git-Branch-MergeConflict-Lab-Clone

README.md



Step 5: Open README.md

In VS Code:

1. Look at the **Explorer** on the left.
2. Click **README.md**.
3. The contents of the README file will appear in the editor.

The original file contains information about the Git project.

Step 6: Make a Small Change

The experiment requires a small modification.

Add a **Purpose** section to the existing README.

For example, below the existing content, add:

```
## Purpose
```

This project is created for learning Git and GitHub.

Your README can now look like:

```
# Git-Branch-MergeConflict-Lab
```

This repository demonstrates Git branching and merge conflict resolution.

```
## Feature Branch
```


Author: AKTCHAYA A

Branch: feature-update

```
## Purpose
```

This project is created for learning Git and GitHub.

This is the small change made to the existing file.



Step 7: Save the Changes

After adding the Purpose section, save the file.

Use:

Ctrl + S

or select:

File → Save

The changes are now saved locally on your computer.

Step 8: Verify the Modification

Return to Command Prompt.

Make sure you are inside:

C:\Users\Hp\Git-Branch-MergeConflict-Lab-Clone

Run:

git status

Git should show that README.md has been modified.

For example:

On branch main

Changes not staged for commit:

modified: README.md

This confirms that Git has detected your change.

```
C:\Users\Hp\Git-Branch-MergeConflict-Lab-Clone>git status
On branch main
Your branch is up to date with 'origin/main'.

Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   README.md

no changes added to commit (use "git add" and/or "git commit -a")
```