



Admin guide

For super admins, platform admins and every workspace
PMO/Admin: a step-by-step walk through every page of the platform
and every tab on it, the same as the guided tour in the app.

MoonSlate Consulting · 10 October 2026 · for the SIT release
Screenshots use test data and fictional client names.

Using UNYFi as an admin

UNYFi is where MoonSlate runs its client engagements: each client has a **workspace** with its projects, people and apps, and MoonSlate's own tools sit alongside under **MoonSlate apps**. This guide follows the guided tour in the app, page by page and tab by tab, with a screenshot of each step.

The same tour is in the app. It starts by itself the first time an admin signs in, and you can start it again at any time from the ? button at the top right: take the whole tour, tour just the page you're on, or open this guide.

Who sees what

What you see follows your role, and the server checks every action. The tour shows each person only the pages and tabs they can open. This guide follows a super admin's tour, so some steps may not apply to you.

	Super admin	Platform admin	MoonSlate PMO/Admin	Client PMO/Admin
Client engagements	All	Those they set up	Their workspaces	Lands in their own workspace
Running a workspace: projects, members, roles, apps, access, settings	All	Those they set up	Their workspaces	Their own workspace
MoonSlate apps, AI Workspace, Dash	Yes	Yes	Yes	No
Admins & PMO	Yes	No	No	No
App catalogue	Yes	If given the right	No	No
App availability	All workspaces	If given the right	Their workspaces	Uses Workspace › Apps
Governance: audit log, AI governance, Usage & models	Everything	If given the right	Their workspaces	No
Notifications and app credentials	Yes	If given the right	No	No

Contents


1. Welcome	6 steps	6. Governance	10 steps
2. Client engagements	4 steps	7. All set	1 step
3. Inside a workspace	26 steps	8. How the AI Workspace protects client data	
4. MoonSlate apps	11 steps	9. Quick how-tos	
5. Platform admin	13 steps	10. If something isn't working	

Welcome

The header and the controls that follow you to every page.


1 Welcome to UNYFi

This tour shows you around, page by page and tab by tab: your client engagements, how to run a workspace, MoonSlate's own apps, the platform admin tools and governance. It doesn't change anything, and it only shows what your role can use. Skip it whenever you like: it's always one click away under the ? button.




2 Help, any time

Start this tour again, tour just the page you're on, or open the admin guide (PDF) from here.




3 Where you are

The trail shows where you are. Click UNYFi to go back to your home page and open another client.




4 Your role

Your role on the platform. What you can see and change follows from it, and the server checks every action.




5 Your account

Change your password or sign out here. After an hour without activity you're signed out for safety; signing back in returns you to the page you were on.



6 Ask Dash

Dash answers questions about your engagements, people and apps from UNYFi's own data, with names and confidential details masked before anything reaches the AI. Your conversations are kept in AI Workspace.




Client engagements

Your home page as MoonSlate staff: every client workspace you can see.


7 Client engagements

Every client workspace you can see. A workspace holds one client's projects, people and apps.




8 Find a workspace

Search by client or workspace name.




9 Create a workspace

Set up a new client engagement with its name, branding and first projects. You become its PMO/Admin.



10 Open a workspace

Click a workspace to see its projects and manage it. The coloured line along the top is the client's own brand colour.




Inside a workspace

Everything about one client: its projects, people, roles, apps, access and settings, with a step for each tab of each page. A client's own PMO/Admin sees exactly this, for their workspace.


11 Projects

The workspace's projects. Each project has its own set of apps.




12 Open a project

Open a project to see its apps. The tour opens one for you next.




13 A project's apps, by stage

Every app in the project, grouped by service stage: Get on Track, Stay on Track and Realize Value. Pick a stage to see what it covers and its apps, or see all three side by side.




14 Open an app

Click an app to open it for this project. Apps that are coming soon are shown greyed. The page has its own address, so you can bookmark it or send it to a colleague.



15 Members

Everyone with a role in this workspace, project by project. Search by name or email, and change a person's role or projects from their row.



16 Add a person

Give someone a sign-in and a role on a project, as a client or a consultant; they're emailed their sign-in details. A client's PMO/Admin can sign in and look after their own workspace.

The screenshot shows the UNYFI 'Members' page for a workspace. The left sidebar contains navigation options: Workspace (Projects, Roles, Members, Apps, Access, App settings, Workspace settings), OPS (MoonSlate apps), and Platform Admin (Admins & PMO, App catalogue, Governance, App availability). The main content area is titled 'Members' and includes a search bar and an '+ Add User' button. A tooltip titled 'Add a person' is displayed, explaining that users are given sign-in details and roles on projects. The members list table is as follows:

S.NO	NAME	EMAIL	QA Project (Access)	
1.	QA Admin	qa-admin@example.com	☒ PMO	
2.	QA Pmo	qa-pmo@example.com	☒ PMO	
3.	QA Client	qa-client@example.com	☒ Reviewer	No access
4.	Rchaudhuri -	qa-invitee@example.com	☒ Approver	No access
5.	Casey Nguyen	morgan.diaz@example.com	☒ PMO/Admin	No access

17 Roles

The roles people can hold here and what each one can read or change in every app. Search them, and change a role's pages and permissions from its row.

The screenshot shows the UNYFI 'Roles' page for a workspace. The left sidebar is the same as in the previous image. The main content area is titled 'Roles' and includes a search bar and an '+ Add Role' button. A tooltip titled 'Roles' is displayed, explaining that roles define what users can read or change in every app. The roles list table is as follows:

	ROLE TYPE	CUSTOMS DRAWBACKS	UNYFI_RELECLOUD
1. Sample role	Consultant	No access	No access
2. Sample role of Relecloud	Consultant	No access	Write
3. Sample role of Relecloud	Consultant	No access	No access
4. Sample role	Consultant	No access	No access
5. Sample role of Relecloud	Consultant	No access	Write
6. Reviewer	Client	No access	No access
7. Approver	Client	No access	No access
8. Billing Manager	Client	No access	No access

18 Add a role

Create a role for this workspace only, and choose what it can open and change.

The screenshot shows the UNYFI Roles management interface. On the left is a sidebar with navigation options: Workspace (Projects, Roles, Members, Apps, Access, App settings, Workspace settings), OPS (MoonSlate apps), and PLATFORM ADMIN (Admins & PMO, App catalogue, Governance, App availability). The main content area is titled 'Roles' and includes a search bar and an '+ Add Role' button. A table lists existing roles with columns for S.NO, ROLES NAME, DESCRIPTION, and ROLE TYPE. An 'Add a role' modal is open, displaying instructions: 'Create a role for this workspace only, and choose what it can open and change.' The modal also shows 'INSIDE A WORKSPACE - 18 OF 71' and buttons for 'Skip tour', 'Back', and 'Next'.

S.NO	ROLES NAME	DESCRIPTION	ROLE TYPE
1.	PMO/Admin	Manages workspace	Consultant
2.	Casey Nguyen (Approver)	Casey Nguyen (Approver)	Consultant
3.	Casey Nguyen (Reviewer)	Casey Nguyen (Reviewer)	Consultant
4.	Sample role	This is for a test role	Consultant
5.	Sample role of Relecloud	This is for testing of role creation	Consultant
6.	Reviewer	Reviews	Client
7.	Approver	Approves	Client
8.	Billing Manager	Manages billing for the workspace	Client

19 Apps

Switch apps on or off for this client, then choose which projects show them. An app with its own tenant, such as ITAA, asks for the tenant first. Apps that are coming soon are listed separately and can't be switched on yet.

The screenshot shows the UNYFI Apps management interface. The sidebar is identical to the previous page. The main content area is titled 'Apps' and includes a search bar. A modal titled 'Apps' is open, displaying instructions: 'Switch apps on or off for this client, then choose which projects show them. An app with its own tenant, such as ITAA, asks for the tenant first. Apps that are coming soon are listed separately and can't be switched on yet.' The modal also shows 'INSIDE A WORKSPACE - 19 OF 71' and buttons for 'Skip tour', 'Back', and 'Next'. Below the modal, a table lists apps with toggle switches. Some apps are marked as 'Coming soon'.


App Name	Status
Accelerator	Off
Accelerator	On
Accelerator	Off
Accelerator	On

Coming soon

- DITL App: Plan, run and track the day-in-the-life rehearsals before go-live. (Coming soon)
- Process Mapping Accelerator: A reusable accelerator for mapping and tracking the client's processes: BRTM, processes and admin. (Coming soon)
- Process Modeler: Build and maintain the client's process models from MoonSlate's APQC-based process decomposition; updating a model re-maps the linked BRTM and requirem... (Coming soon)
- Project Economics: The engagement's budget, burn and value in one view. (Coming soon)
- Requirement Tracker (Coming soon)


20 Access

Who can use which app on which project, in three tabs: Members, Pending invites and Audit.




21 Apps with their own roles

Apps that keep their own copy of who has which role, such as ITAA. Each shows its client's tenant and whether the latest changes have reached it; Resync sends everyone's current role again.




22 Invite people

Invite several people at once, with a role in each app. Anyone who already has an account gets access straight away; everyone else gets a one-time link.




23 Access > Members

Everyone with access, and their role in each app on each project. Search by name or email, or show one app. Click a person to see and change their access, their permissions and their recent activity.




24 Access > Pending invites

Invitations that haven't been accepted yet: who, for which project and apps, when they were sent and when they expire. Resend one with a fresh link, or withdraw it.




25 Access > Audit

Every access change in this workspace, newest first: who invited, gave, changed or removed whose access, and when.




26 App settings

Each app's settings and roles for this client, drawn from what the app declares about itself.




27 Pick an app

Every app switched on here that has settings for this client. Pick one to see its settings and roles.




28 App settings > Settings

The app's settings for this client, section by section. Saving a section sends it to the app, and each one shows when it was last saved and by whom.




29 App settings > Roles & permissions

What each of the app's roles can do in each of its tabs, for this workspace only. Adjust a role, put it back to the app's own version, or add a role of your own; people holding it are updated in the app.




30 Workspace settings

Settings for the whole workspace, set once and sent to every app that uses them, in four tabs. Everyone in the workspace can read them; changing them needs the workspace's admin rights.




31 Workspace settings > Team and owners

The client's pillar leads, the engagement team and the organisations involved. Each section shows which apps use it.




32 Workspace settings › Google Workspace

The client's Google Drive folder that AI Workspace reads, and your own Google connection. Everyone connects their own account, so the AI only sees files they can open themselves.




33 Workspace settings › Protected terms

Names of people, organisations, projects and the client's own systems, processes and teams, always masked before anything reaches the AI, plus words that should never be masked. Search and filter the list by type.




34 Import terms from a CSV

Add hundreds of terms at once from a spreadsheet saved as CSV (term, type, replace with). You see what would be added, updated and skipped before anything is saved. Export gives you the list back in the same format.




35 Masking options

The engagement's start date, so dates in copies shared outside MoonSlate read as "Kickoff + 14 days" or "Week 8", and whether a question may go ahead with reduced masking if Google DLP doesn't answer (off unless you choose it).



36 Workspace settings > People

Everyone in the workspace and their workspace role. Who can use which app is managed on Access.




MoonSlate apps

MoonSlate's own tools. Client workspaces never see them.


37 MoonSlate apps

MoonSlate's own apps: AI Workspace, AI Intake, Internal Billing and the ones coming soon. Client workspaces never see them.




38 Favourites

Star up to three apps to keep them in the sidebar, in the order you starred them.




39 AI Workspace

Ask questions about a client's documents in their Google Drive folder. Names and confidential details are masked before anything reaches the AI. It has three tabs.




40 AI Workspace > Conversations

Your conversations with each client's documents, tagged by workspace and private until you share them. Start a new one, switch between yours and those shared with you, search titles, or show one workspace.




41 AI Workspace > Global

Conversations with Dash held outside any workspace are kept here, visible only to you.




42 AI Workspace > Documents

Browse a workspace's Drive folder as your Google account sees it: which files the AI can read, who owns them, and download any of them.




43 Jobs: answers as documents

In a conversation, pick a job from the briefcase, a card on a new conversation, or type / (/status, /risk, /minutes...): a status report, SteerCo pack, contract risk review, version comparison and more. The answer is written as that document, with the model the job needs.




44 Which model answers

Auto picks Haiku for quick questions, Sonnet for drafting and analysis, and Opus for contracts and comparisons. Pick one for a conversation yourself if you prefer; each answer shows which model wrote it and why.




45 Download or save a document

Under an answer: download it as Word, PDF or PowerPoint, with a footer and reference marking it AI-assisted, or save it into a Drive folder. Tick "For sharing outside MoonSlate" to replace client details with generic labels first.




46 Upload into a folder

Upload files into the folder that's open, or drop them on the list (up to 25 MB each). Google asks you once for permission to add files, and your own Drive permissions still apply.



47 Redact or check a file

Beside each readable file: a redacted copy for sharing outside MoonSlate, made without any AI, and an estimate of how much was written by AI, shown as a range. Files UNYFi generated are recognised exactly.




Platform admin

Tools that apply across every client: who administers the platform, the standard roles, the app catalogue and which client has which app.

48


Admins & PMO

Who administers the platform, in three tabs: the admins, the admin roles, and who holds which.




49 Admins & PMO > Admins

Everyone who administers client workspaces. Search them, add one with New admin, or edit one from their row.



50 Admins & PMO > Admin roles

Sets of platform rights, such as Audit log or App catalogue, each at View, Edit or Create. Create a role here, then give it to admins on Who holds what.



51 Admins & PMO > Who holds what

Which admin roles each admin holds, for every workspace or only some. Give or take away a role here.

The screenshot shows the UNYFI Admins & PMO > Who holds what page. The page has a dark sidebar with navigation options: ADVISORY (Client engagements), OPS (MoonSlate apps), and PLATFORM ADMIN (Admins & PMO, Global roles, App catalogue, Governance, App availability). The main content area is titled 'Admins & PMO' and 'Who holds what'. It includes a search bar for admins and a list of admins with their roles. A tooltip is visible over the 'Who holds what' tab, explaining the purpose of the page: 'Which admin roles each admin holds, for every workspace or only some. Give or take away a role here.' The tooltip also includes a 'Skip tour' link and 'Back' and 'Next' buttons.

Admin	Roles
SP Sam Patel sam.patel@example.com	No admin roles; only their own workspaces.
AK Avery Kim avery.kim@example.com	No admin roles; only their own workspaces.
CN Casey Nguyen casey.nguyen@example.com	No admin roles; only their own workspaces.
QA QA Admin qa-admin@example.com	No admin roles; only their own workspaces.
TB Taylor Brooks taylor.brooks@example.com	No admin roles; only their own workspaces.

52 Global roles


The standard roles every workspace starts from, and what each can read or change in every app.

The screenshot shows the UNYFI Global roles page. The page has a dark sidebar with navigation options: ADVISORY (Client engagements), OPS (MoonSlate apps), and PLATFORM ADMIN (Admins & PMO, Global roles, App catalogue, Governance, App availability). The main content area is titled 'Global roles' and includes a search bar for roles and an 'Add Role' button. A table lists roles with their permissions across various apps. A tooltip is visible over the 'Global roles' tab, explaining the purpose of the page: 'The standard roles every workspace starts from, and what each can read or change in every app.' The tooltip also includes a 'Skip tour' link and 'Back' and 'Next' buttons.

S.NO	ROLES NAME	DESCRIPTION	ROLE TYPE	AI INTAKE	AI WORKSPACE	BUSINESS CASE GENERATOR	CUSTOMS DRAWBACKS	CUSTOMS DRAWBACKS INTERNAL BILLING	DELIVERABLE TRACKER	DITL APP	PROCESS LIBRARY	PROCESS MAPPING ACCEP
1	Nguyen (Reviewer)	Nguyen (Reviewer)	Consultant	No access	No access	No access	No access	No access	No access	No access	No access	No acc
2	Nguyen (Reviewer)	Nguyen (Reviewer)	Consultant	No access	No access	No access	No access	No access	No access	No access	No access	No acc
3	Nguyen (Reviewer)	Nguyen (Reviewer)	Consultant	No access	No access	No access	No access	No access	No access	No access	No access	No acc
4	Sample role	This is for a test role	Consultant	No access	No access	No access	No access	No access	No access	No access	No access	No acc
5	Sample role of Relecloud	This is for testing of role creation	Consultant	No access	No access	No access	No access	No access	No access	No access	Write	No acc


53 Add a standard role

Add a role that every workspace can use, and choose what it can open and change.




54 App catalogue

Every app: where it's shown, its stage, link and logo, and its roles and permissions.




55 Add an app

Add an app without any code, for example a Coming soon placeholder for a tool that's on its way.



56 An app's details

Open an app to change how it appears: its name, description, status (live or coming soon), whether it's for clients or MoonSlate only, its stage, link, logo and order.



57 App > Roles & permissions

The app's own roles and what each can do in each of its tabs. Every workspace starts from these; a workspace can adjust them under its App settings.

The screenshot shows the UNYFI Admin interface. The left sidebar contains navigation links: ADVISORY, Client engagements, OPS, MoonSlate apps, PLATFORM ADMIN, Admins & PMO, Global roles, App catalogue (selected), Governance, and App availability. The main content area displays the 'Independent Transformation Audit Accelerator' app details. A modal window titled 'App > Roles & permissions' is open, showing the 'Roles' section. The 'Admin' role is highlighted, showing its rank (30) and a description: 'Everything a manager can do: Google Drive, redaction, back everyone's action items and 1 person - 36 permissions - 100 Transformation Audit Accelerator role 'admin''. The modal also includes a 'Skip tour' button and 'Back' and 'Next' navigation buttons.


58 App > Workspaces

Every client workspace that has the app and how many people there hold one of its roles. For an app with its own tenant, also the tenant and whether roles are reaching it.

The screenshot shows the UNYFI Admin interface. The left sidebar contains navigation links: ADVISORY, Client engagements, OPS, MoonSlate apps, PLATFORM ADMIN, Admins & PMO, Global roles, App catalogue (selected), Governance, and App availability. The main content area displays the 'Independent Transformation Audit Accelerator' app details. A modal window titled 'App > Workspaces' is open, showing the 'Workspaces' section. The modal shows a table with columns: People with a role, Tenant, and Sync. The table lists three workspaces: 'client-tenant-1' (1 person, Sync failed), 'qa-18891742' (0 people, Sync failed), and 'qa-18891989' (0 people, Sync failed). The modal also includes a 'Skip tour' button and 'Back' and 'Next' navigation buttons.


59 App > Advanced

The settings the app declares and its full manifest, for super admins only.



60 App availability

Which apps every client workspace has switched on, in one grid. Search for a workspace and switch an app on or off for it right here.




Governance

Who did what in UNYFi, how AI and the documents behind it were used, and the notification service.

61

Governance

Who did what in UNYFi, how AI and the documents behind it were used, and the notification service. You see the tabs your rights allow.



62 Governance > Audit log

Every sign-in, page opened and change in UNYFi, recorded by the server, newest first. The same person opening the same thing again within ten minutes counts on one row.

The screenshot shows the UNYFi interface with the 'Governance' section selected in the left sidebar. The main content area displays the 'Audit log' for the 'Governance' platform. A tooltip titled 'Governance > Audit log' is overlaid on the page, explaining that every sign-in, page opened, and change in UNYFi is recorded by the server, newest first. It also notes that the same person opening the same thing again within ten minutes counts as one row. The tooltip includes a 'Skip tour' link and 'Back' and 'Next' buttons. The background shows a table of audit log entries with columns for 'Area', 'What', and 'Outcome'. The table lists various actions such as 'Viewed Governance', 'Viewed App availability', 'Viewed App catalogue', 'Viewed Global roles', 'Viewed Governance > ai usage', 'Viewed Governance', and 'Viewed Admins & PMO'. The table also includes a 'Who' column with user names and roles, and a 'Time' column with timestamps. The top right of the page shows the user 'QA Super' and a 'Last 30 days' filter.


63 Search and filter the audit log

Search, pick the period, and filter by workspace, person, area, action or outcome. Turn on Include data reads to see every piece of data a page loaded, click a row for its details, and export what you see to CSV.

The screenshot shows the UNYFi interface with the 'Governance' section selected in the left sidebar. The main content area displays the 'Audit log' for the 'Governance' platform. A search bar is visible at the top of the table, with the placeholder text 'Search people, workspaces, what was done...'. The table of audit log entries is shown below the search bar. A tooltip titled 'Search and filter the audit log' is overlaid on the page, explaining that users can search, pick the period, and filter by workspace, person, area, action or outcome. It also notes that turning on 'Include data reads' will show every piece of data a page loaded, and that users can click a row for its details and export what they see to CSV. The tooltip includes a 'Skip tour' link and 'Back' and 'Next' buttons. The background shows the same table of audit log entries as in the previous screenshot, but with the search bar and filter options highlighted.


64 Governance > AI governance

AI Workspace use in each workspace, beside Google Drive's own history of the documents: who opened, edited, moved or shared them.



65 Filter AI governance

Choose the workspace and period, show AI activity, Drive activity or both, search, filter any column, and export to CSV. Drive activity is read with your own Google account.



66 Governance > Usage & models

Who used the AI, how much, on which models and at what estimated cost, by person or by workspace, and what choosing the model for each question saved against using Opus for everything.

Governance > Usage & models

Who used the AI, how much, on which models and at what estimated cost, by person or by workspace, and what choosing the model for each question saved against using Opus for everything.

GOVERNANCE - 66 OF 71

[Skip tour](#) [Back](#) [Next](#)

Person	Workspace	Answers	Tokens	Model mix	Auto	Documents	AI checks	Est. cost	Last active
Jordan Lee jordan.lee@example.com	Relecloud, No workspace (Dash), Project Evergreen	7	19k	Sonnet 100%	—	—	—	\$0.12	2 d ago
QA Super qa-super@example.com	No workspace (Dash), QA Gen 10091846, QA Gen 10091901, QA Gen 10091904	7	19k	Haiku 14% · Sonnet 86%	100%	8	—	\$0.10	15 min ago

Cost is an estimate from list prices per million tokens (Haiku 4.5 \$1/\$5, Sonnet 5 \$3/\$15, Opus 5.5 \$5/\$25, input/output), priced when each answer was written and including the router's own short call. "Saved by routing" compares the answers whose model was chosen for them (since 9 Oct) with the same answers on Opus 5.5. Open a row to see it by workspace, with the jobs used. Dash conversations held with no workspace selected are included.

67 Filter usage

Choose workspaces and the period, filter by model, job, source and who chose the model, search people, open a row for its breakdown, and export what you see to CSV.

Filter usage

Choose workspaces and the period, filter by model, job, source and who chose the model, search people, open a row for its breakdown, and export what you see to CSV.

GOVERNANCE - 67 OF 71


[Skip tour](#) [Back](#) [Next](#)

Person	Workspace	Answers	Tokens	Model mix	Auto	Documents	AI checks	Est. cost	Last active
Jordan Lee jordan.lee@example.com	Relecloud, No workspace (Dash), Project Evergreen	7	19k	Sonnet 100%	—	—	—	\$0.12	2 d ago
QA Super qa-super@example.com	No workspace (Dash), QA Gen 10091846, QA Gen 10091901, QA Gen 10091904	7	19k	Haiku 14% · Sonnet 86%	100%	8	—	\$0.10	15 min ago

Cost is an estimate from list prices per million tokens (Haiku 4.5 \$1/\$5, Sonnet 5 \$3/\$15, Opus 5.5 \$5/\$25, input/output), priced when each answer was written and including the router's own short call. "Saved by routing" compares the answers whose model was chosen for them (since 9 Oct) with the same answers on Opus 5.5. Open a row to see it by workspace, with the jobs used. Dash conversations held with no workspace selected are included.


68

Every email and app update UNYFi can send: which app sends it, how often at most, and whether it's switched on. Above it, the last 24 hours' deliveries and the sender address.




69

Each email and app update sent: to whom, whether it was delivered, and why not if it failed. Search it, show emails or app updates and one status, and retry a failed one.



70 Governance > Apps allowed to send


The credentials that let an app send email through UNYFi. An app can only email members of its own client's workspace; switch a credential off to stop it.



All set

71 You're all set

That's the tour. Start it again, tour a single page, or open the admin guide (PDF) from the ? button.



How the AI Workspace protects client data

Before any text reaches the AI, client details are replaced with placeholders, and they are put back in the answer you read. A copy meant for people outside MoonSlate goes further: the details are replaced for good with generic labels.

How details are found

1. **The workspace's own lists:** its Protected terms (Workspace settings), its team and members, and the owners of the documents attached.
2. **Patterns:** email addresses, phone numbers, card and bank numbers, tax IDs (US, India, UK), IP addresses and amounts of money.
3. **Google Cloud DLP**, when it is set up on the platform: names of people and organisations that no list has yet. If it doesn't answer, nothing is sent, unless the workspace allows reduced masking.

Words on the workspace's **Never mask** list are always left as they are: product names such as S/4HANA, and industry terms such as GR/IR, that the AI needs to give a useful answer.

What the AI sees, and what a shared copy says

Detail	Sent to the AI as	In a copy shared outside MoonSlate
A person	[PERSON_1 · their role], put back in the answer	Their role, else [TEAM_MEMBER]
The client and other organisations	[ORG_1]	[CLIENT], or the term's own "replace with"
Client systems, processes, teams, phases	[SYSTEM_1], [PROCESS_1]...	The term's "replace with" (for example [OCR_ENGINE], Phase 1 – Get on Track)
Email address, phone number	[EMAIL_1], [PHONE_1]	[EMAIL_REDACTED], [PHONE_REDACTED]
Tax ID, card or bank number	[ID_1], [ACCOUNT_1]	[TAX_ID_REDACTED], [FINANCIAL_REDACTED]
IP address	[IP_1]	[IP_REDACTED]
Amount of money	[AMOUNT_1 · \$1M–5M], so the AI can still compare sizes	The range, for example [\$1M–5M]
Date	Unchanged, so deadlines and notice periods add up	Relative to the engagement's start ("Kickoff + 14 days", "Week 8"), else [DATE]

Masking is a strong reduction in exposure, not a guarantee. Read anything before it leaves MoonSlate. Logos and other images are never sent to the AI.

Jobs, and the model that answers

A question is answered by one of three models: **Haiku** for quick questions, **Sonnet** for drafting and analysis, **Opus** for contracts, comparisons and hard reasoning. On **Auto** the AI Workspace chooses for each question;

anyone can pick a model for a conversation instead. A job sets the sections of the answer and the model it needs:

Job	Type	Becomes	Model
Weekly status report	/status	Word, PDF, PowerPoint	Sonnet
Steering committee pack	/steerco	PowerPoint, PDF, Word	Sonnet
Contract risk review	/risk	Word, PDF	Opus
Version comparison	/compare	Word, PDF	Sonnet
Current to future state	/gap	Word, PowerPoint, PDF	Sonnet
Draft from a precedent	/draft	Word	Sonnet
Meeting minutes and actions	/minutes	Word, PDF	Haiku
Requirement coverage check	/coverage	Word, PDF	Opus

Every generated file carries a footer on each page or slide ("Generated by UNYFi AI Workspace ... Ref UNY-...") and the same reference in its properties. The AI-content check recognises these files exactly. Where the material doesn't give a figure, date or owner, the document says [TO CONFIRM: ...] rather than inventing one.

Quick how-tos

Add a client's PMO/Admin

1. Open the client's workspace, then **Members** › **Add User**.
2. Enter their work email and name, choose the project and the role **PMO/Admin**, then **Add user**.
3. They're emailed their sign-in details. As PMO/Admin they can sign in to UNYFi and look after this workspace only: its members, apps and access.

Switch an app on for a client

1. In the workspace, open **Apps** and turn the app's switch on.
2. An app with its own tenant (for example ITAA) asks you to set the tenant up first. Apps marked **Coming soon** can't be switched on yet.

Give people access to an app on a project

1. In the workspace, open **Access** › **Invite people**.
2. Enter one or more email addresses, choose the project and a role in each app, then **Invite**.
3. People with an account get access straight away; everyone else gets a one-time link. Unaccepted invitations are under **Pending invites**.

Keep your favourite MoonSlate apps in the sidebar

1. Open **MoonSlate apps** and click the star on up to three apps.

Find out who did something

1. Open **Governance** › **Audit log**.
2. Search, or filter by person, workspace, area, action or outcome, and pick the period. Turn on **Include data reads** to see every piece of data a page loaded.
3. Click a row for its details. **CSV** exports exactly what the filters show. The filters are in the page's address, so you can bookmark or share a filtered view.

Check how AI and a client's documents were used

1. Open **Governance** › **AI governance** and choose the workspace and period.
2. UNYFi AI rows show who asked the AI, about which documents, and which kinds of data were masked. Drive rows show who opened, edited, moved or shared the documents in Google Drive.
3. Drive rows are read with your own Google account: if asked, choose **Connect Google**.

Write a status report (or another document) with the AI

1. Open **AI Workspace**, start a conversation in the client's workspace and attach the documents it should use (the paperclip, or type @).
2. Pick the job: a card on the new conversation, the briefcase beside the question box, or type / and choose (/status, /risk...). Add what the documents don't say, then **Send**.
3. Under the answer, choose Word, PDF or PowerPoint and **Download**, or **Save to Drive** into a folder of the workspace's Drive folder.
4. Going to someone outside MoonSlate? Tick **For sharing outside MoonSlate** first, and read it before you send it.

Send a client file to someone outside MoonSlate

1. Open **AI Workspace** > **Documents**, find the file and click the shield beside it.
2. Choose Word or PDF and **Make and download**. You see what was replaced. No AI reads the file.

Check whether a document was written by AI

1. In **AI Workspace** > **Documents**, click the radar beside the file.
2. A file UNYFi generated is recognised exactly, with when, by whom and in which conversation. Any other file is read, masked, by a specialist detector and comes back as a range (for example 35–62%), section by section. It's an indicator for a person to weigh, not a verdict.

Upload files into a client's Drive folder

1. In **AI Workspace** > **Documents**, open the folder, then **Upload** or drop the files on the list (up to 25 MB each).
2. The first time, Google asks you to allow UNYFi to add files. UNYFi can then only create files, as you; your own Drive permissions still apply.

See who uses the AI, on which models, and what it costs

1. Open **Governance** > **Usage & models**. Choose the workspaces and the period.
2. The tiles give answers, tokens, estimated cost and what choosing the model for each question saved against using Opus for everything. Switch between **By person** and **By workspace**, open a row for its breakdown, and export to CSV.

Set how a client's details are masked

1. Open the workspace's **Workspace settings** > **Protected terms**. Add names of people, organisations, projects and the client's own systems, processes, teams and phases, each with an optional **Replace with** for shared copies, or import them from a CSV.
2. Under **Masking options**, set the engagement's start date, so dates in shared copies read as "Week 8", and choose whether questions may go ahead with reduced masking if Google DLP is down.

Bookmark a project

1. Open the project and bookmark the page. If you're signed out when you open the bookmark, signing in brings you straight back to it.

Add an app that's on its way

1. Open **App catalogue** › **New app**. Give it a name, where it's shown, its stage and the status **Coming soon**.
2. It appears greyed on every project page until it's live. Open it to change its details, roles and permissions.

If something isn't working

What you see	What to do
A client can't sign in to UNYFi	Only a workspace's PMO/Admin signs in to the platform. Reviewers and Approvers sign in through their app's own link, for example Customs Drawbacks'.
You were signed out	After an hour without activity you're signed out for safety. Sign in again and you return to the page you were on.
An app's switch won't turn on	It's Coming soon, or it needs its tenant set up first (Workspace > Apps asks for it).
AI governance says "Connect Google"	Drive activity is read with your own Google account. Connect it, and make sure your account can open the workspace's Drive folder.
People show as "Drive user" in AI governance	UNYFi names people from your own Google Workspace directory. Anyone outside it (a client's or a personal Google account) stays "Drive user". If colleagues do too, choose Reconnect Google and allow UNYFi to see your directory.
"The Drive Activity API is not enabled"	An administrator needs to enable the Drive Activity API on the Google Cloud project UNYFi's Google sign-in uses.
"No Google Drive folder is mapped"	Map the client's folder in Workspace settings > Google Workspace.
"Client details couldn't be hidden... nothing was sent"	Google DLP, which finds names before anything reaches the AI, didn't answer. Try again in a minute. A workspace admin can allow reduced masking under Workspace settings > Protected terms > Masking options.
"Allow UNYFi to add files to Drive"	Google asks once before your first upload or Save to Drive. Choose Continue to Google and allow it.
An upload or Save to Drive is refused	Your Google account can only view that folder. Ask the folder's owner for edit access, or choose another folder.
"The AI-content detector's account has no credit left"	The platform's detector account needs topping up. Tell the platform administrator.
"The AI-content detector isn't set up"	The detector's key isn't on this platform yet. Files UNYFi generated are still recognised.
You'd like to see the tour again	Click ? at the top right: Take the tour, or Tour this page.

Everything you do in UNYFi is recorded in the audit log: sign-ins, pages opened, data read and every change. Passwords and the content of AI questions and answers are never recorded. For a generated document, only its reference and fingerprint are kept, never its content.