

REVIEW QUESTIONS

WEEK 5 - PHOTOSHOP

1. Why would you resize an image in Photoshop instead of with HTML or CSS?

Photoshop reduces file size and improves page loading time. HTML and CSS only modify display size and not actual image data.

2. What kind of image data does the jpg, png 8, and gif work best for?

JPG works with photographs and complex images w many colors. PNG-8 and GIF are best for simple graphics w limited colors like logos or icons.

3. What is whitespace?

The empty space between elements that improves readability and organization on a page.

WEEK 6 – WIREFRAMES AND INTRO CSS

4. What is the purpose of a wireframe? Where does the wireframe fit into the week 7 website development lifecycle?

Allows us to design a basic layout of a website.

5. What is the difference between an inline, embedded or linked CSS?

Inline: style changes are inside the body tag.

Embedded: styles are at the top of the .html file inside the head tag

Linked: styles are in a separate .css file and can modify all site pages

6. What is CSS inheritance?

Styles applied to parent element are automatically passed down to child element.

7. What happens when two styles are applied to an element? How does the browser decide which one to use?

The browser uses the second one or the ones that are the most specific, important or appear last.

8. What is the DOM?

Document Object Model is a structured representation of a web page that the browser creates, where all HTML elements are organized like a tree of objects.

9. What are relatively sized fonts and why are they better than absolute/fixed size fonts?

Units like em, rem, or % that scale based on the user's setting. They are accessible and adjust to screen sizes.

10. What is a CSS rule, selector, and property?

CSS rules apply styles to elements. The selector targets the element (the p {}). The property is what you change (color)

**11. What is the CSS id, element, grouped and class selector used for?
What do the above look like in the CSS and in HTML?**

CSS id is able to target one unique element. (#header{color:red;})

HTML: <p id="myid"> CSS: #myid {color:green;}

Element: targets all elements of a type

HTML: <p>HI</p> CSS: p {color:green;}

Class: targets elements w the same class

HTML: <p class="highlight">Hello</p> CSS: .highlight{color: green;}

Group selector: applies same style to multiple elements.

CSS: p, td, a {color: green;}

12. What are the css font and text properties we used in lab and their values?

13. What does inspect element do in your browser?

Inspect allows you to view and edit the HTML and CSS of a webpage in real time to see how the styles are applied and help debug.

14. What does "web font" mean?

It is font loaded from the web so all users can see the same typography.

15. Why is inline CSS a bad idea?

Generally a bad practice since it is hard to read and maintain.

WEEK 7 – SITE MAPS, CSS COLORS, BACKGROUNDS AND BOX MODEL

16. What is the web development lifecycle? Where does the site map fit into the lifecycle?

Define Project, Planning, Design, Develop, Test, Maintain

The site map would be plan.

17. What is a style document (not stylesheet)?

A guide that defines how a website should look like and stay consistent. It is separate from a CSS file

18. What do the numbers stand for in a hex color?

The numbers represent RGB (red, green, blue) values. #RRGGBB

19. What is a pseudo selector? What can you do with a pseudo selector? What would the HTML styled by a pseudo selector look like?

Applies a style to a state of an element: Ex: an element when the mouse is hovered over it, after its been clicked etc..

HTML: `a:hover{color: blue;}`

20. What are some of the different pseudo states and what do they do?

`:hover` → styles when mouse is over an element

`:visited` → styles links already clicked

21. What is a descendant selector? What would the HTML styled by a descendant selector look like?

Targets elements in another element. Ex: `<div> <p> hei </p> </div>` This selects all `<p>` elements in `<div>`

22. How do you specify a background color on an entire page?

```
body{ background-color: lightblue;}
```

23. Background images

```
Body: {background-image: url("paper.gif");}
```

24. What are the parts of the box model?

Content, Padding, Border, Margin

25. What is the difference between a borders, margin and padding?

Content: whats inside

Padding: space around content

Border: edge around padding

Margin: Outside the border

26. What happens when you use box model sizing on an inline element?

Inline elements ignore most box model sizing and only take up as much space as their content unless changed,

WEEK 8 – CSS LAYOUT

27. What is the purpose of semantic tags? What are the different tags and what are they used for?

Semantic tags give meaning to content and improve page visuals.

Ex: `<nav>` is navigation links. `<header>` is the top `<footer>` is the bottom `<section>` groups content

28. What is the purpose of div and span tags? What is the difference between them?

Div tags block containers for grouping large sections
Span is inline containers for styling small parts of text.

29. What does the CSS float property do?

Float moves an element from left to right allowing text and inline content to wrap around it.

30. If an element has been floated, what happens to the content that occurs just after the float?

The content after the float will wrap around the floated element unless cleared.

31. What does the clear property do?

The clear property stops elements from wrapping around floats.