Allosteric inhibition of human factor XIa: discovery of monosulfated benzofurans as a class...

Search within citing articles

Designing allosteric inhibitors of factor XIa. Lessons from the interactions of sulfated pentagalloylglucopyranosides

RA Al-Horani, UR Desai - Journal of Medicinal Chemistry, 2014 - pmc.ncbi.nlm.nih.gov

We recently introduced sulfated pentagalloylglucopyranoside (SPGG) as an allosteric inhibitor of factor XIa (FXIa)(Al-Horani et al.,). To better understand the SPGG–FXIa …

☆ Save 99 Cite Cited by 71 Related articles All 5 versions

A synthetic heparin mimetic that allosterically inhibits factor XIa and reduces thrombosis in vivo without enhanced risk of bleeding

RA Al-Horani, EI Abdelfadiel, DK Afosah… - … of Thrombosis and …, 2019 - Wiley Online Library

Background Human factor XI a (FXI a) is an actively pursued target for development of safer anticoagulants. Our long-standing hypothesis has been that allosterism originating from …

☆ Save 99 Cite Cited by 38 Related articles All 11 versions »

One-pot synthesis of 2,3-disubstituted dihydrobenzofurans and benzofurans *via* rhodium-catalyzed intramolecular C–H insertion reaction

X Ma, F Wu, X Yi, H Wang, W Chen - Chemical Communications, 2015 - pubs.rsc.org

One-pot synthesis of 2,3-disubstituted dihydrobenzofurans and benzofurans via rhodium-catalyzed intramolecular C–H insertion reaction† | Chemical Communications | The Royal Society of …

☆ Save 99 Cite Cited by 65 Related articles All 9 versions

Potent, selective, allosteric inhibition of human plasmin by sulfated non-saccharide glycosaminoglycan mimetics

DK Afosah, RA Al-Horani… - Journal of medicinal …, 2017 - pmc.ncbi.nlm.nih.gov

Although plasmin inhibitors could be used in multiple disorders, their use has been restricted to preventing blood loss in hemostatic dysregulation because of poor efficacy and …

☆ Save 99 Cite Cited by 39 Related articles All 4 versions

Development of an ultrasensitive competitive double-enzyme cascade fluorescence signal amplification method for factor XIa inhibitor screening

Y Zhan, X Bao, P Hu, J Ning, Z Yan, H Chen… - Analytical …, 2024 - pmc.ncbi.nlm.nih.gov

Coagulation factor XIa (FXIa) is associated with a low risk of bleeding and has been identified as an effective and safe target for the development of novel anticoagulant drugs. In …

☆ Save 99 Cite Cited by 4 Related articles All 6 versions

Translational development of oral FXIa inhibitors: a systematic review of molecular design, pharmacology, and indication-specific clinical evidence

M Janiak, K Mądra-Gackowska, L Wydeheft… - Pharmaceuticals, 2026 - mdpi.com

Background/Objectives: Oral small-molecule inhibitors of activated factor XI (FXIa) are intended to attenuate thrombosis with less disruption of hemostasis than established …

☆ Save 99 Cite Related articles All 8 versions »

Discovery methods of coagulation-inhibiting drugs

A Gomez-Outes, M Garcia-Fuentes… - Expert Opinion on …, 2017 - Taylor & Francis

Introduction: In the last decade, several direct oral anticoagulants (DOAC) targeting thrombin (dabigatran) or activated factor X (FXa)(rivaroxaban, apixaban and edoxaban) have been …

☆ Save 99 Cite Cited by 29 Related articles All 4 versions

A molecular dynamics-based algorithm for evaluating the glycosaminoglycan mimicking potential of synthetic, homogenous, sulfated small molecules

B Nagarajan, NV Sankaranarayanan, BB Patel… - PLoS …, 2017 - journals.plos.org

Glycosaminoglycans (GAGs) are key natural biopolymers that exhibit a range of biological functions including growth and differentiation. Despite this multiplicity of function, natural …

☆ Save 99 Cite Cited by 29 Related articles All 13 versions »

Phenylimidazoles as potent and selective inhibitors of coagulation factor XIa with in vivo antithrombotic activity

JJ Hangeland, TJ Friends, KA Rossi… - Journal of Medicinal …, 2014 - ACS Publications

Novel inhibitors of FXIa containing an (S)-2-phenyl-1-(4-phenyl-1 H-imidazol-2-yl) ethanamine core have been optimized to provide compound 16b, a potent, reversible …

☆ Save 99 Cite Cited by 40 Related articles All 5 versions

On the process of discovering leads that target the heparin-binding site of neutrophil elastase in the sputum of cystic fibrosis patients

S Morla, NV Sankaranarayanan… - Journal of medicinal …, 2019 - pmc.ncbi.nlm.nih.gov

Cystic fibrosis (CF) is a disease of dysregulated salt and fluid homeostasis that results in massive accumulation of neutrophil elastase resulting in lung degradation and death. The …

☆ Save 99 Cite Cited by 20 Related articles All 7 versions