GLAD: GLycan Array Dashboard, a visual analytics tool for glycan microarrays

Search within citing articles

Mass spectrometric and glycan microarray–based characterization of the filarial nematode Brugia malayi glycome reveals anionic and zwitterionic glycan antigens

LMC Petralia, A van Diepen, LA Lokker… - Molecular & Cellular …, 2022 - mcponline.org

Millions of people worldwide are infected with filarial nematodes, responsible for lymphatic filariasis (LF) and other diseases causing chronic disablement. Elimination programs have …

☆ Save 99 Cite Cited by 34 Related articles All 11 versions

Unique repertoire of anti-carbohydrate antibodies in individual human serum

RND Luetscher, TR McKitrick, C Gao, AY Mehta… - Scientific reports, 2020 - nature.com

Humoral immunity to pathogens and other environmental challenges is paramount to maintain normal health, and individuals lacking or unable to make antibodies are at risk …

☆ Save 99 Cite Cited by 44 Related articles All 15 versions

A Zebrafish Galectin-1 Isoform Is Expressed in Skin and Gills and Binds to Bacteria, Bacterial Adhesin Receptors, and Epidermal Mucus Glycans

C Feng, K Abernathy, S Wang, G Zong… - International Journal of …, 2026 - mdpi.com

Galectins are a functionally diverse family of β-galactosyl-binding lectins that are ubiquitously present in animal species, with key roles in development and immune …

☆ Save 99 Cite Cited by 1 Related articles All 7 versions »

Recognition of highly branched N-glycans of the porcine whipworm by the immune system

B Eckmair, C Gao, AY Mehta, Z Dutkiewicz… - Molecular & Cellular …, 2024 - mcponline.org

Glycans are key to host–pathogen interactions, whereby recognition by the host and immunomodulation by the pathogen can be mediated by carbohydrate binding proteins …

☆ Save 99 Cite Cited by 16 Related articles All 10 versions

Major human schistosome species express different glycans with immunological and diagnostic implications

LMC Petralia, A van Diepen, T Zhang… - Nature …, 2026 - nature.com

Schistosomes are parasitic worms responsible for devastating chronic disease including intestinal and urogenital pathologies. In-depth studies of the Schistosoma mansoni glycome …

☆ Save 99 Cite Cited by 1 Related articles All 8 versions

Antigenic pressure on H3N2 influenza virus drift strains imposes constraints on binding to sialylated receptors but not phosphorylated glycans

L Byrd-Leotis, C Gao, N Jia, AY Mehta, J Trost… - Journal of …, 2019 - journals.asm.org

ABSTRACT H3N2 strains of influenza A virus emerged in humans in 1968 and have continued to circulate, evolving in response to human immune pressure. During this process …

☆ Save 99 Cite Cited by 48 Related articles All 7 versions

A “proto” type galectin expressed in striped bass (*Morone saxatilis*) tissues is released to epidermal mucus and binds to bacterial and mucus glycans

DE Henrikson, H Ahmed, S Tasumi… - Frontiers in Cellular …, 2025 - frontiersin.org

Like all aquatic vertebrates and invertebrates, teleost fish are subject to the constant pressure of bacterial, fungal, and parasitic organisms present in the environmental interface …

☆ Save 99 Cite Cited by 4 Related articles All 10 versions »

Enzymatic tailoring of anionic glycans for characterizing lectin and antibody specificities in a microarray format

L Nuschy, IBH Wilson - Journal of Biological Chemistry, 2025 - jbc.org

Despite many studies on binding patterns of commercial lectins and other glycan binding proteins, unexpected recognition motifs are still revealed, highlighting the necessity to (re-) …

☆ Save 99 Cite Cited by 2 Related articles All 7 versions

Differential recognition of oligomannose isomers by glycan-binding proteins involved in innate and adaptive immunity

C Gao, K Stavenhagen, B Eckmair, TR McKitrick… - Science …, 2021 - science.org

The recognition of oligomannose-type glycans in innate and adaptive immunity is elusive due to multiple closely related isomeric glycan structures. To explore the functions of …

☆ Save 99 Cite Cited by 39 Related articles All 11 versions

Secreted filarial nematode galectins modulate host immune cells

HJ Loghry, NA Sondjaja, SJ Minkler… - Frontiers in …, 2022 - frontiersin.org

Lymphatic filariasis (LF) is a mosquito-borne disease caused by filarial nematodes including Brugia malayi. Over 860 million people worldwide are infected or at risk of infection in 72 …

☆ Save 99 Cite Cited by 22 Related articles All 10 versions »