N-glycosylation of mannose receptor (CD206) regulates glycan binding by C-type lectin domains

Search within citing articles

In vitro cell model to dilucidate the underlying molecular mechanism associated with ophthalmic manifestation of congenital disorders of glycosylation: studying an …

MA Cubilla, AC Sclausero, M Bisbal… - Frontiers in …, 2025 - frontiersin.org

Introduction Congenital Disorders of Glycosylation (CDG) are severe disruptions in the synthesis of glycoconjugates, resulting in inherited metabolic conditions. These multisystem …

☆ Save Cite Related articles All 7 versions

Development and In Vitro Evaluation of Near-Infrared Dye-Conjugated Pullulan-Based Nanogels for M2 Macrophage-Targeted pH-Responsive Theranostic …

R Miura, M Kagami, Y Kimura, K Akiyoshi… - Journal of …, 2026 - mdpi.com

Immunotherapy can reduce treatment-related side effects but shows limited efficacy in “cold tumors,” whose immunosuppressive tumor immune microenvironment is characterized by …

☆ Save Cite Related articles All 3 versions

Quantification of single molecule glycan-mannose receptor binding kinetics on myeloid cells reveals high subcellular binding heterogeneity

K Steuten, JJA Bakker, W Doelman, D Torres-García… - bioRxiv, 2025 - biorxiv.org

Extracting single-molecule lectin binding kinetics from primary cells has not been possible to date. Here, we present Glyco-PAINT-APP (Automated Processing Pipeline), an automated …

☆ Save Cite Cited by 2 Related articles All 3 versions

Inactivated rabies vaccine activates inflammasome signaling in raccoon dog peripheral blood mononuclear cells

H Ahn, G Lee, S Ahn, J Lee, JK Lee… - Journal of Veterinary …, 2025 - vetsci.org

Objective To determine whether raccoon dog peripheral blood mononuclear cells (PBMCs) possess functional inflammasome responses and whether a rabies vaccine activates NLR …

☆ Save Cite Related articles All 2 versions

Analysis of genetic variation in the bovine Mannose Receptor gene (*MRC1)*, its influence on receptor expression, and a potential association with resistance to …

A Holder, J Kolakowski, E Usher, T Tzelos, T Connelley… - bioRxiv, 2026 - biorxiv.org

Naturally occurring variation in the bovine mannose receptor C-type 1 gene (MRC1) may shape macrophage responses to Mycobacterium (M.) bovis, a key driver of bovine …

☆ Save Cite Related articles

The value of LAM and LprG in extracellular vesicles in the diagnostic and therapeutic field of renal tuberculosis

X Peng, Y Li, S Jin, Q Wang - Frontiers in Tuberculosis, 2025 - frontiersin.org

Extracellular vesicles have been a hot research topic in recent years, and the diagnostic and therapeutic value of LprG and LAM, two key markers present in extracellular vesicles …

☆ Save Cite Related articles

Disentangling the nonmetabolic roles of metabolites: lactate as a case study

MAM Nezhady, E Bajon, S Chemtob - Trends in Endocrinology & …, 2023 - cell.com

Many metabolites possess covalent and noncovalent signaling functions. However, ongoing research considers them mostly as ligands, neglecting their potential involvement in post …

☆ Save Cite Cited by 1 Related articles All 4 versions

A multiscale study on multivalence targeting

Z Xie - 2025 - tdx.cat

[eng] Precision drug design utilizes detailed biological information, such as genetic profiles, cellular phenotypes, and molecular expression patterns, to develop therapeutics that are …

☆ Save Cite Related articles All 2 versions

Bakker

K Steuten - … , W., Torres García, D., Riera, R …, 2025 - scholarlypublications …

Quantification of single molecule gl can-mannose receptor binding kinetics on m eloid cells re eals high subcellular binding het Page 1 Quantification of single molecule gl can-mannose …

☆ Save Cite Related articles

DW, T

B Steuten Kas - GD, C.., KC, RR,. L., an KSI, 2025 - scholarlypublications …

Extracting single-molecule lectin binding kinetics from primary cells has not been possible to date. Here, we present Glyco-PAINT-APP (Automated Processing Pipeline), an automated …

☆ Save Cite Related articles