Rational design of potent, small, synthetic allosteric inhibitors of thrombin

Search within citing articles

Substantial non-electrostatic forces are needed to induce allosteric disruption of thrombin's active site through exosite 2

AY Mehta, UR Desai - Biochemical and biophysical research …, 2014 - Elsevier

Sulfated β-O4 lignin (SbO4L), a non-saccharide glycosaminoglycan mimetic, was recently disclosed as a novel exosite 2-directed thrombin inhibitor with the capability of mimicking …

☆ Save Cite Cited by 9 Related articles All 10 versions

Conformationally restricted analogs of the direct thrombin inhibitor FM 19

EA Girnys, VR Porter, HI Mosberg - Bioorganic & medicinal chemistry, 2011 - Elsevier

The serine protease thrombin plays several key roles in the clotting cascade within the hemostatic system, such as in fibrin formation and platelet activation. Thus, development of …

☆ Save Cite Cited by 7 Related articles All 8 versions

One-pot synthesis protocol for highly functionalized benzofuran scaffold

PS Sidhu - Postdoc J, 2013 - scholar.archive.org

Benzofuran scaffold appears frequently in natural products, commercial libraries, biologically and pharmaceutically relevant compounds. The presence of substituent handles …

☆ Save Cite Cited by 5 Related articles »

A simple, general approach of allosteric coagulation enzyme inhibition through monosulfated hydrophobic scaffolds

PS Sidhu, Q Zhou, UR Desai - Bioorganic & Medicinal Chemistry Letters, 2014 - Elsevier

Allosteric inhibition of coagulation enzymes offers the advantage of controlled inhibition. In this study, a small library of mono sulfated indole and benzothiazole based molecules was …

☆ Save Cite Cited by 4 Related articles All 5 versions

Allosteric activation of human α-thrombin through exosite 2 by suramin analogs

MT Cargnelutti, AF Marques, D Esser… - Archives of biochemistry …, 2012 - Elsevier

Thrombin is a serine protease that plays fundamental roles in hemostasis. We have recently elucidated the crystal structure of thrombin in complex with suramin, evidencing the …

☆ Save Cite Cited by 4 Related articles All 7 versions

Synthesis, characterization and antibacterial screening of fluorinated benzofuran containing heterocycles

SG Kundlikar, PV Randhavane, HN Akolkar… - Indian J Chem …, 2019 - academia.edu

2-(4-Fluorophenyl)-5-phenylbenzofuran-3-carboxylic acid 1 when treated with substituted 2-hydroxyacetophenones 2 in dry pyridine and POCl3 affords compound 3 which when …

☆ Save Cite Cited by 2 Related articles All 2 versions »

Prolinamide derivatives as thrombin inhibitors for the treatment of thrombin-mediated diseases: a patent evaluation of US2013296245

ZH Shi, NG Li, YP Tang, JA Duan - Expert Opinion on Therapeutic …, 2014 - Taylor & Francis

Introduction: Thrombotic disorders can lead to deep vein thrombosis, myocardial infarction and stroke. Thrombin plays a vital role in cascade reaction of blood coagulation, inhibition of …

☆ Save Cite Cited by 2 Related articles All 3 versions

Designing allosteric inhibitors of thrombin

PS Sidhu - 2011 - search.proquest.com

Thrombin is a key enzyme of the coagulation cascade exhibiting important roles in both procoagulation and anti-coagulation processes. Most clinically used anticoagulant drugs …

☆ Save Cite Cited by 2 Related articles All 4 versions »

ASSESSING DRUG DEVELOPMENT PROPORTIES OF ANTITHROMBOTIC AND ANTI-CANCER AGENTS

EI Abdelfadiel - 2023 - scholarscompass.vcu.edu

The current GAG anticoagulants such as heparin, heparin derivatives, and vitamin K antagonists, such as warfarin continue to be the backbone of anticoagulant therapy. These …

☆ Save Cite Related articles All 2 versions »

Discovery and Biophysical Characterization of Allosteric Inhibitors of Factor XIa (FXIa)

M Argade - 2012 - scholarscompass.vcu.edu

Thrombosis is one of the leading causes of mortality and morbidity that is associated with myocardial infarction, stroke and pulmonary embolism. Anti-thrombotic agents which intend …

☆ Save Cite Cited by 1 Related articles All 4 versions »