# Emerging patterns of tyrosine sulfation and O-glycosylation cross-talk and co-localization

Search within citing articles

## Comprehensive computational analysis reveals YXXΦ [I/L/M/F/V] motif and YXXΦ-like tetrapeptides across HFRS causing Hantaviruses and their association …

F Noor, UA Ashfaq, M Asif, MM Adeel… - Frontiers in …, 2022 - frontiersin.org

Hemorrhagic fever with renal syndrome (HFRS) is an acute zoonotic disease transmitted through aerosolized excrement of rodents. The etiology of HFRS is complex due to the …

☆ Save 99 Cite Cited by 13 Related articles All 6 versions »

## A glance at post-translational modifications of human thyroglobulin: potential impact on function and pathogenesis

L Tosatto, F Coscia - European Thyroid Journal, 2022 - journals.bioscientifica.com

Thyroid hormones are essential for the metabolism of vertebrates and their synthesis, storage and release in the thyroid gland are orchestrated by their large protein precursor …

☆ Save 99 Cite Cited by 19 Related articles All 6 versions

## Chemokine binding to PSGL-1 is controlled by O-glycosylation and tyrosine sulfation

CK Goth, AY Mehta, AM McQuillan, KJ Baker… - Cell chemical …, 2023 - cell.com

Protein glycosylation influences cellular recognition and regulates protein interactions, but how glycosylation functions alongside other common posttranslational modifications (PTMs) …

☆ Save 99 Cite Cited by 28 Related articles All 5 versions

## Tyrosine sulfation at antibody light chain CDR-1 increases binding affinity and neutralization potency to interleukine-4

AM D'Antona, JM Lee, M Zhang, C Friedman… - International Journal of …, 2024 - mdpi.com

Structure and function of therapeutic antibodies can be modulated by a variety of post-translational modifications (PTM). Tyrosine (Tyr) sulfation is a type of negatively charged …

☆ Save 99 Cite Cited by 7 Related articles All 9 versions »

## A potential antibody repertoire diversification mechanism through tyrosine sulfation for biotherapeutics engineering and production

X Zhong, AM D'Antona - Frontiers in Immunology, 2022 - frontiersin.org

The diversity of three hypervariable loops in antibody heavy chain and light chain, termed the complementarity-determining regions (CDRs), defines antibody's binding affinity and …

☆ Save 99 Cite Cited by 11 Related articles All 5 versions »

## Mass spectrometry (MS)-based proteomics and the sulfome: clinical potential

SO Oswald, LA Daly, S Mesdaghi, S Jones… - Expert review of …, 2025 - Taylor & Francis

Introduction Protein tyrosine sulfation is of growing scientific interest due to its biological and clinical significance, yet it remains an underexplored post-translational modification (PTM) …

☆ Save 99 Cite Related articles All 5 versions

## Searching for Sulfotyrosines (sY) in a HA (pY) STACK

J Tzvetkov, CE Eyers, PA Eyers… - Journal of proteome …, 2025 - pmc.ncbi.nlm.nih.gov

Protein sulfation can be crucial in regulating protein–protein interactions but remains largely underexplored. Sulfation is nearly isobaric to phosphorylation, making it particularly …

☆ Save 99 Cite Cited by 7 Related articles All 11 versions

## What cyto-and histochemistry can do to crack the sugar code

FA Habermann, H Kaltner, AM Higuero… - Acta Histochemica et …, 2021 - jstage.jst.go.jp

As letters form the vocabulary of a language, biochemical 'symbols'(the building blocks of oligo-and polymers) make writing molecular messages possible. Compared to nucleotides …

☆ Save 99 Cite Cited by 15 Related articles All 12 versions

## Targeting the YXXΦ motifs of the SARS coronaviruses 1 and 2 ORF3a peptides by in silico analysis to predict novel virus—host interactions

A Kakkanas, E Karamichali, EI Koufogeorgou… - Biomolecules, 2022 - mdpi.com

The emerging SARS-CoV and SARS-CoV-2 belong to the family of “common cold” RNA coronaviruses, and they are responsible for the 2003 epidemic and the current pandemic …

☆ Save 99 Cite Cited by 8 Related articles All 9 versions »

## Arylsulfatases and neuraminidases modulate engagement of CCR5 by chemokines by removing key electrostatic interactions

I Pinheiro, N Calo, M Paolini-Bertrand, O Hartley - Scientific Reports, 2024 - nature.com

The chemokine receptor CCR5 is known to exist in cell surface subpopulations that differ in their capacity to engage ligands. One proposed explanation for this phenomenon is the …

☆ Save 99 Cite Cited by 5 Related articles All 10 versions