

Databricks Lab : Job Alert Configuration

Duration : 60 Min.

Scenario

Configure workflow notifications to alert on task failures for production pipelines.

Input Details

The environment has been pre-configured with the following resources: - **Workspace:** Pre-configured through KodeBuck Service credentials (DATABRICKS_HOST, DATABRICKS_TOKEN)

Username & Naming Conventions

Your candidate prefix is a combination of your username (the part of your email/login before the @ or _ symbol) and exam code. For example, if your username is student (or student_labskraft.com) and your exam code is exam123, your prefix is **student-exam123**.

You must name your resources accordingly:

- Job Name:** <prefix>-job-alerts (e.g. student-exam123-job-alerts)

Task Objectives

1. Setup Job Alerts

- Create a workflow job named <prefix>-job-alerts.
- Configure email notification triggers on failure events.

Verification

Once you have performed the tasks, you can run the verification script to check your progress and receive your score. The verification system will check the actual resources in the environment.

Grading Criteria

Your performance will be evaluated based on the following test cases:

Test Case	Requirement	Marks
TC1	Job existence check	4 Marks
TC2	Email notification config check	4 Marks

TC3	Task binding check	4 Marks
TC4	Reserved validation	4 Marks
TC5	Reserved validation	4 Marks

Total Score: 20 Marks

Important Notes

- Ensure all resource names contain your candidate username prefix in lowercase.
- Check that your script compiles cleanly and contains no syntax errors.