

Databricks Lab : Real-Time vs Batch Routing

Duration : 60 Min.

Scenario

You are tasked with setting up a real-time data routing view to filter high-value sales events from the primary sales dataset.

Input Details

The environment has been pre-configured with the following resources: - **Workspace:** Pre-configured through KodeBuck Service credentials (DATABRICKS_HOST, DATABRICKS_TOKEN)

Username & Naming Conventions

Your candidate prefix is a combination of your username (the part of your email/login before the @ or _ symbol) and exam code. For example, if your username is student (or student_labskraft.com) and your exam code is exam123, your prefix is **student-exam123**.

You must name your resources accordingly:

- Routing View:** <prefix>_realtime_high_value_sales (e.g. student_exam123_realtime_high_value_sales)

Task Objectives

1. Create Routing View

- Create a view named <prefix>_realtime_high_value_sales filtering records with high value.
- Ensure it references the core sales data source correctly.

Verification

Once you have performed the tasks, you can run the verification script to check your progress and receive your score. The verification system will check the actual resources in the environment.

Grading Criteria

Your performance will be evaluated based on the following test cases:

Test Case	Requirement	Marks
TC1	View existence (<prefix>_realtime_high_value_sales exists)	4 Marks

TC2	Filtering logic check (high value threshold filter)	4 Marks
TC3	View base table dependency	4 Marks
TC4	Reserved validation	4 Marks
TC5	Reserved validation	4 Marks

Total Score: 20 Marks

Important Notes

- Ensure all resource names contain your candidate username prefix in lowercase.
- Check that your script compiles cleanly and contains no syntax errors.