

Databricks Lab : Delta Lake VACUUM & Retention Policy Management

Duration : 60 Min.

Scenario

Configure custom table retention values and execute the VACUUM command to purge untracked transactional files.

Input Details

The environment has been pre-configured with the following resources: - **Workspace:** Pre-configured through KodeBuck Service credentials (DATABRICKS_HOST, DATABRICKS_TOKEN)

Username & Naming Conventions

Your candidate prefix is a combination of your username (the part of your email/login before the @ or _ symbol) and exam code. For example, if your username is student (or student_labskraft.com) and your exam code is exam123, your prefix is **student-exam123**.

You must name your resources accordingly:

- **Delta Table:** <prefix>_vacuum_retention (e.g. student_exam123_vacuum_retention)

Task Objectives

1. Vacuum & Retention Settings

- Override safety checks and run VACUUM.
- Set retention interval policies.

Verification

Once you have performed the tasks, you can run the verification script to check your progress and receive your score. The verification system will check the actual resources in the environment.

Grading Criteria

Your performance will be evaluated based on the following test cases:

Test Case	Requirement	Marks
TC1	Table existence verification	4 Marks

TC2	Override configuration check (invalidRetentionDurationCheck disable)	4 Marks
TC3	VACUUM execution check	4 Marks
TC4	Purged data files verification	4 Marks
TC5	Table history metadata retention check	4 Marks

Total Score: 20 Marks

Important Notes

- Ensure all resource names contain your candidate username prefix in lowercase.
- Check that your script compiles cleanly and contains no syntax errors.