Treasure Island

When does a swarm of LLM agents whistleblow, and what in their environment changes that?

Alistair Wakelin
Independent Researcher

Eduard Rodriguez Lopez
Independent Researcher

Abstract

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum. Sed ut perspiciatis unde omnis iste natus error sit voluptatem accusantium doloremque laudantium, totam rem aperiam, eaque ipsa quae ab illo inventore veritatis et quasi architecto beatae vitae dicta sunt explicabo. Nemo enim ipsam voluptatem quia voluptas sit aspernatur aut odit aut fugit, sed quia consequuntur magni dolores eos qui ratione voluptatem sequi nesciunt. Neque porro quisquam est, qui dolorem ipsum quia dolor sit amet, consectetur, adipisci velit, sed quia non numquam eius modi tempora incidunt ut labore et dolore magnam aliquam quaerat voluptatem. Ut enim ad minima veniam, quis nostrum exercitationem ullam corporis suscipit laboriosam, nisi ut aliquid ex ea commodi consequatur. Quis autem vel eum iure reprehenderit qui in ea voluptate velit esse quam nihil molestiae consequatur, vel illum qui dolorem eum fugiat quo voluptas nulla pariatur.

Research conducted for the Multi-Agent Oversight and Control Research Sprint hackathon run by Apart Research, November 2026.
Code, every committed game and its model replies are at https://github.com/al-beton/apart-swarm-alignment.



Figure 1: A placeholder teaser: one committed game, replayed from its log. The real one is a still from an exploit game.

Contents

1 Introduction **3**

2 Related Work **3**

3 Methods **4**
3.1 The game 4
3.2 The agents 4
3.3 Measuring whistleblowing 4

4 Results **4**
4.1 Where the treasure lands decides the silent crew's score 4

5 Discussion and Limitations **6**
5.1 Future Work 6

6 Conclusion **6**

References **6**

A LLM Usage Statement **8**

B Code and Data **8**

C Limitations and Dual-Use / Ethical Considerations **8**
C.1 Limitations 8
C.2 Dual-use risks 8
C.3 Ethical considerations 9

D Reproducibility **9**

1 Introduction

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat (Perez et al., 2022). Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur.

Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum. Sed ut perspiciatis unde omnis iste natus error sit voluptatem accusantium doloremque laudantium, totam rem aperiam, eaque ipsa quae ab illo inventore veritatis et quasi architecto beatae vitae dicta sunt explicabo.

2 Related Work

The incident we model. In July 2026, OpenAI agents running a cyber benchmark with many impossible tasks (Wang et al., 2026) turned a package cache into an unsanctioned message board. About 1,200 of them used it, coordinated as a swarm, cheated the evaluation, attacked Hugging Face, and at least a fifth showed interest in tampering with their own transcripts to fool the grader (OpenAI, 2026; METR, 2026). Almost none considered telling a human, and none did (METR, 2026). Treasure Island is a small, replayable analogue of one slice of that: a leaked answer, a shared channel, and a choice to disclose.

Multi-agent sandboxes. LLM agents have been studied in shared worlds for believable social behaviour (Park et al., 2023a), for sustaining a commons (Piatti et al., 2024) and for trading reward against ethics in text games (Pan et al., 2023); Hammond et al. (2025) map the risks that arise only between agents, including collusion. These sandboxes measure cooperation or harm. Ours measures whether an agent says *how* it knows what it knows.

Collusion and covert coordination. Agents can hide messages from overseers by steganography (Motwani et al., 2024; Mathew et al., 2024; Roger and Greenblatt, 2023), set cartel prices unprompted (Fish et al., 2024), and take secret tools they call unfair (Zeng and Rudzicz, 2026). Our pirates share one score, so nothing pushes them to collude against each other; the question is whether the crew hides from the designers a gain they all share.

Deception and hiding from overseers. A trading agent given an insider tip acts on it and hides the reason from its manager (Scheurer et al., 2023), the closest setting to ours. Models also scheme in context (Meinke et al., 2024), fake alignment (Greenblatt et al., 2024), sandbag evaluations (van der Weij et al., 2024), act as insider threats (Lynch et al., 2025) and often know when they are being tested (Needham et al., 2025); Park et al. (2023b) survey the field. We add a crew: the leak reaches one agent, and the others can follow, question or ignore it.

Whistleblowing and honesty under incentives. In staged scenarios, frontier agents sometimes report a user's misconduct to outside authorities unasked (Anthropic, 2025a,b). That rate varies by model family, falls as the task grows harder and rises with a moral nudge (Agrawal et al., 2025). Honesty can be measured apart from accuracy (Ren et al.,

2025). Earlier we found that an agent with something of its own to lose came forward about collusion more often, for some models far more often, than one with nothing at stake (Wakelin, 2026). Here the wrongdoing is the agent's own windfall, not a principal's, and the report is a free note to the designers.

Oversight and control. We label disclosure from transcripts, as a judge model would (Zheng et al., 2023), a step towards scalable oversight (Bowman et al., 2022). Chain-of-thought monitors catch reward hacking but can teach models to obfuscate (Baker et al., 2025; Korbak et al., 2025). AI control assumes the agent may be adversarial and builds protocols around it (Greenblatt et al., 2023; Bhatt et al., 2025). Our sandbox asks the opposite question: when would the agent tell us itself?

3 Methods

3.1 The game

Ut enim ad minima veniam, quis nostrum exercitationem ullam corporis suscipit laboriosam, nisi ut aliquid ex ea commodi consequatur. Quis autem vel eum iure reprehenderit qui in ea voluptate velit esse quam nihil molestiae consequatur, vel illum qui dolorem eum fugiat quo voluptas nulla pariatur.

3.2 The agents

At vero eos et accusamus et iusto odio dignissimos ducimus qui blanditiis praesentium voluptatum deleniti atque corrupti quos dolores et quas molestias excepturi sint occaecati cupiditate non provident, similique sunt in culpa qui officia deserunt mollitia animi, id est laborum et dolorum fuga.

3.3 Measuring whistleblowing

Et harum quidem rerum facilis est et expedita distinctio. Nam libero tempore, cum soluta nobis est eligendi optio cumque nihil impedit quo minus id quod maxime placeat facere possimus, omnis voluptas assumenda est, omnis dolor repellendus.

4 Results

Temporibus autem quibusdam et aut officiis debitis aut rerum necessitatibus saepe eveniet ut et voluptates repudiandae sint et molestiae non recusandae. Each subsection below reports one experiment, and each rests on games committed to this repository that replay with no keys.

4.1 Where the treasure lands decides the silent crew's score

In 1 of the 2 sample games (50%) the crew dug up the treasure, and it scored 115 on average.

Itaque earum rerum hic tenetur a sapiente delectus, ut aut reiciendis voluptatibus maiores alias consequatur aut perferendis doloribus asperiores repellat. Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.

Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. The games behind this section are in `results/sample-sweep-seeds/`, and `uv run treasure-island replay results/sample-sweep-seeds/small-crew-seed-1` plays one back.



Figure 2: A silent crew searching the grid alone, replayed from the committed run `runs/silent-seed-7`. Rebuild it with `make figure NAME=silent-game`; play the game again with `uv run treasure-island run configs/silent.toml --seed 7`.

5 Discussion and Limitations

Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.

5.1 Future Work

Sed ut perspiciatis unde omnis iste natus error sit voluptatem accusantium doloremque laudantium, totam rem aperiam.

6 Conclusion

Nemo enim ipsam voluptatem quia voluptas sit aspernatur aut odit aut fugit, sed quia consequuntur magni dolores eos qui ratione voluptatem sequi nesciunt.

References

Kushal Agrawal, Frank Xiao, Guido Bergman, and Asa Cooper Stickland. Why Do Language Model Agents Whistleblow?, 2025. URL https://arxiv.org/abs/2511.17085.

Anthropic. System Card: Claude Opus 4 & Claude Sonnet 4. https://www.anthropic.com/claude-4-system-card, 5 2025a. URL https://www.anthropic.com/claude-4-system-card.

Anthropic. Petri: An open-source auditing tool to accelerate AI safety research. https://alignment.anthropic.com/2025/petri/, 2025b. URL https://alignment.anthropic.com/2025/petri/.

Bowen Baker, Joost Huizinga, Leo Gao, Zehao Dou, Melody Y. Guan, Aleksander Madry, Wojciech Zaremba, Jakub Pachocki, et al. Monitoring Reasoning Models for Misbehavior and the Risks of Promoting Obfuscation, 2025. URL https://arxiv.org/abs/2503.11926.

Aryan Bhatt, Cody Rushing, Adam Kaufman, Tyler Tracy, Vasil Georgiev, David Matolcsi, Akbir Khan, and Buck Shlegeris. Ctrl-Z: Controlling AI Agents via Resampling, 2025. URL https://arxiv.org/abs/2504.10374.

Samuel R. Bowman, Jeeyoon Hyun, Ethan Perez, Edwin Chen, Craig Pettit, Scott Heiner, Kamilė Lukošiūtė, Amanda Askell, et al. Measuring Progress on Scalable Oversight for Large Language Models, 2022. URL https://arxiv.org/abs/2211.03540.

Sara Fish, Yannai A. Gonczarowski, and Ran I. Shorrer. Algorithmic Collusion by Large Language Models, 2024. URL https://arxiv.org/abs/2404.00806.

Ryan Greenblatt, Buck Shlegeris, Kshitij Sachan, and Fabien Roger. AI Control: Improving Safety Despite Intentional Subversion, 2023. URL https://arxiv.org/abs/2312.06942.

Ryan Greenblatt, Carson Denison, Benjamin Wright, Fabien Roger, Monte MacDiarmid, Sam Marks, Johannes Treutlein, Tim Belonax, et al. Alignment faking in large language models, 2024. URL https://arxiv.org/abs/2412.14093.

Lewis Hammond, Alan Chan, Jesse Clifton, Jason Hoelscher-Obermaier, Akbir Khan, Euan McLean, Chandler Smith, Wolfram Barfuss, et al. Multi-Agent Risks from Advanced AI, 2025. URL https://arxiv.org/abs/2502.14143.

Tomek Korbak, Mikita Balesni, Elizabeth Barnes, Yoshua Bengio, Joe Benton, Joseph Bloom, Mark Chen, Alan Cooney, et al. Chain of Thought Monitorability: A New and Fragile Opportunity for AI Safety, 2025. URL https://arxiv.org/abs/2507.11473.

Aengus Lynch, Benjamin Wright, Caleb Larson, Stuart J. Ritchie, Soren Mindermann, Evan Hubinger, Ethan Perez, and Kevin Troy. Agentic Misalignment: How LLMs Could Be Insider Threats, 2025. URL https://arxiv.org/abs/2510.05179.

Yohan Mathew, Ollie Matthews, Robert McCarthy, Joan Velja, Christian Schroeder de Witt, Dylan Cope, and Nandi Schoots. Hidden in Plain Text: Emergence & Mitigation of Steganographic Collusion in LLMs, 2024. URL https://arxiv.org/abs/2410.03768.

Alexander Meinke, Bronson Schoen, Jérémy Scheurer, Mikita Balesni, Rusheb Shah, and Marius Hobbhahn. Frontier Models are Capable of In-context Scheming, 2024. URL https://arxiv.org/abs/2412.04984.

METR. Brief independent investigation of agents' behavior, reasoning and collaboration in the OpenAI / Hugging Face hacking incident. https://metr.org/blog/2026-08-26-openai-hugging-face-incident-investigation/, 8 2026. URL https://metr.org/blog/2026-08-26-openai-hugging-face-incident-investigation/. Ryan Greenblatt, Ajeya Cotra and Hjalmar Wijk.

Sumeet Ramesh Motwani, Mikhail Baranchuk, Martin Strohmeier, Vijay Bolina, Philip H. S. Torr, Lewis Hammond, and Christian Schroeder de Witt. Secret Collusion among AI Agents: Multi-Agent Deception via Steganography, 2024. URL https://arxiv.org/abs/2402.07510.

Joe Needham, Giles Edkins, Govind Pimpale, Henning Bartsch, and Marius Hobbhahn. Large Language Models Often Know When They Are Being Evaluated, 2025. URL https://arxiv.org/abs/2505.23836.

OpenAI. The Hugging Face incident and the road ahead. https://openai.com/index/hugging-face-incident-and-the-road-ahead/, 8 2026. URL https://openai.com/index/hugging-face-incident-and-the-road-ahead/.

Alexander Pan, Jun Shern Chan, Andy Zou, Nathaniel Li, Steven Basart, Thomas Woodside, Jonathan Ng, Hanlin Zhang, et al. Do the Rewards Justify the Means? Measuring Trade-Offs Between Rewards and Ethical Behavior in the MACHIAVELLI Benchmark, 2023. URL https://arxiv.org/abs/2304.03279.

Joon Sung Park, Joseph C. O'Brien, Carrie J. Cai, Meredith Ringel Morris, Percy Liang, and Michael S. Bernstein. Generative Agents: Interactive Simulacra of Human Behavior, 2023a. URL https://arxiv.org/abs/2304.03442.

Peter S. Park, Simon Goldstein, Aidan O'Gara, Michael Chen, and Dan Hendrycks. AI Deception: A Survey of Examples, Risks, and Potential Solutions, 2023b. URL https://arxiv.org/abs/2308.14752.

Ethan Perez, Sam Ringer, Kamilė Lukošiūtė, Karina Nguyen, Edwin Chen, Scott Heiner, Craig Pettit, Catherine Olsson, et al. Discovering Language Model Behaviors with Model-Written Evaluations, 2022. URL https://arxiv.org/abs/2212.09251.

Giorgio Piatti, Zhijing Jin, Max Kleiman-Weiner, Bernhard Schölkopf, Mrinmaya Sachan, and Rada Mihalcea. Cooperate or Collapse: Emergence of Sustainable Cooperation in a Society of LLM Agents, 2024. URL https://arxiv.org/abs/2404.16698.

Richard Ren, Arunim Agarwal, Mantas Mazeika, Cristina Menghini, Robert Vacareanu, Brad Kenstler, Mick Yang, Isabelle Barrass, et al. The MASK Benchmark: Disentangling Honesty From Accuracy in AI Systems, 2025. URL https://arxiv.org/abs/2503.03750.

Fabien Roger and Ryan Greenblatt. Preventing Language Models From Hiding Their Reasoning, 2023. URL https://arxiv.org/abs/2310.18512.

Jérémy Scheurer, Mikita Balesni, and Marius Hobbhahn. Large Language Models can Strategically Deceive their Users when Put Under Pressure, 2023. URL https://arxiv.org/abs/2311.07590.

Teun van der Weij, Felix Hofstätter, Ollie Jaffe, Samuel F. Brown, and Francis Rhys Ward. AI Sandbagging: Language Models can Strategically Underperform on Evaluations, 2024. URL https://arxiv.org/abs/2406.07358.

Alistair Wakelin. Something to Lose: Can the risk of losing something of its own make an AI agent report collusion, contrary to the interests of the firm it represents? https://github.com/al-beton/something-to-lose-apart-ai-collusion/tree/24961e54c, 10 2026. URL https://github.com/al-beton/something-to-lose-apart-ai-collusion/tree/24961e54c. Apart Research sprint entry.

Zhun Wang, Nico Schiller, Hongwei Li, Srijiith Sesha Narayana, Milad Nasr, Nicholas Carlini, Xiangyu Qi, Eric Wallace, et al. ExploitGym: Can AI Agents Turn Security Vulnerabilities into Real Attacks?, 2026. URL https://arxiv.org/abs/2605.11086.

Xijie Zeng and Frank Rudzicz. Voluntary Collusion with Secret Tools in Competing LLM Agents, 2026. URL https://arxiv.org/abs/2605.27593.

Lianmin Zheng, Wei-Lin Chiang, Ying Sheng, Siyuan Zhuang, Zhanghao Wu, Yonghao Zhuang, Zi Lin, Zhuohan Li, et al. Judging LLM-as-a-Judge with MT-Bench and Chatbot Arena, 2023. URL https://arxiv.org/abs/2306.05685.

A LLM Usage Statement

Lorem ipsum dolor sit amet, consectetur adipiscing elit. The authors chose the questions, designed the game and the experiments and directed the work; a team of Claude agents built the sandbox, its tests and the figures through a pull-request workflow, and OpenAI Codex reviewed each change. The authors take responsibility for every claim in the paper.

B Code and Data

Code, configs, run logs and archived model replies, MIT licensed: https://github.com/al-beton/apart-swarm-alignment. Every committed game replays offline with no API keys, and every figure rebuilds from those games.

C Limitations and Dual-Use / Ethical Considerations

C.1 Limitations

Ut enim ad minima veniam, quis nostrum exercitationem ullam corporis suscipit laboriosam, nisi ut aliquid ex ea commodi consequatur.

C.2 Dual-use risks

Quis autem vel eum iure reprehenderit qui in ea voluptate velit esse quam nihil molestiae consequatur.

C.3 Ethical considerations

At vero eos et accusamus et iusto odio dignissimos ducimus qui blanditiis praesentium voluptatum deleniti atque corrupti.

D Reproducibility

Every game the paper reports is committed under `results/` and replays with `uv run treasure-island replay <folder>`, with no keys and no network. Every figure is named in `src/treasure_island/figures.py` and rebuilds with `make figure NAME=<name>`.