

0.14

What U-factor really tells you.

How much heat a window lets through. Lower is better.

Read it right

Whole window, not just the glass.

/01 Whole-window


Frame, glass edge and spacer together. The number to compare.

/02 Center-of-glass

The middle of the pane only. It always looks better than the window on the wall.

/03 Lower is better

0.18 lets through a quarter less heat than 0.24.



Double to triple · Reynaers data

What the third pane does.

ConceptSystem 77 · double to triple glazed

0.24 → 0.18

MasterLine 8

0.23 → 0.16

ConceptWall 50

0.23 → 0.14

MasterLine 10 · triple

0.14

ConceptPatio 155

0.34 → 0.28

Reading a European quote

$$U_w \div 5.678 = \text{U-factor.}$$

/01 **Europe**

U_w , the whole-window value, in $\text{W/m}^2\text{K}$.

/02 **US**

U-factor, in $\text{Btu/hr}\cdot\text{ft}^2\cdot^\circ\text{F}$.

/03 **Convert**

Divide by 5.678. Same measure, different units.

Example · U_w 1.0 in US units

U-factor 0.18

The full guide

Read the full guide on our website.

What changes the number, U-factor vs R-value, and how to compare two quotes.

Comparing quotes? Ask for the whole-window figure.

valdagroup.com/insights ↗