

Report for

Project name: Online Food Ordering System

Submitted by:

Name: Md. Abdullah Al Shafi

Table of Contents

Table of Contents	2
Introduction.....	3
Background and Product Context	4
User Story	5
Use Case 1:	5
Use Case 2:	5
Use Case 3:	5
Use Case 4:	5
Use Case 5:	5
Use Case 6:	6
Use Case 7:	6
Use Case 8:	6
Limits	6
Solution Description	7
Architecture.....	7
Front end development.....	7
Back end development.....	8
Performance plan	8
Open-source web page tester (https://www.webpagetest.org/).....	8
Google Page evaluation (https://developers.google.com/speed/pagespeed/insights/) .	8
Web Pages	9
Annex	19

Introduction

The proposed system of this document is to build an online food ordering system to order various foods and beverages from some registered restaurants and hotels through the use of internet, just by sitting at home or any place. Choosing desired food item from different restaurants is very time consuming. This system will save our valuable time as well as consumer do not need to go for searching food and restaurant, and also taking foods etc. In our system, any restaurants can resister so that users can find many restaurants in one platform. Customer can easily search foods and restaurants, and order food what they want to take through our website. After getting all the products in hand, they have to pay.

Background and Product Context

Online Food Ordering System is a process in which one can order various foods from some local restaurants and hotels. Many restaurants have their own website and consumer can order food. But there are not as many platform where many restaurants belong in one place. So, customers can choice desired restaurants and order the foods.

It is reasonable to say that this food ordering system will much helpful to the people and also save valuable time.

The online food ordering system provides the menu online and the customers can easily place the order by just clicking the mouse. Also, with the food ordering system online, people can easily track their orders, and admin can maintain customer's database and advance the food delivery system. This food ordering system allows the user to select the desired food items from a list of available menu items provided by the local hotel or restaurant. The user can place orders for the food items of their like from the list.

In this system, a user register in the site and search desired food item and order through online. Users of an online food ordering website can use features like order food and search food. Another user of this website is restaurant owner. They are registered as restaurant and upload food items and delete food items. They can see the ordered items of customers and deliver those. This program offers a complete and easy way to order different types of food items through the internet. Its main objective is to set up an online food ordering environment that allows users to order foods and restaurants to upload their foods and deliver the desired one.

User Story

Use Case 1:

The 'user' needs to sign up to the system.

- a) Go to the home page of "Online Food Ordering System"
- b) Click on sign up button
- c) Select 'Customer Signup'
- d) Enter name, valid email, password, phone number, and address
- e) Account is created and stored in the database.

Use Case 2:

The 'user' can log in to the system

- a) Go to the home page of "Online Food Ordering System"
- b) Click on login button
- c) Select 'Customer Login'
- d) Enter required information and click login

Use Case 3:

The 'user' can search for restaurants.

- a) Go to the home page of "Online Food Ordering System"
- b) Login to the system
- c) Go to search bar
- d) Type restaurant name and enter

Use Case 4:

The 'user' can add food to the cart.

- a) Go to the home page of "Online Food Ordering System"
- b) Login to the system
- c) Click on the desired food item and add it to the cart
- d) User can also remove item from cart

Use Case 5:

The 'user' can place an order

- a) Go to the home page of "Online Food Ordering System"
- b) Login to the system
- c) Add items
- d) Go to cart page
- e) Place order

Use Case 6:

The 'restaurant' needs to sign up to the system.

- a) Go to the home page of "Online Food Ordering System"
- b) Click on sign up button
- c) Select 'Restaurant Signup'
- d) Enter restaurant name, valid email, password, phone number, and address
- e) Account is created and stored in the database.

Use Case 7:

The 'restaurant' can log in to the system

- a) Go to the home page of "Online Food Ordering System"
- b) Click on login button
- c) Select 'Restaurant Login'
- d) Enter required information and click login

Use Case 8:

The 'restaurant' can add food items.

- a) Go to the home page of "Online Food Ordering System"
- b) Login to the system
- c) Add food items

Limits

There are some limitations for the current system to which solutions can be provided as a future development.

- a) The user can't pay through online
- b) The user can't have multiple shopping carts

Solution Description

Architecture

All the restaurant details, food details, and user details will store in the database.




Figure 1: Architecture plan

Front end development

For user:

1. Home page
2. My Info
3. Cart page
4. Food order page
5. Sign up page
6. Login page

For restaurant:

1. Home page
2. Restaurant info page
3. Order page

4. Add food page
5. Sign up page
6. Login page

Back end development

1. Account Creating:
 - a. Sign up form
 - b. Login
 - c. MySQL Database
2. Profile Management:
 - a. Users' Profile
 - b. Restaurants' Profile
 - c. Ordering system
 - d. DB plan design
 - e. Others
3. Searching facility:
 - a. Restaurant Search

Performance plan

Open-source web page tester (<https://www.webpagetest.org/>)

- For TTFB < 200ms
- Compressed data transfer,
- Image compression all image
- static content caching
- Use separate media server for faster media delivery
- Use Bangladeshi CDN for minimum latency.

Google Page evaluation (<https://developers.google.com/speed/pagespeed/insights/>)

- Mobile 80/100 (bdjobs.com at 74/10)
- Desktop 85/100 (bikroy.com at 85/100)
- Average TTFB < 200ms
- Average DOMLoading < 3sec
- Maximum Page Loading time < 7 sec

Web Pages

Home page for the website looks like below one. Entering the website address “localhost/foodorder”, the browser shows below page.




Figure 1: *home.php* page

Before sign up, user can choose an option between restaurant or customer.





Figure 2: *signup_rc.php* page


In this website, Form validation is done using Javascript. It shows some error message for invalid information.



The screenshot shows a web page with a dark background. In the top left corner is a circular logo with a green border and the word "Foodie" inside. In the top right corner are three links: "Home", "Login", and "Sign up". The main content is a white rectangular form titled "Sign up your Restaurant" in green. The form contains several input fields: "Star Kabab" in the first field, "star@gmail.com" in the second, a field with four black dots in the third, a field with five black dots in the fourth (highlighted with a red border), a red error message "Password does not match" below the fourth field, "01711111111" in the fifth field, and "Banani" in the sixth field. At the bottom of the form is a green button labeled "Sign up".

Figure 3: Form validation

Confirmation message is shown after successfully registered with valid information.



The screenshot shows the same web page as Figure 3, but with a green banner at the top that says "Registration Successful" in green. Below the banner is the same "Sign up your Restaurant" form, but the input fields are empty and labeled: "Restaurant Name", "Email", "New password", "Confirm password", "Phone number", and "Address". The green "Sign up" button is still at the bottom.

Figure 4: Confirmation message

Login Page for restaurant is shown in below figure. Error message is shown with animation if email is not valid or password does not match.




Figure 5: login.php page for restaurant with error message

After logging as restaurant home page will be like this below image.





Figure 6: Home page for restaurant


For adding food items, website has a form which has 3 input option. Entering name, price and ingredients for food item, user have to click add food button to add the food.



The screenshot shows the 'Add new item in your menu' form on the website. The form is green and contains three input fields: 'Item name', 'Price', and 'Ingredients'. Below the input fields is a green button labeled 'Add food'. The background of the page is a wooden surface with a green herb in the bottom right corner. The website's navigation bar is visible at the top, showing the 'Foodie' logo and links for 'Home', 'My Restaurant', 'Add Item', 'Orders', and 'Logout'.

Figure 7: *addfood.php* page

In order page, restaurant owner can see the order list and consumer details.



The screenshot shows the 'Food Details' and 'Customer Details' page on the website. The page has a light blue background. The 'Food Details' section lists the following information: 1. Name: Beef Curry, Quantity: 1, Price: 150 tk, Total: 150. The 'Customer Details' section lists the following information: Name: Shafi, Phone: 1611111111, Address: Basundhara. The background of the page is a wooden surface with a green herb in the bottom right corner. The website's navigation bar is visible at the top, showing the 'Foodie' logo and links for 'Home', 'My Restaurant', 'Add Item', 'Orders', and 'Logout'.

Figure 8: *order.php* page

Restaurant info page where restaurant information and food items are shown.




Figure 9: *index.php* for restaurant

Before login, user can choose an option between restaurant or customer





Figure 10: *login_rc.php* page


Below image is customer sign up page. Customer can register in the website using valid information like name, email, password, phone and address.



The screenshot shows the 'Sign up as Customer' page. At the top left is a circular logo with the word 'Foodie' and a fork and knife icon. At the top right are links for 'Home', 'Login', and 'Sign up'. The main content area is a white box on a dark background. It has the title 'Sign up as Customer' in green. Below the title are six input fields: 'Customer Name', 'Email', 'New password', 'Confirm password', 'Phone number', and 'Address'. At the bottom of the box is a green 'Sign up' button.

Figure 11: *signup.php* page for customer

In user login page, user put email and password, and click login button. If email and password are valid, then he can enter the application.



The screenshot shows the 'Customer Login' page. It has the same header as the sign up page. The main content area is a white box on a dark background. It has the title 'Customer Login' in green. Below the title are two input fields: one for email (containing 'shafi@gmail.com') and one for password (represented by dots). Below the password field is a checkbox labeled 'Keep me logged in'. At the bottom of the box is a green 'Login' button.

Figure 11: *login.php* page for customer

User can see their information in 'My Info' page. This page shows name, phone number, email and address of the user.




Figure 12: *myinfo.php* page

User can search restaurant. Restaurant name should be typed in the search box.





Figure 12: Search restaurant

Search result after searching restaurant is shown like below image.



RESTAURANTS



CFC

Figure 12: Search result

User can add food to the cart.

CFC

My Cart

1. Rice

100 Tk

Rice

Quantity

Add

2. Chicken Chicken

150 Tk

Quantity

Add

Figure 12: *cart.php* page

In My Cart page, user can see his orders and total amount.



Figure 12: mycart.php page

For mobile layout:






Figure 13: Home page (a) & Order page (b) for mobile layout

For tablet layout:



(a)



(b)

Figure 14: Home page (a) & Order page (b) for tablet layout

Annex

index.php

```
<?php
    include "include/connection.php";
    session_start();
?>
<!DOCTYPE html>
<html>
<head>
    <meta charset="utf-8">
    <title>FOODIE</title>
    <link rel="stylesheet" type="text/css" href="css/style.css">
    <link href="https://fonts.googleapis.com/css?family=Lato:100,300,300i,400,700"
rel="stylesheet">
</head>
<body>
<header class="homeHeader">
    <div>
        <nav>
            <a href="."/></a>
            <ul>
                <li><a href="."/>Home</a></li>
            </ul>
        </div>
<?php
if (isset($_SESSION['restaurantid']) || isset($_COOKIE['restaurantcookie'])) {
    echo "<li><a href='restaurant'>My Restaurant</a></li>";
    echo "<li><a href='restaurant/addfood.php'>Add Item</a></li>";
    echo "<li><a href='restaurant/order.php'>Orders</a></li>";
    echo "<li><a href='include/logout.php'>Logout</a></li>";
}elseif (isset($_SESSION['userid']) || isset($_COOKIE['usercookie'])) {
    echo "<li><a href='user/myinfo.php'>My Info</a></li>";
    echo "<li><a href='include/logout.php'>Logout</a></li>";
}elseif (!isset($_SESSION['userid']) && !isset($_COOKIE['usercookie'])) {
    echo "<li><a href='include/login_rc.php'>Login</a></li>";
    echo "<li><a href='include/signup_rc.php'>Sign up</a></li>";
}
?>
</ul>
</nav>
</div>
<form class="searchbox" action="" method="post">
<input type="text" name="searchbox" id="searchbox" placeholder="Search Restaurant">
<button type="submit" name="search">SEARCH</button>
<p id="sss"></p>
</form>
</header>
```

```

<div class="wrapper">
<h2 class="restaurants">
    Restaurants
</h2>
<?php
if (isset($_POST['search']) && !empty($_POST['searchbox'])) {
    $restaurantname=$_POST['searchbox'];
    $query="SELECT * from restaurants where name like '%$restaurantname%';";
}else{
    $query="SELECT * from restaurants";
}
if ($conn->query($query)) {
    $result=$conn->query($query);
    while ($row=$result->fetch_assoc()) {
        $name=$row['name'];
        $restaurantid=$row['id'];
        $pic=$row['pic'];
        $address=$row['address'];
        echo "<a href='restaurant?restaurantid=$restaurantid'><div
class='restaurantLandingPage'><img
src='restaurant/img/$pic'><p><br>$name</p></div></a>";
    }
}
?>
</div>

<script type="text/javascript" src="css/jquery.js"></script>
<script type="text/javascript" src="css/script.js"></script>
</body>
</html>

```

Include Folder

connection.php

```

<?php
    $host="localhost";
    $user="root";
    $pass="";
    $dbname="order";
    $conn=new mysqli($host,$user,$pass,$dbname);
    if ($conn->connect_error) {
        echo "connection fail";
        die($conn->connect_error);
    }
?>

```

nav.php

```
<!DOCTYPE html>
<html>
<head>
    <meta charset="utf-8">
    <title>FOODIE</title>
    <link rel="stylesheet" type="text/css" href="../css/style.css">
    <link href="https://fonts.googleapis.com/css?family=Lato:100,300,300i,400,700"
rel="stylesheet">
</head>
<body>
<header>
<div class="wrapper">
    <nav>
    <a href=".."></a>
    <ul>
    <li><a href="..">Home</a></li>
<?php
    session_start();
    if (isset($_SESSION['restaurantid']) || isset($_COOKIE['restaurantcookie'])) {
        echo "<li><a href='../restaurant'>My Restaurant</a></li>";
        echo "<li><a href='../restaurant/addfood.php'>Add Item</a></li>";
        echo "<li><a href='../restaurant/order.php'>Orders</a></li>";
        echo "<li><a href='../include/logout.php'>Logout</a></li>";
    }elseif (isset($_SESSION['userid']) || isset($_COOKIE['usercookie'])) {
        echo "<li><a href='../user/myinfo.php'>My Info</a></li>";
        echo "<li><a href='../include/logout.php'>Logout</a></li>";
    }elseif (!isset($_SESSION['userid']) && !isset($_COOKIE['usercookie'])) {
        echo "<li><a href='../user/login.php'>Login</a></li>";
        echo "<li><a href='../user/signup.php'>Sign up</a></li>";
    }
?>
    </ul>
</nav>
</div>
</header>
```

login_rc.php

```
<!DOCTYPE html>
<html class="signupbody">
<head>
    <meta charset="utf-8">
    <title>FOODIE</title>
    <link rel="stylesheet" type="text/css" href="../css/style.css">
    <link href="https://fonts.googleapis.com/css?family=Lato:100,300,300i,400,700"
rel="stylesheet">
</head>
<body>
<div class="signup">
<h1 class="login-header">Restaurant Login</h1>
<form action="" method="POST">
    <button name="click"><a href='../restaurant/login.php'>Click</a></button>
</form>
</div>
<div class="signup">
    <h1 class="login-header">Customer Login</h1>
    <form action="" method="POST">
        <button name="click"><a href='../user/login.php'>Click</a></button>
    </form>
</div>
</body>
</html>
<?php
include "../include/connection.php";

?>
```

signup_rc.php

```
<!DOCTYPE html>
<html class="signupbody">
<head>
    <meta charset="utf-8">
    <title>FOODIE</title>
    <link rel="stylesheet" type="text/css" href="../css/style.css">
    <link href="https://fonts.googleapis.com/css?family=Lato:100,300,300i,400,700"
rel="stylesheet">
</head>
<body>
<div class="signup">
<h1 class="login-header">Restaurant Signup</h1>
<form action="" method="POST">
<button name="click"><a href='../restaurant/signup.php'>Click</a></button>
```

```

</form>
</div>
<div class="signup">
    <h1 class="login-header">Customer Signup</h1>
    <form action="" method="POST">
        <button name="click"><a href='../user/signup.php'>Click</a></button>
    </form>
</div>
</body>
</html>
<?php
include "../include/connection.php";
?>

```

logout.php

```

<?php
    session_start();
    session_destroy();
    setcookie('restaurantcookie','',-3600,'/');
    setcookie('usercookie','',-3600,'/');
    header("location: ../");
?>

```

Restaurant Folder

index.php

```

<?php
    include "../include/connection.php";
    include "../include/nav.php";
    if (!isset($_SESSION['restaurantid']) && !isset($_COOKIE['restaurantcookie']) &&
    !isset($_GET['restaurantid'])) {
        header("location: login.php"); }
    if (isset($_GET['restaurantid'])) {
        $restaurantid=$_GET['restaurantid'];
    }elseif (isset($_COOKIE['restaurantcookie'])) {
        $restaurantid=$_COOKIE['restaurantcookie'];
    }elseif (isset($_SESSION['restaurantid'])) {
        $restaurantid=$_SESSION['restaurantid'];
    }
    $query="SELECT * from restaurants where id=$restaurantid;";
    if ($conn->query($query)) {
        $result=$conn->query($query);
        $row=$result->fetch_assoc();

```

```

        $pic=$row['pic'];
        $restaurantname=$row['name'];
    }
    $query="SELECT * from food where restaurantId=$restaurantid;";
    ?>
    <div class="restaurantpic">
    <?php
    if (isset($row['pic']) && !empty($row['pic'])) {
        echo "<img src='img/" . $row['pic'] . "'>";
    } else {
        echo "<img src='../css/images/default.jpg'>";
    }
    ?>
    <?php
    if (isset($_SESSION['restaurantid']) || isset($_COOKIE['restaurantcookie'])) {
        echo "<a href='upload.php'>Change Restaurant Picture</a>";
    }
    ?>
    </div>
    <div class="signup">
        <?php echo "<h2 class='restaurants'>$restaurantname</h2>";
        <a href='../user/mycart.php?restaurantid=$restaurantid' class='cart'><h2>My Cart
    </h2></a>";
    ?>
    <div class="item">
    <?php
    if ($conn->query($query)) {
        $result=$conn->query($query);
        $i = 0;
        while ($row=$result->fetch_assoc()) {
            $foodid=$row['id'];
            $name=$row['name'];
            $price=$row['price'];
            $ingredients=$row['ingredients'];
            $id=$row['id'];
            $i++;
        }
    ?>
    <div class="singleitem">
        <?php echo "<div class='name-price'><p class='foodname'>$i. $name</p><p
    class='price'>$price Tk</p>";
        <button type='button' name='updatefood' class='upfooddetails'> Update</button>
        <button type='button' name='deletefood' class='dfooddetails'> Delete</button>
    </div>";
        echo "<div class='ingredients'><p>$ingredients</p>";
    if (!isset($_SESSION['restaurantid']) && !isset($_COOKIE['restaurantcookie'])) {

```



```

                                echo
"<form action='../user/cart.php?foodid=$foodid&restaurantid=$restaurantid'
method='post'>
    Quantity
    <input type='text' name='quantity' value='1' id='fsfood'><br>
    <button type='submit' name='add'>Add</button>
</form>";
}
echo "</div>?"></div>
<?php echo "<br>";
}
}
?>
</div>
</div>
</body>
</html>

```

login.php

```

<!DOCTYPE html>
<html class="signupbody">
<head>
    <meta charset="utf-8">
    <title>FOODIE</title>
    <link rel="stylesheet" type="text/css" href="../css/style.css">
    <link href="https://fonts.googleapis.com/css?family=Lato:100,300,300i,400,700"
rel="stylesheet">
</head>
<body onload="func()">
<header>
    <div class="wrapper">
        <nav>
            <a href=".."></a>
            <ul>
                <li><a href="..">Home</a></li>
            </ul>
        </div>
<?php
session_start();
if (isset($_SESSION['restaurantid']) || isset($_COOKIE['restaurantcookie'])) {
    echo "<li><a href='../restaurant'>My Restaurant</a></li>";
    echo "<li><a href='../restaurant/addfood.php'>Add Item</a></li>";
    echo "<li><a href='../include/logout.php'>Logout</a></li>";
}elseif (isset($_SESSION['userid']) || isset($_COOKIE['usercookie'])) {
    echo "<li><a href='../user/myinfo.php'>My Info</a></li>";
    echo "<li><a href='../include/logout.php'>Logout</a></li>";
}elseif (!isset($_SESSION['userid']) && !isset($_COOKIE['usercookie'])) {

```

```

        echo "<li><a href='../include/login_rc.php'>Login</a></li>";
        echo "<li><a href='../include/signup_rc.php'>Sign up</a></li>";
    }
    ?>
</ul>
</nav>
</div>
</header>
<div class="signup">
    <h1 class="login-header">Restaurant Login</h1>
    <form action="" method="POST">
        <input type="text" name="email" placeholder="Email"><br>
        <input type="password" name="pass" placeholder="Password"><br>
        <label><input type="checkbox" name="loggedin" value="loggedin"
class="checkbox">Keep me logged in</label><br>
        <button name="login">Login</button>
    </form>
</div>
</body>
</html>
<?php
include "../include/connection.php";
if (isset($_SESSION['restaurantid']) || isset($_COOKIE['restaurantcookie']) ||
isset($_SESSION['userid']) || isset($_COOKIE['usercookie'])) {
    header("location: ../");
}
if (isset($_POST['login'])) {
    $pass=mysqli_real_escape_string($conn,$_POST['pass']);
    $email=mysqli_real_escape_string($conn,$_POST['email']);
    $query="SELECT * from restaurants where email='$email'";
    if ($conn->query($query)) {
        $result=$conn->query($query);
        if ($result->num_rows==1) {
            $row=$result->fetch_assoc();
            $passCheck=password_verify($pass,$row['pass']);
            if ($passCheck==false) {
                echo "<p id='warning_logp'>Wrong password</p>";
            }else{
                $_SESSION['restaurantid']=$row['id'];
                if (isset($_POST['loggedin'])) {
                    setcookie('restaurantcookie',$row['id'],time()+60*60*24*30, '/');
                }
            }
            header("location: ../");}
        }else{
            echo "<p id='warning_log'>This email doesn't exist in our database</p>";}}}

```

signup.php

```
<!DOCTYPE html>
<html class="signupbody">
<head>
    <meta charset="utf-8">
    <title>FOODIE</title>
    <link rel="stylesheet" type="text/css" href="../css/style.css">
    <link href="https://fonts.googleapis.com/css?family=Lato:100,300,300i,400,700"
rel="stylesheet">
</head>
<body>
<header>
    <div class="wrapper">
        <nav>
            <a href=".."></a>
        <ul>
            <li><a href="..">Home</a></li>
        <?php
session_start();
if (isset($_SESSION['restaurantid']) || isset($_COOKIE['restaurantcookie'])) {
    echo "<li><a href='../restaurant'>My Restaurant</a></li>";
    echo "<li><a href='../restaurant/addfood.php'>Add Item</a></li>";
    echo "<li><a href='../include/logout.php'>Logout</a></li>";
}elseif (isset($_SESSION['userid']) || isset($_COOKIE['usercookie'])) {
    echo "<li><a href='../user/myinfo.php'>My Info</a></li>";
    echo "<li><a href='../include/logout.php'>Logout</a></li>";
}elseif (!isset($_SESSION['userid']) && !isset($_COOKIE['usercookie'])) {
    echo "<li><a href='../user/login.php'>Login</a></li>";
    echo "<li><a href='../user/signup.php'>Sign up</a></li>";
}
?></ul></nav></div></header>
<div class="signup">
<h1>Sign up your Restaurant</h1>
<form action="" method="POST" onsubmit="return Validate()" name="vform">
<input type="text" name="username" placeholder="Restaurant Name" id="vname">
<div id="name_error" class="val_error"></div><br>
<input type="email" name="email" placeholder="Email" id="vemail">
<div id="email_error" class="val_error"></div><br>
<input type="password" name="pass" placeholder="New password" id="vpassword">
<div id="password_error" class="val_error"></div><br>
<input type="password" name="cpass" placeholder="Confirm password" id="vcpass">
<div id="cpass_error" class="val_error"></div><br>
<input type="text" name="phone" placeholder="Phone number" id="vphone">
<div id="phone_error" class="val_error"></div><br>
<input type="text" name="address" placeholder="Address" id="vaddress">
```

```

<div id="address_error" class="val_error"></div><br>
<button type="submit" name="signup" id="vbtn">Sign up</button>
</form>
<span id="succmsg"></span>
</div>
<script type="text/javascript" src="../css/jquery.js"></script>
<script type="text/javascript" src="../css/script.js"></script>
</body>
</html>
<?php
include "../include/connection.php";
if (isset($_SESSION['restaurantid']) || isset($_COOKIE['restaurantcookie']) ||
isset($_SESSION['userid']) || isset($_COOKIE['usercookie'])) {
header("location: ../");
}
if (isset($_POST['signup'])) {
$name=mysqli_real_escape_string($conn,$_POST['username']);
$email=mysqli_real_escape_string($conn,$_POST['email']);
$password=mysqli_real_escape_string($conn,$_POST['pass']);
$phone=mysqli_real_escape_string($conn,$_POST['phone']);
$address=mysqli_real_escape_string($conn,$_POST['address']);
$hpassword=password_hash($password,PASSWORD_DEFAULT);
if (!empty($name) || !empty($email) || !empty($password) || !empty($phone) ||
!empty($address)) {
$query="INSERT into restaurants (name,email,phone,password,address) values
('$name','$email',$phone,$hpassword,$address)";
if ($conn->query($query)) {
echo "<p class='succmsg'>Registration Successful</p>";}}
?>

```

upload.php

```

<?php
include_once "../include/nav.php";
?>
<form action="" method="post" enctype="multipart/form-data">
<input type="file" name="file">
<button type="submit" name="upload">Upload</button>
</form>
</body>
</html>
<?php
include "../include/connection.php";
if (!isset($_SESSION['restaurantid']) && !isset($_COOKIE['restaurantcookie']) &&
!isset($_GET['restaurantid'])) {
header("location: login.php");
}

```

```

if (isset($_COOKIE['restaurantcookie'])) {
    $restaurantid=$_COOKIE['restaurantcookie'];
}elseif (isset($_SESSION['restaurantid'])) {
    $restaurantid=$_SESSION['restaurantid'];
}
if (isset($_POST['upload'])) {
    $img=$_FILES['file']['name'];
    $uniqueid=uniqid();
    $source=$_FILES['file']['tmp_name'];
    $fileext=explode('.', $img);
    $fileactualext=strtolower(end($fileext));
    $allowed=array('jpg','jpeg','png');
    if (in_array($fileactualext,$allowed)) {
        $newname=$uniqueid." ".$fileactualext;
        $uploadedDirectory="img/$newname";
        move_uploaded_file($source, $uploadedDirectory);
        $query="UPDATE restaurants set pic='$newname' where id=$restaurantid;";
        if ($conn->query($query)) {
            header("location: index.php");
        }else{
            echo "The picture format is not acceptable";
            exit(); } } ?>

```

addfood.php

```

<?php
include "../include/connection.php";
session_start();
if (!isset($_SESSION['restaurantid']) && !isset($_COOKIE['restaurantcookie'])){
    header("location: login.php");}
if (isset($_POST['addfood'])) {
    $name=$_POST['name'];
    $price=$_POST['price'];
    $ingredients=$_POST['ingredients'];
    if (isset($_SESSION['restaurantid'])) {
        $restaurantid=$_SESSION['restaurantid'];
    }elseif (isset($_COOKIE['restaurantcookie'])) {
        $restaurantid=$_COOKIE['restaurantcookie'];
    }
    $query="INSERT into food (name,price,ingredients,restaurantId) values
    ('$name','$price','$ingredients','$restaurantid');";
    if ($conn->query($query)) {
        header("location: index.php");
    } }?>

```

```

<!DOCTYPE html>
<html class="food">
<head>
  <meta charset="utf-8">
  <title>FOODIE</title>
  <link rel="stylesheet" type="text/css" href="../css/style.css">
  <link href="https://fonts.googleapis.com/css?family=Lato:100,300,300i,400,700"
rel="stylesheet">
</head>
<body>
  <header>
    <div class="wrapper">
      <nav>
        <a href=".."></a>
        <ul>
          <li><a href="..">Home</a></li>
          <?php
            if (isset($_SESSION['restaurantid']) || isset($_COOKIE['restaurantcookie'])) {
              echo "<li><a href='../restaurant'>My Restaurant</a></li>";
              echo "<li><a href='../restaurant/addfood.php'>Add Item</a></li>";
              echo "<li><a href='../restaurant/order.php'>Orders</a></li>";
              echo "<li><a href='../include/logout.php'>Logout</a></li>";
            }elseif (isset($_SESSION['userid']) || isset($_COOKIE['usercookie'])) {
              echo "<li><a href='#'>My Info</a></li>";
              echo "<li><a href='../include/logout.php'>Logout</a></li>";
            }elseif (!isset($_SESSION['userid']) && !isset($_COOKIE['usercookie'])) {
              echo "<li><a href='../user/login.php'>Login</a></li>";
              echo "<li><a href='../user/signup.php'>Sign up</a></li>";
            }
          ?>
        </ul>
      </nav>
    </div>
  </header>
  <div class="foodform">
    <h1>Add new item in your menu</h1>
    <form action="" method="POST">
      <input type="text" name="name" placeholder="Item name"><br>
      <input type="text" name="price" placeholder="Price"><br>
      <input type="text" name="ingredients" placeholder="Ingredients"><br>
      <button type="submit" name="addfood">Add food</button>
    </form>
  </div>
</body>
</html>

```

order.php

```
<?php
include "../include/connection.php";
session_start();
?>
<!DOCTYPE html>
<html class="food">
<head>
  <meta charset="utf-8">
  <title>FOODIE</title>
  <link rel="stylesheet" type="text/css" href="../css/style.css">
  <link href="https://fonts.googleapis.com/css?family=Lato:100,300,300i,400,700"
rel="stylesheet">
</head>
<body>
  <header>
    <div class="wrapper">
      <nav>
        <a href=".."></a>
        <ul>
          <li><a href="..">Home</a></li>
        <?php
          if (isset($_SESSION['restaurantid']) || isset($_COOKIE['restaurantcookie'])) {
            echo "<li><a href='../restaurant'>My Restaurant</a></li>";
            echo "<li><a href='../restaurant/addfood.php'>Add Item</a></li>";
            echo "<li><a href='../restaurant/order.php'>Orders</a></li>";
            echo "<li><a href='../include/logout.php'>Logout</a></li>";
          }elseif (isset($_SESSION['userid']) || isset($_COOKIE['usercookie'])) {
            echo "<li><a href='../user/myinfo.php'>My Info</a></li>";
            echo "<li><a href='../include/logout.php'>Logout</a></li>";
          }elseif (!isset($_SESSION['userid']) && !isset($_COOKIE['usercookie'])) {
            echo "<li><a href='../user/login.php'>Login</a></li>";
            echo "<li><a href='../user/signup.php'>Sign up</a></li>";
          }
        <?>
      </ul>
    </nav>
  </div>
</header>
<?php
if (isset($_COOKIE['restaurantcookie'])) {
  $restaurantid=$_COOKIE['restaurantcookie'];
}elseif (isset($_SESSION['restaurantid'])) {
  $restaurantid=$_SESSION['restaurantid'];
}
```

```

$query="SELECT * from orders as o,customers as c where o.restaurantid=$restaurantid
and c.id=o.userid;";
if ($conn->query($query)) {
    $result=$conn->query($query);
    while ($row=$result->fetch_assoc()) {
        $name=$row['name'];
        $address=$row['address'];
        $phone=$row['phone'];
        $desc=$row['orderdesc'];
        echo
        "<div class='orderdiv'>
        <p id='detailtag'>Food Details</p><br>
        <p id='detailfood'>$desc</p>
        <p id='cusdetail'>Customer Details</p>
        <p class='cusdetails'>Name: $name<br>
        Phone: $phone<br>
        Address: $address</p>
        </div>";} }
?>

```

delete.php

```

<?php
include "../include/connection.php";
if(isset($_POST['deletefood'])){
    $id = $_POST['id'];
    $del = ("DELETE FROM food WHERE id = " . $id . ');';
    if($connection->query($del)==TRUE){
        echo "Deleted";
    }else{
        echo "Not Delete";
    }
}

```

User Folder

login.php

```

<!DOCTYPE html>
<html class="signupbody">
<head>
    <meta charset="utf-8">
    <title>FOODIE</title>
    <link rel="stylesheet" type="text/css" href="../css/style.css">
    <link href="https://fonts.googleapis.com/css?family=Lato:100,300,300i,400,700"
rel="stylesheet">
</head>
<body>
<header>

```



```

<div class="wrapper">
<nav>
<a href=".."></a>
<ul>
<li><a href="..">Home</a></li>
<?php
session_start();
if (isset($_SESSION['restaurantid']) || isset($_COOKIE['restaurantcookie'])) {
    echo "<li><a href='../restaurant'>My Restaurant</a></li>";
    echo "<li><a href='../restaurant/addfood.php'>Add Item</a></li>";
    echo "<li><a href='../include/logout.php'>Logout</a></li>";
}elseif (isset($_SESSION['userid']) || isset($_COOKIE['usercookie'])) {
    echo "<li><a href='../user/myinfo.php'>My Info</a></li>";
    echo "<li><a href='../include/logout.php'>Logout</a></li>";
}elseif (!isset($_SESSION['userid']) && !isset($_COOKIE['usercookie'])) {
    echo "<li><a href='../include/login_rc.php'>Login</a></li>";
    echo "<li><a href='../include/signup_rc.php'>Sign up</a></li>";
}
?>
</ul>
</nav>
</div>
</header>
<div class="signup">
<h1 class="login-header">Customer Login</h1>
<form action="" method="POST">
<input type="text" name="email" placeholder="Email"><br>
<input type="password" name="pass" placeholder="Password"><br>
<label><input type="checkbox" name="loggedin" value="loggedin" class="checkbox">Keep
me logged in</label><br>
<button name="login">Login</button>
</form>
</div>
</body>
</html>
<?php
include "../include/connection.php";
if (isset($_SESSION['restaurantid']) || isset($_COOKIE['restaurantcookie']) ||
isset($_SESSION['userid']) || isset($_COOKIE['usercookie'])) {
    header("location: ../");
}
if (isset($_POST['login'])) {
    $pass=mysqli_real_escape_string($conn,$_POST['pass']);
    $email=mysqli_real_escape_string($conn,$_POST['email']);
    $query="SELECT * from customers where email='$email'";

```

```

if ($conn->query($query)) {
    $result=$conn->query($query);
    if ($result->num_rows==1) {
        $row=$result->fetch_assoc();
        $passCheck=password_verify($pass,$row['pass']);
        if ($passCheck==false) {
            echo "<p id='warning_logp'>Wrong password</P>";
        }else{
            $_SESSION['userid']=$row['id'];
            if (isset($_POST['loggedin'])) {
                setcookie('usercookie',$row['id'],time()+60*60*24*30, '/');
            }
        }
    }
    header("location: ../");
}
}
}
echo "<p id='warning_log'>This email doesn't exist in our database</p>";}}}
?>

```

signup.php

```

<!DOCTYPE html>
<html class="signupbody">
<head>
    <meta charset="utf-8">
    <title>FOODIE</title>
    <link rel="stylesheet" type="text/css" href="../css/style.css">
    <link href="https://fonts.googleapis.com/css?family=Lato:100,300,300i,400,700"
rel="stylesheet">
</head>
<body>
<header>
<div class="wrapper">
    <nav>
    <a href=".."></a>
    <ul>
    <li><a href="../index.html">Home</a></li>
<?php
session_start();
if (isset($_SESSION['restaurantid']) || isset($_COOKIE['restaurantcookie'])) {
    echo "<li><a href='../restaurant'>My Restaurant</a></li>";
    echo "<li><a href='../restaurant/addfood.php'>Add Item</a></li>";
    echo "<li><a href='../include/logout.php'>Logout</a></li>";
}elseif (isset($_SESSION['userid']) || isset($_COOKIE['usercookie'])) {
    echo "<li><a href='../user/myinfo.php'>My Info</a></li>";
    echo "<li><a href='../include/logout.php'>Logout</a></li>";
}elseif (!isset($_SESSION['userid']) && !isset($_COOKIE['usercookie'])) {
    echo "<li><a href='../include/login_rc.php'>Login</a></li>";
    echo "<li><a href='../include/signup_rc.php'>Sign up</a></li>";
}

```

```

}
?>
</ul>
</nav>
</div>
</header>
<div class="signup">
    <div class="userSignup"><h1>Sign up as Customer</h1></div>
    <form action="" method="POST" onsubmit="return Validate()" name="vform">
        <input type="text" name="username" placeholder="Customer Name" id="vname">
        <div id="name_error" class="val_error"></div><br>
        <input type="email" name="email" placeholder="Email" id="vemail">
        <div id="email_error" class="val_error"></div><br>
        <input type="password" name="pass" placeholder="New password"
id="vpassword">
        <div id="password_error" class="val_error"></div><br>
        <input type="password" name="cpass" placeholder="Confirm password"
id="vcpassword">
        <div id="cpassword_error" class="val_error"></div><br>
        <input type="text" name="phone" placeholder="Phone number" id="vphone">
        <div id="phone_error" class="val_error"></div><br>
        <input type="text" name="address" placeholder="Address" id="vaddress">
        <div id="address_error" class="val_error"></div><br>
        <button type="submit" name="signup" id="vbtn">Sign up</button>
    </form>
    <span id="succmsg"></span>
</div>
    <script type="text/javascript" src="../css/jquery.js"></script>
    <script type="text/javascript" src="../css/script.js"></script>
</body>
</html>
<?php
include "../include/connection.php";
if (isset($_SESSION['restaurantid']) || isset($_COOKIE['restaurantcookie']) ||
isset($_SESSION['userid']) || isset($_COOKIE['usercookie'])) {
    header("location: ../");
}
if (isset($_POST['signup'])) {
    $name=mysqli_real_escape_string($conn,$_POST['username']);
    $email=mysqli_real_escape_string($conn,$_POST['email']);
    $pass=mysqli_real_escape_string($conn,$_POST['pass']);
    $phone=mysqli_real_escape_string($conn,$_POST['phone']);
    $address=mysqli_real_escape_string($conn,$_POST['address']);
    $hpass=password_hash("$pass",PASSWORD_DEFAULT);

```

```

if (!empty($name) || !empty($email) || !empty($pass) || !empty($phone) ||
!empty($address)) {
$query="INSERT into customers (name,email,phone,pass,address) values
('$name','$email',$phone,$hpass','$address');";
if ($conn->query($query)) {
    echo "<p class='succmsgs'>Registration Successful</p>";}}
?>
myinfo.php
<?php
include "../include/connection.php";
session_start();
?>
<!DOCTYPE html>
<html class="food">
<head>
    <meta charset="utf-8">
    <title>FOODIE</title>
    <link rel="stylesheet" type="text/css" href="../css/style.css">
    <link href="https://fonts.googleapis.com/css?family=Lato:100,300,300i,400,700"
rel="stylesheet">
</head>
<body>
    <header>
        <div class="wrapper">
            <nav>
                <a href=".."></a>
                <ul>
                    <li><a href="..">Home</a></li>
<?php
if (isset($_SESSION['restaurantid']) || isset($_COOKIE['restaurantcookie'])) {
    echo "<li><a href='../restaurant'>My Restaurant</a></li>";
    echo "<li><a href='../restaurant/addfood.php'>Add Item</a></li>";
    echo "<li><a href='../restaurant/order.php'>Orders</a></li>";
    echo "<li><a href='../include/logout.php'>Logout</a></li>";
}elseif (isset($_SESSION['userid']) || isset($_COOKIE['usercookie'])) {
    echo "<li><a href='../user/myinfo.php'>My Info</a></li>";
    echo "<li><a href='../include/logout.php'>Logout</a></li>";
}elseif (!isset($_SESSION['userid']) && !isset($_COOKIE['usercookie'])) {
    echo "<li><a href='../user/login.php'>Login</a></li>";
    echo "<li><a href='../user/signup.php'>Sign up</a></li>";
}
?>
</ul>
</nav>
</div>

```

```

</header>
<?php
    if (isset($_COOKIE['usercookie'])) {
        $userid=$_COOKIE['usercookie'];
    }elseif (isset($_SESSION['userid'])) {
        $userid=$_SESSION['userid'];
    }
    $query="SELECT * from customers where id=$userid;";
    if ($conn->query($query)) {
        $result=$conn->query($query);
        while ($row=$result->fetch_assoc()) {
            $name=$row['name'];
            $address=$row['address'];
            $phone=$row['phone'];
            $email=$row['email'];
            echo
            "<div class='cusdetails'>
            <p id='cusdetail'>Customer Details</p>
            <p>Name: $name<br>
            Phone: $phone<br>
            Email: $email<br>
            Address: $address</p>
            </div>";} }
?>

```

cart.php

```

<?php
include "../include/connection.php";
session_start();
if (!isset($_SESSION['userid']) && !isset($_COOKIE['usercookie'])) {
    echo "you are not logged in";
}elseif (isset($_POST['add']) && isset($_GET['foodid'])) {
    $quantity=$_POST['quantity'];
    $foodid=$_GET['foodid'];
    $restaurantid=$_GET['restaurantid'];
    if (isset($_SESSION['userid'])) {
        $userid=$_SESSION['userid'];
    }elseif (isset($_COOKIE['usercookie'])) {
        $userid=$_COOKIE['usercookie'];
    }
    $query="INSERT into cart (foodId, customerId, quantity) values ($foodid,$userid,$quantity);";
    if ($conn->query($query)) {
        header("location: ../restaurant/?restaurantid=$restaurantid");
    }else{
        echo "you already ordered this food";}}
?>

```

mycart.php

```
<?php
include "../include/connection.php";
include_once "../include/nav.php";
if (!isset($_SESSION['userid']) && !isset($_COOKIE['usercookie'])) {
    echo "you are not logged in";
}elseif (isset($_SESSION['userid']) || isset($_COOKIE['usercookie'])) {
    $restaurantid=$_GET['restaurantid'];
    if (isset($_SESSION['userid'])) {
        $userid=$_SESSION['userid'];
    }elseif (isset($_COOKIE['usercookie'])) {
        $userid=$_COOKIE['usercookie'];
    }
    if (isset($_GET['desc'])) {
        $desc=$_GET['desc'];
        $query="INSERT into orders (restaurantid,userid,orderdesc) values
        ($restaurantid,$userid,$desc)";
        if ($conn->query($query)) {
            $query="DELETE from cart where customerId=$userid;";
            if ($conn->query($query)) {
                header("location: ../");}}}
        $query="SELECT * from cart as c,food as f where c.customerId=$userid and c.foodId=f.id and
        f.restaurantId=$restaurantid;";
        if ($conn->query($query)) {
            $result=$conn->query($query);
            $total=0;
            $i=1;
            $desc="";
        }
    ?>
    <div class="wrapper">
    <?php
        while ($row=$result->fetch_assoc()) {
            $name=$row['name'];
            $quantity=$row['quantity'];
            $price=$row['price']*$quantity;
            $total+=$price;
            $desc= $desc."$i. <br>Name: ".$name . "<br>Quantity: ".$quantity
            . "<br>Price: ".$price." tk<br><br>";
            $i++;
        }
        $desc=$desc. "Total: $total";
        echo "$desc<br><br>";}}
    if (isset($_SESSION['userid']) || isset($_COOKIE['usercookie'])) {
        echo "<a href='mycart.php?desc=$desc&restaurantid=$restaurantid'>Checkout</a>";}
    ?>
```

style.css

```
/*
html5doctor.com Reset Stylesheet
v1.6.1
Last Updated: 2010-09-17
Author: Richard Clark - http://richclarkdesign.com
Twitter: @rich_clark
*/
html, body, div, span, object, iframe,
h1, h2, h3, h4, h5, h6, p, blockquote, pre,
abbr, address, cite, code,
del, dfn, em, img, ins, kbd, q, samp,
small, strong, sub, sup, var,
b, i,
dl, dt, dd, ol, ul, li,
fieldset, form, label, legend,
table, caption, tbody, tfoot, thead, tr, th, td,
article, aside, canvas, details, figcaption, figure,
footer, header, hgroup, menu, nav, section, summary,
time, mark, audio, video {
    margin:0;
    padding:0;
    border:0;
    outline:0;
    font-size:100%;
    vertical-align:baseline;
    background:transparent;}
body {
    line-height:1;}
article,aside,details,figcaption,figure,
footer,header,hgroup,menu,nav,section {
    display:block;}
nav ul {
    list-style:none;}
blockquote, q {
    quotes:none;}
blockquote:before, blockquote:after,
q:before, q:after {
    content:"";
    content:none;}
a {
    margin:0;
    padding:0;
    font-size:100%;
    vertical-align:baseline;
```

```

    background:transparent;}
ins {
    background-color:#ff9;
    color:#000;
    text-decoration:none;}
mark {
    background-color:#ff9;
    color:#000;
    font-style:italic;
    font-weight:bold;}
del {
    text-decoration: line-through;}
abbr[title], dfn[title] {
    border-bottom:1px dotted;
    cursor:help;}
table {
    border-collapse:collapse;
    border-spacing:0;}
hr {
    display:block;
    height:1px;
    border:0;
    border-top:1px solid #cccccc;
    margin:1em 0;
    padding:0;}
input, select {
    vertical-align:middle;}
/*-----my code starts here-----*/
*{
    box-sizing: border-box;}
html{
    background-color: #fff;
    font-family: Lato,Arial, sans-serif;
    font-size: 20px;
    font-weight: 300;
    color: #555;
    text-rendering: optimizeLegibility;}
a{
    text-decoration: none;
    color: #111;
    font-family: 'Lato','Arial', sans-serif;}
header{
    width: 100%;
    background-color: #fff;}
.signupbody{

```



```

    background-color: #333;}
.signup{
    width: 500px;
    margin: 80px auto;
    background-color: #fff;
    padding: 10px;}
.signup form, .foodform form{
    width: 100%;}
.signup form input, .foodform form input{
    width: 100%;
    height: 40px;
    margin: 6px 0;
    padding: 4px;
    font-family: lato,Arial, sans-serif;
    font-size: 18px;
    font-weight: 300;
    border: 1px solid #8bad8a;
    border-radius: 5px;}
#fsfood{
    width: 25%;}
.signup form label{
    display: inline-block;
    font-size: 15px;}
.signup form label input{
    width: 15px;
    margin-right: 4px;}
.signup h1{
    margin: 20px 0;
    text-align: center;
    font-size: 30px;
    color: #139b0f;}
.login-header{
    font-size: 25px !important;}
.userSignup h1{
    margin: 20px 37%;}
.signup button,.foodform button{
    width: 200px;
    height: 50px;
    margin: 10px 145px;
    font-size: 25px;
    background-color: #139b0f;
    color: #fff;
    border: 1px solid #111;
    border-radius: 5px;}
.signup button:hover,.foodform button:hover{

```

```

    background-color: #15a810;}
.food{
    background-image: url(images/addFood.jpg);
    background-size: cover;
    background-position: center;
    height: 100vh;
    background-repeat: no-repeat;}
.foodform{
    width: 400px;
    margin: 80px auto;
    background-color: #139b0f;
    padding: 10px;}
.foodform h1{
    margin: 20px 15%;
    font-size: 20px;
    color: #fff;}
.foodform button{
    margin-left: 95px ;}
.wrapper{
    width: 80%;
    margin: 0 auto;
    background-color: #fff;}
.item{
    margin: 40px 0;}
.name-price{
    height: 40px;
    width: 100%;}
.name-price p{
    float: left;}
.price{
    float: right !important;}
.ingredients p{
    margin-left: 10px;
    float: left;}
.ingredients form{
    float: right;}
.singleitem{
    width: 100%;
    height: 130px;
    padding: 20px; }
.cart{
    float: right;
    border: 1px solid #139b0f; }
.homeHeader{
    width: 100%;

```

```

    height: 100vh;
    background-image: linear-gradient(rgba(0,0,0,0.7),rgba(0,0,0,0.7)),
url(images/homepage.jpg);
    background-size: cover;
    background-position: center;
    background-repeat: no-repeat;
    background-attachment: fixed;}
.homeHeader div{
    width: 80%;
    margin: 0 auto;}
.homeHeader nav, nav{
    margin-top: 0;}
.homeHeader nav img, nav img{
    margin-top: 0;
    height: 120px;
    width: 120px;}
.homeHeader nav ul, nav ul{
    float: right;
    margin-top: 51px;}
.homeHeader nav ul li,nav ul li{
    display: inline-block;}
.homeHeader nav ul li a,nav ul li a{
    color: #fff;
    font-size: 18px;
    font-family: lato,Arial,sans-serif;
    font-weight: 300;
    margin-left: 40px;
    border-bottom: 1px solid transparent;
    padding-bottom: 5px;}
nav ul li a{
    color: #139b0f;}
.homeHeader nav ul li a:hover,nav ul li a:hover{
    border-bottom: 1px solid #27ae60;
    color: #27ae60;}
.restaurantLandingPage{
    height: 240px;
    width: 300px;
    float: left;
    margin: 20px;
    font-size: 15px;
    overflow: hidden;}
.restaurantLandingPage img{
    width: 100%;
    height: 180px;
    transition: transform .5s;}

```

```

.restaurantLandingPage img:hover{
    transform: scale(1.15);}
.restaurantLandingPage p{
    font-family: lato, Arial, sans-serif;
    font-weight: 400;
    margin-bottom: 0px;
    font-size: 18px;}
.restaurantLandingPage:hover{
    color: #139b0f;}
.restaurantpic{
    width: 100%;
    height: 420px;}
.restaurantpic img{
    height: 400px;
    width: 100%;}
.restaurantpic a{
    font-size: 15px;
    float: right;}
.restaurantpic a:hover{
    color: #139b0f;}
.searchbox{
    position: absolute;
    top: 50%;
    right: 50%;}
.searchbox input{
    width: 300px;
    height: 40px;
    padding: 10px;
    font-size: 18px;
    font-family: lato, Arial, sans-serif;
    font-weight: 300;}
.searchbox button{
    width: 100px;
    height: 40px;
    margin-left: 10px;
    background-color: transparent;
    color: #27ae60;
    border: 1px solid #27ae60;
    font-family: lato, Arial, sans-serif;
    font-weight: 400;
    transition: background-color .8s;}
.searchbox button:hover{
    background-color: #27ae60;
    color: #fff;}
.restaurants{

```

```

    text-align: center;
    font-size: 40px;
    color: #139b0f;
    font-family: lato, Arial, sans-serif;
    font-weight: 400;
    margin: 20px 0;
    text-transform: uppercase;}
.checkoutbtn button{
    width: 200px;
    height: 50px;
    margin: 10px 145px;
    font-size: 25px;
    background-color: #139b0f;
    color: #fff;
    border: 1px solid #111;
    border-radius: 5px;
    margin-left: 36%;}
#success_msg{
    background-color: green;
    color: black;
    font-size: 36px;
    padding: 5%;}
#success_msg p{
    margin-left: 35%;}
.upfooddetails{
    height: 35px !important;
    width: 100px !important;
    font-size: 16px !important;
    margin-left: 80% !important;}
.dfooddetails{
    height: 35px !important;
    width: 100px !important;
    font-size: 16px !important;
    margin-left: 80% !important;
    background-color: red !important;}
#name_error{
    color: red;}
#email_error{
    color: red;}
#password_error{
    color: red;}
#cpassword_error{
    color: red;}
#phone_error{
    color: red;}

```

```

#address_error{
  color: red;}
#warning_logp{
  position: absolute;
  top: 145px;
  color: red;
  font-size: 36px;
  margin-left: 40%;
  font-weight: bold;
  text-align: center;
  animation: fadein 2s;
  -moz-animation: fadein 2s; /* Firefox */
  -webkit-animation: fadein 2s; /* Safari and Chrome */
  -o-animation: fadein 2s; /* Opera */}
#warning_log {
  position: absolute;
  top: 145px;
  color: red;
  font-size: 36px;
  margin-left: 28%;
  font-weight: bold;
  text-align: center;
  animation: fadein 2s;
  -moz-animation: fadein 2s; /* Firefox */
  -webkit-animation: fadein 2s; /* Safari and Chrome */
  -o-animation: fadein 2s; /* Opera */}
.succmsgs{
  position: absolute;
  top: 145px;
  margin-left: 35%;
  color: green;
  font-size: 36px;
  font-weight: bold;
  text-align: center;
  animation: fadein 2s;
  -moz-animation: fadein 2s; /* Firefox */
  -webkit-animation: fadein 2s; /* Safari and Chrome */
  -o-animation: fadein 2s; /* Opera */}
@keyframes fadein {
  from {
    opacity:0;}
  to {
    opacity:1;}}
@-moz-keyframes fadein { /* Firefox */
  from {

```

```

        opacity:0; }
    to {
        opacity:1;}}
@-webkit-keyframes fadein { /* Safari and Chrome */
    from {
        opacity:0;}
    to {
        opacity:1;}}
@-o-keyframes fadein { /* Opera */
    from {
        opacity:0; }
    to {
        opacity: 1; }}
.orderdiv{
    height: 500px;
    width: 600px;
    background-color: aliceblue;
    margin-left: 27%;}
#detailtag{
    font-size: 36px;
    font-weight: bold;}
#cusdetail{
    font-size: 36px;
    font-weight: bold;
    margin-top: 30px;
    margin-bottom: 20px;}
.cusdetails{
    height: 500px;
    width: 600px;
    background-color: aliceblue;}
@media only screen and (max-width: 767px){
.homeHeader nav img, nav img{
    margin-left: -30px;}
#searchbox{
    width: 160px;
    font-size: 15px;}
.searchbox button{
    width: 60px;
    font-size: 12px;
    margin-left: 0px;}
.signup{
    width: 420px;}
.signup button{
    width: 100px;
    font-size: 20px;}

```

```

.homeHeader nav img, nav img {
    margin-top: 30px;
    height: 60px;
    width: 60px;}
.homeHeader nav ul li a, nav ul li a{
    margin-left: 7px;
    font-size: 15px;}
.orderdiv{
    margin-left: 0%;}}
@media only screen and (min-width: 768px) and (max-width: 991px) {
    .homeHeader nav img, nav img{
        margin-left: -30px; }
    .homeHeader nav ul li a, nav ul li a{
        font-size: 15px; }
    #searchbox{
        width: 220px;
        font-size: 15px;}
    .searchbox button{
        width: 80px;
        font-size: 12px;
        margin-left: 0px;}
    .orderdiv{
        margin-left: 12%;}
}

```

script.js

```

var username = document.getElementById("vname");
var email = document.getElementById("vemail");
var password = document.getElementById("vpassword");
var cpassword = document.getElementById("vcpassword");
var phone = document.getElementById("vphone");
var address = document.getElementById("vaddress");

var name_error = document.getElementById("name_error");
var email_error = document.getElementById("email_error");
var password_error = document.getElementById("password_error");
var cpassword_error = document.getElementById("cpassword_error");
var phone_error = document.getElementById("phone_error");
var address_error = document.getElementById("address_error");

username.addEventListener("blur", nameVerify);
email.addEventListener("blur", emailVerify);
password.addEventListener("blur", passwordVerify);
cpassword.addEventListener("blur", passwordVerify);

```



```

phone.addEventListener("blur", phoneVerify);
address.addEventListener("blur", addressVerify);
function Validate(){
    if(username.value == ""){
        username.style.border = "2px solid red";
        name_error.textContent = "Username is required";
        username.focus();
        return false;}
    if(email.value == ""){
        email.style.border = "2px solid red";
        email_error.textContent = "Email is required";
        email.focus();
        return false;}
    if(password.value == ""){
        password.style.border = "2px solid red";
        password_error.textContent = "Password is required";
        password.focus();
        return false;}
    if(password.value != cpassword.value){
        cpassword.style.border = "2px solid red";
        cpassword_error.textContent = "Password does not match";
        password.focus();
        return false;}
    if(phone.value.length < 11){
        phone.style.border = "2px solid red";
        phone_error.textContent = "Phone can't be less than 11 digit";
        phone.focus();
        return false;}
    if(address.value == ""){
        address.style.border = "2px solid red";
        address_error.textContent = "Address is required";
        address.focus();
        return false;}}
function nameVerify(){
    if(username.value != ""){
        username.style.border = "1px solid black";
        name_error.innerHTML = "";
        return true;}}
function emailVerify(){
    if(email.value != ""){
        email.style.border = "1px solid black";
        email_error.innerHTML = "";
        return true;}}
function passwordVerify(){
    if(password.value != ""){

```

```

        password.style.border = "1px solid black";
        password_error.innerHTML = "";
        return true;}}
function passwordVerify(){
    if(password.value == cpassword.value){
        cpassword.style.border = "1px solid black";
        cpassword_error.innerHTML = "";
        return true;}}
function phoneVerify(){
    if(phone.value != ""){
        phone.style.border = "1px solid black";
        phone_error.innerHTML = "";
        return true;}}
function addressVerify(){
    if(address.value != ""){
        address.style.border = "1px solid black";
        address_error.innerHTML = "";
        return true;}}
$(document).ready(function(){
    $('#vbtn').click(function(){
        $.ajax({
            url: "signup.php",
            method: "POST",
            data: {username:username, email:email, password:password,
cpassword:cpassword, phone:phone, address:address},
            success: function(data){
                $("vform").trigger("reset");
                $('#succmsg').fadeIn().html(data);
                setTimeout(function(){
                    $('#succmsg').fadeOut("Slow");
                }, 2000);}
        });
    });
});
function func(){
    if(window.history.previous) {
        window.location.href = '..../';
    }
}
$(document).ready(function() {
    $('.dfooddetails').click(function(e){
        e.preventDefault();
        var id = $(this).attr('data-id');
        $.ajax({
            type: 'POST',

```

```

        url: 'delete.php',
        data: 'id='+id,
        success: function(data){
            $('#body').fadeOut();
        }
    });
});

$(document).ready(function(){
    $('#searchbox').on('input', function(){
        var res = $(this).val();
        if(res.length>0){
            data = {'search': res};
            $.post('search.php', data, function(result){
                $('#sss').html(result);
            });
        }
    });
});

```