

Partial Mastectomy and Sentinel Node - Final Pathology Report

Dana Keller | MRN DEMO-BC-001 | DOB 1974-02-11 | Female

Accession	HPS-26-08124
Specimen collection	2026-08-07
Final report	2026-08-12
Procedure	Left partial mastectomy with sentinel/targeted axillary lymph-node excision

Final diagnosis

Breast specimen	Residual invasive ductal carcinoma, no special type, with treatment effect.
Residual invasive tumor	1.4 cm greatest dimension.
Histologic grade	Nottingham grade 2 of 3.
In situ component	Focal intermediate-grade ductal carcinoma in situ.
Margins	All submitted margins negative for invasive carcinoma and DCIS; closest invasive margin 6 mm.
Lymphovascular invasion	Not identified.
Lymph nodes	0 of 3 nodes positive for carcinoma. Treatment-related fibrosis present in the clipped node.
Pathologic stage	ypT1c ypN0(sn).

Predictive biomarkers - residual invasive carcinoma

Marker	Result	Method / interpretation
Estrogen receptor (ER)	Positive - 90% strong nuclear staining	IHC
Progesterone receptor (PR)	Negative - <1% nuclear staining	IHC
HER2	Negative - IHC score 1+	ASCO/CAP interpretive category: HER2 negative
Ki-67	15%	Manual estimate

Comment

Findings are consistent with residual treated breast carcinoma. The clipped axillary node shows treatment effect without residual metastatic carcinoma.

Pathologist

Evan Ortiz, MD - electronically signed 2026-08-12 16:18