SALES ORDER 10071783



Arrow Glass Industries P.O BOX 40697 Houston, TX 77040

Phone: (832) 467-4345 Fax: (832) 467-4806

Pay Terms		Date
Net 30	Page 1 of 1 07/26/202	
Customer P.O. #	Install Date Measure Date	
91KCNIS5_006216		07/26/2023
Zone	Ship Via	
ZONE H	Install	
Job Name	Inside Sales	Outside Sales
5402	FG	KS

Sold to:

MHI PARTNERSHIP LTD-HOU 7676 WOODWAY SUITE 104 HOUSTON, TX 77063 H10 Pm Step Ship to:

DSHIPMAN@COVENTRYHOMES.COM 7402 LAGRANGE POINT CANE ISLAND 55 KATY, TX 77493

Phone: (713) 852-7804

DANNY S

Call 1 Hr alead

Line	QTY	Item/Description	Price/Pc	Total
1	1PC	VICTORY INLINE CHROME/CLEAR 28" x 80" PLEASE REMAKE/INSTALL JUST THE GLASS FOR THE B2 VICTORY SHOWER DOOR. PER SUPER AND H/O THE DOOR HAS A CHIP.SUPER IS PAYING: IT IS OUT OF THE 72HR WARRANTY. 10059226-10056418 12/8/2022 T22	404.00	404.00
		H/O:EDUARDO 240-731-9493 PM STOP CALL 1HR AHEAD		
Total Po	s 1	· ·		

SUBTOTAL SALES TAX

404.00 0.00

TOTAL

404.00

Print Date: 7/26/202: 8:41:35AM

SHOWER ENCLOSURE ORDER/MEASURE SHEET

CUSTOMER: MHI PARTNERSHIP LTD-HOU CONTACT: RYAN NIXON SITE TECH: Melmer SHOWER SPECIFICATIONS: LOCATION WALL SURFACE: TILE SEAT TYPE: MARBLE DOOR: STD DEDUCTIONS: STANDARD ALL PLASTICS TILE HEIGHT: 106 NOTES: Mudset 400 step HEADER: AGI HEADER HEADER: AGI HEADER HOUSE READY FOR INSTALL: Melmer Melmer Melmer Melmer Melmer Melmer MITTO 17 8 3 Melmer Melmer MITTO 17 8 3 Melmer TOO 7 7 8 3 Melmer MITTO 17 8 3 Melmer TOO 7 7 8 3 Melmer MITTO 17 8 3 Melmer TOO 7 7 8 3 Melmer MITTO 17 8 3 Melmer TOO 7 7 8 3 Melmer TOO 8 9 9 8 9 9 8 9 9 9 9 9 9 9 9 9 9 9 9	CUSTOMER: MHI PARTNERSHIP LTD-HOU CONTACT: RYAN NIXON SITE TECH: Melmer PHONE: (832) 309-0874 DATE MEASURED: 11/30/22 INSTALL DATE: SHOWER SPECIFICATIONS: VILCHCLR UOGATION B2 ITEM ID: VILCHCLR WALL SURFACE: TILE SEAT TYPE: MARBLE DOOR: STD DEDUCTIONS: STANDARD HANDLE TYPE: VICTORY U-HANDLE 6" DEDUCTIONS: STANDARD ALL PLASTICS TILE HEIGHT: 100 NOTES: Mudset so step HEADER AGI HEADER A: AT 18 B: 45 7/8 LEVEL C: 17 3/8 CB 1/16 D: 12 1/2 DL 13/16 F 58 5/16 HOUSE READY FOR INSTALL: GG: NO AGI NOTCH: YES OH: 5/8 CAP THICKNESS: 5/8 CENTER OF CAP: 17 1/16	DATE ORDERED:	ADDRESS:
CONTACT: RYAN NIXON SITE TECH: Melmer PHONE: (832) 309-0874 DATE MEASURED: 11/30/22 INSTALL DATE SHOWER SPECIFICATIONS: ZONE: H LOCATION: B2 ITEM ID: VILCHCLR WALL SURFACE: TILE SEAT TYPE: MARBLE DOOR HINGED: LEFT WALL/GLASS HINGE OFFSET: STANDARD HANDLE TYPE: VICTORY U-HANDLE 6" DEDUCTIONS: STANDARD ALL PLASTICS SHOWER HEIGHT: 80 TILE HEIGHT: 100 NOTES: Madset no step HEADER: AGI HEADER A: AT 1/8 B: 45 7/8 LEVEL C: 17 3/8 CB 1/16 D: 12 1/2 DL 13/16 HOUSE READY FOR INSTALL: 12 1/2	CONTACT: RYAN NIXON SITE TECH: Melmer PHONE: (832) 309-19874 DATE MEASURED: 11/30/22 INSTALL DATE. SHOWER SPECIFICATIONS: ZONE: H LOCATION B2 ITEM ID: VILCHCLR DOOR HINGED: LEFT WALL/GLASS HINGE OFFSET: STANDARD HANDLE TYPE: VICTORY LI-HANDLE 6" DOOR: STD DEDUCTIONS: STANDARD ALL PLASTICS TILE HEIGHT: 100 NOTES: Madded no step HEADER: AGI HEADER A: AT 1/8 B: 45 7/8 LEVEL C: 17 3/8 CB 1/16 D: 12 1/2 DL 13/16 F 88 5/16 HOUSE READY FOR INSTALL: GG: NO FER AGI HEADER AGI NOTCH: TES OUS HE OUT OF THE OUT	CUSTOMER: MHI PARTNERSHIP LTD-HOU	100717 8 3
SHOWER SPECIFICATIONS: LOCATION B2 ITEM ID: VILCHCLR WALL SURFACE: TILE SEAT TYPE: MARBLE DOOR: STD DOOR: STD DOOR: STD DEDUCTIONS: STANDARD HANDLE TYPE: VICTORY U-HANDLE 6" DEDUCTIONS: STANDARD ALL PLASTICS SHOWER HEIGHT: 100 NOTES: Madset no step HEADER: AGI HEADER A: AT 1/8 B: 45 7/8 LEVEL C: 17 3/8 CB 1/16 D: 12 1/2 DL 13/16 HOUSE READY FOR INSTALL: DATE MEASURED: 11/30/22 INSTALL DATE: ZONE: H ZONE: H JONE: H JON	PHONE: (832) 309-0874 DATE MEASURED: INSTALL DATE: SHOWER SPECIFICATIONS. LOCATION B2 ITEM ID: VILCHCLR WALL SURFACE: TILE SEAT TYPE: MARBLE DOOR: STD DOOR: STD DOOR: STD DEDUCTIONS: STANDARD HANDLE TYPE: VICTORY U-HANDLE 6" DEDUCTIONS: STANDARD HOUSE READY FOR INSTALL: HEADER: AGI HEADER AI 18 F 58 5/16 D: 12 1/2 DL 13/16 E: EB 1/8 F 68 5/16 AGI NOTCH: YES OH: 15/8 CAP THICKNESS: 5/8 CENTER OF CAP: 17 1/16	CONTACT: RYAN NIXON	Melmer
SHOWER SPECIFICATIONS: LOCATION B2 ITEM ID: VILCHCLR WALL SURFACE: TILE SEAT TYPE: MARBLE DOOR: STD DEDUCTIONS: STANDARD HANDLE TYPE: VICTORY U-HANDLE 6" DEDUCTIONS: STANDARD ALL PLASTICS TILE HEIGHT: 100 NOTES: Madset to step HEADER: AGI HEADER A: B: 45 7/8 LEVEL C: 17 3/8 CB 1/16 D: 12 1/2 DL 13/16 HOUSE READY FOR INSTALL: HEADER: AGI HEADER A: LEVEL LEFT WALL/GLASS HINGE OFFSET: STANDARD HANDLE TYPE: VICTORY U-HANDLE 6" DEDUCTIONS: STANDARD ALL PLASTICS TILE HEIGHT: 100 NOTES: Madset to step COMEO WITH MIRROR HEADER: AGI HEADER AHOUSE READY FOR INSTALL:	SHOWER SPECIFICATIONS: LOCATION: B2 ITEM ID: VILCHCLR WALL SURFACE: TILE SEAT TYPE: MARBLE DOOR: STD DOOR: STD DEDUCTIONS: STANDARD HANDLE TYPE: VICTORY U-HANDLE 6" DEDUCTIONS: STANDARD ALL PLASTICS TILE HEIGHT: 100 NOTES: Madded 60 Ntep NOTES: Madded 60 Ntep HEADER AGI HEADER A: AT 1/8 B: 45 7/8 LEVEL C: 17 3/8 CB 1/16 D: 12 1/2 DL 13/16 E: EB 1/8 HOUSE READY FOR INSTALL: GG: NO AGI NOTCH: YES OH: 15/8 CAP THICKNESS: 5/8 CENTER OF CAP. 17 1/16	PHONE: (832) 309-0874 DATE MEASURE	The second secon
LOCATION: B2 ITEM ID: VILCHCLR DOOR HINGED: LEFT WALL/GLASS HINGE OFFSET: STANDARD HANDLE TYPE: VICTORY U-HANDLE 6" DEDUCTIONS: STANDARD ALL PLASTICS SHOWER HEIGHT: 400 NOTES: Madset no step HEADER: AGI HEADER A: AT 1/8 B: 45 7/8 LEVEL C: 17 3/8 CB 1/16 D: 12 1/2 DL 13/16 HOUSE READY FOR INSTALL: VILCHCLR DOOR HINGED: LEFT WALL/GLASS HINGE OFFSET: STANDARD HANDLE TYPE: VICTORY U-HANDLE 6" DEDUCTIONS: STANDARD ALL PLASTICS TILE HEIGHT: 400 NOTES: Madset no step S8 5/16 S8 5/16 A HOUSE READY FOR INSTALL:	WALL SURFACE: TILE WALL SURFACE: TILE WALL SURFACE: TILE SEAT TYPE: MARBLE DOOR: STD DOOR: STD DEDUCTIONS: STANDARD HANDLE TYPE: VICTORY U-HANDLE 6" DEDUCTIONS: STANDARD ALL PLASTICS TILE HEIGHT: 100 NOTES: Madded ao step HEADER AGI HEADER A: AT 1/8 B: 45 7/8 LEVEL C: 17 3/8 CB 1/16 D: 12 1/2 DL 18/16 E: EB 1/8 HOUSE READY FOR INSTALL: GG: NO AGI NOTCH: YES OH: 15/8 CAP THICKNESS: 5/8 CENTER OF CAP. 17 1/16		Ħ
WALL SURFACE: TILE SEAT TYPE: MARBLE DOOR: STD DOOR: STD DEDUCTIONS: STANDARD ALL PLASTICS SHOWER HEIGHT: 80 WIDTH: 60 A: AT 1/8 B: 45 7/8 LEVEL C: 17 3/8 CB 1/16 D: 12 1/2 DL 13/16 E: EB 1/8 HOUSE READY FOR INSTALL: DOOR HINGED: LEFT WALL/GLASS HINGE OFFSET: STANDARD HANDLE TYPE: VICTORY U-BANDLE 6P DEDUCTIONS: STANDARD ALL PLASTICS TILE HEIGHT: 100 NOTES: Mudset no step COMBO WITH MIRROR A: S8 5/16 B: 58 5/16 A HOUSE READY FOR INSTALL: 12 1/2	WALL SURFACE: TILE SEAT TYPE: MARBLE DOOR: STD DEDUCTIONS: STANDARD ALL PLASTICS SHOWER HEIGHT: 80 WIDTH: 60 A: AT 1/8 B: 45 7/8 C: 17 3/8 CB 1/16 D: 12 1/2 DL 13/16 F 58 5/16 HEADER: AGI HEADER AGI NOTCH: YES OH: 1 5/8 CAP THICKNESS: 5/8 CENTER OF CAP: 17 1/16	The same of the sa	VILCHCLR
SEAT TYPE: MARBLE DOOR: STD BHOWER HEIGHT: WIDTH: A: B: 45 7/8 C: 17 3/8 CB LEVEL C: 17 3/8 CB LI/16 D: 12 1/2 HINGE OFFSET: STANDARD HANDLE TYPE: VICTORY U-HANDLE 6P DEDUCTIONS: STANDARD ALL PLASTICS TILE HEIGHT: 100 NOTES: Mudset no step COMBO WITH MIRROR S8 5/16 F 58 5/16 HOUSE READY FOR INSTALL:	SEAT TYPE: MARBLE DOOR: STD DEDUCTIONS: STANDARD ALL PLASTICS SHOWER HEIGHT: 80 WIDTH: 60 NOTES: Madded as step NOTES: Madded as step HEADER: AGI HEADER A: AT 1/8 B: 45 7/8 LEVEL C: 17 3/8 CB 1/16 D: 12 1/2 DL 13/16 E: EB 1/8 F 58 5/16 HOUSE READY FOR INSTALL: GG: NO AGI NOTCH: YES OH: 1 5/8 CAP THICKNESS: 5/8 CENTER OF CAP: 17 1/16	WATER CONTRACTOR OF THE PARTY O	DOOR HINGED: LEFT WALL/GLASS
DOOR: STD DEDUCTIONS: STANDARD ALL PLASTICS TILE HEIGHT: 100 NOTES: Mudset no step HEADER: AGI HEADER COMBO WITH MIRROR HEADER: AGI HEADER C:17 3/8 CB 1/16 D:12 1/2 DL 13/16 E: EB 1/8 HOUSE READY FOR INSTALL:	DOOR: STD DEDUCTIONS: SHOWER HEIGHT: WIDTH: 69 HEADER: AGI HEADER MIRROR HEADER: AGI HEADER MIRROR HEADER: AGI HEADER MIRROR 12 1/2 DL 13/16 E: ER 1/8 F 58 5/16 HOUSE READY FOR INSTALL: GG: NO AGI NOTCH: YES OH: 5/8 CAP THICKNESS: 5/8 CENTER OF CAP: 17 1/16		HINGE OFFSET: STANDARD
SHOWER HEIGHT: 80 WIDTH: 60 TILE HEIGHT: 100 NOTES: Mudset no step COMBO WITH MIRROR HEADER: AGI HEADER C:17 3/8 CB 1/16 D:12 1/2 DL 13/16 E: EB 1/8 HOUSE READY FOR INSTALL:	SHOWER HEIGHT: 80 TILE HEIGHT: 100 NOTES. Madset no step HEADER: AGI HEADER A: AT 1/8 B: 45 7/8 LEVEL C: 17 3/8 CB 1/16 D: 12 1/2 DL 13/16 E: EB 1/8 F 58 5/16 HOUSE READY FOR INSTALL: GG: NO Sost Header AGI NOTCH: YES OUT 3/455 OH: 5/8 CAP THICKNESS: 5/8 CENTER OF CAP: 171/16	AND ASSESSMENT OF THE PARTY OF	HANDLE TYPE: VICTORY U-HANDLE 6P
WIDTH: 60 NOTES: Madset no step NOTES: Mads	WIDTH: 60 NOTES. Madset to step HEADER AGI HEADER A: AT 1/8 B: 45 7/8 LEVEL C: 17 3/8 CB 1/16 D: 12 1/2 DL 13/16 E: EB 1/8 F 58 5/16 HOUSE READY FOR INSTALL: GG: NO AGI NOTCH: YES OH: 5/8 CAP THICKNESS: 5/8 CENTER OF CAP: 17 1/16	DOOR: STD	DEDUCTIONS: STANDARD ALL PLASTICS
WIDTH: 60 NOTES: Mudset no step HEADER: AGI HEADER A:	WIDTH: 60 NOTES: Mudset ao step A: AT 1/8 HEADER: AGI HEADER COMBO WITH MIRROR A: AT 1/8 CB 1/16 C: 17 3/8 CB 1/16 D: 12 1/2 DL 13/16 E: EB 1/8 F 58 5/16 HOUSE READY FOR INSTALL: GG: NO PECSE OH: 15/8 CAP THICKNESS: 5/8 CENTER OF CAP: 17 1/16	SHOWER HEIGHT: 80	TILE HEIGHT: 108
A:	A: AT 18 B: 45 7/8 LEVEL C: 17 3/8 CB 1/16 D: 12 1/2 DL 13/16 E: EB 1/8 F 58 5/16 HOUSE READY FOR INSTALL: GG: NO SUSA HE JOUR SUSA CAP THICKNESS: 5/8 CENTER OF CAP: 17 1/16 MIRROR MIRROR 12 1/2 58 5/16 17 1/16	The same of the sa	NOTES: Mudset no step
A:	A: AT 18 B: 45 7/8 LEVEL C: 17 3/8 CB 1/16 D: 12 1/2 DL 13/16 E: EB 1/8 F 58 5/16 HOUSE READY FOR INSTALL: GG: NO SUSA HE JOUR SUSA CAP THICKNESS: 5/8 CENTER OF CAP: 17 1/16 MIRROR MIRROR 12 1/2 58 5/16 17 1/16		COMPONENT
A: B: 45 7/8 LEVEL C: 17 3/8 CB 1/16 D: 12 1/2 DL 13/16 E: EB 1/8 F 58 5/16 HOUSE READY FOR INSTALL: 12 1/2	A: B: 45 7/8	CONTROL OF THE PROPERTY OF THE	DEP ACTURADED
C: 17 3/8 CB 1/16 D: 12 1/2 DL 13/16 E: EB 1/8 HOUSE READY FOR INSTALL:	C: 17 3/8 CB 1/16 D: 12 1/2 DL 13/16 E: EB 1/8 HOUSE READY FOR INSTALL: GG: NO PIECSE YEAR READY CAP THICKNESS: 5/8 CENTER OF CAP: 17 1/16	A: 1/8	ALL CONTRACTOR CONTRAC
D: 12 1/2 DL 13/16 E: EB 1/8 F 58 5/16 HOUSE READY FOR INSTALL:	D: 12 1/2 DL 13/16 E: EB 1/8 F 58 5/16 HOUSE READY FOR INSTALL: GG: NO	B:45 7/8 LEVEL /	F F
E: EB 1/8 F 58 5/16 HOUSE READY FOR INSTALL: 12 1/2	E: EB 1/8 F 58 5/16 HOUSE READY FOR INSTALL: GG: NO PLECSE YENCKE SUSH HE JOUR DIASS. OH: 15/8 CAP THICKNESS: 5/8 CENTER OF CAP: 17 1/16	C:17 3/8 CB 1/16	58 5/16
E: EB 1/8 F 58 5/16 HOUSE READY FOR INSTALL: 12 1/2	E: EB 1/8 F 58 5/16 HOUSE READY FOR INSTALL: GG: NO PLECSE YENCKE SUSH HE JOUR DIASS. OH: 15/8 CAP THICKNESS: 5/8 CENTER OF CAP: 17 1/16	12 1/2 DL 13/16	
E:	F 58 5/16 HOUSE READY FOR INSTALL: GG: NO AGI NOTCH: YES OH: 15/8 CAP THICKNESS: 5/8 CENTER OF CAP: 17 1/16	and the same of th	
HOUSE READY FOR INSTALL:	HOUSE READY FOR INSTALL: DIECSE FENCKE SUSA HE JOUR SIASS. OH: 15/8 CAP THICKNESS: 5/8 CENTER OF CAP: 17 1/16	E: EB 1/8	Management of the Control of the Con
HOUSE READY FOR INSTALL:	HOUSE READY FOR INSTALL: GG: NO AGI NOTCH: YES OH: 15/8 CAP THICKNESS: 5/8 CENTER OF CAP: 17 1/16	58 5/16	A Committee
THE STREET STREET	GG: NO AGI NOTCH: YES OH: 15/8 CAP THICKNESS: 5/8 CENTER OF CAP: 17 1/16		
GG:NO Please Yencke Sust the Jour Dass.	CAP THICKNESS: 17 1/16 CENTER OF CAP: 17 1/16	HOUSE READY FOR INSTALL:	THEORETICAL TO SERVICE AND ADDRESS OF THE PROPERTY OF THE PROP
AGI NOTCH: YES AGI NOTCH: YES JOUR DIASS.	CAP THICKNESS: 17 1/16 CENTER OF CAP: 17 1/16	Please	— p—
AGI NOTCH: YES JOUR DIESS.	CAP THICKNESS: 17 1/16 CENTER OF CAP: 17 1/16	GG:NO YEMCKE	
JOUR STANS. 17.3/8	CAP THICKNESS: 17 1/16 CENTER OF CAP: 17 1/16	SUSA TH	C
-13 //O	CAP THICKNESS: 17 1/16 CENTER OF CAP: 17 1/16	000r	45 7/8
CAR THICKNESS 5/8	CENTER OF CAP: 17 1/16	CARTHICKNESS 5/8	XING B
	CENTER OF CAT.		
CENTER OF CAT.		TYPE: SQUARE	

INSTALLATION SHEET 3D VIEW 58-3/8

Project Name: V80 IL DL SS CH CLR


7/28/2023

Customer: MHI - ADG


Location: 7402 LAGRANGE B2

Quantity: 1

Project #: 10071783-H-B2-RE1




OUT OF PLUMB / LEVEL CONDITIONS



Showing Centerline Void

GLASS SIZES AND CLEARANCES



INSTALLATION COMMENTS

07.26 REMAKE DOOR SUPER PAYING

3D VIEW 58-3/8

Project Name: V80 IL DL SS CH CLR AGI II


12/8/2022

Customer: MHI - CV


Location: 7402 LAGRANGE B2

Quantity: 1

Project #: 10059226-H-B2








Showing Centerline Void

GLASS SIZES AND CLEARANCES



INSTALLATION COMMENTS

HARDWARE:

- (2) V HINGES
- (1) V HANDLE
- (2) V CLIPS

HEADER & PLASTICS:

- (1) AGI II HEADER
- (1) STRIKER
- (1) DAM STRIP
- (1) SWEEP
- (1) HINGESEAL

Résorce

ARROW GLASS INDUSTRIES

Additional Views

FAITH GONZALEZ

Orders Received To Do Pending Approval Complete

Order Management Receive Order

Help

Dream Finders Homes, LLC - Coventry - Houston Divi

Sign Out

Order Information

Builder's Account Number:

Builder's Status:

Job Start Date:

Detail

Katy, TX 77493

Job:

0091-275970704

Point

6/27/2022

1-34-11 7402 LaGrange

Task:

EPO: Shower Doors [91KCNIS5_006216

VAR]

Order Type: **Order Status:**

Permit Number:

Warranty Received

BLDR-039835-2022

View Schedule **View Documents** View Printable View Builder Format View Approvals **View Job Options**

EPO's Created For Job

Options

Alerts

Unread Notes Cancellations Reschedules **Change Orders** Over Shipped Orders **Pending Back Charges Completed Back Charges Cancelled Back Charges** Pending Reschedules **Pending Change Orders Completed MPOs Unread Defect Notes** Unread Recordable Notes Unread Change Order **Future Orders**

Additional Links **Manual Order Entry** Order Search **Builder Complete** Cleanup Transmitted Orders List Show Jobs With Active **Orders** To Do Calendar Search Recordables

Notes Job Address

Builder's Order Number: 91KCNIS5_006216

7402 LaGrange Point

Plan / Elevation / Swing: 2823-HV-40 (Ingleside) / See Start / R

Subdivision / Phase:

91KCNIS5-HOU - Cane Island 55' / Phase 0

Lot / Block:

History

Billing Information

91KCNIS5-HOU - Cane Island 55 7676 Woodway Katy, TX 77493

Contact Information: (713) 952-6767 hou-extra-pos@mhinc.com

Shipping Information 1-34-11_7402 LaGrange Point 7402 LaGrange Point Katy, TX 77493

> **Contact Information:** Ryan Nixon (832) 309-0874 Rnixon@mhinc.com

1-34-11 / **N/A**

Supplier Order Information

Supplier's Order Number: Task Filter:

7/21/2023

Task: EPO: Shower Doors [91KCNIS5_006216 VAR] **Requested Start Date:** 7/21/2023

Acknowledged Start Date:

Note to Builder:

Detail

Change Requests

End Date:

Update Supplier Info

7/21/2023

End Date: 7/21/2023

CC Me on Acknowledgement

Received LIOM **Unit Price** Total Order **Builder SKU** Description 0 EΑ \$202.00 \$202.00 Payment to replace shower CONTRACT

door in B2 that was damaged prior to closing and not fixed.

Indicates a Required field

Subtotal:

\$202.00

Tax: \$0.00

\$202.00 Total:

∨ Update - Select an action -

| Home | Sign Out |

© 2000-2020 Hyphen Solutions, LLC. All Rights Reserved SID: COWebP03

Home

Alerts

Number:

Job:

Inspections Reports Lien Docs

Manager

ARROW GLASS INDUSTRIES FAITH GONZALEZ

Help

SUPPLYPRO Orders

Received To Do **Pending Approval** Complete

Unread Notes

Cancellations

Reschedules

Change Orders Over Shipped Orders

Pending Back Charges

Completed Back Charges

Cancelled Back Charges

Pending Change Orders Completed MPOs Unread Defect Notes

Pending Reschedules

Unread Recordable

Unread Change Order

Order Management **Receive Order**

Builder's Order Number:

Builder's Status:

Job Start Date:

Detail

7402 LaGrange Point

Order Information

Builder's Account 0091-275970704

91KCNIS5_006213

6/27/2022

1-34-11 7402 LaGrange

Point

EPO: 7/24/2023 [91KCNIS5_006213

Dream Finders Homes, LLC - Coventry - Houston Divi

Sian Out

VAR1 Warranty

Received BI DR-039835-2022

Change Requests

Permit Number:

Additional Views

View Schedule View Documents View Printable View Builder Format View Approvals

View Job Options

EPO's Created For Job

Options

Future Orders Additional Links

Notes

Manual Order Entry Order Search Builder Complete Cleanup **Transmitted Orders List**

Show Jobs With Active Orders To Do Calendar Search Recordables

Notes Job Address

Katy, TX 77493 Plan / Elevation / Swing:

2823-HV-40 (Ingleside) / See Start / R

Subdivision / Phase: 91KCNIS5-HOU - Cane Island 55' / Phase 0

Lot / Block: 1-34-11 / **N/A**

History **Billing Information**

91KCNIS5-HOU - Cane Island 55' 7676 Woodway

Katy, TX 77493

Task:

Order Type:

Order Status:

Contact Information: (713) 952-6767 hou-extra-pos@mhinc.com

Shipping Information 1-34-11_7402 LaGrange Point 7402 LaGrange Point Katy, TX 77493

Contact Information: Ryan Nixon (832) 309-0874 Rnixon@mhinc.com

Supplier Order Information

Supplier's Order Number: Task Filter: Detail

EPO: 7/24/2023 [91KCNIS5_006213 VAR] Task: **Requested Start Date:** 7/24/2023 7/24/2023 **Acknowledged Start Date:**

Note to Builder:

Update Supplier Info

End Date: 7/24/2023 7/24/2023 End Date:

CC Me on Acknowledgement

Unit Price Total UOM Order Received **Builder SKU** Description FΑ \$202.00 \$202.00 0 replace a damaged shower CONTRACT door

Indicates a Required field

\$202.00 Subtotal: Tax:

- Select an action -

\$202.00 Total:

✓ Update

\$0.00

| Home | Sign Out |

© 2000-2020 Hyphen Solutions, LLC. All Rights Reserved SID: COWebP03

114 can alead

Faith Gonzalez

Danny Shipman < dshipman@coventryhomes.com>

From: Sent:

Thursday, June 22, 2023 11:53 AM

To:

Faith Gonzalez

Subject:

RE: 7402 Lagrange Pt - Warranty

713-852-7804

Faith,

What would be price to change out glass door on B2 Shower as this is the part that has the chip.

Thanks, Danny

HIO: Educado 740-731-9493

10059226-10056418

12/8/22

From: Faith Gonzalez <fgonzalez@arrow-companies.com>

Sent: Wednesday, May 3, 2023 4:02 PM

To: Danny Shipman <dshipman@coventryhomes.com> Cc: Kevin Sweeney <ksweeney@arrow-companies.com>

Subject: RE: 7402 Lagrange Pt - Warranty

CAUTION External Sender!

Good afternoon,

Please advise if this is the mb or b2 shower and if the glass if the panel or door.

Unfortunately, this is out of the 72hr warranty and will require an EPO to replace.

Thank you,

PLEASE KINDLY NOTE- ALL HOMES NEED TO BE 100% READY FOR US TO MEASURE FOR ALL GLASS. IF HOME IS NOT READY BY THE 2ND TRIP, A FEE OF \$175 WILL BE REQUESTED TO RETURN TO MEASURE



HOUSTON

Faith Gonzalez | Customer Service

P.O. BOX 40697 Houston Tx, 77040 | O: (832) 467-4345 Ext. 127 | www.arrowglassindustries.com E-mails transmitted after 4 p.m. (M-F) will be received the following workday (M-F).

Please note we do not accept <u>American Express</u> or <u>Discover</u> as a form of payment

In the U.S. we harvest over 16,000,000 trees annually to support our paper production. Please consider the environment before printing this email

From: Danny Shipman < dshipman@coventryhomes.com>

Sent: Wednesday, May 3, 2023 3:11 PM

To: Faith Gonzalez < fgonzalez@arrow-companies.com>

Subject: 7402 Lagrange Pt - Warranty

Faith,

The shower glass at this address is cracked and needs to be corrected. The homeowner has not lived in the house yet and this was missed.

Please advise of next steps to get this taken care of,

Faith Gonzalez

From: Gabby Irias

Sent: Thursday, June 22, 2023 1:58 PM

To: Faith Gonzalez; Chris Li; Carmen Chapa; Kim Vu

Cc: Kevin Sweeney

Subject: RE: 7402 LAGRANGE-MHI

\$404

With install / Glass only

Thank you,

Gabriela Irias (Estimating Squad)

(832) 590-6487 ext:187

From: Faith Gonzalez <fgonzalez@arrow-companies.com>

Sent: Thursday, June 22, 2023 1:34 PM

To: Chris Li <cli@arrow-companies.com>; Gabby Irias <girias@arrow-companies.com>; Carmen Chapa <cchapa@arrow-

companies.com>; Kim Vu <kvu@arrow-companies.com> Cc: Kevin Sweeney <ksweeney@arrow-companies.com>

Subject: 7402 LAGRANGE-MHI

Good afternoon,

Please see attached and provide pricing to remake just the shower door glass.

Thank you,

PLEASE KINDLY NOTE- ALL HOMES NEED TO BE 100% READY FOR US TO MEASURE FOR ALL GLASS. IF HOME IS NOT READY BY THE 2ND TRIP, A FEE OF \$175 WILL BE REQUESTED TO RETURN TO MEASURE



HOUSTON

Faith Gonzalez | Customer Service

P.O. BOX 40697 Houston Tx, 77040 | O: (832) 467-4345 Ext. 127 | <u>www.arrowglassindustries.com</u> E-mails transmitted after 4 p.m. (M-F) will be received the following workday (M-F).

Please note we do not accept American Express or Discover as a form of payment

In the U.S. we harvest over 16,000,000 trees annually to support our paper production. Please consider the environment before printing this email

