

Index

Symbols

() parentheses, 26
; semicolon, 4, 27
= assignment operator, 18
== equals operator, 71, 192
[] square brackets, 108
% remainder operator, 42
<> angle brackets, 227
{ } curly braces, 4, 73

A

abecedarian, 105
abstract class, 274, 276
accessor, 189
accumulator, 114, 122
addition
 integer, 22
 string, 25
 time, 194
address, 33, 46, 191
algorithm, 10, 13
alias, 112, 122
aliasing, 173, 222
allocate, 108, 122
anagram, 125
and operator, 77
angle brackets, 227
args, 152

argument, 54, 59, 65
ArithmeticException, 28, 336
array, 108, 121
 2D, 215
 copying, 111
 element, 109
 index, 109
 length, 112
 of cards, 217
 of objects, 208
 of strings, 203
 printing, 110
ArrayIndexOutOfBoundsException,
 110, 335
ArrayList, 227, 236
Arrays class, 111, 112
assignment, 18, 30, 71
attribute, 168, 180
automatic conversion, 24, 41, 55, 72
AWT, 167, 321, 326

B

base case, 130, 141
BigInteger, 156
binary, 135, 141
binary search, 211, 214
block, 72, 84
Boole, George, 71

- boolean, 71, 80, 84
- bottom-up design, 244, 249
- bounding box, 323, 326
- brackets
 - angle, 227
 - square, 108
- branch, 72, 84
- breakpoint, 306, 310
- bug, 10, 13
- byte code, 6, 13

C

- call stack, 130, 306, 310
- camel case, 52
- Canvas, 321
- Card, 202
- CardCollection, 236
- case-sensitive, 4, 18, 52, 101
- catch, 260
- chaining, 74, 84
- char, 7, 95
- Character, 151, 154
- charAt, 95
- Checkstyle, 305
- class, 4, 12, 196
 - definition, 183
 - relationships, 248
 - utility, 34
 - wrapper, 151
- class diagram, 174, 180, 225, 248
- class variable, 205, 214
- client, 188, 197
- CodingBat, 138
- collection, 227, 230
- Color, 323
- command-line interface, 152, 302, 310, 319
- comment, 12, 84

- documentation, 311, 314
 - end-of-line, 4, 311
 - multiline, 311
- compareTo, 101, 207
- comparison operator, 71
- compile, 5, 13, 330
- compile-time error, 27, 30, 329
- complete ordering, 206
- composition, 59, 65, 248
- computer science, 10, 13
- concatenate, 25, 30, 161
- concrete class, 276
- conditional statement, 72, 84
- constant, 38, 47
- constructor, 185, 197, 203, 217, 222
 - value, 186
- Convert.java, 43, 317
- coordinate, 167, 322, 326
- countdown, 127
- counter, 116
- CPU, 2
- Crazy Eights, 235

D

- De Morgan's laws, 78, 84
- debugger, 306, 310
- debugging, 10, 13, 329
 - by bisection, 332
 - experimental, 11
 - rubber duck, 341
- Deck, 217
- declaration, 17, 30, 167
- decrement, 91, 103
- degrees, 58
- dependent, 189
- description, 315, 320
- design process, 62, 157, 161, 220, 244, 273

deterministic, 115, 122
diagram
 class, 174, 225, 248
 memory, 20, 99, 112, 147, 168,
 186, 193, 204, 217
 stack, 57, 129, 132, 137
divisible, 43
division
 floating-point, 23
 integer, 22, 24
documentation, 44, 174, 312, 320
 Javadoc comments, 314
 Javadoc tags, 315
dot notation, 168, 180
Double, 151
double, 23
doubloon, 105
Doubloon.java, 120
DrJava, 300

E

Echo.java, 35
efficiency, 117, 163, 211, 221, 231,
 237, 295
Eights, 245
element, 108, 109, 121
empty array, 153, 161
empty string, 98, 103
encapsulate, 157, 161
encapsulation, 165, 171
 and generalization, 157
encode, 202, 214
enhanced for loop, 118, 122
equals, 100, 192, 193
equivalent, 192, 197, 206
error
 compile-time, 27, 329
 logic, 29, 329, 338

 message, 11, 27, 330
 rounding, 24
 run-time, 28, 329
 syntax, 331
escape sequence, 9, 13, 95
exception, 28, 329, 335
 Arithmetic, 28
 ArrayIndexOutOfBoundsException, 110
 InputMismatch, 82
 Interrupted, 260
 MissingFormatArgument, 40
 NegativeArraySize, 108
 NullPointerException, 149, 154, 209
 NumberFormat, 152
 StackOverflow, 130
 StringIndexOutOfBoundsException, 97,
 155
executable, 5, 13
experimental debugging, 11
expression, 22, 30, 59, 79
 big and hairy, 338
extends, 238, 239
extract digits, 43

F

factorial, 130, 141, 162
fibonacci, 134
FileNotFoundException, 336
final, 38, 205, 208
flag, 79, 84
floating-point, 23, 30
flow of execution, 53, 64, 335
for, 92
 enhanced, 118
format specifier, 39, 47, 94
format string, 39, 47, 190
frame, 57, 65

G

garbage collection, 176, 180, 205
generalization, 165, 171, 279, 297
generalize, 158, 161
getter, 189, 197
GitHub, x
Goodbye.java, 7
Google style, 8
Graphics, 256, 321
Greenfield, Larry, 11
GuessStarter.java, 49

H

hacker, 81, 85, 154
Hand, 240
hanging, 333
hardware, 2, 12
HAS-A, 248, 249, 256, 275
Hello.java, 3
helper method, 219, 230
hexadecimal, 33, 40, 191
high-level language, 5, 12
histogram, 116, 122, 215
HTML, 174, 311, 316

I

IDE, 299, 309
identical, 192, 197
if statement, 72
ImageIO, 292
immutable, 150, 161, 177, 208
import statement, 35, 47
increment, 91, 102
incremental development, 62, 65
independent, 189
index, 103, 109, 121, 209
indexOf, 98
infinite loop, 90, 102, 333

infinite recursion, 186, 334
information hiding, 184, 197
inheritance, 238, 248, 249, 279, 290
initialize, 19, 30, 79
inner loop, 94
InputMismatchException, 82
instance, 183, 196
instance method, 191, 195, 197
instance variable, 184, 196
instantiate, 183, 196
Integer, 151
integer division, 22, 24
interactions, 301
interface, 291
interpret, 5, 13
InterruptedException, 260
invoke, 51, 64
IS-A, 248, 249, 256, 275, 287
iteration, 92, 97, 103
iterative, 127, 140

J

JAR, 300, 309
Java Tutor, 57, 140
java.awt, 167, 321
java.io, 33
java.lang, 35
java.math, 156
java.util, 34
javac, 6, 154, 302
Javadoc, 174, 300, 311, 316, 320
javax.imageio, 292
JDK, 300, 309, 311
JFrame, 259, 322
JVM, 6, 300, 309

K

keyword, 18, 30, 185

L

- language
 - elements, 36
 - high-level, 5
 - low-level, 5
- leap of faith, 133, 141, 224
- length
 - array, 112
 - string, 97
- library, 34, 46, 173
- Linux, 11
- literal, 38, 47
- local variable, 55, 65
- Logarithm.java, 83
- logic error, 29, 31, 329, 338
- logical operator, 77, 84, 206
- long, 58
- loop, 90, 102
 - for, 92
 - infinite, 90
 - nested, 94, 209
 - search, 210
 - while, 89
- loop body, 90, 102
- loop variable, 94, 103, 110
- low-level language, 5, 12

M

- magic number, 38, 47
- main, 4, 52
- map to, 202
- Math, 58
- memory, 2, 12
- memory diagram, 20, 30, 99, 112, 147, 168, 186, 193, 204, 217
- mental model, 57, 338
- merge, 223
- merge sort, 221, 230

- method, 4, 12
 - abstract, 274
 - accessor, 189
 - boolean, 80
 - constructor, 185
 - equals, 192, 193
 - getter, 189
 - helper, 219
 - instance, 191, 195
 - modifier, 238
 - mutator, 190
 - parameters, 55
 - setter, 190
 - static, 194
 - toString, 191
 - value, 60
- Mickey Mouse, 324
- MissingFormatArgumentException, 40
- modifier method, 238
- modulo, 42, 47
- modulus, 43, 47
- multidimensional array, 254, 265
- mutable, 171, 177, 180
- mutator, 190

N

- NaN, 85
- NegativeArraySizeException, 108
- neighbor, 251, 261
- nested, 336
 - arrays, 256
 - conditions, 75
 - loops, 94
- nesting, 74, 84, 209
- new, 35, 49, 108, 167, 185
- newline, 7, 13, 128
- NewLine.java, 52

next
 Scanner, 82
nextInt
 Random, 115
 Scanner, 37
nondeterministic, 115, 122
not operator, 77
null, 149, 208
NullPointerException, 149, 154,
 335
NumberFormatException, 152

O

object, 147, 161
 array of, 208
 as parameter, 169
 displaying, 191
 mutable, 171
 type, 183
Object class, 239
object code, 5, 13
object-oriented, 147, 160, 172, 248,
 276
off-by-one, 222, 230
operand, 22, 30
operator, 22, 30
 assignment, 71
 cast, 42
 logical, 77, 206
 new, 35, 49, 108, 167, 185
 redirection, 304
 relational, 71
 remainder, 42
 string, 25
or operator, 77
order of operations, 26, 30, 339
ordering, 206
outer loop, 94

overload, 186, 222
overloaded, 99, 103
override, 191, 197, 249

P

package, 33, 46
paint, 322
palindrome, 145
param tag, 315
parameter, 54, 65, 169
 multiple, 55
parameter passing, 54, 65
parentheses, 26
parse, 28, 31, 152, 161
partial ordering, 206
pi, 58
Pile, 227
pixel, 323, 326
Player, 242
Point, 167
polymorphism, 287, 291, 297
portable, 5, 13
precedence, 26, 339
primitive, 147, 161
print, 7, 191
print statement, 3, 12, 190, 336, 340
printArray, 111
printDeck, 209, 218
printf, 39, 101, 190
println, 4
printPoint, 169
printTime, 190
PrintTime.java, 56
PrintTwice.java, 54
private, 174, 184, 188
problem solving, 1, 12
processor, 2, 12
program, 2, 12

programming, 3, 12
prompt, 37, 47
protected, 274
pseudocode, 219, 230
pseudorandom, 115, 122
public, 51

Q

quote mark, 7, 95, 331

R

radians, 58
RAM, 2
Random, 115
randomInt, 220
rank, 201
rational number, 198
Rectangle, 170
recursion, 130
 infinite, 186, 334
recursive, 127, 140
redirection operator, 304, 310
reduce, 114, 116, 122
refactor, 273, 276
reference, 109, 122, 167, 172, 204,
 222
relational operator, 71, 84
remainder, 42
replace, 150
repository, x
return, 61, 83, 170
 inside loop, 211
return statement, 339
return tag, 315
return type, 60, 65
return value, 60, 65
RGB, 324, 326
rounding error, 24, 30

row-major order, 255, 265
rubber duck, 341
run-time error, 28, 31, 82, 209, 329

S

scaffolding, 63, 65
Scanner, 34
scope, 57, 65, 175
Scrabble, 105, 197
search, 114, 122
selection sort, 220, 230
semicolon, 4, 27
sequential search, 210, 214
setter, 190, 197
shadowing, 188, 197
short circuit, 78, 84, 155
shuffle, 219
signature, 313, 320
sleep, 260
sort
 merge, 221
 selection, 220
source code, 5, 13, 173
specialization, 279, 297
sprite, 292, 297
src.zip, 173
stable configuration, 252
stack diagram, 57, 65, 129, 132, 137
stack trace, 41, 47, 335
StackOverflowError, 130, 186, 333,
 336
state, 20, 30, 45, 129, 242, 253, 270
statement, 3, 12
 assignment, 18
 catch, 260
 conditional, 72
 declaration, 17, 167
 else, 72

- for, 92
- if, 72
- import, 35
- initialization, 79
- print, 7, 191, 336, 340
- return, 61, 83, 170, 211, 339
- switch, 75
- throw, 285
- try, 260
- while, 89
- static, 185, 194, 205
- static context, 226, 230
- string, 7, 13
 - array of, 203
 - comparing, 100, 148
 - format, 102, 192
 - length, 97
 - operator, 25
 - reference to, 204
- String class, 167
- StringBuilder, 179, 231
- StringIndexOutOfBoundsException,
 - 97, 155
- stub, 62, 65
- style guide, 8
- subclass, 238, 249
- subdeck, 222
- substring, 99
- suit, 201
- superclass, 239, 249
- Surprise.java, 177
- swapCards, 220
- switch statement, 75
- syntax, 329
- syntax errors, 331
- System.err, 82, 309
- System.in, 34, 147, 304
- System.out, 33, 147, 304

T

- table
 - two-dimensional, 157
- tag, 315, 320
- temporary variable, 61, 65, 339
- terminal, 302
- testing, 63, 82, 232, 303
- text editor, 300, 309
- this, 176, 185, 226, 236
- Thread.sleep, 260
- throw, 285
- Time, 184
 - addition, 194
- toCharArray, 120
- token, 36, 47
- toLowerCase, 150
- top-down design, 220, 230, 244
- Torvalds, Linus, 11
- toString, 169, 191
- toUpperCase, 150
- tracing, 57, 213, 306, 335
- traversal, 113, 122, 210, 256
- try, 260
- type, 30
 - array, 108
 - boolean, 71, 79
 - char, 17, 95
 - double, 23
 - int, 17
 - long, 25, 58
 - object, 183
 - String, 7, 17, 167
 - void, 51
- type cast, 42, 47

U

- UML, 174, 180, 225, 248
- Unicode, 96, 103

unit test, 307, 310
utility class, 34, 111

V

validate, 81, 85, 154
value, 17, 30
value constructor, 186
value method, 60
variable, 17, 29

- instance, 184
- local, 55
- loop, 94, 110

- private, 174, 184, 188
- static, 205
- temporary, 61, 339

virtual machine, 6, 13, 300
void, 51, 60, 64

W

War (card game), 227
while, 89
wildcard, 305, 310
wrapper class, 151, 161
wrapper method, 231

About the Authors

Allen Downey is a professor of computer science at Olin College of Engineering. He has taught computer science at Wellesley College, Colby College, and UC Berkeley. He has a PhD in computer science from UC Berkeley and master's and bachelor's degrees from MIT. Allen is the creator of the best-selling Think series for O'Reilly, which includes *Think Python*, *Think Complexity*, *Think DSP*, and *Think Bayes*.

Chris Mayfield is an associate professor of computer science at James Madison University, with a research focus on CS education and professional development. He has a PhD in computer science from Purdue University and bachelor's degrees in CS and German from the University of Utah.