

Heaven & Angel

End-to-End QA Test Pack

Manual browser-based test plan for the Flask operations app and the React partner portal, from materials and production through sales, deliveries, partner inquiries, finance, reports, security and usability.

Revision	06 October 2026 · Extended edition
Test data prefix	QA-E2E-20261006
Execution	Manual browser-based release and regression run
Environment	Isolated staging or disposable QA database only
Applies to	Flask operations app (Admin / HQ and Branch roles) and React partner portal (public, no login)
Status	Test plan. It records no results; enter actual outcomes in the run record in section 20.

150

test cases

46

P0 release-blocking cases

20

sections + 4 appendices

PHP 6,915

expected total revenue in the
core scenario

BEFORE YOU START

Run only on staging or a disposable clone. Never use real customer, supplier, staff or partner details, and never write passwords, keys or personal contacts into this document or screenshots.

Contents

Sections 5 to 11 form one connected scenario: each build on the stock and money created by the one before. Run them in order. Sections 12 onward can be run in any order once the core scenario is complete.

No.	Section	Code	Priority	Cases
1	Purpose, scope and conventions	—	—	
2	Run card and execution order	—	—	
3	Safety, prerequisites and evidence	—	—	
4	Roles and synthetic data	—	—	
5	Login, navigation and role boundaries	ACC	P0	12
6	Admin setup, materials, formulas and production	OPS	P0	13
7	HQ sales, refills and transaction reversal	SALE	P0	10
8	Branch requests, shipments, discrepancies, replacement	REQ	P0	12
9	Partner portal, inquiry snapshot, package fulfillment	PORT	P0	15
10	Branch sales, credit settlement and branch limits	BR	P0	11
11	Final inventory and financial reconciliation	FIN	P0	7
12	Reports, filters, exports and receipts	RPT	P0/P1	8
13	Supporting Admin and Branch pages	ADM	P1	13
14	Excel sales import	IMP	P1	8
15	Data integrity, dates and concurrency	DAT	P1/P2	8
16	Security, validation and resilience	SEC	P0–P2	16
17	Portal and internal UI quality, accessibility	UI	P1/P2	9
18	Performance and browser / device compatibility	PRF	P2	4
19	Conditional AI, email and data-reset coverage	OPT	P2	4
20	Run result and defect record	—	—	
A–D	Appendices: movement types, key values, glossary, retest list	—	—	

1. Purpose, scope and conventions

This pack is a runnable, evidence-based test plan for the Flask operations app and its React partner portal. It covers the full operational path from materials and production through HQ and branch sales, partner inquiries and fulfillment, inventory, financial reports, receipts, access controls and supporting admin features. It reflects the current application behavior and does not report a test result.

1.1 Scope

In scope	Out of scope
- Admin / HQ and Branch workflows in the Flask app - Public React partner portal (Distributor and Reseller scopes) - Stock, money, permission and audit effects of every action - Reports, PDF and Excel exports, receipts and QR verification - Validation, access control, duplicate-submit and security checks - Responsive layout, accessibility basics, browser compatibility	- Formal penetration testing and large-scale load testing - Internals of third-party services (mail provider, AI vendor) - Live or production data, migrations and backups of production - Native mobile apps (only mobile browsers are covered) - Designing an automated regression suite

1.2 Priority, result and severity

Priority	Meaning
P0	Release-blocking. Core money, stock, access or data-isolation behavior. Must be executed and passing before release.
P1	Important. Supporting workflows, validation and security. Failures need triage and a decision before release.
P2	Conditional or lower risk. Optional integrations, polish and volume checks. Run when time and configuration allow.

Result	Use when
Pass	Visible result and persisted result both agree with the expected outcome.
Fail	Any expected outcome is not met, or an unexpected side effect occurs. Raise a defect.
Blocked	A prerequisite is missing or an earlier failure stops execution. Not a pass.
Not Configured	The environment lacks the integration (AI, email, realtime). Not a pass.
Not Run	Deliberately skipped or not reached. State why.

Defect severity	Meaning	Examples
S1 Critical	Wrong money or stock, data loss, security or isolation breach.	Branch sees another branch; stock goes negative; sale charges twice.
S2 Major	Core flow fails or report is wrong, with no workaround.	Dispatch fails; report total differs from the ledger.
S3 Minor	Feature works but behaves incorrectly, with a workaround.	Filter ignores one option; unclear error message.
S4 Cosmetic	Visual or wording issue with no functional effect.	Misaligned column; typo; inconsistent label.

ABOUT EXTENDED CASES

Cases tagged EXTENDED were added in this edition to widen coverage. Where the application's intended behavior is not documented, the expected result describes safe behavior: reject cleanly, no partial write, no data leak. If the product owner confirms different intended behavior, log a clarification, not a failure.

1.3 Entry and exit criteria

Entry criteria	Exit criteria
• Staging build deployed; build or commit recorded • Database is a disposable or verified clone with a backup • Admin, Branch and second-branch accounts exist • Partner portal bundle is built and reachable • Test data prefix and business date agreed • Evidence folder created	• Every P0 case executed; no open S1 or S2 defects • Every P1 case executed; open defects triaged • Reconciliation variance is zero or explained • Not Configured and Blocked items listed with reasons • Evidence stored and linked in the run record • Sign-off table completed

2. Run card and execution order

Complete the run card before executing any case. The canonical scenario uses a small synthetic dataset and one test business date so quantities and totals can be reconciled without mixing units or pre-existing transactions.

Field	Record before execution
Tester / QA run ID	
Application URL / build or commit	
Date and time / business time zone	
QA database name / backup identifier	
Browser and version / viewport	
Partner portal URL and build	
Admin account / Branch account / assigned branch	Record account names only; keep passwords in the approved secret store.
Second branch / second branch account	
Baseline dashboard and report totals	Record date range and currency; use deltas if the database is not empty.
Email / AI / Realtime configuration	Available, unavailable, or not configured
Evidence folder / defect tracker link	

Execution phases

Phase	Area	Sections	Pri.	Goal and exit condition
1	Environment and access	5	P0	Isolated data, app and build available, Admin and Branch logins work, role restrictions hold.
2	Core inventory path	6	P0	Materials, products, purchases, batches and production created; stock and costs reconcile.
3	HQ sales and refills	7	P0	Four HQ transactions recorded; receipts verified; reversal tested.
4	Branch deliveries	8	P0	Request, dispatch, partial receipt, replacement and rejection cases done.
5	Partner orders	9	P0	Portal scope and pricing checked; inquiries submitted; one order fulfilled; one reversed.
6	Branch sales and credit	10	P0	Four branch rows recorded; credit settled; branch limits enforced.
7	Finance and evidence	11–12	P0	Dashboards and report exports match the reconciliation table.
8	Supporting workflows	13–14	P1	Admin pages, user and branch administration, audit and imports exercised.
9	Integrity, security, UI, performance	15–18	P1/P2	Edge cases, hardening, accessibility, compatibility and volume sanity.
10	Optional integrations and reset	19	P2	AI and email when configured; destructive reset last, on a disposable database only.

PASS RULE

A case passes only when the visible result and the persisted result agree with its expected outcome. A redirect or success toast alone is not proof for a stock, money, permission or audit action. Check the related page, the movement or history record, and the downstream report. Mark unsupported, configuration-dependent and blocked work separately from Pass.

KEEP THE CANONICAL TOTALS CLEAN

Cases that void sales, double-submit, or attempt over-limit actions must use dedicated spare stock or be run as a sub-run, and any test sale must be voided afterwards. Otherwise, the reconciliation in section 11 will not match.

3. Safety, prerequisites and evidence

3.1 Safety and prerequisites

1. Use a staging instance backed by a disposable or verified staging clone. Confirm the database name with the environment owner, take a backup or snapshot, and never run the scenario in the live business database.
2. Do not use actual customer, supplier, staff or partner details. Use the QA names in section 4 and reserved test email domains. Do not put passwords, API keys or personal contact details in this document or in screenshots.
3. Confirm migrations are applied, HQ / Main Warehouse exists, Balayan Branch exists, and the test Branch user is assigned to Balayan. Create a second branch and user for isolation checks.
4. Confirm the public partner portal slug and a built public-site bundle are available. A missing bundle is a deployment or build failure, not a portal pass.
5. Use one application business date for the core scenario. The application uses the configured business timezone for reporting boundaries; record that timezone and use the same date range for every report comparison.
6. For every failure, record case ID, role, URL or page, QA data prefix, steps, expected result, actual result, timestamp, and screenshot, export or record identifier. Mask any session data or secrets.
7. For a non-empty QA database, capture before-values and compare the delta attributable to this prefix. Do not compare whole-dashboard totals to the clean-database expected totals.
8. Run destructive reset coverage last, and only when the database is disposable, backed up and configured to permit the development reset. Never use a shared or production database for reset coverage.

3.2 Evidence conventions

Artifact	Naming	Notes
Screenshot	QA-E2E-20261006_<CaseID>_<role>_<n>.png	Capture the persisted page, not only the toast. Mask session data.
Export (PDF / Excel)	QA-E2E-20261006_<report>_<role>.pdf / .xlsx	Keep the unedited file; compare to the screen.
Console / network note	QA-E2E-20261006_<CaseID>_console.txt	Redact cookies, tokens and headers.
Defect	Tracker ID, e.g. DEF-001	Write the ID in the Evidence column of the case row.

RECOMMENDED VIEWPORTS AND BROWSERS

Desktop 1365×768, tablet 768×1024 and phone 390×844, using current supported browsers for the target deployment. At minimum, run the critical login, sale, delivery, portal inquiry and receipt flows on desktop and phone width. Record results in the matrix in section 18.

4. Roles and synthetic data

4.1 Roles

Role	Test identity / access	Used in
Admin / HQ	QA Admin account with full HQ access. Keep the credential in the approved secret store.	All sections
Branch staff	QA Balayan account scoped to Balayan Branch.	5, 8, 10, 12–17
Second branch staff	QA account scoped to a different branch, used only for isolation checks.	5, 8, 10, 16
Public partner	No login. Browse the portal as Distributor and Reseller using its scope selector.	9, 16, 17
Anonymous visitor	No session; use for public-page and protected-route checks.	5, 9, 16

4.2 Suppliers and material receipts

Synthetic supplier	Material	Quantity received	Purchase total	Expected unit cost	Receipt reference
QA Northstar Ingredients	Fragrance concentrate	500 mL	PHP 2,500.00	PHP 5.0000/mL	QA-OR-001
QA Northstar Ingredients	Perfumer ethanol	1,000 mL	PHP 300.00	PHP 0.3000/mL	QA-OR-002
QA Northstar Ingredients	Fixative	100 g	PHP 500.00	PHP 5.0000/g	QA-OR-003
QA Bottle Works	Bottle and pump set	100 pieces	PHP 800.00	PHP 8.0000/piece	QA-PK-001

Use fictional contacts: **Avery Sample** / 0900-000-0101 / qa.northstar@example.test / 1 Test Lane, QA City; **Casey Sample** / 0900-000-0102 / qa.bottles@example.test / 2 Test Lane, QA City.

4.3 Products, costs and packages

Create the following catalog products. The app forms a final SKU from the base code and unit; record the exact SKU displayed and use it consistently. Start with zero branch inventory.

Base code / unit	Category	Reference selling price	Expected cost setting
QA-ROSE / 50ML	Bottled	PHP 1,200.00	Base COGS PHP 90.00 per bottle
QA-CITRUS / 10ML	Bottled	PHP 350.00	Base COGS PHP 35.00 per bottle
QA-ROSE / BULK	Bulk / Refill	PHP 2.50 per mL	Bulk production run cost entered separately

COSTING RULES TO REMEMBER

Set the shared Bulk / Refill sale rate to PHP 2.5000/mL.

The packaging formula is a reference calculation; saving it must not consume materials.

Bottled production uses the saved flat base COGS per size and still draws mL from a selected bulk batch.

Bulk production uses the per-mL cost entered for that run. A batch's actual material cost is recorded on the batch and must not be added a second time to the production COGS total.

Package	Audience	Contents	Reference total	Discount	Expected inquiry amount
QA Distributor Starter	Distributor	2 × QA-ROSE 50ML + 2 × QA-CITRUS 10ML	PHP 3,100.00	10%	PHP 2,790.00
QA Reseller Intro	Reseller	1 × QA-ROSE 50ML + 1 × QA-CITRUS 10ML	PHP 1,550.00	5%	PHP 1,472.50
QA Shared Discovery	Both	1 × QA-ROSE 50ML + 1 × QA-CITRUS 10ML	PHP 1,550.00	0%	PHP 1,550.00

Synthetic portal contacts: **Jordan Sample** / 0917-000-0001 / qa.distributor@example.test / 3 Test Road, QA City / Email; **Taylor Sample** / 0917-000-0002 / qa.reseller@example.test / 4 Test Road, QA City / SMS. Keep the inquiry references returned by the portal for later admin steps.

5. Login, navigation and role boundaries (P0)

Confirms the environment is usable and that role boundaries hold before any business data is created.

ID / Pri	Role	Steps	Expected result	Result / Evidence
ACC-01 P0	Admin, Branch	Login validation 1. Open the app signed out and go to the login page. 2. Submit blank fields, then a valid user with a wrong password. 3. Sign in with the correct Admin login; sign out. 4. Repeat with the Branch login.	- Blank and incorrect credentials are rejected and no session is created. - Each valid user lands on the correct role dashboard. - Login activity records success and failure without exposing a password.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
ACC-02 P0	Visitor	Protected routes while signed out 1. Open an Admin page, a Branch page, the AI page and receipt verification without a session. 2. Open the public partner portal pages.	- Protected pages redirect to login or deny access. - Public portal pages stay reachable without login.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
ACC-03 P0	Branch, Admin	Wrong-role pages and branch scoping 1. Sign in as Branch and open Admin URLs. 2. Sign in as Admin and open Branch-only pages. 3. As Branch, change a branch ID in a report URL.	- Wrong-role pages are denied. - Branch data and reports stay scoped to the signed-in branch. - Changing URL filters never reveals another branch.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
ACC-04 P0	Admin, Branch	Wrong login tab and forced password change 1. Use the Admin account on the Branch login tab, then the reverse. 2. Flag a test account for first-login password change; sign in and try to open a dashboard. 3. Save a valid new password; try the old one.	- Wrong-role tab is rejected. - Ordinary pages are gated until a valid new password is saved. - New password works; old password does not.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
ACC-05 P0	Any	Sign-out and cached pages 1. Sign out with the page control. 2. Press browser Back and try to reopen a protected page or act on it.	- Sign-out clears access; cached pages permit no new protected action. - Logout is a state-changing POST with CSRF protection.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
ACC-06 P1 EXTENDED	Visitor	Repeated failed logins and account enumeration 1. Submit 6+ wrong passwords for a QA account. 2. Compare the message for a wrong password with the message for an unknown username. 3. Wait out any cool-down and sign in correctly.	- Throttling, lockout or a rate-limit message applies per configuration. - Messages do not reveal whether a username exists. - A valid login works again after the cool-down.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____

ID / Pri	Role	Steps	Expected result	Result / Evidence
ACC-07 P1 EXTENDED	Admin, Branch	Password change rules - Try a too-short password, a mismatched confirmation, the same password as before, and a blank new password. - Save a valid password.	- Each invalid attempt is rejected with a message stating the rule. - No partial change occurs; the valid password is saved once.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
ACC-08 P1 EXTENDED	Admin, Branch	Session expiry - Sign in, then clear the session cookie (or wait past the configured lifetime). - Submit a sale, request or dispatch form.	- The action is refused and the user is sent to login. - No record, stock or money change is committed. - After re-login the user lands on a sensible page.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
ACC-09 P1 EXTENDED	Admin, Branch	Deactivated and reactivated users - Keep the Branch user signed in in a second browser. - As Admin, deactivate that user. - In the second browser, click any page; then reactivate and sign in again.	- The deactivated user loses access on the next request. - Reactivation restores login; the audit log shows both changes.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
ACC-10 P1 EXTENDED	Admin, Branch	Navigation visibility and deep links - Open every navigation item for each role. - For items hidden from a role, open the URL directly.	- Each visible item opens without error; no dead links. - Hidden items are denied when opened by URL.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
ACC-11 P1 EXTENDED	Admin, Branch	Multi-tab logout - Sign in on two tabs. - Sign out on tab A. - Attempt a state-changing action on tab B.	Tab B action is refused and redirects to login; nothing is saved.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
ACC-12 P2 EXTENDED	Admin, Branch	Role or branch change while signed in - Keep a Branch user signed in. - As Admin, reassign the user to the second QA branch. - Reload the Branch pages.	- The new scope applies on the next request; old-branch data is not shown. - The change appears in the audit log.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____

6. Admin setup, materials, formulas and production (P0)

Creates the catalog, materials, batches and production that every later section depends on. Check the materials, suppliers, products, formulas, bulk batches, production log and cost-of-goods log pages for a useful empty state before data and readable item and unit labels after data.

ID / Pri	Role	Steps	Expected result	Result / Evidence
OPS-01 P0	Admin	Catalog, suppliers and SKUs 1. Add the two QA suppliers and the three QA products. 2. Check generated SKU, size/unit, category, price and active status. 3. Open Products and Suppliers again.	- Each record appears once with the entered values. - Product variants remain separate SKUs. - No starting inventory is created by adding a catalog item.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
OPS-02 P0	Admin	Material receipts 1. Add the four material receipts, each linked to supplier, quantity, cost, receipt reference and the QA business date.	- Balances: 500 mL concentrate, 1,000 mL ethanol, 100 g fixative, 100 bottle/pump sets. - Purchase spend is PHP 4,100.00: Northstar PHP 3,300.00, Bottle Works PHP 800.00. - Unit costs match the supplier table.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
OPS-03 P0	Admin	Base COGS, bulk rate and formula 1. Save the 50ML and 10ML base COGS values. 2. Save the PHP 2.50/mL Bulk/Refill sale rate. 3. Save one packaging formula line using the bottle/pump material. 4. Re-open Formulas.	- Saved values persist. - Calculations use the selected material unit cost. - Formula edits alone do not change inventory, old production records or base COGS.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
OPS-04 P0	Admin	Create the two bulk batches 1. Create QA-BATCH-001 (QA Rose, 600 mL): 60 mL concentrate, 480 mL ethanol, 2.4 g fixative. 2. Create QA-BATCH-002 (QA Citrus, 500 mL): 50 mL concentrate, 400 mL ethanol, 2 g fixative. 3. Reopen both batches and Materials.	- Batch 001 cost PHP 456.00; batch 002 cost PHP 380.00; both PHP 0.760000/mL. - Balances: 390 mL concentrate, 120 mL ethanol, 95.6 g fixative, 100 packaging sets. - Batch remaining is 600 mL and 500 mL; each batch is named for its scent.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
OPS-05 P0	Admin	Production runs 1. Log 12 QA Rose 50ML from QA-BATCH-001. 2. Log 10 QA Citrus 10ML from QA-BATCH-002. 3. Log 2,000 mL QA Rose BULK at PHP 0.7600/mL.	- HQ holds 12 Rose bottles, 10 Citrus bottles, 2,000 mL Rose bulk. - Batch 001 has 0 mL left; batch 002 has 400 mL left. - Bottled COGS PHP 1,080.00 + PHP 350.00; bulk run COGS PHP 1,520.00; production COGS total PHP 2,950.00. - Batch ingredient costs (PHP 456.00 and PHP 380.00) are not double-counted.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
OPS-06 P1 EXTENDED	Admin	Invalid and duplicate catalog entries 1. Add a product with a duplicate base code and unit. 2. Add products with blank name, negative price, zero price, non-numeric price and missing unit. 3. Add a supplier with a blank name.	- Each invalid entry is rejected with a clear message. - No partial record is created; duplicates are flagged rather than silently merged.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____

ID / Pri	Role	Steps	Expected result	Result / Evidence
OPS-07 P1 EXTENDED	Admin	Edit price and COGS after sales exist - After the sale cases, change QA-ROSE 50ML price to PHP 1,300.00 and base COGS to PHP 95.00. - Review historical sales, production COGS log, request snapshots and reports. - Record a new sale, then restore the original values.	- Historical sales, production COGS and request snapshots do not change retroactively (confirm intended behavior). - New transactions use the new values. - Original values are restored so reconciliation stays valid.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
OPS-08 P1 EXTENDED	Admin	Batch form validation Try zero output volume, a negative ingredient, an ingredient with no material, and a duplicate batch code.	- Each attempt is rejected and nothing is saved. - Material balances are unchanged after every failed attempt.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
OPS-09 P1 EXTENDED	Admin	Bottled production beyond batch remaining - After OPS-05, try to log 1 more Rose 50ML bottle from QA-BATCH-001 (0 mL left). - Try to log 41 Citrus 10ML bottles from QA-BATCH-002 (400 mL left).	- Both attempts are rejected, reporting the limiting quantity. - Batch remaining, stock and production log are unchanged.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
OPS-10 P1 EXTENDED	Admin	Decimal precision and units Compare unit costs (5.0000, 0.3000, 0.760000 per mL) and fractional quantities (2.4 g, 95.6 g) in Materials, Bulk Batches, reports and Excel exports.	- Values show without rounding drift. - Units (mL, g, pieces, bottles) are always displayed with the quantity.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
OPS-11 P2 EXTENDED	Admin	Product photo upload - Upload a valid JPG and PNG. - Try an oversize image and a non-image renamed to .jpg. - Remove the photo and view the product again.	- Valid photos display; invalid files are rejected with a message. - The placeholder appears when no photo exists.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
OPS-12 P1 EXTENDED	Admin	Empty and populated states - Before creating data, open Materials, Suppliers, Products, Formulas, Bulk Batches, Production Log and Cost-of-Goods Log. - Repeat after the data is created.	- Every page has a useful empty state before data. - Item and unit labels are readable after data.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
OPS-13 P1 EXTENDED	Admin	Edit and deactivate supplier or product - Edit a supplier contact. - Deactivate a spare QA product. - Open pickers for sales, requests and packages.	Edits persist. A deactivated product disappears from pickers but stays in history and reports.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____

7. HQ sales, refills and transaction reversal (P0/P1)

As Admin / HQ, record these four transactions on the common QA date. Use the app's actual final SKU for each product.

Transaction	Type	Quantity	Price charged	Revenue	Stock effect
QA Rose 50ML	Sale	1 bottle	PHP 1,200.00	PHP 1,200.00	Rose bottle 12 → 11
QA Rose 50ML	Refill	1 bottle-equivalent	PHP 700.00	PHP 700.00	No bottle leaves; Rose BULK falls 50 mL
QA Rose BULK	Sale	100 mL	PHP 2.50/mL	PHP 250.00	Rose BULK falls 100 mL
QA Rose BULK	Refill	50 mL	PHP 2.50/mL	PHP 125.00	Rose BULK falls 50 mL

EXPECTED AFTER ALL FOUR ROWS

HQ direct sales revenue **PHP 2,275.00**. HQ holds **11** Rose 50ML bottles, **10** Citrus 10ML bottles and **1,800 mL** Rose bulk. A refill of a bottle-size product draws that size's bottle-equivalent mL from the scent's BULK SKU; a refill of a BULK SKU draws the entered mL. Both create REFILL movement rows and deduct bulk stock. Refills are not zero-stock movements.

ID / Pri	Role	Steps	Expected result	Result / Evidence
SALE-01 P0	Admin	Record the four HQ transactions - Open HQ Record Sale and save each of the four transactions. - Check Sales History, inventory and movement logs.	- Four rows total PHP 2,275.00. - Sale decreases the sold SKU; both refill rows decrease only the matching BULK quantity. - Logs show type, SKU, quantity and sign, user and sale reference.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
SALE-02 P0	Admin	Receipt download and QR - Download a receipt for a valid sale. - Check sale ID, date, location, item, quantity, price, line total, payment type and QR.	- PDF values match the saved sale and the QR is usable. - Edited receipt text does not change server verification data.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
SALE-03 P0	Admin	Void a same-day sale - Create a spare same-day test sale. - Void it with a reason.	- The sale leaves active totals and the exact stock is returned. - SALE_VOID is logged; Voided Sales keeps the original sale, reason, actor and date.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
SALE-04 P0 EXTENDED	Admin	Sale input validation Try more than on-hand, zero quantity, negative quantity, fractional bottle quantity, blank / negative / non-numeric price, and no SKU.	- Each attempt is rejected with a message. - No sale row, stock change or movement is created.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
SALE-05 P0 EXTENDED	Admin	Refill validation - Try a BULK refill larger than the 1,800 mL on hand. - Try a refill with zero or negative mL.	Rejected atomically; BULK stock and logs are unchanged.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____

ID / Pri	Role	Steps	Expected result	Result / Evidence
SALE-06 P1 EXTENDED	Admin	Double-submit protection 1. Double-click Save on a sale. 2. Press Back after success and resubmit the same form.	Only one sale, receipt and movement exist; no double stock deduction.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
SALE-07 P1 EXTENDED	Admin	Sales History filters 1. Filter by date, location, type, SKU and payment. 2. Page through results and export.	- HQ filter returns 4 rows / PHP 2,275.00. - Totals and counts match the visible rows and the export.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
SALE-08 P1 EXTENDED	Admin	Void rules 1. Void without a reason. 2. Void the same sale twice. 3. Void an older-date sale as Admin.	- A reason is required and a sale voids once only. - Admin may void permitted older sales; stock and logs reconcile.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
SALE-09 P1 EXTENDED	Admin, Branch	Receipt code verification 1. Verify a valid HQ code as Admin. 2. Alter one character in the code and verify. 3. As Branch, verify the HQ code.	- Valid code returns server-stored details; tampered code returns no match. - Branch cannot verify another location's sale.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
SALE-10 P2 EXTENDED	Admin	Receipt layout 1. Create a sale with a long product name and special characters. 2. Reprint the receipt twice. 3. Check the peso symbol, alignment and page fit.	Receipt remains readable on one page; reprints are identical.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____

8. Branch requests, shipments, discrepancies and replacement (P0)

As Balayan Branch, request 4 QA Rose 50ML and 3 QA Citrus 10ML in one multi-item delivery. The expected price snapshot is $4 \times 1,200 + 3 \times 350 = \text{PHP } 5,850.00$. Confirm the submitted request appears for that branch in its request history and in Admin's request queue. The request catalog contains bottled items; BULK cannot be requested or dispatched through this branch workflow.

ID / Pri	Role	Steps	Expected result	Result / Evidence
REQ-01 P0	Branch	Submit a multi-item request - As Balayan, request 4 QA Rose 50ML and 3 QA Citrus 10ML in one request. - Refresh and inspect request history; also check the Admin queue. - Resubmit using the same one-use form token.	- One request with two lines and a PHP 5,850.00 price snapshot. - Visible in the branch history and the Admin queue. - The duplicate token creates no second request.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
REQ-02 P0	Admin	Dispatch the first shipment - Dispatch all 4 Rose and 3 Citrus. - Inspect HQ inventory, request details and movement logs.	- Status becomes In Transit. - HQ Rose 11→7 and Citrus 10→7. - DISPATCH rows -4 and -3 with before/after values and delivery reference.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
REQ-03 P0	Branch	Partial receipt with damage and shortage - Receive Rose as 2 received, 1 damaged, 1 short. - Receive all 3 Citrus undamaged. - Inspect inventory, request status, discrepancy page and ledger.	- Branch receives only 2 Rose and 3 Citrus. - DAMAGE -1 and shortfall ADJUSTMENT -1 are recorded. - Rose line stays Partially Fulfilled (2 of 4 accepted); HQ is not deducted again. - The receipt reconciles dispatched, received, damaged and short quantities.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
REQ-04 P0	Admin, Branch	Replacement shipment - Admin sends a second Rose shipment for the 2 unreceived units. - Branch receives both undamaged.	- Request becomes Fulfilled; branch holds Rose 4 and Citrus 3 before sales. - HQ Rose 7→5. - Second shipment has its own record; earlier damage and shortage stay visible.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
REQ-05 P0	Admin, Branch	Over-dispatch and over-receipt - In a separate test request, dispatch above HQ on-hand. - Try a receipt where received + damaged exceeds dispatched.	- Each invalid action is rejected atomically. - No partial movement, shipment receipt or balance change remains.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
REQ-06 P1 EXTENDED	Branch, Admin	Reject or cancel a request - Branch submits a spare request for 1 Citrus. - Admin rejects or cancels it per the UI; try to dispatch afterwards.	- Status updates for both roles; no stock movement occurs. - A rejected or cancelled request cannot be dispatched.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
REQ-07 P0 EXTENDED	Second branch	Request isolation between branches - Sign in as the second branch user. - Open request history, discrepancies and receipts; try Balayan request URLs.	No Balayan request, shipment or discrepancy is visible or reachable.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____

ID / Pri	Role	Steps	Expected result	Result / Evidence
REQ-08 P1 EXTENDED	Admin	Dispatch input validation 1. Try zero, blank, negative, fractional and non-numeric dispatch quantities. 2. Try dispatching more than requested.	Rejected with the limiting quantity; HQ and request state are unchanged.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
REQ-09 P1 EXTENDED	Admin, Branch	Request and shipment documents 1. Download the request / shipment receipt for both shipments from both roles. 2. Compare request, shipment, accepted, damaged, short and replacement quantities.	Both role views and the PDF agree; each shipment appears separately.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
REQ-10 P1 EXTENDED	Admin (2 sessions)	Concurrent dispatch 1. Prepare a request where HQ stock covers only one dispatch. 2. Click Dispatch in two Admin sessions at the same moment.	One dispatch succeeds and one is rejected; HQ stock never goes negative.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
REQ-11 P1 EXTENDED	Branch	Receive twice 1. Submit the receive form twice (double-click, then Back and resubmit). 2. Reopen a fully received shipment.	Stock is not counted twice and the shipment cannot be received again.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
REQ-12 P2 EXTENDED	Admin, Branch	Request notifications 1. Keep both roles open; submit a request, dispatch it, and receive it. 2. Open the bell and mark items read.	Each role is notified once per event; read and unread states persist.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____

ACCEPTED QUANTITY, NOT SHIPPED QUANTITY

The final branch request quantity is the **accepted quantity**. The two Rose units not accepted in shipment one must be dispatched again to reach four accepted Rose units.

9. Partner portal, inquiry snapshot and package fulfillment (P0)

Create the three packages from section 4.3 and confirm they are active, contain only the listed products, and have the indicated partner scope and discount. Open the public site in a signed-out browser.

ID / Pri	Role	Steps	Expected result	Result / Evidence
PORT-01 P0	Visitor	Portal browse and scope - Open the landing page, catalog, package list, each package detail and the inquiry sheet. - Test Distributor and Reseller scope; check navigation, images/fallbacks, prices, discounts and contact details.	- Built assets load with no console-breaking errors. - Distributor sees Distributor Starter + Shared Discovery; Reseller sees Reseller Intro + Shared Discovery. - Wrong-scope-only packages are hidden; totals match server values.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
PORT-02 P0	Visitor, Admin	Distributor Starter inquiry - Submit the Distributor Starter inquiry with Jordan's synthetic details. - Save the returned reference and open it in Admin. - Tamper with the amount in the browser request and resubmit.	- Success screen shows a reference. - Admin shows Distributor type, linked partner, contact preference, package name / discount / item snapshot and server-calculated PHP 2,790.00. - Client-side tampering does not change the saved value.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
PORT-03 P0	Visitor, Admin	Reseller Intro and general inquiry - Submit Reseller Intro with Taylor's details and contact preference SMS. - Submit one general inquiry with no package.	- Package inquiry snapshots PHP 1,472.50 with Reseller and contact data. - General inquiry saves with no package or order amount. - New, Contacted, Follow-up and On Hold inquiries do not count as revenue.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
PORT-04 P0	Admin	Close the Distributor inquiry - Open Partner Inquiries; mark the Distributor inquiry Closed. - Leave the Reseller inquiry open for the next step.	- Snapshots stay stable if the package is edited later. - Closed inquiry counts as PHP 2,790.00 partner revenue; non-Closed does not. - Closing alone changes no inventory.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
PORT-05 P0	Admin	Fulfill the Closed Distributor inquiry - Fulfill the Closed Distributor inquiry. - Try to fulfill it again.	- HQ falls by 2 Rose and 2 Citrus. - PACKAGE_ORDER logs are negative with the inquiry reference; fulfilled timestamp appears. - Repeating fulfillment is blocked with no second deduction.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
PORT-06 P0	Admin	Reseller fulfill, then decline - Mark the Reseller inquiry Closed and fulfill it. - Move it to Declined.	- While Closed it can be fulfilled if stock is available. - Moving away from Closed returns exactly 1 Rose and 1 Citrus to HQ with PACKAGE_RETURN logs and clears the fulfilled marker. - Declined inquiry no longer contributes PHP 1,472.50 to partner revenue.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
PORT-07 P0	Visitor	Invalid portal submissions Submit an invalid contact, partner type or contact method, a wrong slug, a missing required value, an invalid body, an inactive package and an altered amount.	- Clear validation or not-found response; no invalid inquiry is created. - The browser-supplied total is never trusted. - If email is configured, HQ is alerted; an email failure does not erase a saved inquiry or its reference.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____

ID / Pri	Role	Steps	Expected result	Result / Evidence
PORT-08 P1 EXTENDED	Admin, Visitor	Package edit after an inquiry exists 1. Edit QA Distributor Starter discount to 20%. 2. Open the earlier inquiry; submit a new inquiry. 3. Restore the discount to 10%.	• The earlier inquiry still shows PHP 2,790.00. • The new inquiry uses the new discount.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
PORT-09 P1 EXTENDED	Admin	Inquiry status transitions 1. Move a spare inquiry through New, Contacted, Follow-up, On Hold, Closed and Declined. 2. Check revenue and timestamps after each step.	• Only Closed counts as partner revenue. • Each status change is timestamped and shown in history; restricted transitions are refused clearly.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
PORT-10 P0 EXTENDED	Admin	Fulfill with insufficient HQ stock 1. Create a temporary QA package of 99 × QA-ROSE 50ML. 2. Submit an inquiry, Close it and try Fulfill. 3. Deactivate the temporary package.	• Fulfillment is rejected; no partial deduction and the inquiry stays Closed and unfulfilled.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
PORT-11 P1 EXTENDED	Admin, Visitor	Deactivate and reactivate a package 1. Deactivate QA Shared Discovery; reload the portal. 2. Submit from a stale open page. 3. Reactivate it.	• Package disappears from the portal; the stale submission is rejected. • Reactivation restores the package.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
PORT-12 P1 EXTENDED	Visitor	Portal on phone and tablet 1. Open the portal at 390×844 and 768×1024. 2. Use the scope selector, a package deep link, Back and Refresh.	• Layout is readable; scope and links survive refresh; fallbacks show when images fail.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
PORT-13 P1 EXTENDED	Visitor, Admin	Spam and markup in inquiry fields 1. Submit a script tag and HTML in name and message fields. 2. Submit the same details rapidly several times. 3. View the inquiry in Admin, PDF and Excel.	• Input is shown as plain text everywhere and never executes. • Rate limiting or duplicate handling applies; no flood of records.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
PORT-14 P2 EXTENDED	Visitor	Metadata and loading 1. Check page title, favicon and link preview. 2. Throttle to Fast 3G and load the catalog. 3. Click every footer and navigation link.	• No 404 links; core catalog and inquiry still work on a slow network.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
PORT-15 P1 EXTENDED	Visitor	Contact preference rules 1. Choose Email with no email; SMS with no phone; invalid phone formats; both blank.	• Validation names the missing field per preference; no inquiry is saved.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____

PARTNER REVENUE RULE

Package inquiries are leads and orders, but only a **Closed** inquiry counts as partner revenue. Closing does not ship stock; the explicit Admin Fulfill action draws package items from HQ. A fulfilled order moved out of Closed returns its items to HQ.

10. Branch sales, credit settlement and branch limits (P0)

After the two request shipments, branch inventory is Rose 4 and Citrus 3. As Balayan, record these four rows.

Transaction	Payment	Quantity / price	Revenue	Branch stock after row
Rose 50ML Sale	Cash	1 × PHP 1,150.00	PHP 1,150.00	Rose 4 → 3
Citrus 10ML Sale	Cash	1 × PHP 350.00	PHP 350.00	Citrus 3 → 2
Citrus 10ML Sale	Credit / QA Staff 01	1 × PHP 350.00	PHP 350.00	Citrus 2 → 1
Citrus 10ML Freebie	Forced to Cash / no charge	1 × PHP 0.00	PHP 0.00	Citrus 1 → 0

BRANCH RULES

Expected Balayan sales revenue is **PHP 1,850.00**. The credit sale is revenue when recorded but remains outstanding until settled. The freebie has PHP 0 revenue and reduces stock; it cannot be recorded as a paid Sale at zero price. Branch refills are refused because branches do not hold bulk. Branch inventory, low-stock views and stock requests do not expose BULK units.

ID / Pri	Role	Steps	Expected result	Result / Evidence
BR-01 P0	Branch	Record the four branch rows - Record Rose Sale (Cash, PHP 1,150), Citrus Sale (Cash, PHP 350), Citrus Sale (Credit / QA Staff 01, PHP 350) and Citrus Freebie (PHP 0). - Check dashboard, Sales History, inventory, customer list and movement logs.	- Four active rows total PHP 1,850.00; end stock Rose 3, Citrus 0. - Sale and Freebie deduct one unit each. - The branch refill attempt creates no sale and changes no stock.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
BR-02 P0	Branch	Settle the credit sale - Open Credit Purchases and note outstanding. - Settle the QA Staff 01 credit. - Reopen Credit Purchases and verify the receipt.	- Outstanding is PHP 350.00 before and cleared after. - The historical sale remains; revenue stays PHP 1,850.00; inventory is unchanged. - Settled-by and time are visible.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
BR-03 P0	Branch	Branch validation Try to sell more than on-hand, zero units, zero / negative / non-numeric price as a Sale, a missing credit buyer and a Refill.	- Errors show; no sale, credit or movement is created; stock is unchanged. - Freebie stays the explicit zero-price type and uses Cash.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
BR-04 P0	Branch	One-use token on sales Submit the same one-use sale form twice using spare stock.	Only one sale, receipt and movement; no double charge or deduction.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____

ID / Pri	Role	Steps	Expected result	Result / Evidence
BR-05 P0	Branch, Admin	Void rules 1. Record a spare same-day sale and void it with a reason. 2. As Branch, try to void another branch's sale and an older sale. 3. As Admin, void a permitted older or cross-branch sale.	- Own same-day sale reverses once and appears in Voided Sales. - Cross-branch and older voids are rejected for Branch; Admin may void.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
BR-06 P1 EXTENDED	Branch	Customers and repeat buyers 1. Record two sales for the same customer across different SKUs. 2. Open the Customers list.	Customer totals aggregate correctly with no double counting across SKUs.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
BR-07 P1 EXTENDED	Branch, Admin	Settle credit rules 1. Settle the same credit twice. 2. Try to settle another branch's credit.	A credit settles once only; cross-branch settlement is rejected.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
BR-08 P0 EXTENDED	Second branch	Branch isolation with real data 1. Sign in as the second branch user after BR-01. 2. Check dashboard, inventory, sales, credit and customers.	No Balayan data appears; the dashboard shows only that branch's own activity.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
BR-09 P1 EXTENDED	Branch	Low stock and reorder 1. After sales leave Citrus at 0, open Low Stock and the stock-request page.	Citrus is flagged; BULK never appears as low stock or as a requestable item.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
BR-10 P1 EXTENDED	Branch	Receipts for each branch row 1. Download the receipt for all four rows; settle the credit and download again.	Freebie shows PHP 0.00; credit shows its status before and after settlement.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
BR-11 P2 EXTENDED	Branch	Branch dashboard widgets 1. Compare dashboard totals, date filter and recent activity with Sales History.	Figures agree with Sales History for the selected range.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____

11. Final inventory and financial reconciliation (P0)

Reconcile after the core path above, including Distributor fulfillment and Reseller fulfillment followed by decline and return. Exclude the spare voided sale from active sales and include it in Voided Sales. Compare against the QA-only date window, or compare run deltas against the captured baseline. Enter the observed value in the Actual column.

Metric	Expected	Calculation / note	Actual	Match?
HQ Rose 50ML	3 bottles	12 produced – 1 sold – 6 dispatched – 2 package fulfilled		☐ Yes ☐ No
HQ Citrus 10ML	5 bottles	10 produced – 3 dispatched – 2 package fulfilled		☐ Yes ☐ No
HQ Rose BULK	1,800 mL	2,000 produced – 50 bottle refill – 100 bulk sale – 50 bulk refill		☐ Yes ☐ No
Balayan Rose 50ML	3 bottles	4 accepted – 1 sold		☐ Yes ☐ No
Balayan Citrus 10ML	0 bottles	3 accepted – 1 cash sale – 1 credit sale – 1 freebie		☐ Yes ☐ No
QA-BATCH-001 / QA-BATCH-002	0 mL / 400 mL	600 – (12 × 50 mL); 500 – (10 × 10 mL)		☐ Yes ☐ No
Raw material purchase spends	PHP 4,100.00	Four receipt records; suppliers PHP 3,300.00 and PHP 800.00		☐ Yes ☐ No
Production COGS / capital	PHP 2,950.00	12 × 90 + 10 × 35 + 2,000 × 0.76; do not add batch PHP 760 again		☐ Yes ☐ No
HQ direct sales	PHP 2,275.00	Four HQ Sale / Refill rows		☐ Yes ☐ No
Balayan sales	PHP 1,850.00	Three paid sales plus one zero-value freebie		☐ Yes ☐ No
Total branch / HQ sales	PHP 4,125.00	PHP 2,275 + PHP 1,850; credit is recorded revenue		☐ Yes ☐ No
Closed partner revenue	PHP 2,790.00	Distributor inquiry only; declined Reseller inquiry excluded		☐ Yes ☐ No
Total revenue	PHP 6,915.00	PHP 4,125 + PHP 2,790		☐ Yes ☐ No
Gross profit for QA window	PHP 3,965.00	PHP 6,915 – PHP 2,950 production COGS, if all rows share the selected date		☐ Yes ☐ No
Outstanding credit after settlement	PHP 0.00	Capture PHP 350 before settlement; the settled sale remains in revenue and history		☐ Yes ☐ No

RECONCILIATION CAUTIONS

Never add bottle counts to mL. Dashboard aggregate quantities can mix units and are not a physical inventory check; reconcile each SKU and unit independently.

Raw-material spend and production COGS are separate report measures.

Revenue is not cash collected until credit is settled.

ID / Pri	Role	Steps	Expected result	Result / Evidence
FIN-01 P0	Admin	Per-SKU inventory reconciliation - Compare HQ and Balayan stock per SKU and unit with the reconciliation table. - Do not add bottle counts to mL.	Every SKU matches the expected value in its own unit.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
FIN-02 P0	Admin	Revenue, COGS and gross profit - Set one date window covering all QA rows. - Compare dashboard, Financial Summary and Branch Performance with the table.	Revenue PHP 6,915.00; production COGS PHP 2,950.00; gross profit PHP 3,965.00; material purchases PHP 4,100.00.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
FIN-03 P0 EXTENDED	Admin	Ledger integrity - For each SKU and location, add up the Inventory Log quantities. - Check that each before/after value chains from the previous row.	The sum of movements equals on-hand stock; before/after values are continuous with no gaps.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
FIN-04 P1 EXTENDED	Admin, Branch	Credit and cash view Capture outstanding credit before settlement; settle; compare revenue and credit totals.	Outstanding PHP 350.00 → PHP 0.00; revenue unchanged; the sale remains in history.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
FIN-05 P1 EXTENDED	Admin	Voided sale exclusion Compare active sales with Voided Sales for the spare void created in SALE-03 / BR-05.	Voids are absent from active totals, present in Voided Sales, and their stock is restored.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
FIN-06 P1 EXTENDED	Admin	Cross-surface agreement Compare the same figure across dashboard, report screen, PDF and Excel export.	Figures agree to the centavo on every surface.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
FIN-07 P1 EXTENDED	Admin	Closed-only partner revenue - While the Reseller inquiry is Closed, read partner revenue. - After moving it to Declined, read it again.	Closed: PHP 2,790.00 + PHP 1,472.50 = PHP 4,262.50. Declined: PHP 2,790.00.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____

12. Reports, filters, exports and receipts (P0/P1)

Generate the appropriate Admin and Branch reports for the QA date window. For every available report type, export both PDF and Excel and inspect that the file opens and shows the title, applied filters, QA records, units, currency formatting and totals. For branch-enabled reports, sign in as Branch and confirm the app uses that account's branch even if another branch ID is added to the URL.

Report	Typical role	Assertions	PDF	XLSX
Products / Accounts / Partners / Packages / Suppliers / Formulas (Cost of Goods)	Admin	Current catalog and settings snapshots contain the QA records with correct active state, scope, size and saved costs.	☐	☐
Materials / Cost of Goods Log / Bulk Batches	Admin	Date window and supplier, usage, batch, production and COGS details match the run.	☐	☐
Stock (HQ and Branches) / My Inventory / Low Stock	Admin, Branch	Stock is per location and per SKU; BULK mL is not shown as a bottle count or a low-stock item.	☐	☐
Stock Requests	Admin, Branch	Two shipments appear under one multi-line request; accepted, damaged, short and final Fulfilled status reconcile.	☐	☐
Inventory Log	Admin, Branch	Filter PRODUCTION, DISPATCH, RECEIPT, SALE, REFILL, FREEBIE, DAMAGE, ADJUSTMENT, PACKAGE_ORDER, PACKAGE_RETURN and SALE_VOID; check signs, branch, SKU / unit, references and before / after.	☐	☐
Sales History	Admin, Branch	HQ filter returns 4 rows / PHP 2,275.00. Balayan filter returns 4 active rows / PHP 1,850.00. The voided check is absent from active sales.	☐	☐
Credit Purchases / Voided Sales / Customers / Discrepancies	Admin, Branch	Settled credit is not outstanding; void retains reason and actor; repeat customer totals and delivery damage / short units reconcile.	☐	☐
Branch Performance / Financial Summary	Admin	Branch values, PHP 6,915 total revenue, PHP 2,950 production COGS, PHP 4,100 material purchases, PHP 3,965 gross profit and closed-only partner contribution agree.	☐	☐
Partner Inquiries	Admin	New and Contacted rows are not sales; Closed Distributor is PHP 2,790; declined Reseller is excluded; fulfilled state and status are shown.	☐	☐
Admin Log / Login Activity	Admin	Relevant Admin actions, user changes, logins and failures, and timestamps appear with the acting account.	☐	☐

BEHAVIORS TO CHECK ON EVERY REPORT

- Test Recent, date range, month and All Time for report types that offer the mode. Use a range that excludes QA data and confirm the UI explains there are no matching rows rather than showing stale values.
- Test any report-specific branch, status, unit, payment, movement or date filter. Invalid filter values must not broaden a Branch user's scope.
- Excel money and quantity cells remain numeric and dates remain date values where applicable; PDF pages are readable and retain the selected filters.
- For the Balayan sale receipt, compare amount PHP 1,150.00 and payment Cash. A Branch user cannot verify another branch's code or view its sale; Admin can verify permitted records; tampered codes return no match. Receipt verification is behind sign-in in the current app.

- Download the request / shipment receipt and compare request, shipment, accepted, damaged, short and replacement quantities with both role views.

ID / Pri	Role	Steps	Expected result	Result / Evidence
RPT-01 P0	Admin, Branch	Export every report as PDF and Excel 1. Generate each available report for the QA window. 2. Export PDF and Excel and open both.	Files open; title, applied filters, QA records, units, currency formatting and totals are correct.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
RPT-02 P1	Admin, Branch	Report modes and empty ranges 1. Test Recent, date range, month and All Time where offered. 2. Pick a range with no QA data.	The UI states there are no matching rows and shows no stale values.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
RPT-03 P0	Branch	Branch scope with tampered filters 1. Add another branch ID to a report URL. 2. Try an invalid status, unit, payment or date value.	The report keeps the signed-in branch; invalid values never broaden scope.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
RPT-04 P1 EXTENDED	Admin	Excel typing and formula safety 1. Check money, quantity and date cells in the Excel exports. 2. Export a record whose name starts with =, +, - or @.	- Money and quantity are numeric; dates are real dates. - Names starting with formula characters are neutralised as text.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
RPT-05 P1	Admin, Branch	Receipt verification 1. Compare the Balayan PHP 1,150.00 Cash receipt. 2. Scan or type its code as the relevant role, as the other branch, and with a tampered code.	- Server-stored details are returned, not edited PDF text. - Other branch's code is refused; tampered code gives no match; verification requires sign-in.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
RPT-06 P1	Admin, Branch	Request / shipment receipt 1. Download the request and shipment receipt from both roles.	Request, shipment, accepted, damaged, short and replacement quantities match in both views.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
RPT-07 P1 EXTENDED	Admin	PDF layout 1. Export the widest tables to PDF. 2. Check page breaks, repeated headers and the peso symbol.	No clipped columns; headers repeat; filters are shown on the PDF.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
RPT-08 P2 EXTENDED	Admin	Large-range export 1. Export All Time after the import and volume tests.	Export completes in reasonable time; row counts match the screen.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____

13. Supporting Admin and Branch pages (P1)

Use QA-prefixed records and verify saved values, empty states and navigation for every page below. These checks make sure the full web app surface is represented without repeating the core transaction scenario.

ID	Page / workflow	Checks	Result
ADM-01	Admin Dashboard	Date range and branch totals, low-stock list, recent requests, revenue / COGS and links agree with reports.	☐ Pass ☐ Fail ☐ Blocked
ADM-02	Products	Add / edit product; price, unit, variant, category; active / discontinued state; photo upload and fallback; search and filter; product export and valid template import. An invalid workbook or row gets a clear error and no unexplained partial changes.	☐ Pass ☐ Fail ☐ Blocked
ADM-03	Materials and Suppliers	Add / edit supplier; restock or receive a material; supplier rollup and material balance / unit cost update; receipt and reference history.	☐ Pass ☐ Fail ☐ Blocked
ADM-04	Formulas and Production	Formula add / remove / save, COGS settings, batch use, packaged and bulk production, production history and stock output all reconcile.	☐ Pass ☐ Fail ☐ Blocked
ADM-05	Branches and Users	Create / edit a QA branch and Branch user; assign the intended branch; force password change; deactivate and reactivate; reset a test password. Verify the audit trail and that a deactivated signed-in user loses access on the next request.	☐ Pass ☐ Fail ☐ Blocked
ADM-06	Low Stock and Branch Performance	Bottle SKUs at or below reorder level are included; BULK is excluded from low-stock logic. Branch performance filters and totals match Sales History.	☐ Pass ☐ Fail ☐ Blocked
ADM-07	Announcements	Admin creates, edits or retires a synthetic announcement. The intended staff audience sees the current one; stale or retired content is not shown.	☐ Pass ☐ Fail ☐ Blocked
ADM-08	Movement Logs and Discrepancies	Filters, date ranges, branch scope, movement type, damage and shortage counts match source transactions. A discrepancy stays traceable after another shipment.	☐ Pass ☐ Fail ☐ Blocked
ADM-09	Customers and Credit Purchases	Customer aggregates are not double-counted across SKUs; settled credit is excluded from outstanding balance but retained on the historical sale.	☐ Pass ☐ Fail ☐ Blocked
ADM-10	Audit Log and Login Activity	Successful and failed logins and representative Admin actions show actor, action, target and time; no password or secret is displayed.	☐ Pass ☐ Fail ☐ Blocked
ADM-11	Branch Dashboard, Inventory, Sales History, Reports	Branch sees its own inventory and activity only; filters, low-stock suggestions, empty states, responsive tables and report links work.	☐ Pass ☐ Fail ☐ Blocked
ADM-12	Notifications (bell)	Events create one notification each for the right role; read / unread state persists; links open the correct record.	☐ Pass ☐ Fail ☐ Blocked
ADM-13	Profile and password	A user can change their own password; rules and errors match ACC-07; no other user's data is editable.	☐ Pass ☐ Fail ☐ Blocked

14. Excel sales import (P1)

Run in a clean QA sub-run or use spare stock, then void the test sale or sales so canonical financial totals remain unchanged.

ID / Pri	Role	Steps	Expected result	Result / Evidence
IMP-01 P1	Admin, Branch	Download the import template 1. Download the sales import template as Admin and as Branch where offered.	Template opens, has clear headings and sample guidance.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
IMP-02 P1	Admin, Branch	Valid multi-row import 1. Import a valid workbook with several rows, different supported sale types and payments, a customer and a credit buyer.	Row totals, saved sales, stock changes, credit records and movement references match each row.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
IMP-03 P1	Admin, Branch	One invalid row among valid rows 1. Include an invalid SKU, a malformed number or quantity beyond stock in one row.	The problem is reported with its row; nothing from the workbook is committed (all-or-nothing).	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
IMP-04 P1	Admin, Branch	Retry and duplicate prevention 1. Retry the identical upload and form submission. 2. Export the history.	Sales are not silently duplicated; row counts and values match.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
IMP-05 P1	Admin, Branch	Import scope 1. Import as Branch, then as Admin.	Branch imports affect only that branch; Admin imports go to the intended HQ or selected location.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
IMP-06 P1 EXTENDED	Admin	Bad files 1. Upload a zero-byte file, a corrupt xlsx, a renamed .txt, a macro-enabled .xlsm and an oversize file.	Each is rejected with a clear message and nothing is saved or executed.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
IMP-07 P2 EXTENDED	Admin	Header and data variations 1. Reorder columns, leave extra blank rows, use text in numeric cells and trailing spaces in SKUs.	Behavior is consistent with the template rules; ambiguous data is reported rather than guessed.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
IMP-08 P1 EXTENDED	Admin	Clean-up 1. Void every test sale created by the import.	Canonical financial totals return to the reconciliation values.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____

15. Data integrity, dates and concurrency (P1/P2)

These cases look for quiet corruption: rounding drift, unit mixing, date-boundary slips, race conditions and broken history. All are extended coverage and should be run on spare data so the canonical totals remain intact.

ID / Pri	Role	Steps	Expected result	Result / Evidence
DAT-01 P1 EXTENDED	Admin	Rounding and currency 1. Sell 3 mL of BULK at PHP 2.50/mL and 7 mL at PHP 2.50/mL (spare stock). 2. Compare line totals, receipt, history and exports.	Amounts use two decimals consistently; totals equal the sum of lines to the centavo.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
DAT-02 P1 EXTENDED	Admin	Unicode and long text 1. Create QA records with accents, emoji, apostrophes and 200-character names. 2. View them in lists, receipts, PDF and Excel.	Text is saved intact; long values wrap or truncate cleanly without breaking layout.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
DAT-03 P1 EXTENDED	Admin	Business date and timezone boundary 1. Record a spare sale just before and just after local midnight. 2. Run a one-day report for each date.	Each sale lands on the date per the configured business timezone; boundaries are consistent in reports and exports.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
DAT-04 P2 EXTENDED	Admin	Backdated and future dates 1. Try a sale or receipt dated in the past and in the future where the form allows.	Allowed dates are honoured in reports; disallowed dates are rejected clearly.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
DAT-05 P1 EXTENDED	Admin, Branch	Last-unit race 1. Leave exactly 1 unit at a branch. 2. Submit a sale for it in two sessions at the same moment.	Exactly one sale succeeds; stock never goes negative.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
DAT-06 P1 EXTENDED	Admin	Deactivated records in history 1. Deactivate a supplier, product, branch and user that already have history. 2. Open old sales, reports and logs.	History still shows readable names; no broken pages or blank labels.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
DAT-07 P1 EXTENDED	Admin	Unit mixing guard 1. Compare dashboard aggregate quantities with per-SKU stock.	Aggregates are not used as physical stock counts; bottle counts and mL stay separate.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
DAT-08 P2 EXTENDED	Admin	Restore baseline 1. Restore the pre-run backup into a spare QA database. 2. Compare baseline totals.	Baseline totals match those captured on the run card.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____

16. Security, validation and resilience (P0–P2)

Cases SEC-01 to SEC-08 cover live updates, server-side validation, CSRF, scoping and atomic rejection. SEC-09 onward add injection, object-level access, uploads, cookies and information-leak checks. Use QA data only, and do not target real recipients or shared systems.

ID / Pri	Role	Steps	Expected result	Result / Evidence
SEC-01 P1	Admin, Branch	Live updates across sessions 1. Keep the Admin request list and Branch request page open in two browsers. 2. Submit, dispatch and receive from the other session.	- Pages and bell notifications refresh or signal the change with no duplicate transactions. - After a brief disconnect, persisted state stays authoritative.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
SEC-02 P1	Any	Server-side input validation 1. Submit missing or duplicate SKU lines, zero / negative / fractional quantities where whole units are required, malformed money, an invalid date and tampered hidden IDs.	- Clear validation or authorization response; no partial write, negative stock or extra movement. - Validation is enforced server-side, not only in the browser.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
SEC-03 P0	Any	CSRF and form tokens 1. Omit or reuse CSRF / form tokens on sale, stock request, dispatch, receiving, inquiry and user actions.	Request is rejected or handled as a duplicate; nothing is committed.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
SEC-04 P0	Branch	Branch tampering 1. As Branch, request BULK, change a stock / SKU / request ID, open Admin, user and audit pages, view another branch's receipt or report, and settle or void another branch's transaction.	- Unsupported SKU and out-of-scope identifiers are rejected server-side. - No other branch's data is disclosed or changed.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
SEC-05 P1	Visitor	Portal and login abuse 1. Try an inactive package, invalid slug, missing inquiry fields, malformed email, unknown contact method and repeated invalid logins.	- Useful validation, not-found or rate-limit behavior; no invalid record. - No real contact data is used and no real recipients are alerted.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
SEC-06 P0	Admin, Branch	Atomic rejection of over-limit actions 1. Dispatch more than requested or HQ stock; receive more than dispatched; bottle more than batch remaining; make a batch with insufficient raw material; fulfill a package without enough HQ stock; fulfill twice.	- Each action is rejected atomically and reports the limiting quantity. - Balances, statuses, movement counts and logs are unchanged.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
SEC-07 P1	Any	Refresh and Back after success 1. Force refresh or Back navigation after a successful one-use form submission.	No duplicate record or movement; the existing result or history is shown.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
SEC-08 P1	Any	Deployment hardening review 1. Review HTTPS behavior, security headers, session expiry, role changes and error pages.	- Secure transport and expected headers apply. - Errors never reveal stack traces, SQL, secrets or unrelated customer data.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____

ID / Pri	Role	Steps	Expected result	Result / Evidence
SEC-09 P0 EXTENDED	Any	Stored and reflected script injection - Enter script tags and event-handler markup in names, notes, reasons and search boxes. - View them in every list, receipt, PDF and Excel.	Content renders as inert text everywhere; no script runs.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
SEC-10 P0 EXTENDED	Any	Query injection strings On the QA database only, enter quote characters and SQL-style strings in search, filters and login.	No SQL error, no broadened results, no stack trace.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
SEC-11 P1 EXTENDED	Admin, Branch	Upload validation Upload a double-extension file, a zero-byte file, a corrupt file and an oversize file to photo and import forms.	Each is rejected with a message; nothing is stored or executed.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
SEC-12 P0 EXTENDED	Branch, Visitor	Object-level access via URLs Change numeric IDs in URLs for sales, receipts, requests, inquiries, users and reports.	Returns not-found or forbidden; no other record's data is shown.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
SEC-13 P1 EXTENDED	Any	Cookies and caching - Inspect the session cookie flags and the cache headers of authenticated pages. - Look for tokens in URLs.	Session cookie is HttpOnly, Secure and SameSite as configured; authenticated pages are not cached; no tokens in URLs.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
SEC-14 P1 EXTENDED	Visitor	Endpoint method and origin checks Call internal endpoints without a session; send a GET to a POST-only route.	Responses are 401, 403 or 405 as appropriate with no data.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
SEC-15 P2 EXTENDED	Any	Information leakage Open a missing page and force an error; view page source for secrets.	Generic error pages; debug mode off; no secrets in source.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
SEC-16 P2 EXTENDED	Any	Offline and interrupted requests Go offline while submitting a form, then reconnect and retry.	A clear failure message appears; the retry creates one record at most.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____

17. Portal and internal UI quality, accessibility (P1/P2)

Perform a short visual and interaction pass at desktop, tablet and phone widths. This is manual browser coverage in addition to the data assertions above.

ID / Pri	Role	Steps	Expected result	Result / Evidence
UI-01 P1	All	Controls and navigation 1. Use every navigation item, primary button, dialog close / back, filter, form submit, toast, pagination control and download with mouse and keyboard.	Everything works with mouse and keyboard.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
UI-02 P1	All	Focus, labels and dialogs 1. Tab through forms and dialogs. 2. Trigger validation errors.	Focus is visible and ordered; messages name the field and the fix; dialogs close and do not leave the page scroll-locked.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
UI-03 P1	All	Narrow-width layout 1. Test at 1365×768, 768×1024 and 390×844.	Text, totals, tables and package cards stay readable; no primary action is hidden; no page-wide sideways scroll.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
UI-04 P1	Visitor	Media fallback and motion 1. Break an image URL; block media; enable reduced motion.	Placeholders show; the catalog and inquiry flow still work; content is not hidden by motion.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
UI-05 P1	All	Distinct states 1. Trigger loading, empty, success, validation, server-error and offline states.	Each state is distinct; a failed request never shows stale success or an invented total.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
UI-06 P1	All	Console and network 1. Watch console and network while running each critical workflow.	No uncaught errors, repeated failing requests, missing assets, mixed-content blocks or unexpected third-party calls.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
UI-07 P1 EXTENDED	All	Accessibility basics 1. Zoom to 200%; check color contrast; review landmarks and headings with a screen reader.	No clipped content at 200%; contrast is adequate; headings and landmarks are logical.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
UI-08 P2 EXTENDED	All	Print output 1. Print or save to PDF the receipt, a report and a request.	Print layout is clean with navigation hidden.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
UI-09 P1 EXTENDED	All	Wording and formats 1. Review labels, units, PHP formatting with thousands of separators, dates and plurals.	Labels are consistent and units always appear with quantities.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____

18. Performance and browser / device compatibility (P2)

Light checks only; this is not a load test. Record observations rather than strict thresholds unless the team has agreed targets.

ID / Pri	Role	Steps	Expected result	Result / Evidence
PRF-01 P2 EXTENDED	Admin	Page-load baseline 1. Record load time for Dashboard, Sales History, Inventory Log and one report on desktop.	Times are recorded; none feels unresponsive; unusual slowness is logged with page and data size.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
PRF-02 P2 EXTENDED	Admin	Volume sanity 1. Import 200+ spare rows in QA data. 2. Open lists, filters and exports with that volume, then void the data.	Lists paginate; filters and exports complete; totals remain correct.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
PRF-03 P2 EXTENDED	Visitor	Slow network portal 1. Throttle to Fast 3G and run the inquiry flow.	The flow completes; submit shows progress; no duplicate inquiry from repeated taps.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
PRF-04 P2 EXTENDED	Admin, Branch	Light concurrency 1. Have 3–5 testers run sales and requests at the same time.	No errors, no duplicate or lost transactions; stock stays consistent.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____

Compatibility matrix

At minimum run login, a sale, a delivery receipt, a portal inquiry and a receipt download on each row that applies to the target deployment.

Browser / device	Version / OS	Flows covered	Result
Chrome, desktop			☐ Pass ☐ Fail
Edge, desktop			☐ Pass ☐ Fail
Firefox, desktop			☐ Pass ☐ Fail
Safari, macOS			☐ Pass ☐ Fail
Safari, iPhone (390×844)			☐ Pass ☐ Fail
Chrome, Android phone			☐ Pass ☐ Fail
Tablet (768×1024)			☐ Pass ☐ Fail

19. Conditional AI, email and data-reset coverage (P2)

Run only when the integration is configured. If it is not configured, record Not Configured; do not infer a pass from a page that merely loads.

ID / Pri	Role	Steps	Expected result	Result / Evidence
OPT-01 P2	Admin, Branch	AI assistant - With staging AI configured, ask a benign question using a QA-only account. - Test one draft-producing action: approve one, reject one.	- Answer is grounded in current data and respects scope. - Draft appears in Drafts; rejection causes no change; approval creates exactly the scoped action once with the actor recorded. - If AI is unavailable record Not Configured; a loading chat page is not a pass.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
OPT-02 P2	Visitor, Admin	Inquiry notification email - With staging mail and a QA recipient configured, submit an inquiry. - Repeat with mail temporarily unavailable.	- The inquiry is saved if delivery fails. - Successful mail goes only to the QA recipient and includes the reference without secrets.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
OPT-03 P2	Admin	Clear Data (run last) Only on a backed-up disposable database with reset enabled: try as non-Admin; try a wrong confirmation phrase; enter the exact phrase.	- Non-Admin is denied; a wrong phrase changes nothing. - Exact phrase clears business tables, preserves users, branches and settings as designed, removes QA uploads and writes the audit entry. - Re-seed or discard the database immediately after.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____
OPT-04 P2 EXTENDED	Admin	Realtime channel If realtime is configured, repeat SEC-01 with the channel blocked, then restored.	The app falls back to refresh without data loss.	☐ Pass ☐ Fail ☐ Blocked ☐ N/Cfg Ref: _____

20. Run result and defect record

Use one row per case in your tracker, and the summary below for the release decision. Result values are Pass, Fail, Blocked, Not Configured or Not Run. A blocked or unavailable workflow is not a pass. Link evidence by filename or internal issue ID.

Area	Code	Cases	Pass	Fail	Blocked	N/Cfg	Not run
Authentication and access	ACC	12					
Materials, catalog, costs, production	OPS	13					
HQ sales, receipts, voids	SALE	10					
Requests, delivery, discrepancies	REQ	12					
Public portal and package orders	PORT	15					
Branch sales, credit, voids	BR	11					
Reconciliation and dashboards	FIN	7					
Reports, exports, receipts	RPT	8					
Supporting Admin and Branch pages	ADM	13					
Excel import	IMP	8					
Data integrity and concurrency	DAT	8					
Security, validation, resilience	SEC	16					
UI, viewport, accessibility	UI	9					
Performance and compatibility	PRF	4					
Conditional AI, email, reset	OPT	4					
Total		150					

Defect log

ID	Severity	Case ID	Title	Owner	Status

Defect template

ID / severity / title	
Environment, build, role and page	
QA prefix and record / reference IDs	
Preconditions and reproducible steps	
Expected / actual result	
Business impact and frequency	
Screenshot, PDF / XLSX or log evidence	

Sign-off

Role	Name	Date	Decision / follow-up
QA tester			
Product or operations owner			
Release owner			

RELEASE RECOMMENDATION

☐ Ready
 ☐ Ready with accepted issues
 ☐ Not ready

Open P0 / P1 defects: _____

Retest required / target build: _____

A. Appendix: Movement types

Use this reference when reading the Inventory Log and when filtering in reports. Signs describe the quantity change on the SKU at the location shown in the log row.

Type	Sign	Created by	First seen in
PRODUCTION	+	Bottled or bulk production run	OPS-05
SALE	–	HQ or branch sale	SALE-01, BR-01
REFILL	–	HQ refill; deducts BULK stock	SALE-01
FREEBIE	–	Branch zero-price transaction	BR-01
DISPATCH	–	Admin dispatches a shipment from HQ	REQ-02
RECEIPT	+	Branch receives accepted units	REQ-03
DAMAGE	–	Damaged units recorded at receipt	REQ-03
ADJUSTMENT	– / +	Shortfall or correction	REQ-03
PACKAGE_ORDER	–	Fulfillment of a Closed partner inquiry	PORT-05
PACKAGE_RETURN	+	Fulfilled inquiry moved out of Closed	PORT-06
SALE_VOID	+	Void of a sale; returns the exact stock taken	SALE-03, BR-05

B. Appendix: Key expected values

Item	Value	Where verified
Material balances after batches	390 mL / 120 mL / 95.6 g / 100 sets	OPS-04
Batch costs	PHP 456.00 / PHP 380.00	OPS-04
Batch cost per mL	PHP 0.760000	OPS-04
Production COGS total	PHP 2,950.00	OPS-05, FIN-02
HQ direct sales	PHP 2,275.00	SALE-01
Branch request snapshot	PHP 5,850.00	REQ-01
Distributor inquiry	PHP 2,790.00	PORT-02
Reseller inquiry	PHP 1,472.50	PORT-03
Balayan sales	PHP 1,850.00	BR-01
Total revenue	PHP 6,915.00	FIN-02
Gross profit	PHP 3,965.00	FIN-02
Final HQ stock	Rose 3, Citrus 5, Rose BULK 1,800 mL	FIN-01
Final Balayan stock	Rose 3, Citrus 0	FIN-01

C. Appendix: Glossary

Term	Meaning
HQ / Main Warehouse	Head office stock location; the only place bulk is held and the source of all dispatches.
SKU	Final stock code formed by base code and unit, for example QA-ROSE with 50ML.
BULK	Scent stock held in mL for refills and bulk sale; never requested by branches.
Batch	A bulk blend with recorded ingredient cost, output volume and remaining mL.
Refill	Sale from bulk stock into a customer's own bottle; deducts BULK, not bottles.
Freebie	Explicit zero-price transaction that reduces stock with no revenue.
Snapshot	Values copied onto a request or inquiry when created so later edits do not change it.
One-use token	Form token that allows a submission once, preventing duplicates.
Business date	The date in the configured business timezone used for report boundaries.
Baseline	Dashboard and report totals captured before the run, used for delta comparisons.

D. Appendix: Retest checklist

After a defect fix, retest in this order and record the new build.

- Re-run the failed case and every case that shares its data or screen.
- Re-run the P0 cases in the same section as the failed case.
- Re-check the affected line of the reconciliation table in section 11.
- Check the downstream report and export for the changed data.
- Re-run the role-isolation cases (ACC-03, REQ-07, BR-08, SEC-04, SEC-12) if any permission or query code changed.
- Update the defect log with the retest build, result and evidence.