

Our workflow service, as a fork would need to see it.

THE ASK, IN ONE SENTENCE

Assess what it takes to move **ms-bpm from Camunda 7 Community Edition to **CIB seven**, and tell us what support you would stand behind.**

WHY THIS DECK EXISTS

We measured our own system and read your public sources before asking. Every model element is counted, every engine call is listed, and the production numbers are real. The five markdown files hold the detail. This deck is the first meeting.

One Spring Boot service, one embedded engine, one database, every retail loan we write

A consumer-finance lender in Indonesia. `ms-bpm` takes a loan application from lead to go-live: survey, credit bureau, scoring, underwriting, approval, signing. It is the system of record for applications in flight.

135_k LOAN APPLICATIONS STARTED A MONTH	541_k APPLICATIONS OPEN RIGHT NOW, TAIL UP TO ONE YEAR	53 BPMN MODELS AND 3 DMN TABLES ON THE MAIN LINE	272 JAVA DELEGATE CLASSES BEHIND 483 SERVICE TASKS
---	--	--	--

WHY A FORK IS ON OUR LIST

Our models, our delegates and our data all assume an **embedded Camunda 7 engine sharing one transaction with our application tables**. A fork that keeps the engine, the `ACT_*` schema and the `camunda:` namespace could take us to a supported stack without touching any of that. We want to know whether CIB seven is that fork, and on what support terms.

WHAT SITS AROUND THE ENGINE

About thirty microservices called from delegates. Three in-house operator consoles (764,000 lines of React) that **never see a Camunda task id**, so an engine swap changes none of them. Cockpit, used by operations to retry failed jobs. Keycloak for identity.

Two production deployments, two release lines, both out of support

COMPONENT	MAIN LINE (CONVENTIONAL)	SHARIA LINE
Camunda Platform 7 CE	7.23.0	7.17.0
Spring Boot	3.5.16, open-source support ended June 2026	2.7.18, still on javax.* in 887 files
Branch and release	main, v2.93 in production	release-sharia, v2.53.108 (February 2026)
Engine schema log	7.23.0, rows 7.19–7.23 present	7.17.0, single row from September 2023
BPMN / service tasks / delegate beans	53 / 483 / 274	39 / 385 / 213
Identity	custom read-only identity provider plugin	community Keycloak plugin 2.2.3
Volume, last 90 days	399,942 applications	86 applications
Shared by both	Java 17, PostgreSQL 16 on Cloud SQL, GKE with Helm and ArgoCD, Keycloak OIDC, engine and application tables in one schema	

Camunda 7 Community Edition ended in October 2025. Spring Boot 3.5 and 2.7 are both out of open-source support. The Sharia line is small in volume but regulated separately. Any route has to cover both.

THE GOOD NEWS IN THE SCHEMA

The main database's schema log is clean at 7.23.0. From there, your upgrade scripts to 2.2 change **no engine table**. The Sharia database needs the full chain from 7.17, which your repository also carries.

Nothing to convert, everything to reproduce exactly

483 SERVICE TASKS, EVERY ONE A DELEGATEEXPRESSION TO A SPRING BEAN	659 JUEL CONDITIONS; 78 CALL A SPRING BEAN WITH ENVIRONMENT.GETPROPERTY	186 RETRY CYCLES WITH CUSTOM BACK-OFF; 260 ASYNCATER BOUNDARIES	56 CALL ACTIVITIES, ALL LATEST BINDING, ALL VARIABLES IN AND OUT
--	---	---	--

THE BEHAVIOURS WE MOST NEED UNCHANGED

Job retries and incidents on exhaustion. **Error propagation:** 104 error ends to 106 error boundaries, thrown from 88 BpmnError sites. **Escalation:** 108 ends to 82 boundaries. **JUEL** with Spring bean calls and execution.hasVariable. **Call activities** picking up new versions under running parents. 4 inclusive joins and 194 link events.

WHAT IS NOT THERE

No script tasks, message or signal events, multi-instance, compensation, listeners, external tasks, connectors, tenants or form keys. 3 small DMN tables. The models use only standard Camunda 7 semantics. **The question is behavioural equality with 7.23, not conversion.**

Wide but shallow: what your recipe renames, and the few places it cannot reach

~690

FILES IMPORTING `ORG.CAMUNDA`; A PACKAGE RENAME, WHICH THE RECIPE DOES

0.4%

OF 499,000 JAVA LINES TOUCH AN ENGINE API AT ALL

9

FILES USE ENGINE INTERNALS: RETRY ASPECT, IDENTITY PLUGIN, A UTILITY

7

CUSTOM COCKPIT PLUGIN BUNDLES, BUILT JAVASCRIPT ONLY

SURFACE	WHAT WE NEED TO KNOW
Engine internals	<code>Context</code> , <code>BpmnExecutionContext</code> , <code>ReadOnlyIdentityProvider</code> , <code>GroupQueryImpl</code> , <code>CommandContext</code> : same signatures?
Configuration	Is <code>camunda.bpm.*</code> kept? Does the webapp stay at <code>/camunda/*</code> ?
Cockpit plugins	Do bundles under <code>webjars/camunda</code> load unchanged?
Spring Boot 4	Our own work: 308 <code>@MockBean</code> sites, Hibernate 7, pinned BOMs

THE ONE DEEP DEPENDENCY, WHICH A FORK KEEPS

A delegate updates our JPA entities and the engine updates `ACT_RU_*` in the same **PostgreSQL transaction**. If the delegate throws, both roll back together. Our 260 `asyncAfter` boundaries rely on it. **Keeping this model is the main reason a fork is on our list**. We want you to confirm nothing in CIB seven changes it.

Long-running instances at volume: the cutover has to resume them in place

400_k

TOP-LEVEL INSTANCES IN 90 DAYS; 1.28M INCLUDING CALL-ACTIVITY CHILDREN

7,943

APPLICATIONS ON THE BUSIEST DAY; 1,347 IN THE BUSIEST HOUR

1.10_M

ENGINE INSTANCES OPEN; 1.04M OPEN USER TASKS; 46M RUNTIME VARIABLES

490_{GB}

OF ENGINE HISTORY AT FULL LEVEL, 90-DAY RETENTION, ABOUT 1.4M ACTIVITY ROWS A DAY

PROCESS KEY, 90 DAYS	STARTED		OPEN	MEAN
NDF2W	253,728		100,633	54 h
NDF4W	61,930		17,298	99 h
OPERATION	21,999		2,395	25 h
Unified_Process_Main_Workflow	20,092		9,079	142 h
NDF4W_RO	11,713		2,592	43 h

THERE IS NO DRAIN WINDOW

540,824 top-level applications are open, 59,710 of them older than a year. One survey wait state alone holds 695,734 open tasks. 4,433 incidents are open. 3.0M variables are Java-serialised, none of them an `org.camunda` class. **We need all of it to resume on the new engine from the same tables, through a rolling deployment.**

What we understood about CIB seven, so you can correct it

TOPIC	OUR READING, 2026-10-09
Latest public release	2.2.0 , Maven Central, 31 May 2026. Before it: 2.1.0 (Nov 2025), 2.0.0 (May 2025)
Spring Boot	Unsuffix starters on Boot 3.5.14; -4 starters on Boot 4.0.6 and Spring 7.0.6. <code>main</code> moved to Boot 4.1.1 on 8 October
Editions	Community (free, six-month cycle); Community+; LTS (18 months); Enterprise; OEM. No published prices
Patches	Every 4–8 weeks for paid editions. 2.1.2 and 2.1.3 are on your roadmap but not on Maven Central
Code migration	OpenRewrite recipe: <code>org.camunda</code> to <code>org.cibseven</code> , about 190 artifacts, defaults to the Boot 4 starters
Database, from 7.23	Three schema-log rows. No ACT_* change. 2.2 adds eight <code>MOD_*</code> tables and <code>CHAT_MESSAGES</code> ; no name clash in our databases
Camunda 7 CE support	Offered as-is since October 2025

If this reading is right, the engine part of the move is small and the support model is the real decision.

THE POINT WE MOST WANT CONFIRMED

Between six-monthly public releases, does a Community user get any security fix? If not, which edition is the minimum for a regulated lender that must patch a published engine vulnerability within weeks?

Seven questions on support, which decide whether this route works for us

1	Which edition fits a regulated lender with two production deployments at our volumes, and on what pricing basis.	THE KEY QUESTION
2	What Community gets. Do security fixes ever reach the public repository between releases? How fast for a critical CVE?	PATCH EXPOSURE
3	Patch delivery. Private repository, signed artifacts, CVE-referenced notes, how long each patch line lives.	OPERATIONS
4	Hours and response. Coverage for UTC+7, severity definitions, language, any partner in South-East Asia.	SLA
5	Contracting and continuity. Direct contract with an Indonesian company; source, escrow and access to shipped patches if the relationship ends.	RISK
6	Interim support for our Camunda 7.23 and 7.17 lines as they are, while we migrate.	BRIDGE
7	Scope. Two production deployments, four environments each, and one unrelated Camunda 7.17 service in another team.	COMMERCIAL , SEPARATE THREAD

The technical questions, condensed from fifteen to eight

1	Lineage. The fork point is 7.22. Are all 7.23 and 7.24 engine fixes in 2.2? Is there a list of differences from 7.23?	BEHAVIOUR
2	Expressions. Does the new expression whitelist, or anything planned, restrict the 78 bean calls in our BPMN conditions?	BEHAVIOUR
3	Variables and transactions. 3.0M serialised values deserialise unchanged; delegate transactions, flush order and <code>asyncAfter</code> unchanged.	BEHAVIOUR
4	Our extensions. Engine internals in 9 files, 7 Cockpit plugin bundles, our identity provider, <code>camunda.bpm.*</code> properties, the <code>/camunda</code> path.	COMPATIBILITY
5	Optional tables. Can the <code>MOD_*</code> and <code>CHAT_MESSAGES</code> tables be skipped if we do not use the modeler or chat?	DATABASE
6	Cutover. In-flight instances, tasks, timers and incidents resume in place; old and new pods briefly sharing one job table; rollback after the schema-log rows.	THE RISKY HOUR
7	Spring Boot line. Which Boot version your next public and patch releases target. Our Spring Cloud train holds us at 4.0.x.	FRAMEWORK
8	Sharia. 7.17 to 2.2 in one step or through stops, plus <code>javax</code> to <code>jakarta</code> ; or retire the branch first. Your view.	SECOND LINE

What does not move, whichever route we take

REGULATED WORKLOAD Auditability and patching are requirements Loan origination records for a supervised lender. 90 days of process history is a floor. A published engine vulnerability has to be patched within weeks, not at the next six-monthly release.			NO DRAIN WINDOW In-flight state resumes in place Half a million open applications with a one-year tail. Every deployment today is already a hot deployment against live engine state.		KEEP WHAT WORKS Same models, same transaction, same consoles The value of a fork to us is that the models, the shared transaction and the three consoles stay exactly as they are.
PLATFORM Google Cloud, Indonesia GKE, Cloud SQL PostgreSQL 16, Java 17, Keycloak.	TWO LINES Main on 7.23, Sharia on 7.17 Separate branches, databases and pipelines.	TEAM Java and Spring squads Deep Camunda 7 habits; thin automated coverage at the process layer.	WHAT WE CAN SHARE, AND WHAT WE CANNOT Can: all BPMN and DMN files under NDA, further anonymised database statistics, and a code walk-through with an engineer. Cannot: production data, credentials, hostnames, or customer records. Not in this package by choice: internal cost figures and comparisons between vendors.		

Four weeks from package to written answer and support offer

WEEK 1 Walk-through One call through this package. Agree the NDA and the model hand-over. One technical contact on each side.	WEEKS 1-2 Support answers first Slide 8 needs no analysis of our code. An early answer on editions and patch delivery shapes how we read everything else.	WEEKS 2-3 Optional joint spike Run your recipe on our main line in a sandbox and start it against a copy of a non-production database.	WEEK 4 Written answer Section 4 answered in writing, an effort estimate per release line, and an indicative support offer.
---	---	--	--

A	References in banking, lending or insurance at 100,000-plus long-running instances a month.	HELPFUL
B	Services model for migration support, rehearsal and cutover. Remote is fine.	DELIVERY
C	Roadmap commitment for the Spring Boot 4 line and the Camunda 7 compatibility promise over five years.	LONGEVITY

HOW WE WILL BOTH KNOW IT WORKED
We can set CIB seven beside the other routes with effort, risk, support terms and timeline from the same evidence. And if we go ahead, the migration starts from counts and production numbers both sides already agree on.