



Software Engineering

Term 1 – 2024/2025

Software Design Specifications

For

Ellmuna App

Software Quality Assurance Plan



Version: 1.0

CS Year 4, G1

Advisor: Dr. Noorah Albehaijan

Date of preparation: Monday Dec 7, 2025

Table of Contents

1. INTRODUCTION	1
1.1 OBJECTIVES	1
1.2 TESTING STRATEGY	1
1.3 SCOPE.....	2
1.4 REFERENCES.....	2
1.5 DEFINITIONS AND ACRONYMS	3
2. TEST ITEMS	4
2.1 PROGRAM MODULES	4
2.2 JOB CONTROL PROCEDURES	4
2.3 USER PROCEDURES.....	5
3. FEATURES TO BE TESTED	6
4. FEATURES NOT TO BE TESTED.....	7
5. APPROACH	8
5.1 COMPONENT TESTING	8
5.2 INTEGRATION TESTING	9
5.3 CONVERSION TESTING.....	10
5.4 JOB STREAM TESTING.....	10
5.5 INTERFACE TESTING	11
5.6 SECURITY TESTING.....	11
5.7 RECOVERY TESTING	12
5.8 PERFORMANCE TESTING.....	12
5.9 REGRESSION TESTING.....	13
5.10 ACCEPTANCE TESTING	13
5.11 BETA TESTING.....	14
6. PASS / FAIL CRITERIA.....	15
6.1 SUSPENSION CRITERIA.....	15
6.2 RESUMPTION CRITERIA	15
6.3 APPROVAL CRITERIA	16
7. TESTING PROCESS	16
7.1 TEST DELIVERABLES	16
7.2 TESTING TASKS	16
7.3 RESPONSIBILITIES.....	17
7.4 RESOURCES	17
7.5 SCHEDULE	17
8. ENVIRONMENTAL REQUIREMENTS	18
8.1 HARDWARE	18
8.2 SOFTWARE.....	18
8.3 SECURITY	18
8.4 TOOLS.....	18
9. CHANGE MANAGEMENT PROCEDURES	19
10. PLAN APPROVALS.....	20

Table Of Tables

Table 1 Testing Strategy Summary	1
Table 2 Terminologies and Definitions	3
Table 3 Acronyms and Their Meanings	3
Table 4 Features To Be Tested	6
Table 5 Features not to be tested	7
Table 6 Component Testing Summary	8
Table 7 Integration Testing Summary	9
Table 8 Conversion Testing Summary	10
Table 9 Job Stream Testing Summary	10
Table 10 Interface Testing Summary	11
Table 11 Security Testing Summary	11
Table 12 Recovery Testing Summary	12
Table 13 Performance Testing Summary	12
Table 14 Regression Testing Summary	13
Table 15 Acceptance Testing Summary	13
Table 16 Beta Testing Summary	14
Table 17 the resources needed to complete the software testing phase	17
Table 18 schedule of the testing tasks.	17
Table 19 plan approves for proposed changs.....	20

1. INTRODUCTION

In this section, an overview of the Ellmuna test strategy will be provided along with a list of testing deliverables. The Objectives, Scope, Reference Material, and Definitions and Acronyms will be addressed in this section too.

1.1 Objectives

The key objective of this document is to identify the items and features of the Ellmuna system to be tested, the types of testing to be conducted, who is responsible for testing, what resources are required, and what is the schedule, budget, and efforts required to complete testing and what kind of risks are associated with this plan. Moreover, the test plan is concerned with ensuring that the system behaves as desired and that it is meeting the academic and functional requirements which have been well-defined in the SRS document.

1.2 Testing Strategy

The testing strategy of Ellmuna system is based on a Software Test Plan document. In Table 1, a summary of the document sections and components is provided to clarify how the test planning is carried out.

No.	Section	Components
1	Introduction	Includes the adopted Testing Strategy.
2	Test Items	The test items of the software will be identified here.
3	Features To Be Tested	The software features and all the different combinations of software features to be tested.
4	Features Not To Be Tested	The software features and combinations not to be tested with reasons.
5	Approach	• Component Testing • Integration Testing • Interface Testing • Security Testing • Performance Testing • Regression Testing • Acceptance Testing
6	Pass/Fail Criteria	The criteria used to determine whether each item has passed or failed.
7	Testing Process	The methods and criteria used in performing testing activities.
8	Environmental Requirements	Necessary and desired properties of the test environment.
9	Change Management Procedures	The STP change management process.
10	Plan Approvals	Approvals of the team members of the designed STP.

Table 1 Testing Strategy Summary

1.3 Scope

The testing plan of Ellmuna will be performed and updated at several points of the software's life cycle. The mechanism adopted by the development team is verification and validation procedures including static testing and dynamic testing such as Component Testing, Integration Testing, Interface Testing, Security Testing, Performance Testing, Regression Testing, and Acceptance Testing.

1.4 References

- [1] IEEE Computer Society, *IEEE Standard for Software and System Test Documentation*, ISO/IEC/IEEE 29119-3:2013, New York, NY, USA, 2013.
- [2] IEEE Computer Society, *IEEE Standard for Software Verification and Validation*, IEEE Std 1012-2016, New York, NY, USA, 2016.
- [3] P. Ammann and J. Offutt, *Introduction to Software Testing*, Cambridge University Press, 2nd ed., 2016.
- [4] ISO/IEC, *Software Engineering — Product Quality — Quality Model*, ISO/IEC 25010:2011.

1.5 Definitions and Acronyms

Terminologies are listed in the table below:

Terminology	Definition
Software Requirements Specification (SRS)	A document describing all functional and non-functional requirements of the system.
Software Design Document (SDD / SDS)	A document detailing the architecture, components, interfaces, and data design of the system.
Software Test Plan (STP)	A document outlining the testing scope, approach, resources, and schedule.
Verification and Validation	A process ensuring correctness of development (verification) and meeting user needs (validation).
User Interface (UI)	The visual and interactive elements through which the user interacts with the system.
Database (DB)	A structured collection of stored and managed data.
Application Programming Interface (API)	A set of rules that enables communication between software components.
Grade Point Average (GPA)	A numerical representation of a student's academic performance.

Table 2 Terminologies and Definitions

Acronyms are listed in the table below:

Acronym	Meaning
SRS	Software Requirements Specification
SDS / SDD	Software Design Specification / Document
STP	Software Test Plan
V&V	Verification and Validation
UI	User Interface
GPA	Grade Point Average
SQL	Structured Query Language
HTTPS	Hypertext Transfer Protocol Secure
iOS	iPhone Operating System
IDE	Integrated Development Environment
PC	Personal Computer
DB	Database
API	Application Programming Interface
IEEE	Institute of Electrical and Electronics Engineers
ISO	International Organization for Standardization
ID	Identifier (Unique ID)
JCL	Job Control Language
PhD	Doctor of Philosophy (Postgraduate Doctoral Degree)

Table 3 Acronyms and Their Meanings

2. TEST ITEMS

This section identifies all the software items that will be tested as part of the Ellmuna Application. These items include the features defined in the Requirements Specification (SRS), the system structure described in the Design Specification (SDS), and all related user documentation. The test items also cover performance aspects such as response time, availability, and validation of defect removal procedures. Verification and validation plans will also be referenced to ensure that the system meets its intended academic and functional requirements.

2.1 Program Modules

The following program modules of the Ellmuna system will be tested to ensure correct functionality and proper integration:

- Home Module: Ensures correct navigation to all system features.
- Weighted Score Calculator Module: Validates GPA/Qudrat/Tahsili inputs, calculations, and output correctness.
- GPA Calculator Module: Validates the GPA scale, input validity, calculation formulas, and academic messages.
- Universities Module: Ensures accurate browsing of Saudi universities and correct display of Master/PhD majors.
- Settings Module: Ensures correct behavior of language, theme, and general settings.

2.2 Job Control Procedures

This section is not applicable to the Ellmuna Application because the system does not use job control language (JCL), batch processing, or automated production scheduling. Ellmuna is an interactive academic application that operates through direct user interaction.

Note: This section is omitted because the Ellmuna system does not include backend job control or automated job execution.

2.3 User Procedures

Testing of user procedures ensures that all documents, screen instructions, and user guidance within the app are clear, complete, and easy to follow. The following aspects will be verified:

- Screen instructions match the expected workflow.
- Error messages and validation prompts appear correctly.
- Users can perform calculations and navigate the app easily.
- UI labels, icons, and descriptions align with the SRS.

2.4 Operator Procedures

The Ellmuna Application does not require system operators. However, testing will ensure that the application runs correctly during demos, can be accessed without technical issues, and that any support notes are accurate.

Note: Operator procedures focus only on ensuring accessibility and correct running of the system during testing.

3. FEATURES TO BE TESTED

This section includes all the features that will be tested on the Ellmuna application. The table below describes each feature and the tests that come with it, according to the SRS and SDS documents

Feature	Test Description/Design Specification
Home Screen & Navigation	Testing main interface elements to be appeared correctly, and ensuring navigation buttons and user transitions between screens work without errors.
Weighted score calculation (High school students)	Testing grade entry and verifying accuracy of entered values, calculating the percentage according to the correct equation, displaying result, and classification.
GPA calculator (university students)	Testing added courses, entering credit hours and grades, checking the correct format, calculating of semester and cumulative GPA, and displaying results.
University & majors browser	Verify university lists (Bachelor, Master, PhD) degree, display universities and colleges, search bar, and user navigates between pages.
settings	Testing how to enable and disable the welcome screen, dark screen activation, and store changes and apply them to the interface immediately
Usability	Ensuring interface design is clear and user-friendly, and all functions respond properly.
performance	Ensuring calculating results speed, university data downloading speed, and no unacceptable delays
Security & input validation	Securely verifying data entry, preventing incorrect or harmful values, and ensure the application does not crash.
Reliability	Ensuring the application functions without malfunctions during navigation, calculations, or data display.

Table 4 Features To Be Tested

4. FEATURES NOT TO BE TESTED

All the necessary functionalities included a testing mechanism in order to make our application more reliable, while those functionalities or interfaces that did not need any kind of testing were not included.

Features not to be tested Reasons	
Refresh of University Data (Dynamic Update)	Testing isn't required, since the application makes use of a static dataset stored locally, and university program updates are not in the scope of this release. Any bugs in these updates will not impact the core functionalities of the system.
Theme Customization - night mode visual changes	Testing is not required since theme changes only modify the look and don't interact with either the database or any calculation logic. The system will behave the same with respect to the user.
Admin Data Management Panel	Testing is not required since the admin interface is not within the scope of this version of the application, and its absence does not affect the user experience or operations.

Table 5 Features not to be tested

5. APPROACH

The testing approach for the Ellmuna application is designed to ensure that all components and features and user interactions function correctly, efficiently and according to the requirements defined in the SRS and the approach covers all levels of testing using structured techniques, measurable criteria, clear procedures, and defined deliverables. Each testing level includes:

- Required inputs and their sources
- Expected outputs
- Success and completion criteria
- Testing techniques and tools
- Test logs, test cases, and reports as deliverables
- Traceability to SRS requirements using requirement IDs
- Evaluation methods ensuring completeness and coverage

Time Estimation: Testing is performed iteratively across development phases Component testing occurs immediately after implementation of each module, followed by integration cycles as more modules are combined and Performance, interface, and security testing occur near the end of development, while acceptance and beta testing occur before final deployment.

The primary goals of the approach are to:

1. Detect defects early during component level validation.
2. Ensure seamless interaction between modules.
3. Verify performance and usability and stability under expected usage patterns.
4. Confirm that the system satisfies stakeholder expectations before final release.

5.1 Component Testing

Item	Details
Inputs	• Valid, invalid, and boundary exam score values • Different GPA and credit-hour combinations • Sample university and college data
Outputs	• Accurate weighted score calculations • Correct GPA outputs • Proper validation and error messages • Correct handling of invalid or unexpected inputs
Success Criteria	• All outputs match expected formulas • No logical or arithmetic inconsistencies • Input validation prevents invalid data from progressing
Techniques	• Unit testing • Boundary value analysis • Input validation testing
Completion Criteria	• All unit tests pass • Zero unresolved logic errors • All functions meet their defined behavior

Table 6 Component Testing Summary

5.2 Integration Testing

Item	Details
Test Scenarios	Scenario 1: GPA calculation flow — User selects GPA system → enters previous GPA + hours → adds courses → system computes term & cumulative GPA. <i>Expected:</i> Correct data transfer and accurate calculations. Scenario 2: Weighted score calculation — User enters exam scores → system applies formula → result screen shows score & classification. <i>Expected:</i> Correct formula usage and smooth navigation. Scenario 3: University navigation — User selects degree level → universities load → user selects university → colleges then majors load. <i>Expected:</i> Correct linked navigation and accurate display. Scenario 4: Dark mode sync — User enables dark mode → navigates app → all screens update theme consistently. <i>Expected:</i> Global UI update without delay.
Inputs	• Academic score data • GPA and credit-hour inputs • Navigation actions across screens • Settings modifications
Outputs	• Correct calculations • Smooth screen transitions • Accurate and persistent UI updates
Success Criteria	• All scenarios run without errors • No loss of transferred data • Consistent behavior across modules
Techniques	• Scenario-based testing • Data flow validation • Interface interaction testing
Completion Criteria	• 100% scenario success rate • No medium or high severity integration defects

Table 7 Integration Testing Summary

5.3 Conversion Testing

Item	Details
Inputs	• User-entered scores • University and major selections • Course data (code, hours, grade)
Outputs	• Data correctly converted into numeric values, IDs, or structured objects used for calculations and display
Success Criteria	• No data loss during transformation • No incorrect interpretation of fields • Consistent values across modules
Techniques	• Data mapping verification • Manual data comparison
Completion Criteria	• All data fields transform correctly in every scenario

Table 8 Conversion Testing Summary

5.4 Job Stream Testing

Item	Details
Inputs	• App launch operations • Standard navigation sequences • Repeated calculations and searches
Outputs	• Stable and uninterrupted application performance • Correct results across repeated tasks
Success Criteria	• No crashes or freezes • No performance degradation during prolonged use
Techniques	• Operational scenario testing • Usage flow testing
Completion Criteria	• All standard flows execute successfully without errors

Table 9 Job Stream Testing Summary

5.5 Interface Testing

Item	Details
Inputs	• Button taps • Text field entries • Dropdown selections • Dark mode toggles • Search field inputs • Invalid or empty field inputs
Outputs	• UI responds in < 1 second • Correct visual updates • Accurate input validation • Clear error indicators for invalid or missing fields
Success Criteria	• No broken UI elements • All components match intended design • Smooth user experience across all screens • Proper error messages for invalid inputs • Consistency with prototype and UI guidelines
Techniques	• UI interaction testing • Responsiveness testing • Usability review • Cross-device UI consistency testing
Completion Criteria	• All interface elements behave correctly • No visual, functional, or interaction defects • All user interaction paths validated

Table 10 Interface Testing Summary

5.6 Security Testing

Item	Details
Inputs	• Invalid inputs • Extreme numeric values • Attempts to bypass validation
Outputs	• Safe and clear error messages • No application crashes
Success Criteria	• All invalid inputs handled securely • Zero injection-like behaviors • No sensitive data exposure
Techniques	• Input validation stress testing • Error handling testing
Completion Criteria	• All invalid inputs produce safe responses • No security-related failures

Table 11 Security Testing Summary

5.7 Recovery Testing

Item	Details
Inputs	• Force-close during operations • App sent to background mid-calculation
Outputs	• App restarts normally • No corrupted state or broken UI • System restores previous screen when possible
Success Criteria	• No data corruption • User can retry the previous operation smoothly • System resumes in a stable state
Techniques	• Forced interruption simulation • Crash recovery testing
Completion Criteria	• 100% successful recovery from all interruption states

Table 12 Recovery Testing Summary

5.8 Performance Testing

Item	Details
Inputs	• Rapid screen navigation • Multiple consecutive calculations • Repeated loading of large data lists
Outputs	• Screens load within required response time • University and major lists load without lag • Consistent performance under varying network speeds
Success Criteria	• All operations respond in < 1 second • No noticeable lag or frame drops • Stable performance during repeated use • App remains responsive with large datasets
Techniques	• Load simulation • Response time measurement • Stress testing • Performance profiling
Completion Criteria	• Performance benchmarks consistently met • All critical flows meet <1s response time • No performance degradation after long sessions

Table 13 Performance Testing Summary

5.9 Regression Testing

Item	Details
Scenarios	• GPA formula changes → retest all GPA outputs • Adding new universities → retest browsing & filtering • UI modifications → retest all interactions
Inputs	• GPA datasets • University search cases • Core user flow scenarios
Outputs	• No unexpected behavior changes
Success Criteria	• Zero newly introduced defects • All previous functionality remains intact
Techniques	• Full system retest • Automated re-execution of test cases
Completion Criteria	• System stability verified after every update

Table 14 Regression Testing Summary

5.10 Acceptance Testing

Item	Details
Scenarios	• Weighted score calculation • GPA calculation with previous + new course data • Browsing universities → colleges → majors
Inputs	• Realistic user data • Actual usage flow
Outputs	• Accurate results • Smooth navigation
Success Criteria	• Full compliance with SRS requirements • No critical defects • High user satisfaction
Completion Criteria	• Client formally approves the system • All acceptance criteria fully met

Table 15 Acceptance Testing Summary

5.11 Beta Testing

Item	Details
Testers	• High school students • University students
Scenarios	• Weighted score calculation • GPA calculation with multiple courses • Browsing universities → colleges → majors
Inputs	• Real academic data • Real navigation interactions
Outputs	• Correct results • Stable UI behavior • Usability feedback
Success Criteria	• No functional failures reported • Only minor UI improvements suggested
Completion Criteria	• All beta feedback reviewed & incorporated • System confirmed stable for public release

Table 16 Beta Testing Summary

6. PASS / FAIL CRITERIA

In this section, the pass/fail criteria that will be used in the Ellmuna system are described. These criteria will help decrease the chances of failure and increase the efficiency of the system. The system must process all GPA and weighted score calculations correctly, display the correct university information, and ensure easy, smooth navigation between all sections. Only then can all the test cases pass without functional errors to allow the running of the application reliably with user-friendly experience. Just in case of any runtime issue, it must be handled by the system without faults. This must be achieved to ensure that the system operates efficiently and effectively, giving accurate academic results with Ellmuna.

6.1 Suspension Criteria

Suspension criteria are the conditions under which testing cannot continue either forward or backward, pausing a part of or the whole testing activity. Even if a portion is suspended, other sections unrelated to that may continue testing smoothly. Herein, conditions that might lead to the suspension of the testing process in Ellmuna could be:

- When a critical failure occurs, which prevents GPA or weighted score calculations from running.
- Lack of availability of the university dataset or failure retrieving it during execution.
- When identical inputs yield different results in different test attempts:
- Failure to connect with the cloud database that houses university programs.
- System crashes during navigation between sections or when switching between calculation modes.
- Shutting down the development or test environments during scheduled maintenance or holidays.

6.2 Resumption Criteria

The resumption criteria specify the conditions required to resume testing after it has been suspended and after the issues have been resolved successfully. The following are some of the conditions that would permit the continuation of the testing process in Ellmuna:

- The fixes applied are successfully executed and verified.
- Restoring access to dependent components such as the University Dataset.
- Ensuring that the testing environment and tools are fully functional again.
- Re-testing GPA and weighted score calculations for confirmation of their accuracy.
- Restoring database connectivity to university program views.
- Resuming normal team operations after maintenance or holiday periods.

6.3 Approval Criteria

Approval criteria assure that defects or failures found during the execution of these tests are repaired, so the system can be delivered error-free and stable. In this regard, the results of the test would be considered acceptable if the Ellmuna application calculates GPA and weighted scores correctly, and displays academic information in the appropriate format, with no unprecedented system failure. The final approval shall be provided when the actual results for each test case match the expected results as outlined for each case, thus ensuring that the system has achieved the level of reliability and satisfaction required.

7. TESTING PROCESS

This section includes the Test Deliverables, Testing Tasks, Responsibilities, Resources, and Schedule for the Ellmuna application. The objective of the testing process is to ensure that the system accurately calculates GPA, weighted scores, and displays academic information correctly and consistently. The system will be considered acceptable once all test cases produce results that match the expected outcomes defined in the test plan.

7.1 Test Deliverables

The primary deliverable produced from the testing process is the Software Test Plan (STP), which includes all test cases, expected outputs, and the evaluation criteria for the Ellmuna application.

After completing all testing phases and ensuring that each module performs as expected, the project will be approved for delivery.

7.2 Testing Tasks

The Software Testing Plan for the Elmuna system will be prepared after completing both the Software Requirements Specification (SRS) and the Software Design Specification (SDS) documents.

To ensure the system remains accurate and maintainable, all testing activities must be executed carefully, including validating GPA calculations, checking weighted score computations, and verifying the correct display of academic information.

All testing results and errors detected should be documented and tracked throughout the testing phase.

Lastly, the appropriate software and hardware testing environments must be prepared before conducting any test procedures.

7.3 Responsibilities

All team members are responsible for testing the Ellmuna system, including its functional components and integrated modules.

Responsibilities include executing test cases for GPA and weighted score calculations, validating student information outputs, and completing integration testing tasks.

Team members must also deliver the required testing documents and manage any errors or unexpected issues discovered during the testing process to ensure the system performs as expected.

7.4 Resources

The table below shows the resources needed to complete the software testing phase.

Resource Category	Description
Hardware	PC with stable internet connection.
Software	• Windows or macOS • MySQL Workbench
Support	None
Human	All team members depending on their skills and knowledge.

Table 17 the resources needed to complete the software testing phase

7.5 Schedule

The table below shows the schedule of the testing tasks.

Task	Date
Review SRS	Nov. 22, 2025
Complete SDS	Nov. 24, 2025
Develop test cases	Nov. 26, 2025
Execute testing activities	Nov. 28, 2025
Troubleshoot errors	Nov. 30, 2025
Modify the system	Dec. 2, 2025
Prepare STP	Dec. 4, 2025

Table 18 schedule of the testing tasks.

8. ENVIRONMENTAL REQUIREMENTS

The test process for the Ellmuna application must provide stable conditions that allow all test activities to be executed effectively. This includes preparing appropriate hardware and software, ensuring secure communication with backend services, and using the necessary testing tools to support functional and non-functional testing.

8.1 Hardware

Testing requires mobile devices that represent the supported platforms for the Ellmuna application.

- Android and iOS devices with stable internet access

8.2 Software

The software requirements to complete testing activities include:

- Supported mobile operating systems iOS 14+ and Android 10+.
- MySQL Workbench or equivalent tool for verifying database changes.

8.3 Security

The Ellmuna application does not require user accounts or passwords, but testing must still ensure that all data entered the system is handled securely. All communication with backend services should use encrypted HTTPS connections. Only authorized testers may access the testing environment and no real student data will be used only mock or anonymized data.

8.4 Tools

The tools used to test the Ellmuna application help the team check how the app works and find any issues. Android Studio is used to run the app on different devices and view errors. MySQL Workbench helps us check the database, and Postman is used to test the connection between the app and the server. We also use screen recording or screenshots to document any problems we see during testing. These tools make it easier for the team to test the app and make sure everything works correctly.

8.5 Publications

The documents required to support the testing activities for the Ellmuna application include:

- Software Requirements Specification (SRS).
- Software Design Document (SDD).
- Software Test Plan (STP).
- Test Cases and Test Procedures Document.

8.6 Risks and Assumptions

To ensure a high quality and accurate software product, the Ellmuna application must undergo complete testing cycles. However, several risks and assumptions may impact the process. The following subsections describe potential risks and provide contingency plans.

8.6.1 Test Item Availability

Some components or modules may not be available for testing at the expected time. This may cause delays in integration and overall test progress. A suitable plan is to prioritize testing available items first while waiting for the unavailable ones to minimize delays.

8.6.2 Test Resources Availability

The unavailability of testing resources such as devices, tools, or access permissions may pause testing activities. In such cases, the testing team should immediately contact the technical support team to restore resource availability as quickly as possible.

8.6.3 Time Constraints

Scheduling changes, unexpected development delays, or late build releases may impact the testing timeline. A contingency plan includes rescheduling test activities and increasing working hours when necessary to ensure delivery deadlines are met.

9. CHANGE MANAGEMENT PROCEDURES

Any future modifications to the test plan will go through a clear, collaborative process before approval. The modification begins when a team member or the client suggests an update and explains why it's needed. Then, all stakeholders review the request together and discuss how it might affect the testing scope, schedule, or resources. The change is approved only if everyone agrees, and once that happens, the test plan and any related documents are updated. But if even one person disagrees with the proposed change, it will be rejected, and no modifications will be made.

10. PLAN APPROVALS

The table below identifies the plan approvers who should agree on any new proposed changes:


Name	Signature	Date
Remas Alshehri		08\12\2025
Joud Alotaibi		08\12\2025
Jori Alghamdi		08\12\2025
Jood Alali		08\12\2025
Raya Alharbi		08\12\2025
Raghad Alasfoor		08\12\2025

Table 19 plan approves for proposed changs