Riuter Basic Configuration

Router>en
Router#conf
Router#configure t
Router#configure terminal
Enter configuration commands, one per line. End with CNTL/Z.

❖ **Host Name Set**

Router(config)#hostname AB-4

❖ **Enable Password Set without encryption**

AB-4(config)#enable password ab4r
AB-4(config)#do sh run

❖ **Enable Password Set with encryption**

AB-4(config)#enable secret ab4ro
AB-4(config)#do wr
Building configuration...
[OK]
AB-4(config)#do sh run
Building configuration...

❖ **Auxiliary port Password Set**

AB-4(config)#line aux 0
AB-4(config-line)#pass
AB-4(config-line)#password ab4aux
AB-4(config-line)#login
AB-4(config-line)#exit
AB-4(config)#do wr

❖ **Console Port Password Set**

AB-4(config)#line console 0
AB-4(config-line)#password ab4console
AB-4(config-line)#login
AB-4(config-line)#exit
AB-4(config)#do wr

❖ **VTY(virtual port) Password Set**

```
AB-4(config)#
AB-4(config)#line vty 0 5
AB-4(config-line)#password ab4vty
AB-4(config-line)#login
AB-4(config-line)#exit
AB-4(config)#do wr
Building configuration...
[OK]
```