

# SQL CASE Expression

[< Previous](#)[Next >](#)

## The SQL CASE Expression

The **CASE** expression goes through conditions and returns a value when the first condition is met (like an if-then-else statement). So, once a condition is true, it will stop reading and return the result. If no conditions are true, it returns the value in the **ELSE** clause.

If there is no **ELSE** part and no conditions are true, it returns NULL.

## CASE Syntax

```
CASE
  WHEN condition1 THEN result1
  WHEN condition2 THEN result2
  WHEN conditionN THEN resultN
  ELSE result
END;
```

## Demo Database

Below is a selection from the "OrderDetails" table in the Northwind sample database:

OrderDetailID	OrderID	ProductID	Quantity
1	10248	11	12

2	10248	42	10
3	10248	72	5
4	10249	14	9
5	10249	51	40

## SQL CASE Examples

The following SQL goes through conditions and returns a value when the first condition is met:

### Example

Get your own SQL Server

```
SELECT OrderID, Quantity,  
CASE  
    WHEN Quantity > 30 THEN 'The quantity is greater than 30'  
    WHEN Quantity = 30 THEN 'The quantity is 30'  
    ELSE 'The quantity is under 30'  
END AS QuantityText  
FROM OrderDetails;
```

Try it Yourself »

The following SQL will order the customers by City. However, if City is NULL, then order by Country:

### Example

```
SELECT CustomerName, City, Country
FROM Customers
ORDER BY
(CASE
    WHEN City IS NULL THEN Country
    ELSE City
END);
```

Try it Yourself »