Problem report for

Alan[wght].ttf

SHA1: 5e619a8388f19e66830459fa315b8eb4bb6ca7f2
Family: Alan

Version: Version 1.000

Parameters:

Legend:

- ► Contour start point and direction
- ● Contour start point when the first two points overlap
- ► Contour start point in contours with wrong direction
- ● Suggested new contour start point
- ● Point causing kink in the contour
- ○ Kink artifact
- ▮ Colored contours: contours with the wrong order
- ▮ Underweight contours

Summary of problems

ContourOrder: 8
- Ohungarumlaut
- Uhungarumlaut
- hungarumlaut
- multiply
- ohungarumlaut
- uhungarumlaut
- uni030B
- uni030B.case

WrongStartPoint: 1
- backslash

Glyph n… …rumlaut

Proble… ContourOrder

Tolerance: 0.9…

default



midway interpolation





Glyph name: Uhungarumlaut

Problem: ContourOrder

Tolerance: 0.95

default



midway interpolation



wght=900



Glyph name: obungarumlaut

Tolerance: 0.95

Problems: [illegible]







Glyph name: uhungarumlaut

Proble ContourOrder

Tolerance: 0.9







Glyph nam backslash

Problems: Wron artPoint

default



Tole ce: 0.9314760212642328

midway rpolation





Glyph name: multiply

Tolerance: 0.9

ms: ContourOrder

default



midway interpolation



ght=90



Glyph name: uni030B

Tolerance: 0.9

Problems: ContourOrder

default



midway interpolation



wght=900



Glyph name: uni030B.case

Tolerance: 0.95

Problems: ContourOrder

default



midway interpolation



wght=900



Glyph name: hungarumlaut

Tolerance: 0.9

Problems: ContourOrder

default



midway interpolation



wght=900



Index

6 backslash
10 hungarumlaut
7 multiply
4 ohungarumlaut
2 Ohungarumlaut
5 uhungarumlaut
3 Uhungarumlaut
8 uni030B
9 uni030B.case

Table of contents

2 Ohungarumlaut
3 Uhungarumlaut
4 ohungarumlaut
5 uhungarumlaut
6 backslash
7 multiply
8 uni030B
9 uni030B.case
10 hungarumlaut