



Name : HAJA MOHAMMED ABDUL KADER Lab ID : 1224359

MRN : 670086-0 Sample No : QHHC0025065

 Client Name
 : AL BUHAIRAH MEDICAL CENTER
 Reg Date
 : 05-10-22
 22:25:45

 Passport No
 : R 8285117
 Collection Date
 : 04-10-22
 14:15:00

Nationality : India Reporting Date : 05-10-22 14:25:45

Molecular Biology

Test Result Reference Range Methodology

COVID-19 by RT-PCR * Not Detected (Negative) Not Detected Multiplex Real Time PCR

Sample Type: Nasopharyngeal / Oropharyngeal Swab

Interpretation Notes:

Result Interpretation and Recommendations

Detected If the result is detected, that means the sample is positive for SARS-CoV-2/Covid-19

Not Detected If the result is not detected, that means the sample is negative for SARS-CoV-2/Covid-19.

Presumptive Positive Only one of the multiple genes is detected or a low viral load is possible. Request for repeat sample in

72-96 hours.

The false-negative result with clinical symptoms may be caused by

- . Unsuitable collection, handling, and/or storage of samples.
- . Sample outside of the viremic phase.

We recommend repeating testing on a fresh sample

LIMITATION OF THE TEST

- · This assay has been validated for use with an oropharyngeal swab and nasopharyngeal swab samples only.
- This assay only detects RdRp, N gene, and E gene.
- · This test cannot rule out diseases caused by other pathogens.

This certificate has been issued electronically by QAM Clinical Laboratory. Any party that relies on the result of this certificate should first check its authenticity by scanning of the above QR code or by sending email to reception.info@qamhealthcare.com . QAM Clinical laboratory is not responsible for any misuse of this certificate or its content

End of Report

Dr.Pravin Gadkari Specialist Clinical Pathology 00222653-004





Final Report

Printed Date: 5/10/2022 14:48