```
$ touch 19bce7588SS01 19bce7588SS02 19bce7588SS03 19bce7588SS04
19bce7588SS05 19bce7588SS06 19bce7588SS07 19bce7588SS08 19bce7588SS09
19bce7588SS10
$ mkdir ./subfolder1
$./subfolder1
$ touch 19bce7588SS01 19bce7588SS02 19bce7588SS03 19bce7588SS04
19bce7588SS05 19bce7588SS06 19bce7588SS07 19bce7588SS08 19bce7588SS09
19bce7588SS10
$ mkdir ./subfolder2
$./subfolder2
$ touch 19bce7588SS01 19bce7588SS02 19bce7588SS03 19bce7588SS04
19bce7588SS05 19bce7588SS06 19bce7588SS07 19bce7588SS08 19bce7588SS09
19bce7588SS10
$ mkdir ./subfolder3
$ ./subfolder3
$ touch 19bce7588SS01 19bce7588SS02 19bce7588SS03 19bce7588SS04
19bce7588SS05 19bce7588SS06 19bce7588SS07 19bce7588SS08 19bce7588SS09
19bce7588SS10
$ rm ./*
$ Is
$..
$ Is
$ rm -r ./subfolder3
$ rm ./*
$ Is
$ ..
$ rm -r subfolder2
$ rm ./*
$ Is
$ ..
$ Is
```

\$ rm -r subfolder1

\$ rm ./*

```
11:30:21 alan@rog-Strix ...Sem4/Lab/Secure Coding
 5E2010ch 19bce7588SS01 19bce7588SS02 19bce7588SS03 19bce7588SS04 19bce7588SS05 1
9bce7588SS06 19bce7588SS07 19bce7588SS08 19bce7588SS09 19bce7588SS10
 11:30:31 alan@rog-Strix ...Sem4/Lab/Secure Coding
            ./subfolder1 | S C
 11:30:37 alan@rog-Strix ...Sem4/Lab/Secure Coding
   • All the execution needs to be in cmd. No GUI.
 11:30:42 alan@rog-Strix ...Lab/Secure Coding/subfolder1 ative path
$ touch 19bce7588SS01 19bce7588SS02 19bce7588SS03 19bce7588SS04 19bce7588SS05 1
9bce7588SS06 19bce7588SS07119bce7588SS08 19bce7588SS09 19bce7588SS10 ers USIN
                     number followed by SS and numbering.
 11:30:53 alan@rog-Strix ...Lab/Secure Coding/subfolder1ast child)
  11:31:00 alan@rog-Strix ...Lab/Secure Coding/subfolder1
  ./subfolder2
 11:31:30 alan@rog-Strix ...Secure Coding/subfolder1/subfolder2
  touch 19bce7588SS01 19bce7588SS02 19bce7588SS03 19bce7588SS04 19bce7588SS05
19bce7588SS06 19bce7588SS07 19bce7588SS08 19bce7588SS09 19bce7588SS10
                                           - Varcica
                                                 ...Secure Coding/subfolder1/subfolder2
  11:31:41 alan@rog-Strix
  mkdir ./subfolder3
 11:31:47 alan@rog-Strix ...Secure Coding/subfolder1/subfolder2 no. No.
  ./subfolder3

    Note: Execution should be from any relations...subfolder1/subfolder2/subfolder3

 11:31:54 alan@rog-Strix

      $ touch
      19bce7588SS01
      19bce7588SS01
      19bce7588SS02
      19bce7588SS03
      19bce7588SS03

 11:32:04 alan@rog-Strix ...subfolder1/subfolder2/subfolder3 der (last c
zsh: sure you want to delete ValD 10 Cftles in /media/alan/Work/Vit/sem4/Lab/sed
ure Coding/subfolder1/subfolder2/subfolder3/_[yn]? y
                    alan@rog-Strix ...subfolder1/subfolder2/subfolder3 are in doc
 11:32:26
s ls
                                            folder
                    alan@rog-Strix
                                                 ...subfolder1/subfolder2/subfolder3
  11:32:30
                                            Iry to delete all the files starting from SS1
 11:32:33 alan@rog-Strix ...Secure Coding/subfolder1/subfolder2
                                                                              19bce7588SS10
 .9bce7588SS01
                          19bce7588SS04
                                                    19bce7588SS07
 19bce7588SS02
                          19bce7588SS05
                                                    19bce7588SS08
 L9bce7588SS03
                          19bce7588SS06
                                                    19bce7588SS09
```

```
11:32:36 alan@rog-Strix ...Secure Coding/subfolder1/subfolder2
 rm -r ./subfolder3
 Coding - Lab 1 - CSE2010
11:32:52 alan@rog-Strix ...Secure Coding/subfolder1/subfolder2
s ls
19bce7588SS01
               19bce
19bce7588SS02
               19bce
11:32:53 alan@rog-Strix ...Secure Coding/subfolder1/subfolder2
zsh: sure you want to delete all 10 files in /media/alan/Work/Vit/Sem4/Lab/Sec
ure Coding/subfolder1/subfolder2/e Explicition needs to be in cmd. No
11:33:09 alan@rog-Strix ...Secure Coding/subfolder1/subfolder2.iv relati
$ ls

    Create 10 files (txt_docx or any) and sub f

           alan@rog-Strix ...Secure Coding/subfolder1/subfolder2 number Tollowed by 55 and numbering.
 11:33:10
           alan@rog-Strix ...Lab/Secure Coding/subfolder1
 11:33:14
$ rm ./*
zsh: sure you want to delete all 11 files in /media/alan/Work/Vit/Sem4/Lab/Sec
ure Coding/subfolder1/. [yn]? y
rm: cannot remove './subfolder2he Isxedirectoryneeds to be in cmd. No (
11:33:36 ** alan@rog-Strix ...Lab/Secure Coding/subfolder1, anv relati

    Create 10 files (txt, docx or any) and sub f

 11:33:43 alan@rog-Strix ...Lab/Secure Coding/subfolder1 \umbering.
 rm -r <u>subfolder2</u>

    Try to delete all the files in 1 folder (last c

                         x ...Lab/Secure Coding/subfolder1
Try to delete all the files which are in docx
           alan@rog-Strix
 11:33:49
                         folder from root)
11:33:50 alan@rog-Strix ...Lab/Secure Coding/subfolder1

    Try to delete all the files which are in docx

 <u>...</u>
 11:33:53 alan@rog-Strix ...Sem4/Lab/Secure Coding
              19bce75885sTry to delete all the files starting from SS1
9bce7588SS01
19bce7588SS02
L9bce7588SS03
               19bce
11:33:54 alan@rog-Strix ...Sem4/Lab/Secure Coding
💲 rm -r subfolder1
 11:35:00 alan@rog-Strix ...Sem4/Lab/Secure Coding Inversation
```