IDATA - Fitness Test: Data Dictionary

TABLE OF CONTENTS

| IDATA - Fitness Test: Data Dictionary | 1 |
|---------------------------------------|---|
| Document Summary | |
| IDATA - Fitness Test: Data Dictionary | 3 |
| Section 1: Identifiers | 3 |
| Section 2: Compliance | 4 |
| Section 3: Fitness Test Measurements | 6 |
| Section 4: PAR-Q Questions | 8 |

IDATA - Fitness Test: Data Dictionary

03/21/2016

Document Summary

| Property | Value | | |
|-------------------|---------------------------------------|--|--|
| Document Title | IDATA - Fitness Test: Data Dictionary | | |
| Date Created | 03/21/2016 | | |
| For Dataset | fitness_test | | |
| Sections | 4 | | |
| Entries | 29 | | |
| Document Filename | dictionary_fitness_test.070116.rtf | | |

IDATA - Fitness Test: Data Dictionary

03/21/2016

IDATA - Fitness Test: Data Dictionary Section 1: Identifiers

| Variable | Label | Description | Format Text |
|----------|------------|-------------|-------------|
| build | Build Date | | SAS Date |
| iid | IDATA ID | | Char |

IDATA - Fitness Test: Data Dictionary

03/21/2016

Section 2: Compliance

| Variable | Label | Description | Format Text |
|------------------|---|--|---|
| ft_comp_stat | Fitness Test Final Completion Status | Final assessment of the Fitness Test's completeness. Fitness tests that had a post stage heart rate that reached the 85% of the predicted max heart rate were deemed complete. | .N='No Fitness Test' 0='Incomplete' 1='Complete' |
| ft_date | Fitness Test Date | Date of the Fitness Test Fitness Test was administered on the first clinic visit for groups 1 and 3. For groups 2 and 4, it was administered on the second clinic visit. This variable is set to the date of the clinic visit the fitness test was administered on. | SAS Date .N='No Fitness Test' |
| has_ft_cv | Attended The Clinic Visit For The Fitness Test | Indicator of whether the participant attended the clinic visit that adminstered the fitness test. | 0='No' 1='Yes' |
| incomp_ft_reason | Final Reason Code for Incomplete Fitness Test | Incomplete Fitness Test's final reason code. The majority of incomplete Fitness Tests had a reason for the incompletion provided by the test administrator. For incomplete tests that did not have a reason, if a post stage heart rate was given and it did not reach the 85% of the predicted max heart rate, they were assigned to 98, 'Unspecified (Heart rate did not reach target)'. Otherwise, if a post stage heart rate was not available, they were assigned to 99, 'Unspecified (Heart rate not available)'. | .N='No Fitness Test' 1='Respondent refused to participate' 2='Respondent could not perform the test at the proper cadence' 3='Respondent felt dizzy' 4='Respondent could not go on or start the test due to leg pain (lactic acid buildup, injury, arthritis &)' 7='Respondent appeared ill' 98='Unspecified (Heart rate did not reach target)' 99='Unspecified (Heart rate not available)' |

IDATA - Fitness Test: Data Dictionary

03/21/2016

| Variable | Label | Description | Format Text |
|-----------|--------------------------|---|--|
| parq_stat | PAR-Q Eligibility Status | Eligibility status with regard to the PAR-Q questionnaire. Prior to the fitness test, the Physical Activity Readiness Questionnaire (PAR-Q) was administered to all participants. Any participant who answered "Yes" to one or more questions on the questionnaire was deemed ineligible for the fitness test. If the fitness test was administered despite the participant being deemed ineligible, this variable is set to 'Eligible'. The majority of 'Nonparticipant's did not attend the clinic visit for the fitness test. 'Nonparticipant's who did attend the clinic visit did not complete the PAR-Q. | 1='Eligible' 2='Ineligible' 3='Nonparticipant' |

IDATA - Fitness Test: Data Dictionary

03/21/2016

Section 3: Fitness Test Measurements

| Variable | Label | Description | Format Text |
|--------------------|---|--|---|
| ft_vo2_max | Fitness Test VO2 Max | VO2 Max calculated from the Fitness Test data. | Numeric .N='No Fitness Test' |
| hr_target_reached | Reached Target Heart Rate | Indicator for whether 85% of the predicted max heart rate was reached at the last stage. | .N='No Fitness Test' 0='No' 1='Yes' |
| predicted_max_hr85 | 85% of the Predicted Max Heart Rate | 85% of the predicted max heart rate. The variable is calculated by subtracting the participant's age from 220 and multiplying it by 0.85 (Rounded to the tenth digit). | Numeric .N='No Fitness Test' |
| ft_age | Age at the Time of Fitness Test | | Numeric .N='No Fitness Test' |
| ft_weight | Weight in Kg Used To Calculate VO2 Max | Weight used to calculate VO2 Max. Fitness Test was administered during the first clinic visit for groups 1 and 3. For groups 2 and 4, it was administered during the second clinic visit. This variable is set to the average weight obtained from the clinic visit the test was administered on. | Numeric .N='No Fitness Test' |
| last_comp_stage | Stage Number of the Last Completed Stage | | Numeric .N='No Fitness Test' |
| last_stage_o2 | Oxygen Cost From the Last Stage Completed | Oxygen cost from the last stage. The oxygen cost is set to a predetermined value based on the number of completed stages. | Numeric .N='No Fitness Test' |
| post_ft_bp_dia | Diastolic Blood Pressure Measured Post Fitness Test | | Numeric .M='Missing' .N='No Fitness Test' |
| post_ft_bp_sys | Systolic Blood Pressure Measured Post Fitness Test | | Numeric .M='Missing' .N='No Fitness Test' |
| post_ft_hr | Heart Rate Measured Post Fitness Test | | Numeric .M='Missing' .N='No Fitness Test' |

IDATA - Fitness Test: Data Dictionary

03/21/2016

| Variable | Label | Description | Format Text |
|-------------------|--|-------------|---|
| post_stage_hr1-8 | Heart Rate Measured Post Stage 1-8 of the Fitness Test | | Numeric .M='Missing' .N='No Fitness Test' |
| post_stage_rpe1-8 | Rating of Perceived Exertion for Stage 1-8 of the Fitness Test | | Numeric .M='Missing' .N='No Fitness Test' |
| rest_bp_dia | Resting Blood Pressure (Diastolic) | | Numeric .M='Missing' .N='No Fitness Test' |
| rest_bp_sys | Resting Blood Pressure (Systolic) | | Numeric .M='Missing' .N='No Fitness Test' |
| rest_hr | Resting Heart Rate | | Numeric .M='Missing' .N='No Fitness Test' |

IDATA - Fitness Test: Data Dictionary

03/21/2016

Section 4: PAR-Q Questions

| Variable | Label | Description | Format Text |
|------------------|--|--|---|
| parq_dizzy | PAR-Q - Lose Balance Due To Dizziness | Do you lose your balance because of dizziness or do you ever lose consciousness? | .N='Not applicable' 0='No' 1='Yes' |
| parq_drugs | PAR-Q - Taking Drugs For Blood Pressure Or Heart Condition | Is your doctor currently prescribing drugs (for example, water pills) for your blood pressure or heart condition? | .N='Not applicable' 0='No' 1='Yes' |
| parq_heart | PAR-Q - Heart Condition | Has your doctor ever said that you have a heart condition and that you should only do physical activity recommended by your doctor? | .N='Not applicable' 0='No' 1='Yes' |
| parq_joint | PAR-Q - Joint Problem | Do you have a bone or joint problem (for example, back, knee or hip) that could be made worse by a change in your physical activity? | .N='Not applicable' 0='No' 1='Yes' |
| parq_other | PAR-Q - Other Reasons | Do you know of any other reason why you should not do physical activity? | .M='Missing' .N='Not applicable' 0='No' 1='Yes' |
| parq_pain_act | PAR-Q - Chest Pain While Doing Physical Activity | Do you feel pain in your chest when you do physical activity? | .N='Not applicable' 0='No' 1='Yes' |
| parq_pain_no_act | PAR-Q - Chest Pain While Not Doing Physical Activity | In the past month, have you had chest pain when you were not doing physical activity? | .M='Missing' .N='Not applicable' 0='No' 1='Yes' |

IDATA - Fitness Test: Data Dictionary

03/21/2016