ROAD TRAIN DELIVERIES SARL

YOU ORDER ... WE DELIVER

RTD-Deliveries

API Documentation

V1

Table of Contents

1. Authentication
2. Get Shops
3. Get Packaging
4. Create Parcel
5. Bulk Create Parcel
6. Webhook Integration

For Testing

Base URL: **https://sendbox.rtdeliveries.net/api/v10**

API key: RTD-merchant-123456

For Productions

Base URL: https://app.rtdeliveries.net/api/v10

API key: RTD-merchant-123456

Note:

A. Shops / Pickup points both are same.

1. Authentication

Path: **<base_url> /merchant/signin**
Method: **Post**

Name	Header / Body	Type	Description	Value
apiKey	Header	String	API Key provided by RTD-Deliveries	**********
Content-Type	Header	String	Request Content Type	application/json
Accept	Header	string	Request Content Type	application/json
email	Body	String	Enter merchant email or phone number	merchant@gmail.com
password	Body	string	Enter merchant password	**********

apiKey, Content-Type, Accept, fields are required to be added at the header part of each request.

Success Response:


```
{
  "success": true,
  "code": 200,
  "message": "Signin successfully!",
  "data": {
    "auth_token": "6021|b7GwXZ3zuu36X38JPxR7hLedJ7Bc33mJQQ5LBOFeFPyV"
  }
}
```


Your need to pass auth_token from header of each request without <base_url>/merchant/login

2. Get Shops

Path: **<base_url> /get-shops**
Method: **Get**

Response:


```
{
  "success": true,
  "message": "Shop",
  "data": {
    "shops": [
      {
        "id": 319,
        "merchant_id": 314,
        "name": "Canvas BD",
        "contact_no": "01844497066",
        "address": "Mirpur-12",
        "default_shop": 1,
        "status": 1,
        "statusName": "Active",
        "created_at": "22 Dec 2022, 09:54 PM",
        "updated_at": "22 Dec 2022, 09:54 PM"
      }
    ]
  }
}
```

3. Get Packaging list

Path: **<base_url> /get-package**
Method: **Get**

Response:


```
{
  "success": true,
  "message": "Package list",
  "data": {
    "packages": [
      {
        "id": 1,
        "name": "Poly",
        "price": "10.00",
        "status": 1,
        "position": "1",
        "photo": null,
        "created_at": "2024-03-21T12:44:29.000000Z",
        "updated_at": "2024-03-21T12:44:29.000000Z"
      }
    ]
  }
}
```


4. Create Parcel

Path: **<base_url> /parcel-create**
Method: **Post**

Input Parameters:

Name	Type	MOC	Description	Example
shop_id	Numeric	Required	Must be Unique and numeric.	20
delivery_type_id	Numeric	Required	3 = Inside City, 4 = Outside City	3
delivery_priority_id	Numeric	Required	EXPRESS = 1 NORMAL = 2	2

special_request_id	Numeric	Required	Same_day = 1; Express = 2; Oversize = 3; None = 4; Others = 5;	1
length	Numeric	Required	If special request is Oversize = 3	11
width	Numeric	Required	If special request is Oversize = 3	11
special_weight	Numeric	Required	If special request is Oversize = 3	5
special_request_others	string	Required	If special request is Others = 5	This is special request note
invoice_no	String	optional	merchant parcel invoice number this field is optional.	ABC123
customer_name	String	Required	Within 191 characters.	Riaz Uddin
customer_phone	String	Required	Must be 11 Digits Phone number	01834735229
customer_address	String	Required	Within 191 characters.	4th chan mention, foll potti goli. Mirpur 10. Dhaka - 1216
cash_collection	Numeric	Required	Cash collection amount in BDT including all charges. Can't be less than 0.	1500
currency_type	Numeric	Required	DOLLAR = 1; LBP/POUND = 2;	1
packaging_id	numeric	optional	If your parcel is package you can put package id from package list	1
liquid	Numeric	optional	If parcel is liquid, then need to put value 1	1 or blank

fragileCharge	Numeric	optional	If parcel is fragile, then need to put value 1	1 or blank
boxBagCharge	Numeric	optional	If parcel is box or bag, then need to put value 1	1 or blank
handleWithCareCharge	Numeric	optional	If parcel is handle with care , then need to put value 1	1 or blank
note	string	optional	Delivery instructions or other notes.	Delivery within 3 PM

Success Response:


```
{
  "success": true,
  "code": 200,
  "message": "Parcel has been created successfully",
  "data": {
    "parcel": {
      "order_no": "0000139",
      "tracking_id": "WE16972620",
      "invoice_id": "ABCD123",
      "customer_name": "Nurul islam",
      "customer_phone": "01834735229",
      "customer_address": "4th chan mention, foll potti goli. Mirpur 10. Dhaka - 1216",
      "delivery_fee": "84",
      "cash_collection": "100",
      "status_slug": "Pending",
      "status": "Pending",
      "pickup_date": "11th june 2024",
      "delivery_date": "14th june 2024",
      "note": "Api testing parcel",
      "created_at": "11 Jun 2024, 02:16 PM",
      "updated_at": "11 Jun 2024, 02:16 PM"
    }
  }
}
```


Validation Response:


```
{
  "message": "The category id must be a number. (and 1 more error)",
  "errors": {
    "category_id": [
      "The category id must be a number."
    ],
    "delivery_type_id": [
      "The delivery type id must be a number."
    ]
  }
}
```


Error Response:


```
{
  "success": false,
  "code": 400,
  "message": "Something went wrong.",
  "data": []
}
```

5. Bulk Create Parcel

Path: **<base_url> /parcel-bulk-create**
Method: **Post**

Input Parameters:

Name	Type	MOC	Description	Example
parcels	Json	required	Maximum 500 items are allowed. Json encoded array	Given below

Example:

```
// Example code
public function bulkParcelCreate(){
    $parcels = Parcel::limit(500)->get(); //merchant parcels
    $data = array();
    foreach($parcels as $parcel){
        $item = [
             "shop_id"                 =>  20, // RTD merchant shop id
             "delivery_type_id"        => 3,// RTD  delivery type id,  3 = inside city, 4 = outside city
              "delivery_priority_id"   => 2,// RTD delivery priority id,   1 = express, 2 = normal;
              "special_request_id"     => 3, // RTD special request id , Sameday = 1, Express  = 2, Oversize = 3, None  = 4, Others  = 5
             "length"                  =>  $parcel->length, //numeric
              "width"                  =>  $parcel->width, //numeric
              "special_weight"         =>  $parcel->weight, //numeric
             "special_request_others"  =>  $parcel->special_request_note, // String
             "invoice_no"              =>  $parcel->id, //string
              "customer_name"          =>  $parcel->customer_name?? 'N/A', //string
              "customer_phone"         =>  $parcel->customer_phone,  //numeric
             "customer_address"        =>  $parcel->customer_address,  //string
            "cash_collection"          =>  $parcel->amount,   //numeric
            "currency_type"            => 1,// RTD currency type , DOLLAR  = 1, LBP/POUND  = 2;
            "packaging_id"             => 1, // RTD Packaging id
            "liquid"                   => 1, //if your parcel is liquid then put 1 otherwise blank
            "fragileCharge"            => "", //if your parcel is fragile then put 1 otherwise blank
            "boxBagCharge"             => "", //if your parcel is box or bag then put 1 otherwise blank
             "handleWithCareCharge"    => "", //if your parcel is need handle with care then put 1 otherwise blank
            "note"                     => $parcel->note
        ];
       $data[]=$item;
    }

    $result = $this->bulkCreate(json_encode($data));
    return $result;
}
```

```php
public function bulkCreate($data){
        $base_url = 'https://sendbox.rtdeliveries.net/api/v10';
        $api_key    = 'rtd-merchant-123456';
        $auth_token = '6026|SK31MRr3IGy3I6dA3wCUCkPSIpBxdfUK0R2YqQzXfxH';
        $response = Http::withHeaders([
            'apiKey'         => $api_key,
            'Content-Type'   => 'application/json',
            'Accept'         => 'application/json',
            'Authentication' => 'Bearer '.$auth_token,
        ])->post($base_url.'/parcel-bulk-create ', [
                'data' => $data,
                ]);

        return json_decode($response->getBody()->getContents());
}
```

Parcel create success with failed Response:


```
{
  "success": true,
  "code": 200,
  "message": "Parcel has been created successfully",
  "data": {
    "created_parcels": [
      {
        "tracking_id": "RTD696330995C314",
        "order_no": "0000001",
        "invoice_id": "ABCD123",
        "customer_name": "Riaz Uddin",
        "customer_phone": "01834735229",
        "customer_address": "4th chan mention, foll potti goli. Mirpur 10. Dhaka - 1216",
        "delivery_fee": "160",
        "cash_collection": "1500",
        "status_slug": "Pending",
        "status": "Pending",
        "pickup_date": "03rd october 2023",
        "delivery_date": "04th october 2023",
        "note": "Delivery within 3 PM",
        "created_at": "03 Oct 2023, 05:03 PM",
        "updated_at": "03 Oct 2023, 05:03 PM"
      },
      {
        "tracking_id": "RTD696330995C314",
        "order_no": "0000002",
        "invoice_id": "ABCD123",
        "customer_name": "Riaz Uddin",
        "customer_phone": "01834735229",
        "customer_address": "4th chan mention, foll potti goli. Mirpur 10. Dhaka - 1216",
        "delivery_fee": "160",
        "cash_collection": "1500",
```

```
            "status_slug": "Pending",
            "status": "Pending",
            "pickup_date": "03rd october 2023",
            "delivery_date": "04th october 2023",
            "note": "Delivery within 3 PM",
            "created_at": "03 Oct 2023, 05:03 PM",
            "updated_at": "03 Oct 2023, 05:03 PM"
        }
    ],
    "failed_parcels": [
        {
            "shop_id": "319",
            "category_id": "1",
            "delivery_type_id": "1",
            "invoice_no": "ABCD123",
            "customer_name": "Riaz Uddin",
            "customer_address": "4th chan mention, foll potti goli. Mirpur 10. Dhaka - 1216",
            "customer_phone": "01834735229",
            "cash_collection": "1500",
            "weight": "5",
            "fragileLiquid": "1",
            "note": "Delivery within 3 PM"
        }
    ]
  }
}
```


If there is any error in data you will get response like

Multiple parcel validation response:


```
{
  "message": "The too many fields are required.",
  "errors": {
    "1": {
      "shop_id":              ["The shop id field is required." ],
      "delivery_type_id":     [ "The delivery type id field is required." ],
      "customer_name":        [ "The customer name field is required."  ],
      "customer_address":     [ "The customer address field is required."  ],
      "customer_phone":       ["The customer phone field is required."  ],
      "cash_collection":      ["The cash collection field is required."  ],
      "delivery_priority_id": [ "The delivery priority id field is required."  ],
      "special_request_id":   ["The special request id field is required." ]
    }
  }
}
```

Error Response:


```
{
  "success": false,
  "code": 400,
  "message": "Something went wrong.",
  "data": []
}
```


6. Webhook Integration

A. Webhook URL (Given By merchant)

Path: https://example.com/status-update
Method: **Post**

B. Webhook Secret (Given By merchant)

webhook_secret : `"12345abcdefg"`

C. Headers (Given By merchant) received from RTD-DELIVERIES of each status action

Request Headers:{

RTD-Signature:"<webhook_secret>"
Content-Type:"application/json"

}

Parcel Statuses

Available parcel status for webhook: Transfer status will trigger your Webhook URL when parcel status are in these statuses

```
{
        Statuses:[
                "Pickup_Assign",
                "Received_Warehouse",
                "Transfer_to_hub",
                "Delivery_Man_Assign",
                "Delivery_Re_Schedule",
                "Delivered",
                "Received_by_hub",
                "Return_to_warehouse",
                "Return_assign_to_merchant",
               "Delivered_failed",
               "Collected_By_Driver",
               "Collected_By_Pickup",
               "Pickup_Failed"
        ]
}
```

Payload Properties:

```
{
    "tracking_id":" <string>", // parcel tracking id always exits
    "order_no": " <string>", // parcel order no always exits
    "invoice_no": " <string>", // given by merchant while creating parcel
    "description": " <string>",
    "cash_collection":  " <numeric>",
    "parcel_status":" <string>",  // selected from array status name always exits
    "parcel_status_slug": " <string>", // selected from array status slug always exits
    "updated_at":" <string>", // datetime always exits
  }
```

Payload Example:


```
{
   "tracking_id": "RTD604997409C2601",
   "order_no": "00000020",
   "invoice_no": "106140",
   "cash_collection": "100",
   "description": "Customer denied to receive the parcel.",
   "parcel_status": "Return to Warehouse",
   "parcel_status_slug": "Return_to_warehouse",
   "updated_at": "15 Jan 2023, 07:25 PM"
}
```


Thank you