BIBLIOGRAPHY & REFERENCES CITED

1. Masel J and Siegal ML, 2009. Robustness: mechanisms and consequences. *Trends Genet* 25:395-403. (PMC2770586)
2. Levy SF and Siegal ML, 2008. Network hubs buffer environmental variation in Saccharomyces cerevisiae. *PLoS Biol* 6:e264. (PMC2577700)
3. Richardson JB, Uppendahl LD, Traficante MK, Levy SF and Siegal ML, 2013. Histone variant HTZ1 shows extensive epistasis with, but does not increase robustness to, new mutations. *PLoS Genet* 9:e1003733. (PMC3749942)
4. Bauer CR, Li S and Siegal ML, 2015. Essential gene disruptions reveal complex relationships between phenotypic robustness, pleiotropy, and fitness. *Mol Syst Biol* 11:773. (PMC4332149)
5. Siegal ML and Leu J, 2014. On the nature and evolutionary impact of phenotypic robustness mechanisms. *Annual review of ecology, evolution, and systematics* 45:495-517. (NIHMS688786)
6. Levy SF and Siegal ML, 2012. The robustness continuum. *Adv Exp Med Biol* 751:431-452.
7. Levy SF, Ziv N and Siegal ML, 2012. Bet hedging in yeast by heterogeneous, age-correlated expression of a stress protectant. *PLoS Biol* 10:e1001325. (PMC3348152)
8. Gibson G, 2009. Decanalization and the origin of complex disease. *Nat. Rev. Genet.* 10:134-140.
9. Gefen O and Balaban NQ, 2009. The importance of being persistent: heterogeneity of bacterial populations under antibiotic stress. *FEMS Microbiol Rev* 33:704-717.
10. Roesch A, Fukunaga-Kalabis M, Schmidt EC, Zabierowski SE, Brafford PA, Vultur A, Basu D, Gimotty P, Vogt T and Herlyn M, 2010. A temporarily distinct subpopulation of slow-cycling melanoma cells is required for continuous tumor growth. *Cell* 141:583-594.
11. Sharma SV, Lee DY, Li B, Quinlan MP, Takahashi F, Maheswaran S, McDermott U, Azizian N, Zou L, Fischbach MA, Wong KK, Brandstetter K, Wittner B, Ramaswamy S, Classon M and Settleman J, 2010. A chromatin-mediated reversible drug-tolerant state in cancer cell subpopulations. *Cell* 141:69-80.
12. Frank SA and Rosner MR, 2012. Nonheritable cellular variability accelerates the evolutionary processes of cancer. *PLoS Biol* 10:e1001296.
13. Geiler-Samerotte KA, Bauer CR, Li S, Ziv N, Gresham D and Siegal ML, 2013. The details in the distributions: why and how to study phenotypic variability. *Curr Opin Biotechnol* 24:752-759. (PMC3732567)
14. Hermisson J and Wagner GP, 2004. The population genetic theory of hidden variation and genetic robustness. *Genetics* 168:2271-2284.
15. Waddington CH, 1952. Selection of the genetic basis for an acquired character. *Nature* 169:625-626.
16. Waddington CH, 1956. Genetic assimilation of the bithorax phenotype. *Evolution* 10:1-13.
17. Scharloo W, 1991. Canalization - genetic and developmental aspects. *Annual Review of Ecology and Systematics* 22:65-93.
18. Rutherford SL and Lindquist S, 1998. Hsp90 as a capacitor for morphological evolution. *Nature* 396:336-342.
19. Queitsch C, Sangster TA and Lindquist S, 2002. Hsp90 as a capacitor of phenotypic variation. *Nature* 417:618-624.
20. Gibson G and Dworkin I, 2004. Uncovering cryptic genetic variation. *Nat Rev Genet* 5:681-690.
21. Sangster TA, Lindquist S and Queitsch C, 2004. Under cover: causes, effects and implications of Hsp90-mediated genetic capacitance. *BioEssays* 26:348-362.
22. Dworkin I, 2005. Evidence for canalization of Distal-less function in the leg of Drosophila melanogaster. *Evol Dev* 7:89-100.
23. Paaby AB and Rockman MV, 2014. Cryptic genetic variation: evolution's hidden substrate. *Nat Rev Genet* 15:247-258.
24. Siegal ML, 2013. Crouching variation revealed. *Mol Ecol* 22:1187-1189.
25. Phillips PC, 2008. Epistasis — the essential role of gene interactions in the structure and evolution of genetic systems. *Nat Rev Genet* 9:855-867.
26. Mackay TF and Moore JH, 2014. Why epistasis is important for tackling complex human disease genetics. *Genome Med* 6:42.
27. Costanzo M, Baryshnikova A, Bellay J, Kim Y, Spear ED, Sevier CS, Ding H, Koh JL, Toufighi K, Mostafavi S, Prinz J, St Onge RP, VanderSluis B, Makhnevych T, Vizeacoumar FJ, Alizadeh S, Bahr S, Brost RL, Chen Y, Cokol M, Deshpande R, Li Z, Lin ZY, Liang W, Marback M, Paw J, San Luis BJ, Shuteriqi E, Tong AH, van Dyk N, Wallace IM, Whitney JA, Weirauch MT, Zhong G, Zhu H, Houry WA,

Brudno M, Ragibizadeh S, Papp B, Pal C, Roth FP, Giaever G, Nislow C, Troyanskaya OG, Bussey H, Bader GD, Gingras AC, Morris QD, Kim PM, Kaiser CA, Myers CL, Andrews BJ and Boone C, 2010. The genetic landscape of a cell. *Science* 327:425-431.

28. Weinreich DM, Delaney NF, Depristo MA and Hartl DL, 2006. Darwinian evolution can follow only very few mutational paths to fitter proteins. *Science* 312:111-114.

29. Khan AI, Dinh DM, Schneider D, Lenski RE and Cooper TF, 2011. Negative epistasis between beneficial mutations in an evolving bacterial population. *Science* 332:1193-1196.

30. Hong J and Gresham D, 2014. Molecular specificity, convergence and constraint shape adaptive evolution in nutrient-poor environments. *PLoS Genet* 10:e1004041.

31. Mackay TFC, 2014. Epistasis and quantitative traits: using model organisms to study gene-gene interactions. *Nat Rev Genet* 15:22-33.

32. Ritchie MD, 2015. Finding the epistasis needles in the genome-wide haystack. *Methods Mol Biol* 1253:19-33.

33. Ma L, Keinan A and Clark AG, 2015. Biological knowledge-driven analysis of epistasis in human GWAS with application to lipid traits. *Methods Mol Biol* 1253:35-45.

34. Kussell E and Leibler S, 2005. Phenotypic diversity, population growth, and information in fluctuating environments. *Science* 309:2075-2078.

35. King OD and Masel J, 2007. The evolution of bet-hedging adaptations to rare scenarios. *Theor Popul Biol* 72:560-575.

36. Holland SL, Reader T, Dyer PS and Avery SV, 2014. Phenotypic heterogeneity is a selected trait in natural yeast populations subject to environmental stress. *Environ Microbiol* 16:1729-1740.

37. Ziv N, Siegal ML and Gresham D, 2013. Genetic and nongenetic determinants of cell growth variation assessed by high-throughput microscopy. *Mol Biol Evol* 30:2568-2578. (PMC3840306)

38. Joseph SB and Hall DW, 2004. Spontaneous mutations in diploid Saccharomyces cerevisiae: more beneficial than expected. *Genetics* 168:1817-1825.

39. Hall DW, Mahmoudizad R, Hurd AW and Joseph SB, 2008. Spontaneous mutations in diploid Saccharomyces cerevisiae: another thousand cell generations. *Genet Res* 90:229-241.

40. Meiklejohn CD and Hartl DL, 2002. A single mode of canalization. *Trends In Ecology & Evolution* 17:468-473.

41. Yeyati PL, Bancewicz RM, Maule J and van Heyningen V, 2007. Hsp90 selectively modulates phenotype in vertebrate development. *PLoS Genet* 3:e43.

42. Sangster TA, Salathia N, Lee HN, Watanabe E, Schellenberg K, Morneau K, Wang H, Undurraga S, Queitsch C and Lindquist S, 2008. HSP90-buffered genetic variation is common in Arabidopsis thaliana. *Proc Natl Acad Sci U S A* 105:2969-2974.

43. Jarosz DF and Lindquist S, 2010. Hsp90 and environmental stress transform the adaptive value of natural genetic variation. *Science* 330:1820-1824.

44. Rohner N, Jarosz DF, Kowalko JE, Yoshizawa M, Jeffery WR, Borowsky RL, Lindquist S and Tabin CJ, 2013. Cryptic variation in morphological evolution: HSP90 as a capacitor for loss of eyes in cavefish. *Science* 342:1372-1375.

45. Hsieh YY, Hung PH and Leu JY, 2013. Hsp90 regulates nongenetic variation in response to environmental stress. *Mol Cell* 50:82-92.

46. Stewart-Ornstein J, Weissman JS and El-Samad H, 2012. Cellular noise regulons underlie fluctuations in Saccharomyces cerevisiae. *Mol Cell* 45:483-493.

47. Hao N and O'Shea EK, 2012. Signal-dependent dynamics of transcription factor translocation controls gene expression. *Nat Struct Mol Biol* 19:31-39.

48. Hao N, Budnik BA, Gunawardena J and O'Shea EK, 2013. Tunable signal processing through modular control of transcription factor translocation. *Science* 339:460-464.

49. Petrenko N, Chereji RV, McClean MN, Morozov AV and Broach JR, 2013. Noise and interlocking signaling pathways promote distinct transcription factor dynamics in response to different stresses. *Mol Biol Cell* 24:2045-2057.

50. Gerke JP, Chen CT and Cohen BA, 2006. Natural isolates of Saccharomyces cerevisiae display complex genetic variation in sporulation efficiency. *Genetics* 174:985-997.

51. Gerke J, Lorenz K and Cohen B, 2009. Genetic interactions between transcription factors cause natural variation in yeast. *Science* 323:498-501.

52. Brown CJ, Todd KM and Rosenzweig RF, 1998. Multiple duplications of yeast hexose transport genes in response to selection in a glucose-limited environment. *Mol Biol Evol* 15:931-942.

53. Gresham D, Desai MM, Tucker CM, Jenq HT, Pai DA, Ward A, DeSevo CG, Botstein D and Dunham MJ, 2008. The repertoire and dynamics of evolutionary adaptations to controlled nutrient-limited environments in yeast. *PLoS Genet* 4:e1000303.
54. Ohya Y, Sese J, Yukawa M, Sano F, Nakatani Y, Saito TL, Saka A, Fukuda T, Ishihara S, Oka S, Suzuki G, Watanabe M, Hirata A, Ohtani M, Sawai H, Fraysse N, Latge JP, Francois JM, Aebi M, Tanaka S, Muramatsu S, Araki H, Sonoike K, Nogami S and Morishita S, 2005. High-dimensional and large-scale phenotyping of yeast mutants. *Proc Natl Acad Sci U S A* 102:19015-19020.
55. Fraser HB, Levy S, Chavan A, Shah HB, Perez JC, Zhou Y, Siegal ML and Sinha H, 2012. Polygenic cis-regulatory adaptation in the evolution of yeast pathogenicity. *Genome Res* 22:1930-1939. (PMC3460188)
56. Nadeau JH, Singer JB, Matin A and Lander ES, 2000. Analysing complex genetic traits with chromosome substitution strains. *Nat Genet* 24:221-225.
57. Shao H, Burrage LC, Sinasac DS, Hill AE, Ernest SR, O'Brien W, Courtland H-W, Jepsen KJ, Kirby A, Kulbokas EJ, Daly MJ, Broman KW, Lander ES and Nadeau JH, 2008. Genetic architecture of complex traits: large phenotypic effects and pervasive epistasis. *Proc Natl Acad Sci U S A* 105:19910-19914.
58. Boell L, Gregorova S, Forejt J and Tautz D, 2011. A comparative assessment of mandible shape in a consomic strain panel of the house mouse (Mus musculus) — implications for epistasis and evolvability of quantitative traits. *BMC Evol Biol* 11:309.
59. Spiezio SH, Takada T, Shiroishi T and Nadeau JH, 2012. Genetic divergence and the genetic architecture of complex traits in chromosome substitution strains of mice. *BMC Genet* 13:38.
60. Nilsson-Tillgren T, Litske Petersen JG, Holmberg S and Kielland-Brandt MC, 1980. Transfer of chromosome III during *kar* mediated cytoduction in yeast. *Carlsberg Res Commun* 45:113-117.
61. Dutcher SK, 1981. Internuclear transfer of genetic information in *kar1-1/KAR1* heterokaryons in *Saccharomyces cerevisiae*. *Mol Cell Biol* 1:245-253.
62. Hugerat Y, Spencer F, Zenvirth D and Simchen G, 1994. A versatile method for efficient YAC transfer between any two strains. *Genomics* 22:108-117.
63. Torres EM, Sokolsky T, Tucker CM, Chan LY, Boselli M, Dunham MJ and Amon A, 2007. Effects of aneuploidy on cellular physiology and cell division in haploid yeast. *Science* 317:916-924.
64. Wilkening S, Lin G, Fritsch ES, Tekkedil MM, Anders S, Kuehn R, Nguyen M, Aiyar RS, Proctor M, Sakhanenko NA, Galas DJ, Gagneur J, Deutschbauer A and Steinmetz LM, 2014. An evaluation of high-throughput approaches to QTL mapping in *Saccharomyces cerevisiae*. *Genetics* 196:853-865.
65. Magwene PM, Willis JH and Kelly JK, 2011. The statistics of bulk segregant analysis using next generation sequencing. *PLoS Comput Biol* 7:e1002255.
66. Andolfatto P, Davison D, Erezyilmaz D, Hu TT, Mast J, Sunayama-Morita T and Stern DL, 2011. Multiplexed shotgun genotyping for rapid and efficient genetic mapping. *Genome Res* 21:610-617.
67. Pasaniuc B, Rohland N, McLaren PJ, Garimella K, Zaitlen N, Li H, Gupta N, Neale BM, Daly MJ, Sklar P, Sullivan PF, Bergen S, Moran JL, Hultman CM, Lichtenstein P, Magnusson P, Purcell SM, Haas DW, Liang L, Sunyaev S, Patterson N, de Bakker PIW, Reich D and Price AL, 2012. Extremely low-coverage sequencing and imputation increases power for genome-wide association studies. *Nat Genet* 44:631-635.
68. Peterson BK, Weber JN, Kay EH, Fisher HS and Hoekstra HE, 2012. Double digest RADseq: an inexpensive method for *de novo* SNP discovery and genotyping in model and non-model species. *PLoS One* 7:e37135.
69. Wilkening S, Tekkedil MM, Lin G, Fritsch ES, Wei W, Gagneur J, Lazinski DW, Camilli A and Steinmetz LM, 2013. Genotyping 1000 yeast strains by next-generation sequencing. *BMC Genomics* 14:90.
70. Zhu YO, Siegal ML, Hall DW and Petrov DA, 2014. Precise estimates of mutation rate and spectrum in yeast. *Proc Natl Acad Sci U S A* 111:E2310-2318. (PMC4050626)
71. Levy SF, Blundell JR, Venkataram S, Petrov DA, Fisher DS and Sherlock G, 2015. Quantitative evolutionary dynamics using high-resolution lineage tracking. *Nature* 519:181-186.
72. Conley D, Rauscher E and Siegal ML, 2013. Beyond orchids and dandelions: testing the 5-HTT "risky" allele for evidence of phenotypic capacitance and frequency-dependent selection. *Biodemography Soc Biol* 59:37-56. (PMC3690663)
73. Conley D, Rauscher E, Dawes C, Magnusson PK and Siegal ML, 2013. Heritability and the equal environments assumption: evidence from multiple samples of misclassified twins. *Behav Genet* 43:415-426.
74. Conley D, Siegal ML, Domingue BW, Mullan Harris K, McQueen MB and Boardman JD, 2014. Testing the key assumption of heritability estimates based on genome-wide genetic relatedness. *J Hum Genet* 59:342-345. (PMC4126504)