

Requirements Specification Document

Test Project: TaskFlow

Printed by TestLink on 27/10/2026

2026 Group TaskFlow - Project 1 Test Case Design

Table Of Contents

1. SRS-A-CREATE : Task creation and text validation

REQ-A-001 : Required trimmed title

REQ-A-002 : Title inclusive length boundaries

REQ-A-003 : Trim and Unicode normalization

REQ-A-004 : Optional description maximum

REQ-A-005 : Live trimmed counters

REQ-A-006 : Creation form defaults

REQ-A-007 : Successful creation and persistence

REQ-A-008 : All creation values retained

REQ-A-009 : Cancel creation through every close path

REQ-A-010 : Fresh creation form on reopen

REQ-A-011 : Error timing and focus

REQ-A-012 : Live recovery after failed submit

REQ-A-013 : Creation entry points

REQ-A-014 : Safe literal text rendering

2. SRS-B-EDIT : Member B - Editing and priority persistence

REQ-B-001 : Prefill the selected task for editing

REQ-B-002 : Commit a valid edit atomically to the selected task

REQ-B-003 : Preserve identity and creation timestamp while advancing update time

REQ-B-004 : Reject invalid edits without any partial commit

REQ-B-005 : Recover a rejected edit and commit only the corrected values

REQ-B-006 : Persist priority edits through the edit workflow

REQ-B-007 : Apply repeated edits and target only the selected identity

3. SRS-B-CANCEL : Member B - Editing dismissal and draft isolation

REQ-B-008 : Discard editing through every supported dismissal path

REQ-B-009 : Reopening a canceled edit discards draft and validation state

REQ-B-010 : Interior modal interaction is not backdrop dismissal

4. SRS-B-DELETE : Member B - Deletion confirmation and target isolation

REQ-B-011 : Show exact deletion confirmation for the current target

REQ-B-012 : Confirm deletion of only the intended task

REQ-B-013 : Cancel deletion through every supported dismissal path

REQ-B-014 : Keep deletion targets correct across repeated and mixed operations

5. SRS-C-ENUM : Priority, status transitions and task summaries

REQ-C-001 : Priority values and validation

REQ-C-002 : Status values and validation

REQ-C-003 : Status change and summary totals

REQ-C-004 : Completed task presentation

6. SRS-C-DATE : Due dates, local calendar rules and formatting

REQ-C-005 : Optional due date and real calendar validation

REQ-C-006 : Leap years and calendar boundaries

REQ-C-007 : Overdue and due-today decision

REQ-C-008 : Local calendar day and date display

7. SRS-D-SEARCH-FILTER-SORT : Search, filters, sorting and result feedback

REQ-D-001 : Trimmed case-insensitive title substring

REQ-D-002 : Description substring and title-or-description

REQ-D-003 : Blank query and literal punctuation

REQ-D-004 : Synchronized search boxes

REQ-D-005 : Status filter partitions

REQ-D-006 : Priority filter partitions

REQ-D-007 : Search/status/priority AND decision table

REQ-D-008 : Four sorts and newest default

REQ-D-009 : Creation order and due-date tie order

REQ-D-010 : Undated-last behavior

REQ-D-011 : Singular and plural result counts

REQ-D-012 : No-result message precedence and actions

REQ-D-013 : Clear search preserves filters and sort

REQ-D-014 : Both Clear Filters actions reset all controls

8. SRS-E-STORAGE-NAV-A11Y : Storage recovery, navigation and accessibility

REQ-E-001 : Reload persistence

REQ-E-002 : Missing and corrupt storage

REQ-E-003 : Invalid entries and duplicate ids

REQ-E-004 : Updated timestamp fallback and normalization

REQ-E-005 : Storage read failure

REQ-E-006 : Reset and backup retention

REQ-E-007 : Failed write remains optimistic

REQ-E-008 : Warning announcement and dismissal

REQ-E-009 : Navigation and page title

REQ-E-010 : Responsive sidebar breakpoint

REQ-E-011 : Drawer close paths

REQ-E-012 : Dialog name, focus and opener restoration

REQ-E-013 : Toast timing and semantics

1. Requirements Spec.: SRS-A-CREATE : Task creation and text validation	
revision	1
Author	aland
Type	User Requirement Specification
Total count of requirements (Coverage)	100% (14/14)
README.md TF-REQ-001,002,003,007,008; creation defaults from TF-REQ-004/005/006. Derived acceptance requirements from implemented behavior; no separate customer SRS exists. src/components/TaskFormModal.jsx, Modal.jsx; src/utils/validation.js, tasks.js; src/App.jsx.	

Requirement: REQ-A-001 : Required trimmed title	
Version :	1
revision:	1
Author:	aland
Status	Valid
Type	Use Case
Coverage	100% (1/1)
A blank or whitespace-only title shall show "Title is required." and prevent creation. Source: README.md (Requirements traceability / Exact messages / Behaviour notes); src/utils/validation.js validateTask; src/components/TaskFormModal.jsx handleSubmit; baseline main@5133a6c.	
Related Test Cases	TF-1 : TC-A-001 - Title length 0 [Version :1]TF-9 : TC-A-009 - Whitespace-only title [Version :1]

Requirement: REQ-A-002 : Title inclusive length boundaries	
Version :	1
revision:	1
Author:	aland
Status	Valid
Type	Use Case
Coverage	100% (1/1)
Trimmed title length shall be 3 through 80 Unicode code points inclusive. Below 3 shows "Title must be at least 3 characters." Above 80 shows "Title must be 80 characters or fewer." Inputs have no maxLength. Source: README.md (Requirements traceability / Exact messages / Behaviour notes); src/utils/validation.js TITLE_MIN/TITLE_MAX/countChars; src/components/TaskFormModal.jsx; baseline main@5133a6c.	
Related Test Cases	TF-2 : TC-A-002 - Title length 1 [Version :1]TF-3 : TC-A-003 - Title length 2 [Version :1]TF-4 : TC-A-004 - Title length 3 [Version :1]TF-5 : TC-A-005 - Title length 4 [Version :1]TF-6 : TC-A-006 - Title length 79 [Version :1]TF-7 : TC-A-007 - Title length 80 [Version :1]TF-8 : TC-A-008 - Title length 81 [Version :1]TF-10 : TC-A-010 - Trim title before counting and saving [Version :1]TF-11 : TC-A-011 - Padding cannot bypass minimum [Version :1]TF-12 : TC-A-012 - Padded maximum title [Version :1]TF-13 : TC-A-013 - Emoji title 2 code points [Version :1]TF-14 : TC-A-014 - Emoji title 3 code points [Version :1]TF-15 : TC-A-015 - Emoji title 80 code points [Version :1]TF-16 : TC-A-016 - Emoji title 81 code points [Version :1]TF-34 : TC-A-034 - Simultaneous text errors and first-invalid focus [Version :1]TF-43 : TC-A-043 - Combining sequence is counted as code points [Version :1]

Requirement: REQ-A-003 : Trim and Unicode normalization	
Version :	1
revision:	1
Author:	aland
Status	Valid
Type	Use Case
Coverage	100% (1/1)
Leading/trailing title and description whitespace shall be removed before counting and saving. Each Unicode code point, including a single emoji, counts as one. Combining sequences consist of multiple code points; no Unicode canonical normalization occurs. Source: README.md (Requirements traceability / Exact messages / Behaviour notes); src/utils/validation.js countChars/validateTask; src/utils/tasks.js normalizeValues; baseline main@5133a6c.	
Related Test Cases	TF-9 : TC-A-009 - Whitespace-only title [Version :1]TF-10 : TC-A-010 - Trim title before counting and saving [Version :1]TF-11 : TC-A-011 - Padding cannot bypass minimum [Version :1]TF-12 : TC-A-012 - Padded maximum title [Version :1]TF-13 : TC-A-013 - Emoji title 2 code points [Version :1]TF-14 : TC-A-014 - Emoji title 3 code points [Version :1]TF-15 : TC-A-015 - Emoji title 80 code points [Version :1]TF-16 : TC-A-016 - Emoji title 81 code points [Version :1]TF-22 : TC-A-022 - Trim padded description maximum [Version :1]TF-23 : TC-A-023 - Whitespace-only optional description [Version :1]TF-24 : TC-A-024 - Emoji description maximum [Version :1]TF-25 : TC-A-025 - Emoji description above maximum [Version :1]TF-39 : TC-A-039 - Internal spaces and newlines preserved [Version :1]TF-43 : TC-A-043 - Combining sequence is counted as code points [Version :1]

Requirement: REQ-A-004 : Optional description maximum	
Version :	1
revision:	1
Author:	aland
Status	Valid
Type	Use Case
Coverage	100% (1/1)
Description may be empty and shall accept up to 500 trimmed Unicode code points. At 501 it shall show "Description must be 500 characters or fewer." and prevent creation. Source: README.md (Requirements traceability / Exact messages / Behaviour notes); src/utils/validation.js DESCRIPTION_MAX/validateTask; src/components/TaskFormModal.jsx; baseline main@5133a6c.	
Related Test Cases	TF-17 : TC-A-017 - Description length 0 [Version :1]TF-18 : TC-A-018 - Description length 1 [Version :1]TF-19 : TC-A-019 - Description length 499 [Version :1]TF-20 : TC-A-020 - Description length 500 [Version :1]TF-21 : TC-A-021 - Description length 501 [Version :1]TF-22 : TC-A-022 - Trim padded description maximum [Version :1]TF-23 : TC-A-023 - Whitespace-only optional description [Version :1]TF-24 : TC-A-024 - Emoji description maximum [Version :1]TF-25 : TC-A-025 - Emoji description above maximum [Version :1]TF-34 : TC-A-034 - Simultaneous text errors and first-invalid focus [Version :1]

Requirement: REQ-A-005 : Live trimmed counters	
Version :	1
revision:	1
Author:	aland
Status	Valid
Type	Use Case
Coverage	100% (1/1)
The title and description counters shall display "n / 80" and "n / 500" using trimmed code point counts. counter-over/red shall apply only when n exceeds the maximum. Source: README.md (Requirements traceability / Exact messages / Behaviour notes); src/components/TaskFormModal.jsx titleLength/descriptionLength; src/App.css .counter-over; baseline main@5133a6c.	
Related Test Cases	TF-1 : TC-A-001 - Title length 0 [Version :1]TF-2 : TC-A-002 - Title length 1 [Version :1]TF-3 : TC-A-003 - Title length 2 [Version :1]TF-4 : TC-A-004 - Title length 3 [Version :1]TF-5 : TC-A-005 - Title length 4 [Version :1]TF-6 : TC-A-006 - Title length 79 [Version :1]TF-7 : TC-A-007 - Title length 80 [Version :1]TF-8 : TC-A-008 - Title length 81 [Version :1]TF-12 : TC-A-012 - Padded maximum title [Version :1]TF-13 : TC-A-013 - Emoji title 2 code points [Version :1]TF-14 : TC-A-014 - Emoji title 3 code points [Version :1]TF-15 : TC-A-015 - Emoji title 80 code points [Version :1]TF-16 : TC-A-016 - Emoji title 81 code points [Version :1]TF-17 : TC-A-017 - Description length 0 [Version :1]TF-18 : TC-A-018 - Description length 1 [Version :1]TF-19 : TC-A-019 - Description length 499 [Version :1]TF-20 : TC-A-020 - Description length 500 [Version :1]TF-21 : TC-A-021 - Description length 501 [Version :1]TF-22 : TC-A-022 - Trim padded description maximum [Version :1]TF-24 : TC-A-024 - Emoji description maximum [Version :1]TF-25 : TC-A-025 - Emoji description above maximum [Version :1]TF-42 : TC-A-042 - Counter returns from over-limit state [Version :1]TF-43 : TC-A-043 - Combining sequence is counted as code points [Version :1]

Requirement: REQ-A-006 : Creation form defaults	
Version :	1
revision:	1
Author:	aland
Status	Valid
Type	Use Case
Coverage	100% (1/1)
Opening "+ New Task" shall show "New Task", blank title/description/date, priority "Medium", status "To Do", "Cancel" and "Create Task". Empty date saves as an empty string. Source: README.md (Requirements traceability / Exact messages / Behaviour notes); src/components/TaskFormModal.jsx EMPTY_FORM; src/utils/tasks.js normalizeValues; baseline main@5133a6c.	
Related Test Cases	TF-26 : TC-A-026 - Create using default values [Version :1]TF-37 : TC-A-037 - Empty-state creation entry point [Version :1]

Requirement: REQ-A-007 : Successful creation and persistence	
Version :	1
revision:	1
Author:	aland
Status	Valid
Type	Use Case
Coverage	100% (1/1)
A valid submission shall close the form, add exactly one task, save it to taskflow_tasks and immediately show "Task created successfully." The saved object has a nonempty generated id and identical valid ISO createdAt/updatedAt on creation. Source: README.md (Requirements traceability / Exact messages / Behaviour notes); src/App.jsx createTask/commit; src/utils/tasks.js buildTask; src/utils/storage.js saveTasks; baseline main@5133a6c.	
Related Test Cases	TF-26 : TC-A-026 - Create using default values [Version :1]TF-27 : TC-A-027 - Create with every field supplied [Version :1]TF-35 : TC-A-035 - Fresh form after successful creation [Version :1]TF-36 : TC-A-036 - Duplicate titles have separate identities [Version :1]TF-38 : TC-A-038 - Markup-like text stays literal [Version :1]

Requirement: REQ-A-008 : All creation values retained	
Version :	1
revision:	1
Author:	aland
Status	Valid
Type	Use Case
Coverage	100% (1/1)
A valid creation shall preserve selected priority/status/date and save trimmed title/description without altering internal spaces or line breaks. Duplicate task titles are allowed and receive distinct ids. Source: README.md (Requirements traceability / Exact messages / Behaviour notes); src/components/TaskFormModal.jsx handleSubmit; src/utils/tasks.js buildTask/normalizeValues; src/App.jsx createTask; baseline main@5133a6c.	
Related Test Cases	TF-27 : TC-A-027 - Create with every field supplied [Version :1]TF-36 : TC-A-036 - Duplicate titles have separate identities [Version :1]TF-39 : TC-A-039 - Internal spaces and newlines preserved [Version :1]

Requirement: REQ-A-009 : Cancel creation through every close path	
Version :	1
revision:	1
Author:	aland
Status	Valid
Type	Use Case
Coverage	100% (1/1)
Cancel, Close (X), Escape and pressing the dark backdrop shall close New Task and discard unsaved values, without creating or persisting a task or showing a success toast. Source: README.md (Requirements traceability / Exact messages / Behaviour notes); src/components/TaskFormModal.jsx; src/components/Modal.jsx onKeyDown/onMouseDown/onClose; baseline main@5133a6c.	
Related Test Cases	TF-28 : TC-A-028 - Discard creation via Cancel [Version :1]TF-29 : TC-A-029 - Discard creation via Close X [Version :1]TF-30 : TC-A-030 - Discard creation via Escape [Version :1]TF-31 : TC-A-031 - Discard creation via Backdrop [Version :1]TF-40 : TC-A-040 - Clicks inside dialog do not cancel draft [Version :1]

Requirement: REQ-A-010 : Fresh creation form on reopen	
Version :	1
revision:	1
Author:	aland
Status	Valid
Type	Use Case
Coverage	100% (1/1)
After dismissal or successful creation, opening New Task again shall use EMPTY_FORM and clear previously displayed validation errors. Source: README.md (Requirements traceability / Exact messages / Behaviour notes); src/App.jsx conditional TaskFormModal mounting; src/components/TaskFormModal.jsx useState; baseline main@5133a6c.	
Related Test Cases	TF-28 : TC-A-028 - Discard creation via Cancel [Version :1]TF-29 : TC-A-029 - Discard creation via Close X [Version :1]TF-30 : TC-A-030 - Discard creation via Escape [Version :1]TF-31 : TC-A-031 - Discard creation via Backdrop [Version :1]TF-35 : TC-A-035 - Fresh form after successful creation [Version :1]TF-41 : TC-A-041 - Fresh validation state after cancelling errors [Version :1]

Requirement: REQ-A-011 : Error timing and focus	
Version :	1
revision:	1
Author:	aland
Status	Valid
Type	Use Case
Coverage	100% (1/1)
Before the first submit validation errors shall stay hidden. Invalid submit shall keep the modal open, show all relevant field errors, set aria-invalid and focus the first invalid field (title before description). Source: README.md (Requirements traceability / Exact messages / Behaviour notes); src/components/TaskFormModal.jsx submitted/errors/handleSubmit/invalid; baseline main@5133a6c.	
Related Test Cases	TF-32 : TC-A-032 - Validation appears only after submit [Version :1]TF-33 : TC-A-033 - Correct invalid title without resubmitting [Version :1]TF-34 : TC-A-034 - Simultaneous text errors and first-invalid focus [Version :1]TF-41 : TC-A-041 - Fresh validation state after cancelling errors [Version :1]

Requirement: REQ-A-012 : Live recovery after failed submit	
Version :	1
revision:	1
Author:	aland
Status	Valid
Type	Use Case
Coverage	100% (1/1)
After the first failed submit, errors shall update on each edit. Correcting every invalid field shall permit one successful creation on the next submit. Source: README.md (Requirements traceability / Exact messages / Behaviour notes); src/components/TaskFormModal.jsx handleChange/submitted/handleSubmit; baseline main@5133a6c.	
Related Test Cases	TF-33 : TC-A-033 - Correct invalid title without resubmitting [Version :1]TF-34 : TC-A-034 - Simultaneous text errors and first-invalid focus [Version :1]TF-42 : TC-A-042 - Counter returns from over-limit state [Version :1]

Requirement: REQ-A-013 : Creation entry points	
Version :	1
revision:	1
Author:	aland
Status	Valid
Type	Use Case
Coverage	100% (1/1)
With no tasks the page shall show "No tasks yet", "Tasks you create will appear here." and "Create your first task". That button shall open the same New Task form as "+ New Task". Source: README.md (Requirements traceability / Exact messages / Behaviour notes); src/components/TaskList.jsx empty state; src/App.jsx onCreate; src/components/EmptyState.jsx; baseline main@5133a6c.	
Related Test Cases	TF-37 : TC-A-037 - Empty-state creation entry point [Version :1]

Requirement: REQ-A-014 : Safe literal text rendering	
Version :	1
revision:	1
Author:	aland
Status	Valid
Type	Use Case
Coverage	100% (1/1)
Task title and description shall render as literal React text, including HTML-like content, without creating injected markup or executing scripts. Source: README.md (Requirements traceability / Exact messages / Behaviour notes); src/components/TaskCard.jsx task.title/task.description; src/components/TaskFormModal.jsx controlled values; baseline main@5133a6c.	
Related Test Cases	TF-38 : TC-A-038 - Markup-like text stays literal [Version :1]

2. Requirements Spec.: SRS-B-EDIT : Member B - Editing and priority persistence	
revision	1
Author	mhammedazad
Type	User Requirement Specification
Total count of requirements (Coverage)	100% (7/7)
README.md TF-REQ-009/010/011/018 edit persistence; src/App.jsx updateTask; src/components/TaskFormModal.jsx; src/utils/tasks.js and validation.js. Derived refinements of documented rules, not an invented customer SRS.	

Requirement: REQ-B-001 : Prefill the selected task for editing	
Version :	1
revision:	1
Author:	mhammedazad
Status	Valid
Type	Use Case
Coverage	100% (1/1)
Opening Edit shall show "Edit Task", "Cancel" and "Save Changes". Task Title, Description, Priority, Status and Due Date shall contain that selected task's saved values; optional empty values remain empty. Reopening or selecting another task initializes from its latest saved object. Basis: README.md (TF-REQ-009; Exact messages / Dialog text); implementation: src/App.jsx editingTask and keyed TaskFormModal; src/components/TaskFormModal.jsx task initializer; baseline main@5133a6c. Code-derived refinements supplement the documented rule; no separate customer SRS is claimed.	
Related Test Cases	TF-44 : TC-B-001 - Prefill all saved fields [Version :1]TF-45 : TC-B-002 - Prefill empty optional fields [Version :1]TF-52 : TC-B-009 - Repeat edits to the same task [Version :1]TF-53 : TC-B-010 - Edit different tasks in sequence [Version :1]TF-68 : TC-B-025 - Reopen after rejected draft dismissal clears draft and errors [Version :1]TF-72 : TC-B-029 - Confirmation uses latest saved title and punctuation [Version :1]

Requirement: REQ-B-002 : Commit a valid edit atomically to the selected task	
Version :	1
revision:	1
Author:	mhammedazad
Status	Valid
Type	Use Case
Coverage	100% (1/1)

A valid "Save Changes" replaces the selected task's normalized form values, immediately saves taskflow_tasks, closes "Edit Task" and shows "Task updated successfully." Unedited fields and all other task objects remain unchanged; empty optional description/date may be saved. Title and description are trimmed by normalizeValues (text boundary testing belongs to A). Basis: README.md (TF-REQ-010; Storage; Exact messages / Edit); implementation: src/components/TaskFormModal.jsx handleSubmit; src/App.jsx updateTask/commit; src/utils/tasks.js normalizeValues; src/utils/storage.js saveTasks; baseline main@5133a6c. Code-derived refinements supplement the documented rule; no separate customer SRS is claimed.

Related Test Cases	TF-46 : TC-B-003 - Save title-only edit with identity retained [Version :1]TF-47 : TC-B-004 - Save description-only edit [Version :1]TF-48 : TC-B-005 - Save all editable fields together [Version :1]TF-49 : TC-B-006 - Clear existing optional description and date [Version :1]TF-50 : TC-B-007 - Save unchanged form still updates metadata [Version :1]TF-51 : TC-B-008 - Edit one same-title sibling only [Version :1]TF-59 : TC-B-016 - Correct rejected edit and save once [Version :1]TF-60 : TC-B-017 - Save priority edit and retain it after reload [Version :1]TF-72 : TC-B-029 - Confirmation uses latest saved title and punctuation [Version :1]

Requirement: REQ-B-003 : Preserve identity and creation timestamp while advancing update time	
Version :	1
revision:	1
Author:	mhammedazad
Status	Valid
Type	Use Case
Coverage	100% (1/1)

A successful edit preserves id and createdAt exactly and sets updatedAt to the current ISO timestamp, even when form values are unchanged. With a clock later than the fixture timestamp, updatedAt must be strictly later than before the save. A title change must not create a new task. Basis: README.md (TF-REQ-010; Storage / Task fields); implementation: src/App.jsx updateTask object spread and new Date().toISOString(); baseline main@5133a6c. Code-derived refinements supplement the documented rule; no separate customer SRS is claimed.

Related Test Cases	TF-46 : TC-B-003 - Save title-only edit with identity retained [Version :1]TF-47 : TC-B-004 - Save description-only edit [Version :1]TF-48 : TC-B-005 - Save all editable fields together [Version :1]TF-49 : TC-B-006 - Clear existing optional description and date [Version :1]TF-50 : TC-B-007 - Save unchanged form still updates metadata [Version :1]TF-51 : TC-B-008 - Edit one same-title sibling only [Version :1]TF-52 : TC-B-009 - Repeat edits to the same task [Version :1]TF-59 : TC-B-016 - Correct rejected edit and save once [Version :1]TF-60 : TC-B-017 - Save priority edit and retain it after reload [Version :1]TF-61 : TC-B-018 - Latest repeated priority edit wins [Version :1]

Requirement: REQ-B-004 : Reject invalid edits without any partial commit	
Version :	1
revision:	1
Author:	mhammedazad
Status	Valid
Type	Use Case
Coverage	100% (1/1)
Any validation error keeps "Edit Task" open and leaves every stored task field, including updatedAt, unchanged. Representative failures: blank/space-only title gives "Title is required."; two trimmed characters gives "Title must be at least 3 characters."; 81 characters gives "Title must be 80 characters or fewer."; 501 description characters gives "Description must be 500 characters or fewer." No "Task updated successfully." is emitted. These are edit rejection checks, not A's text boundary sweep or C's enum/date partitions. Basis: README.md (TF-REQ-011; Exact messages / Validation); implementation: src/components/TaskFormModal.jsx handleSubmit return before onSave; src/utils/validation.js validateTask; src/App.jsx updateTask; baseline main@5133a6c. Code-derived refinements supplement the documented rule; no separate customer SRS is claimed.	
Related Test Cases	TF-54 : TC-B-011 - Reject blank-title edit atomically [Version :1]TF-55 : TC-B-012 - Reject short-title edit atomically [Version :1]TF-56 : TC-B-013 - Reject overlong-title edit atomically [Version :1]TF-57 : TC-B-014 - Reject overlong-description edit atomically [Version :1]TF-58 : TC-B-015 - Reject two invalid fields without partial save [Version :1]TF-59 : TC-B-016 - Correct rejected edit and save once [Version :1]TF-66 : TC-B-023 - Cancel a rejected draft [Version :1]

Requirement: REQ-B-005 : Recover a rejected edit and commit only the corrected values	
Version :	1
revision:	1
Author:	mhammedazad
Status	Valid
Type	Use Case
Coverage	100% (1/1)
A rejected edit retains the entered draft. Correcting its invalid values then choosing "Save Changes" commits exactly one update, closes the form and shows "Task updated successfully." Original id/createdAt remain intact. Basis: README.md (TF-REQ-010/011; Exact messages / Edit); implementation: src/components/TaskFormModal.jsx values/submitted/handleSubmit; src/App.jsx updateTask; baseline main@5133a6c. Code-derived refinements supplement the documented rule; no separate customer SRS is claimed.	
Related Test Cases	TF-59 : TC-B-016 - Correct rejected edit and save once [Version :1]

Requirement: REQ-B-006 : Persist priority edits through the edit workflow	
Version :	1
revision:	1
Author:	mhammedazad
Status	Valid
Type	Use Case
Coverage	100% (1/1)
Saving a changed Priority through "Save Changes" retains the selected priority in taskflow_tasks, the card badge and the next edit form, including after reload. Repeated priority edits retain the latest saved choice. Query/filter semantics and enum partition validation are excluded. Basis: README.md (TF-REQ-018 (edit persistence only); TF-REQ-010; Storage); implementation: src/components/TaskFormModal.jsx priority select; src/App.jsx updateTask/commit; src/utils/tasks.js normalizeValues; src/components/TaskCard.jsx priority badge; baseline main@5133a6c. Code-derived refinements supplement the documented rule; no separate customer SRS is claimed.	
Related Test Cases	TF-48 : TC-B-005 - Save all editable fields together [Version :1]TF-60 : TC-B-017 - Save priority edit and retain it after reload [Version :1]TF-61 : TC-B-018 - Latest repeated priority edit wins [Version :1]

Requirement: REQ-B-007 : Apply repeated edits and target only the selected identity	
Version :	1
revision:	1
Author:	mhammedazad
Status	Valid
Type	Use Case
Coverage	100% (1/1)
Successive edit sessions start from the latest committed values. Editing a task among same-title siblings updates only its id; switching between tasks must not reuse another task's draft. Each successful save shows "Task updated successfully." Basis: README.md (TF-REQ-009/010; Exact messages / Edit); implementation: src/App.jsx updateTask id comparison, editingTask and keyed TaskFormModal; src/components/TaskFormModal.jsx task initializer; baseline main@5133a6c. Code-derived refinements supplement the documented rule; no separate customer SRS is claimed.	
Related Test Cases	TF-51 : TC-B-008 - Edit one same-title sibling only [Version :1]TF-52 : TC-B-009 - Repeat edits to the same task [Version :1]TF-53 : TC-B-010 - Edit different tasks in sequence [Version :1]TF-61 : TC-B-018 - Latest repeated priority edit wins [Version :1]

3. Requirements Spec.: SRS-B-CANCEL : Member B - Editing dismissal and draft isolation

revision	1
Author	mhammedazad
Type	User Requirement Specification
Total count of requirements (Coverage)	100% (3/3)

README.md TF-REQ-012 plus code-derived dismissal refinements; src/components/Modal.jsx, TaskFormModal.jsx; src/App.jsx closeModal.

Requirement: REQ-B-008 : Discard editing through every supported dismissal path	
Version :	1
revision:	1
Author:	mhammedazad
Status	Valid
Type	Use Case
Coverage	100% (1/1)

"Cancel", "Close" (X), Escape and a mouse press on the dark backdrop close "Edit Task" without saving any draft, changing id/createdAt/updatedAt, or showing "Task updated successfully." This applies to valid, invalid, unchanged and priority-only drafts. Basis: README.md (TF-REQ-012; Exact messages / Dialog text); implementation: src/components/TaskFormModal.jsx Cancel; src/components/Modal.jsx Close/onKeyDown/onMouseDown; src/App.jsx closeModal; baseline main@5133a6c. Code-derived refinements supplement the documented rule; no separate customer SRS is claimed.

Related Test Cases	TF-62 : TC-B-019 - Discard dirty edit using Cancel button [Version :1]TF-63 : TC-B-020 - Discard dirty edit using Close X button [Version :1]TF-64 : TC-B-021 - Discard dirty edit using Escape key [Version :1]TF-65 : TC-B-022 - Discard dirty edit using dark backdrop [Version :1]TF-66 : TC-B-023 - Cancel a rejected draft [Version :1]TF-67 : TC-B-024 - Cancel untouched edit without advancing timestamp [Version :1]TF-68 : TC-B-025 - Reopen after rejected draft dismissal clears draft and errors [Version :1]TF-70 : TC-B-027 - Cancel priority-only change then reload [Version :1]TF-84 : TC-B-041 - Canceled edit does not contaminate subsequent deletion [Version :1]

Requirement: REQ-B-009 : Reopening a canceled edit discards draft and validation state	
Version :	1
revision:	1
Author:	mhammedazad
Status	Valid
Type	Use Case
Coverage	100% (1/1)
After dismissal, a new "Edit Task" session contains only the saved values and no previous draft/error state. A canceled priority edit cannot appear on the next edit session or reload. Basis: README.md (TF-REQ-009/012); implementation: src/App.jsx closeModal and conditional TaskFormModal mount; src/components/TaskFormModal.jsx useState initializers; baseline main@5133a6c. Code-derived refinements supplement the documented rule; no separate customer SRS is claimed.	
Related Test Cases	TF-62 : TC-B-019 - Discard dirty edit using Cancel button [Version :1]TF-63 : TC-B-020 - Discard dirty edit using Close X button [Version :1]TF-64 : TC-B-021 - Discard dirty edit using Escape key [Version :1]TF-65 : TC-B-022 - Discard dirty edit using dark backdrop [Version :1]TF-68 : TC-B-025 - Reopen after rejected draft dismissal clears draft and errors [Version :1]TF-70 : TC-B-027 - Cancel priority-only change then reload [Version :1]

Requirement: REQ-B-010 : Interior modal interaction is not backdrop dismissal	
Version :	1
revision:	1
Author:	mhammedazad
Status	Valid
Type	Use Case
Coverage	100% (1/1)
A mouse press inside either dialog must not close it or commit an edit/delete. Only event.target === event.currentTarget on the dark backdrop invokes onClose. Ordinary interaction with edit controls keeps "Edit Task" open until explicit save/dismissal. Basis: README.md (TF-REQ-012/015 supplemented by code-derived backdrop hit-test behavior); implementation: src/components/Modal.jsx onMouseDown target equality; src/App.jsx closeModal; baseline main@5133a6c. Code-derived refinements supplement the documented rule; no separate customer SRS is claimed.	
Related Test Cases	TF-69 : TC-B-026 - Clicking inside edit modal does not discard draft [Version :1]TF-80 : TC-B-037 - Interior deletion click is not a confirmation or dismissal [Version :1]

4. Requirements Spec.: SRS-B-DELETE : Member B - Deletion confirmation and target isolation	
revision	1
Author	mhammedazad
Type	User Requirement Specification
Total count of requirements (Coverage)	100% (4/4)
README.md TF-REQ-013/014/015; src/components/ConfirmDeleteModal.jsx and Modal.jsx; src/App.jsx deleteTask. Only normal writable-storage workflows.	

Requirement: REQ-B-011 : Show exact deletion confirmation for the current target	
Version :	1
revision:	1
Author:	mhammedazad
Status	Valid
Type	Use Case
Coverage	100% (1/1)
"Delete" opens "Delete Task" with exactly: Are you sure you want to delete "<title>"? This cannot be undone. The title is the current saved target title (including quotes or punctuation), and buttons are "Cancel" and "Confirm Delete". Opening the dialog alone must not remove or mutate any task. Basis: README.md (TF-REQ-013; Exact messages / Dialog text); implementation: src/App.jsx deletingTask by modal.id; src/components/ConfirmDeleteModal.jsx; baseline main@5133a6c. Code-derived refinements supplement the documented rule; no separate customer SRS is claimed.	
Related Test Cases	TF-71 : TC-B-028 - Exact confirmation before any deletion [Version :1]TF-72 : TC-B-029 - Confirmation uses latest saved title and punctuation [Version :1]TF-73 : TC-B-030 - Confirm deletion leaves siblings intact [Version :1]TF-75 : TC-B-032 - Delete only intended same-title sibling [Version :1]TF-80 : TC-B-037 - Interior deletion click is not a confirmation or dismissal [Version :1]TF-81 : TC-B-038 - Reopen after canceled deletion targets newly selected task [Version :1]TF-82 : TC-B-039 - Repeated cancellation then one confirmed deletion [Version :1]TF-83 : TC-B-040 - Consecutive deletions never reuse old target [Version :1]TF-84 : TC-B-041 - Canceled edit does not contaminate subsequent deletion [Version :1]

Requirement: REQ-B-012 : Confirm deletion of only the intended task	
Version :	1
revision:	1
Author:	mhammedazad
Status	Valid
Type	Use Case
Coverage	100% (1/1)
"Confirm Delete" removes only the selected id, immediately saves the remaining array, closes "Delete Task" and shows "Task deleted successfully." Every other task object remains exactly unchanged. The deleted object remains absent after reload, including when it was the sole task or shared a title with another object. Same-title setup is not a creation assertion. Basis: README.md (TF-REQ-014; Storage; Exact messages / Delete); implementation: src/App.jsx deleteTask/commit; src/components/ConfirmDeleteModal.jsx onConfirm; src/utils/storage.js saveTasks; baseline main@5133a6c. Code-derived refinements supplement the documented rule; no separate customer SRS is claimed.	
Related Test Cases	TF-73 : TC-B-030 - Confirm deletion leaves siblings intact [Version :1]TF-74 : TC-B-031 - Confirm deletion of the sole remaining task [Version :1]TF-75 : TC-B-032 - Delete only intended same-title sibling [Version :1]TF-82 : TC-B-039 - Repeated cancellation then one confirmed deletion [Version :1]TF-83 : TC-B-040 - Consecutive deletions never reuse old target [Version :1]TF-84 : TC-B-041 - Canceled edit does not contaminate subsequent deletion [Version :1]

Requirement: REQ-B-013 : Cancel deletion through every supported dismissal path	
Version :	1
revision:	1
Author:	mhammedazad
Status	Valid
Type	Use Case
Coverage	100% (1/1)
"Cancel", "Close" (X), Escape and pressing the dark backdrop close "Delete Task" without removing or changing any task or timestamp and without "Task deleted successfully." Reopening must offer confirmation for the correct saved task. Basis: README.md (TF-REQ-015 supplemented by shared Modal close paths); implementation: src/components/ConfirmDeleteModal.jsx onClose; src/components/Modal.jsx Close/onKeyDown/onMouseDown; src/App.jsx closeModal; baseline main@5133a6c. Code-derived refinements supplement the documented rule; no separate customer SRS is claimed.	
Related Test Cases	TF-76 : TC-B-033 - Dismiss deletion using Cancel button [Version :1]TF-77 : TC-B-034 - Dismiss deletion using Close X button [Version :1]TF-78 : TC-B-035 - Dismiss deletion using Escape key [Version :1]TF-79 : TC-B-036 - Dismiss deletion using dark backdrop [Version :1]TF-80 : TC-B-037 - Interior deletion click is not a confirmation or dismissal [Version :1]TF-81 : TC-B-038 - Reopen after canceled deletion targets newly selected task [Version :1]TF-82 : TC-B-039 - Repeated cancellation then one confirmed deletion [Version :1]

Requirement: REQ-B-014 : Keep deletion targets correct across repeated and mixed operations	
Version :	1
revision:	1
Author:	mhammedazad
Status	Valid
Type	Use Case
Coverage	100% (1/1)
Canceling and reopening a deletion, deleting different tasks in sequence, or canceling an edit before deletion shall use the latest selected saved object. A confirmed id is removed once; siblings remain intact. Each completed deletion shows "Task deleted successfully." Basis: README.md (TF-REQ-013/014/015 supplemented by code-derived repeated workflow behavior); implementation: src/App.jsx modal/deletingTask/deleteTask/closeModal; src/components/ConfirmDeleteModal.jsx; baseline main@5133a6c. Code-derived refinements supplement the documented rule; no separate customer SRS is claimed.	
Related Test Cases	TF-81 : TC-B-038 - Reopen after canceled deletion targets newly selected task [Version :1]TF-82 : TC-B-039 - Repeated cancellation then one confirmed deletion [Version :1]TF-83 : TC-B-040 - Consecutive deletions never reuse old target [Version :1]TF-84 : TC-B-041 - Canceled edit does not contaminate subsequent deletion [Version :1]

5. Requirements Spec.: SRS-C-ENUM : Priority, status transitions and task summaries	
revision	1
Author	lanya
Type	User Requirement Specification
Total count of requirements (Coverage)	100% (4/4)
README.md TF-REQ-004, TF-REQ-005, TF-REQ-016 and TF-REQ-017. Code-derived acceptance detail is cited to validation.js, TaskCard.jsx, SummaryCards.jsx and App.jsx. No separate customer SRS exists.	

Requirement: REQ-C-001 : Priority values and validation	
Version :	1
revision:	1
Author:	lanya
Status	Valid
Type	Use Case
Coverage	100% (1/1)
README.md TF-REQ-004 specifies Low, Medium and High. src/utils/validation.js PRIORITIES and validateTask accept exactly those case-sensitive strings; an invalid value returns "Please select a valid priority." The native select in src/components/TaskFormModal.jsx offers only the three valid options.	
Related Test Cases	TF-85 : TC-C-001 - Accepted priority partition: Low [Version :1]TF-86 : TC-C-002 - Accepted priority partition: Medium [Version :1]TF-87 : TC-C-003 - Accepted priority partition: High [Version :1]TF-91 : TC-C-007 - Reject unsupported priority string in validator harness [Version :1]TF-92 : TC-C-008 - Reject non-string and missing priority values in validator harness [Version :1]TF-95 : TC-C-011 - Report both invalid enum fields together [Version :1]

Requirement: REQ-C-002 : Status values and validation	
Version :	1
revision:	1
Author:	lanya
Status	Valid
Type	Use Case
Coverage	100% (1/1)
README.md TF-REQ-005 specifies To Do, In Progress and Completed. src/utils/validation.js STATUSES and validateTask accept exactly those case-sensitive strings; an invalid value returns "Please select a valid status." The native selects in src/components/TaskFormModal.jsx and src/components/TaskCard.jsx offer only those options.	
Related Test Cases	TF-88 : TC-C-004 - Accepted status partition: To Do [Version :1]TF-89 : TC-C-005 - Accepted status partition: In Progress [Version :1]TF-90 : TC-C-006 - Accepted status partition: Completed [Version :1]TF-93 : TC-C-009 - Reject unsupported status string in validator harness [Version :1]TF-94 : TC-C-010 - Reject non-string and missing status values in validator harness [Version :1]TF-95 : TC-C-011 - Report both invalid enum fields together [Version :1]TF-96 : TC-C-012 - Status transition To Do to In Progress [Version :1]TF-97 : TC-C-013 - Status transition To Do to Completed [Version :1]TF-98 : TC-C-014 - Status transition In Progress to To Do [Version :1]TF-99 : TC-C-015 - Status transition In Progress to Completed [Version :1]TF-100 : TC-C-016 - Status transition Completed to To Do [Version :1]TF-101 : TC-C-017 - Status transition Completed to In Progress [Version :1]TF-102 : TC-C-018 - Same-state selection behavior for To Do [Version :1]TF-103 : TC-C-019 - Same-state selection behavior for In Progress [Version :1]TF-104 : TC-C-020 - Same-state selection behavior for Completed [Version :1]

Requirement: REQ-C-003 : Status change and summary totals	
Version :	1
revision:	1
Author:	lanya
Status	Valid
Type	Use Case
Coverage	100% (1/1)
README.md TF-REQ-016 requires status updates and status counts; Behaviour notes require summary cards to count all tasks regardless of search and filters. src/App.jsx changeStatus ignores unsupported values, persists an accepted status change and shows "Task status updated." src/components/SummaryCards.jsx counts tasks and each status from the complete tasks array.	
Related Test Cases	TF-96 : TC-C-012 - Status transition To Do to In Progress [Version :1]TF-97 : TC-C-013 - Status transition To Do to Completed [Version :1]TF-98 : TC-C-014 - Status transition In Progress to To Do [Version :1]TF-99 : TC-C-015 - Status transition In Progress to Completed [Version :1]TF-100 : TC-C-016 - Status transition Completed to To Do [Version :1]TF-101 : TC-C-017 - Status transition Completed to In Progress [Version :1]TF-102 : TC-C-018 - Same-state selection behavior for To Do [Version :1]TF-103 : TC-C-019 - Same-state selection behavior for In Progress [Version :1]TF-104 : TC-C-020 - Same-state selection behavior for Completed [Version :1]TF-105 : TC-C-021 - Summary totals ignore search filtering [Version :1]TF-106 : TC-C-022 - Summary totals ignore status filtering [Version :1]TF-107 : TC-C-023 - Summary totals ignore priority filtering [Version :1]TF-108 : TC-C-024 - Summary totals ignore combined filtering [Version :1]

Requirement: REQ-C-004 : Completed task presentation	
Version :	1
revision:	1
Author:	lanya
Status	Valid
Type	Use Case
Coverage	100% (1/1)
README.md TF-REQ-017 gives Completed its own count and exempts it from overdue treatment. src/components/TaskCard.jsx adds class "completed" for Completed tasks, uses isOverdue for the Overdue badge/red date, and suppresses the Due today badge for Completed tasks; src/utils/dates.js isOverdue excludes status Completed.	
Related Test Cases	TF-109 : TC-C-025 - Completed overdue card has completed styling and no overdue treatment [Version :1]TF-110 : TC-C-026 - Completed task due today omits Due today badge [Version :1]TF-121 : TC-C-037 - Fixed local yesterday-today-tomorrow by completion state [Version :1]TF-122 : TC-C-038 - Overdue result changes when a task becomes Completed [Version :1]

6. Requirements Spec.: SRS-C-DATE : Due dates, local calendar rules and formatting

revision	1
Author	lanya
Type	User Requirement Specification
Total count of requirements (Coverage)	100% (4/4)

README.md TF-REQ-006 plus its Behaviour notes on overdue dates. Code-derived acceptance detail is cited to dates.js, validation.js, TaskFormModal.jsx, TaskCard.jsx and TopBar.jsx. No separate customer SRS exists.

Requirement: REQ-C-005 : Optional due date and real calendar validation	
Version :	1
revision:	1
Author:	lanya
Status	Valid
Type	Use Case
Coverage	100% (1/1)

README.md TF-REQ-006 allows an optional due date stored as YYYY-MM-DD and Exact messages states "Please enter a valid date (YYYY-MM-DD)." for an invalid real date. src/utils/validation.js validateTask accepts undefined, null and empty string as absent and rejects any other value that is not a real calendar date per src/utils/dates.js isValidDateString. src/components/TaskFormModal.jsx uses a native input type=date, which sanitizes impossible values before application validation.

Related Test Cases	TF-111 : TC-C-027 - Empty due date is a valid optional value [Version :1]TF-112 : TC-C-028 - Valid leap-day date is retained and formatted [Version :1]TF-113 : TC-C-029 - Native date input sanitizes impossible date before validator [Version :1]TF-114 : TC-C-030 - Validator rejects impossible calendar date independently of native control [Version :1]TF-116 : TC-C-032 - Day-of-month minimum and maximum boundaries [Version :1]TF-120 : TC-C-036 - Date string shape and optional absence partitions [Version :1]

Requirement: REQ-C-006 : Leap years and calendar boundaries	
Version :	1
revision:	1
Author:	lanya
Status	Valid
Type	Use Case
Coverage	100% (1/1)
README.md TF-REQ-006 requires a due date and the source date format is YYYY-MM-DD. src/utils/dates.js isValidDateString requires the exact four-two-two digit format, month 1-12, day >=1, month-specific maximum days and Gregorian leap-year rule (divisible by 4 except centuries unless divisible by 400). No separate application minimum/maximum year or due-date range is documented.	
Related Test Cases	TF-112 : TC-C-028 - Valid leap-day date is retained and formatted [Version :1]TF-114 : TC-C-030 - Validator rejects impossible calendar date independently of native control [Version :1]TF-115 : TC-C-031 - Leap-year divisibility decision table [Version :1]TF-116 : TC-C-032 - Day-of-month minimum and maximum boundaries [Version :1]TF-117 : TC-C-033 - Leap-February day maximum and max+1 [Version :1]TF-118 : TC-C-034 - Thirty-day month maximum and max+1 [Version :1]TF-119 : TC-C-035 - Month range min-1/min/max/max+1 [Version :1]TF-120 : TC-C-036 - Date string shape and optional absence partitions [Version :1]

Requirement: REQ-C-007 : Overdue and due-today decision	
Version :	1
revision:	1
Author:	lanya
Status	Valid
Type	Use Case
Coverage	100% (1/1)
README.md Behaviour notes define overdue as due date earlier than today (local date) AND status not Completed; today is not overdue and displays "Due today" for non-Completed tasks. src/utils/dates.js isOverdue and todayString implement the rule; src/components/TaskCard.jsx displays "Overdue" or "Due today" and colors overdue dates.	
Related Test Cases	TF-109 : TC-C-025 - Completed overdue card has completed styling and no overdue treatment [Version :1]TF-110 : TC-C-026 - Completed task due today omits Due today badge [Version :1]TF-121 : TC-C-037 - Fixed local yesterday-today-tomorrow by completion state [Version :1]TF-122 : TC-C-038 - Overdue result changes when a task becomes Completed [Version :1]TF-123 : TC-C-039 - Due-date relation follows local calendar day, not UTC parsing [Version :1]

Requirement: **REQ-C-008 : Local calendar day and date display**	
Version :	1
revision:	1
Author:	lanya
Status	Valid
Type	Use Case
Coverage	100% (1/1)
README.md TF-REQ-006 and Behaviour notes define due dates as local calendar days. src/utils/dates.js todayString uses local year/month/day, formatDueDate formats a YYYY-MM-DD value with en-US short month/day/year, and formatToday formats the supplied local Date as a weekday and full date. src/components/TaskCard.jsx renders "Due: <formatted date>" and src/components/TopBar.jsx renders the formatted current day.	
Related Test Cases	TF-112 : TC-C-028 - Valid leap-day date is retained and formatted [Version :1]TF-123 : TC-C-039 - Due-date relation follows local calendar day, not UTC parsing [Version :1]TF-124 : TC-C-040 - Due-date formatting is stable for a fixed date [Version :1]TF-125 : TC-C-041 - Local today helpers use fixed local date rather than wall clock [Version :1]

7. Requirements Spec.: SRS-D-SEARCH-FILTER-SORT : Search, filters, sorting and result feedback

revision	1
Author	ahmed
Type	User Requirement Specification
Total count of requirements (Coverage)	100% (14/14)

Member 4 / D only. README.md TF-REQ-019 and Behaviour notes; code-derived details in src/utils/tasks.js, src/components/TaskToolbar.jsx, TopBar.jsx, TaskList.jsx, and src/App.jsx. Fixture setup is not an assertion about CRUD, storage, status transitions, summary counts, or navigation.

Requirement: REQ-D-001 : Trimmed case-insensitive title substring	
Version :	1
revision:	1
Author:	ahmed
Status	Valid
Type	Use Case
Coverage	100% (1/1)

A nonblank trimmed query shall match a case-insensitive substring of title. Source: README.md (TF-REQ-019 / Behaviour notes / Exact messages); src/utils/tasks.js filterAndSortTasks; baseline main@5133a6c.

Related Test Cases	TF-127 : TC-D-002 Whitespace-only query is blank after trimming [Version :1]TF-128 : TC-D-003 Case-insensitive title substring [Version :1]TF-130 : TC-D-005 Title OR description returns each match once [Version :1]TF-135 : TC-D-010 TopBar search synchronizes toolbar value and results [Version :1]TF-136 : TC-D-011 Toolbar search synchronizes TopBar value and results [Version :1]TF-138 : TC-D-013 Several visible tasks use plural total wording [Version :1]TF-149 : TC-D-024 Decision table: query AND status AND priority [Version :1]

Requirement: REQ-D-002 : Description substring and title-or-description	
Version :	1
revision:	1
Author:	ahmed
Status	Valid
Type	Use Case
Coverage	100% (1/1)

A nonblank query shall match a case-insensitive substring in description or title; either field is sufficient. Source: README.md (TF-REQ-019 / Behaviour notes / Exact messages); src/utils/tasks.js filterAndSortTasks; baseline main@5133a6c.

Related Test Cases	TF-129 : TC-D-004 Description-only substring [Version :1]TF-130 : TC-D-005 Title OR description returns each match once [Version :1]TF-131 : TC-D-006 Case-insensitive description substring [Version :1]TF-134 : TC-D-009 Square bracket and question mark are literal [Version :1]TF-138 : TC-D-013 Several visible tasks use plural total wording [Version :1]TF-149 : TC-D-024 Decision table: query AND status AND priority [Version :1]

Requirement: REQ-D-003 : Blank query and literal punctuation	
Version :	1
revision:	1
Author:	ahmed
Status	Valid
Type	Use Case
Coverage	100% (1/1)
A query that becomes empty after trim shall not restrict results. Punctuation is literal substring data; no query length limit is specified. Source: README.md (TF-REQ-019 / Behaviour notes / Exact messages); src/utils/tasks.js filterAndSortTasks; baseline main@5133a6c.	
Related Test Cases	TF-126 : TC-D-001 Empty query shows all tasks [Version :1]TF-127 : TC-D-002 Whitespace-only query is blank after trimming [Version :1]TF-132 : TC-D-007 Nonmatch displays exact search empty state [Version :1]TF-133 : TC-D-008 Percent and parentheses are literal search characters [Version :1]TF-134 : TC-D-009 Square bracket and question mark are literal [Version :1]TF-156 : TC-D-031 Search empty state echoes trimmed query [Version :1]

Requirement: REQ-D-004 : Synchronized search boxes	
Version :	1
revision:	1
Author:	ahmed
Status	Valid
Type	Use Case
Coverage	100% (1/1)
TopBar and TaskToolbar inputs shall share the same controlled query; typing in either changes the other input and visible results. Source: README.md (TF-REQ-019 / Behaviour notes / Exact messages); src/App.jsx search state; src/components/TopBar.jsx; src/components/TaskToolbar.jsx; baseline main@5133a6c.	
Related Test Cases	TF-135 : TC-D-010 TopBar search synchronizes toolbar value and results [Version :1]TF-136 : TC-D-011 Toolbar search synchronizes TopBar value and results [Version :1]TF-162 : TC-D-037 Toolbar Clear Filters resets synchronized controls and sort [Version :1]TF-164 : TC-D-039 Toolbar Clear Filters clears a matching query [Version :1]TF-165 : TC-D-040 Search and filter clear actions act in sequence [Version :1]

Requirement: REQ-D-005 : Status filter partitions	
Version :	1
revision:	1
Author:	ahmed
Status	Valid
Type	Use Case
Coverage	100% (1/1)
All Statuses includes all tasks; To Do, In Progress, and Completed include tasks of only the selected status. Source: README.md (TF-REQ-019 / Behaviour notes / Exact messages); src/components/TaskToolbar.jsx; src/utils/tasks.js filterAndSortTasks; baseline main@5133a6c.	
Related Test Cases	TF-140 : TC-D-015 To Do status partition [Version :1]TF-141 : TC-D-016 In Progress status partition [Version :1]TF-142 : TC-D-017 Completed status partition [Version :1]TF-146 : TC-D-021 Decision table: To Do AND each priority [Version :1]TF-147 : TC-D-022 Decision table: In Progress AND each priority [Version :1]TF-148 : TC-D-023 Decision table: Completed AND each priority [Version :1]TF-149 : TC-D-024 Decision table: query AND status AND priority [Version :1]TF-157 : TC-D-032 Blank query and no matching filters show filter empty state [Version :1]

Requirement: REQ-D-006 : Priority filter partitions	
Version :	1
revision:	1
Author:	ahmed
Status	Valid
Type	Use Case
Coverage	100% (1/1)
All Priorities includes all tasks; Low, Medium, and High include tasks of only the selected priority. Source: README.md (TF-REQ-019 / Behaviour notes / Exact messages); src/components/TaskToolbar.jsx; src/utils/tasks.js filterAndSortTasks; baseline main@5133a6c.	
Related Test Cases	TF-143 : TC-D-018 High priority partition [Version :1]TF-144 : TC-D-019 Medium priority partition [Version :1]TF-145 : TC-D-020 Low priority partition [Version :1]TF-146 : TC-D-021 Decision table: To Do AND each priority [Version :1]TF-147 : TC-D-022 Decision table: In Progress AND each priority [Version :1]TF-148 : TC-D-023 Decision table: Completed AND each priority [Version :1]TF-149 : TC-D-024 Decision table: query AND status AND priority [Version :1]TF-157 : TC-D-032 Blank query and no matching filters show filter empty state [Version :1]

Requirement: REQ-D-007 : Search/status/priority AND decision table	
Version :	1
revision:	1
Author:	ahmed
Status	Valid
Type	Use Case
Coverage	100% (1/1)
Visible tasks satisfy status AND priority AND query; query condition is title OR description match. Source: README.md (TF-REQ-019 / Behaviour notes / Exact messages); README.md TF-REQ-019 / Behaviour notes; src/utils/tasks.js filterAndSortTasks; baseline main@5133a6c.	
Related Test Cases	TF-130 : TC-D-005 Title OR description returns each match once [Version :1]TF-146 : TC-D-021 Decision table: To Do AND each priority [Version :1]TF-147 : TC-D-022 Decision table: In Progress AND each priority [Version :1]TF-148 : TC-D-023 Decision table: Completed AND each priority [Version :1]TF-149 : TC-D-024 Decision table: query AND status AND priority [Version :1]TF-158 : TC-D-033 Search no-hit takes precedence over filter no-hit [Version :1]

Requirement: REQ-D-008 : Four sorts and newest default	
Version :	1
revision:	1
Author:	ahmed
Status	Valid
Type	Use Case
Coverage	100% (1/1)
Newest first is the default; choices are Newest first, Oldest first, Due date: soonest, and Due date: latest. Source: README.md (TF-REQ-019 / Behaviour notes / Exact messages); src/utils/tasks.js SORT_OPTIONS/filterAndSortTasks; src/components/TaskToolbar.jsx; src/App.jsx; baseline main@5133a6c.	
Related Test Cases	TF-150 : TC-D-025 Newest first is default and orders creation newest first [Version :1]TF-151 : TC-D-026 Oldest first orders creation oldest first [Version :1]TF-152 : TC-D-027 Due soonest orders dates and ties then undated last [Version :1]TF-153 : TC-D-028 Due latest reverses date order and keeps tie/blank rules [Version :1]TF-163 : TC-D-038 Toolbar Clear Filters resets sort alone [Version :1]

Requirement: REQ-D-009 : Creation order and due-date tie order	
Version :	1
revision:	1
Author:	ahmed
Status	Valid
Type	Use Case
Coverage	100% (1/1)
Newest orders createdAt descending; Oldest orders createdAt ascending. Tasks with equal due dates are ordered by newest createdAt first. Source: README.md (TF-REQ-019 / Behaviour notes / Exact messages); src/utils/tasks.js filterAndSortTasks comparators/byDueDate; baseline main@5133a6c.	
Related Test Cases	TF-150 : TC-D-025 Newest first is default and orders creation newest first [Version :1]TF-151 : TC-D-026 Oldest first orders creation oldest first [Version :1]TF-152 : TC-D-027 Due soonest orders dates and ties then undated last [Version :1]TF-153 : TC-D-028 Due latest reverses date order and keeps tie/blank rules [Version :1]

Requirement: REQ-D-010 : Undated-last behavior	
Version :	1
revision:	1
Author:	ahmed
Status	Valid
Type	Use Case
Coverage	100% (1/1)
Due-date sorts place every dated task before undated tasks; undated tasks are ordered newest createdAt first. Source: README.md (TF-REQ-019 / Behaviour notes / Exact messages); README.md Behaviour notes; src/utils/tasks.js filterAndSortTasks byDueDate; baseline main@5133a6c.	
Related Test Cases	TF-152 : TC-D-027 Due soonest orders dates and ties then undated last [Version :1]TF-153 : TC-D-028 Due latest reverses date order and keeps tie/blank rules [Version :1]TF-154 : TC-D-029 Soonest sort places both undated tasks last [Version :1]TF-155 : TC-D-030 Latest sort places both undated tasks last [Version :1]

Requirement: REQ-D-011 : Singular and plural result counts	
Version :	1
revision:	1
Author:	ahmed
Status	Valid
Type	Use Case
Coverage	100% (1/1)
When results exist, display Showing <visible> of <total> task for total 1 and Showing <visible> of <total> tasks otherwise; total counts all tasks before filters. Source: README.md (TF-REQ-019 / Behaviour notes / Exact messages); src/components/TaskList.jsx result-count; baseline main@5133a6c.	
Related Test Cases	TF-126 : TC-D-001 Empty query shows all tasks [Version :1]TF-130 : TC-D-005 Title OR description returns each match once [Version :1]TF-137 : TC-D-012 One visible among six uses plural total wording [Version :1]TF-138 : TC-D-013 Several visible tasks use plural total wording [Version :1]TF-139 : TC-D-014 Single-task total uses singular wording [Version :1]TF-140 : TC-D-015 To Do status partition [Version :1]

Requirement: REQ-D-012 : No-result message precedence and actions	
Version :	1
revision:	1
Author:	ahmed
Status	Valid
Type	Use Case
Coverage	100% (1/1)
With zero total tasks show No tasks yet / Tasks you create will appear here. / Create your first task. Otherwise zero results with nonblank trimmed search show No tasks match "<query>" / Try a different search term. / Clear search. With blank search show No tasks match the current filters / Try changing or clearing your filters. / Clear filters. Source: README.md (TF-REQ-019 / Behaviour notes / Exact messages); README.md Exact messages / Empty states; src/components/TaskList.jsx; baseline main@5133a6c.	
Related Test Cases	TF-132 : TC-D-007 Nonmatch displays exact search empty state [Version :1]TF-146 : TC-D-021 Decision table: To Do AND each priority [Version :1]TF-147 : TC-D-022 Decision table: In Progress AND each priority [Version :1]TF-148 : TC-D-023 Decision table: Completed AND each priority [Version :1]TF-149 : TC-D-024 Decision table: query AND status AND priority [Version :1]TF-156 : TC-D-031 Search empty state echoes trimmed query [Version :1]TF-157 : TC-D-032 Blank query and no matching filters show filter empty state [Version :1]TF-158 : TC-D-033 Search no-hit takes precedence over filter no-hit [Version :1]TF-159 : TC-D-034 Zero total tasks takes precedence over query and filters [Version :1]

Requirement: REQ-D-013 : Clear search preserves filters and sort	
Version :	1
revision:	1
Author:	ahmed
Status	Valid
Type	Use Case
Coverage	100% (1/1)
The search empty-state Clear search action clears only search and preserves status, priority, and sort. Source: README.md (TF-REQ-019 / Behaviour notes / Exact messages); src/components/TaskList.jsx onClearSearch; src/App.jsx setSearch; baseline main@5133a6c.	
Related Test Cases	TF-160 : TC-D-035 Clear search preserves status priority and sort [Version :1]

Requirement: REQ-D-014 : Both Clear Filters actions reset all controls	
Version :	1
revision:	1
Author:	ahmed
Status	Valid
Type	Use Case
Coverage	100% (1/1)
Toolbar Clear Filters and filter-empty-state Clear filters clear search, set status and priority to All, and restore newest sort. Source: README.md (TF-REQ-019 / Behaviour notes / Exact messages); src/App.jsx clearFilters; src/components/TaskToolbar.jsx; src/components/TaskList.jsx onClearFilters; baseline main@5133a6c.	
Related Test Cases	TF-161 : TC-D-036 Empty-state Clear filters restores all defaults [Version :1]TF-162 : TC-D-037 Toolbar Clear Filters resets synchronized controls and sort [Version :1]TF-163 : TC-D-038 Toolbar Clear Filters resets sort alone [Version :1]TF-164 : TC-D-039 Toolbar Clear Filters clears a matching query [Version :1]TF-165 : TC-D-040 Search and filter clear actions act in sequence [Version :1]

8. Requirements Spec.: SRS-E-STORAGE-NAV-A11Y : Storage recovery, navigation and accessibility

revision	1
Author	rasan
Type	User Requirement Specification
Total count of requirements (Coverage)	100% (13/13)

Derived acceptance requirements supplementing README.md TF-REQ-001..019. Member E scope uses src/utils/storage.js, normalization/validation helpers, StorageBanner.jsx, Sidebar.jsx, TopBar.jsx, Toast.jsx, Modal.jsx, App.jsx and App.css. Code-derived requirements below do not claim original TF-REQ identifiers.

Requirement: REQ-E-001 : Reload persistence	
Version :	1
revision:	1
Author:	rasan
Status	Valid
Type	Use Case
Coverage	100% (1/1)

A valid task array is loaded at app initialization and remains visible after ordinary reload. Code-derived. Sources: README.md (Storage / Behaviour notes / Exact messages); src/utils/storage.js loadTasks; src/App.jsx useState(loadTasks); baseline main@5133a6c.

Related Test Cases	TF-167 : TC-E-002 - Persist task through ordinary reload [Version :1]

Requirement: REQ-E-002 : Missing and corrupt storage	
Version :	1
revision:	1
Author:	rasan
Status	Valid
Type	Use Case
Coverage	100% (1/1)

A missing key loads empty without warning. Malformed JSON or parsed non-array loads empty, backs up original raw string byte-for-byte under taskflow_tasks_backup, and shows exact corruption warning with Reset storage. Sources: README.md (Storage / Behaviour notes / Exact messages); src/utils/storage.js loadTasks/keepBackup; baseline main@5133a6c.

Related Test Cases	TF-166 : TC-E-001 - Missing task key loads quietly [Version :1]TF-168 : TC-E-003 - Malformed JSON copied byte-for-byte [Version :1]TF-169 : TC-E-004 - Parsed object rejected as non-array [Version :1]TF-182 : TC-E-017 - Blocked backup write does not throw [Version :1]TF-185 : TC-E-020 - Reset removes primary and retains backup [Version :1]

Requirement: REQ-E-003 : Invalid entries and duplicate ids	
Version :	1
revision:	1
Author:	rasan
Status	Valid
Type	Use Case
Coverage	100% (1/1)
Skip entries with missing/empty/non-string id, invalid validateTask values, unparseable/missing createdAt, or duplicate id after first valid occurrence. Keep valid entries in order. Back up original array JSON and show exact count: 1 saved entry was invalid and skipped. A backup was kept. or N saved entries were invalid and skipped. A backup was kept. Code-derived. Sources: README.md (Storage / Behaviour notes / Exact messages); src/utils/storage.js toSavedTask/loadTasks; src/utils/validation.js validateTask; baseline main@5133a6c.	
Related Test Cases	TF-170 : TC-E-005 - Valid stored task loads normalized [Version :1]TF-171 : TC-E-006 - Missing id skipped with singular warning [Version :1]TF-172 : TC-E-007 - Empty id skipped [Version :1]TF-173 : TC-E-008 - Duplicate id keeps first valid record [Version :1]TF-174 : TC-E-009 - Plural invalid count grammar [Version :1]TF-175 : TC-E-010 - Reject bad priority in storage [Version :1]TF-176 : TC-E-011 - Reject bad status in storage [Version :1]TF-177 : TC-E-012 - Reject invalid date and missing creation time [Version :1]TF-180 : TC-E-015 - Valid siblings retained around rejected row [Version :1]

Requirement: REQ-E-004 : Updated timestamp fallback and normalization	
Version :	1
revision:	1
Author:	rasan
Status	Valid
Type	Use Case
Coverage	100% (1/1)
For valid entries missing or invalid updatedAt, use createdAt exactly. Retain normalized title/description; missing description and undefined/null/empty dueDate become empty strings. Code-derived. Sources: README.md (Storage / Behaviour notes / Exact messages); src/utils/storage.js toSavedTask; src/utils/tasks.js normalizeValues; baseline main@5133a6c.	
Related Test Cases	TF-170 : TC-E-005 - Valid stored task loads normalized [Version :1]TF-178 : TC-E-013 - Missing updatedAt falls back to createdAt [Version :1]TF-179 : TC-E-014 - Malformed updatedAt falls back [Version :1]

Requirement: REQ-E-005 : Storage read failure	
Version :	1
revision:	1
Author:	rasan
Status	Valid
Type	Use Case
Coverage	100% (1/1)
If localStorage.getItem throws, return empty tasks and warning Browser storage is unavailable, so tasks cannot be loaded or saved. with canReset false. Code-derived. Sources: README.md (Storage / Behaviour notes / Exact messages); src/utils/storage.js loadTasks; baseline main@5133a6c.	
Related Test Cases	TF-181 : TC-E-016 - Read exception returns unavailable warning [Version :1]

Requirement: REQ-E-006 : Reset and backup retention	
Version :	1
revision:	1
Author:	rasan
Status	Valid
Type	Use Case
Coverage	100% (1/1)
Reset removes only taskflow_tasks, ignores removal failure, clears current in-memory tasks and warning, and retains taskflow_tasks_backup. Code-derived. Sources: README.md (Storage / Behaviour notes / Exact messages); src/utils/storage.js resetStorage; src/App.jsx handleResetStorage; baseline main@5133a6c.	
Related Test Cases	TF-185 : TC-E-020 - Reset removes primary and retains backup [Version :1]TF-186 : TC-E-021 - Repeated reset remains safe [Version :1]

Requirement: REQ-E-007 : Failed write remains optimistic	
Version :	1
revision:	1
Author:	rasan
Status	Valid
Type	Use Case
Coverage	100% (1/1)
A failed save returns false; App still updates in-memory state and shows Could not save tasks to browser storage. The mutation is not persisted and can disappear after reload. Code-derived. Sources: README.md (Storage / Behaviour notes / Exact messages); src/utils/storage.js saveTasks; src/App.jsx commit/createTask/changeStatus; src/components/Toast.jsx; baseline main@5133a6c.	
Related Test Cases	TF-183 : TC-E-018 - Failed creation save reports error but stays optimistic [Version :1]TF-184 : TC-E-019 - Failed status save is optimistic [Version :1]TF-202 : TC-E-037 - Error toast uses alert and dismiss control [Version :1]

Requirement: REQ-E-008 : Warning announcement and dismissal	
Version :	1
revision:	1
Author:	rasan
Status	Valid
Type	Use Case
Coverage	100% (1/1)
Storage warning renders as role=alert with supplied text and Dismiss warning button. Dismissal hides current warning without changing storage. Code-derived. Sources: README.md (Storage / Behaviour notes / Exact messages); src/components/StorageBanner.jsx; src/App.jsx warning state; baseline main@5133a6c.	
Related Test Cases	TF-187 : TC-E-022 - Dismiss warning changes no storage [Version :1]TF-188 : TC-E-023 - Warning role and dismissal name [Version :1]

Requirement: REQ-E-009 : Navigation and page title	
Version :	1
revision:	1
Author:	rasan
Status	Valid
Type	Use Case
Coverage	100% (1/1)
Dashboard and All Tasks reset status filter to All; status navigation selects matching filter. Active nav button has aria-current=page and TopBar h1 follows active label. Code-derived; query behavior belongs to D. Sources: README.md (Storage / Behaviour notes / Exact messages); README.md Behaviour notes; src/App.jsx navigate/activeNav; src/components/Sidebar.jsx; src/components/TopBar.jsx; baseline main@5133a6c.	
Related Test Cases	TF-189 : TC-E-024 - Dashboard and All Tasks show all statuses [Version :1]TF-190 : TC-E-025 - Each status navigation sets title and active state [Version :1]TF-197 : TC-E-032 - Mobile navigation updates page title [Version :1]

Requirement: REQ-E-010 : Responsive sidebar breakpoint	
Version :	1
revision:	1
Author:	rasan
Status	Valid
Type	Use Case
Coverage	100% (1/1)
At 769px+, desktop collapse toggles width 248px/72px and hides brand/nav/profile labels. At <=768px, CSS applies a 272px off-canvas drawer and overlay. README says under 768px, while CSS includes exactly 768px; 769px is desktop. Code-derived breakpoint detail. Sources: README.md (Storage / Behaviour notes / Exact messages); README.md Behaviour notes; src/App.css @media max-width:768px and min-width:769px; src/components/Sidebar.jsx; baseline main@5133a6c.	
Related Test Cases	TF-191 : TC-E-026 - Desktop sidebar collapse toggles labels [Version :1]TF-192 : TC-E-027 - Responsive behavior at 767px [Version :1]TF-193 : TC-E-028 - Responsive behavior at 768px and README discrepancy [Version :1]TF-194 : TC-E-029 - Responsive behavior at 769px [Version :1]

Requirement: REQ-E-011 : Drawer close paths	
Version :	1
revision:	1
Author:	rasan
Status	Valid
Type	Use Case
Coverage	100% (1/1)
Mobile menu opens drawer; nav selection, Close menu or overlay click closes it. Nav selection also updates filter/view and heading. Code-derived. Sources: README.md (Storage / Behaviour notes / Exact messages); src/App.jsx navigate/drawerOpen; src/components/Sidebar.jsx; src/components/TopBar.jsx; baseline main@5133a6c.	
Related Test Cases	TF-195 : TC-E-030 - Close drawer via close control and navigation [Version :1]TF-196 : TC-E-031 - Backdrop closes drawer but inside click does not [Version :1]TF-197 : TC-E-032 - Mobile navigation updates page title [Version :1]

Requirement: REQ-E-012 : Dialog name, focus and opener restoration	
Version :	1
revision:	1
Author:	rasan
Status	Valid
Type	Use Case
Coverage	100% (1/1)
Dialog has role=dialog, aria-modal=true and aria-labelledby referencing visible h2. On open focus moves to data-autofocus control; on unmount focus returns to element active when mounted. Do not assert focus trap; none is implemented. Code-derived. Sources: README.md (Storage / Behaviour notes / Exact messages); src/components/Modal.jsx; src/components/TaskFormModal.jsx; src/components/ConfirmDeleteModal.jsx; baseline main@5133a6c.	
Related Test Cases	TF-198 : TC-E-033 - Dialog name and modal accessibility properties [Version :1]TF-199 : TC-E-034 - Dialog autofocuses marked control [Version :1]TF-200 : TC-E-035 - Dialog close restores opener focus [Version :1]

Requirement: REQ-E-013 : Toast timing and semantics	
Version :	1
revision:	1
Author:	rasan
Status	Valid
Type	Use Case
Coverage	100% (1/1)
Toast closes after 3000ms (manual tolerance 2700–3800ms), has Dismiss notification control, role=status for success and role=alert for error. Code-derived. Sources: README.md (Storage / Behaviour notes / Exact messages); README.md Exact messages; src/components/Toast.jsx; baseline main@5133a6c.	
Related Test Cases	TF-201 : TC-E-036 - Success toast uses status and dismiss control [Version :1]TF-202 : TC-E-037 - Error toast uses alert and dismiss control [Version :1]TF-203 : TC-E-038 - Toast automatic duration tolerance [Version :1]