Requirements Traceability Matrix

UTM SECJ3343 Software Quality Assurance - Project 1 - Group TaskFlow

63 / 63 requirements covered (100%). 203 / 203 cases mapped. 361 active requirement-to-case links.

Both directions below are read from the actual TestLink req_coverage table and joined to requirement and case records. Stable TC-A/B/C/D/E IDs are portable names; TF-N is the external ID in this local TestLink project. All cases are manual designs. No execution results are claimed.

Software baseline: TaskFlow main@5133a6c. Plan: Project 1 - Test Case Design. Build: TaskFlow main@5133a6c.

Requirement to test cases

Requirement / title	Designer	Mapped cases from TestLink
REQ-A-001 Required trimmed title	Aland Karwan	TC-A-001 (TF-1), TC-A-009 (TF-9)
REQ-A-002 Title inclusive length boundaries	Aland Karwan	TC-A-002 (TF-2), TC-A-003 (TF-3), TC-A-004 (TF-4), TC-A-005 (TF-5), TC-A-006 (TF-6), TC-A-007 (TF-7), TC-A-008 (TF-8), TC-A-010 (TF-10), TC-A-011 (TF-11), TC-A-012 (TF-12), TC-A-013 (TF-13), TC-A-014 (TF-14), TC-A-015 (TF-15), TC-A-016 (TF-16), TC-A-034 (TF-34), TC-A-043 (TF-43)
REQ-A-003 Trim and Unicode normalization	Aland Karwan	TC-A-009 (TF-9), TC-A-010 (TF-10), TC-A-011 (TF-11), TC-A-012 (TF-12), TC-A-013 (TF-13), TC-A-014 (TF-14), TC-A-015 (TF-15), TC-A-016 (TF-16), TC-A-022 (TF-22), TC-A-023 (TF-23), TC-A-024 (TF-24), TC-A-025 (TF-25), TC-A-039 (TF-39), TC-A-043 (TF-43)
REQ-A-004 Optional description maximum	Aland Karwan	TC-A-017 (TF-17), TC-A-018 (TF-18), TC-A-019 (TF-19), TC-A-020 (TF-20), TC-A-021 (TF-21), TC-A-022 (TF-22), TC-A-023 (TF-23), TC-A-024 (TF-24), TC-A-025 (TF-25), TC-A-034 (TF-34)
REQ-A-005 Live trimmed counters	Aland Karwan	TC-A-001 (TF-1), TC-A-002 (TF-2), TC-A-003 (TF-3), TC-A-004 (TF-4), TC-A-005 (TF-5), TC-A-006 (TF-6), TC-A-007 (TF-7), TC-A-008 (TF-8), TC-A-012 (TF-12), TC-A-013 (TF-13), TC-A-014 (TF-14), TC-A-015 (TF-15), TC-A-016 (TF-16), TC-A-017 (TF-17), TC-A-018 (TF-18), TC-A-019 (TF-19), TC-A-020 (TF-20), TC-A-021 (TF-21), TC-A-022 (TF-22), TC-A-024 (TF-24), TC-A-025 (TF-25), TC-A-042 (TF-42), TC-A-043 (TF-43)
REQ-A-006 Creation form defaults	Aland Karwan	TC-A-026 (TF-26), TC-A-037 (TF-37)
REQ-A-007 Successful creation and persistence	Aland Karwan	TC-A-026 (TF-26), TC-A-027 (TF-27), TC-A-035 (TF-35), TC-A-036 (TF-36), TC-A-038 (TF-38)
REQ-A-008 All creation values retained	Aland Karwan	TC-A-027 (TF-27), TC-A-036 (TF-36), TC-A-039 (TF-39)

Requirement / title	Designer	Mapped cases from TestLink
REQ-A-009 Cancel creation through every close path	Aland Karwan	TC-A-028 (TF-28), TC-A-029 (TF-29), TC-A-030 (TF-30), TC-A-031 (TF-31), TC-A-040 (TF-40)
REQ-A-010 Fresh creation form on reopen	Aland Karwan	TC-A-028 (TF-28), TC-A-029 (TF-29), TC-A-030 (TF-30), TC-A-031 (TF-31), TC-A-035 (TF-35), TC-A-041 (TF-41)
REQ-A-011 Error timing and focus	Aland Karwan	TC-A-032 (TF-32), TC-A-033 (TF-33), TC-A-034 (TF-34), TC-A-041 (TF-41)
REQ-A-012 Live recovery after failed submit	Aland Karwan	TC-A-033 (TF-33), TC-A-034 (TF-34), TC-A-042 (TF-42)
REQ-A-013 Creation entry points	Aland Karwan	TC-A-037 (TF-37)
REQ-A-014 Safe literal text rendering	Aland Karwan	TC-A-038 (TF-38)
REQ-B-001 Prefill the selected task for editing	Mhamad	TC-B-001 (TF-44), TC-B-002 (TF-45), TC-B-009 (TF-52), TC-B-010 (TF-53), TC-B-025 (TF-68), TC-B-029 (TF-72)
REQ-B-002 Commit a valid edit atomically to the selected task	Mhamad	TC-B-003 (TF-46), TC-B-004 (TF-47), TC-B-005 (TF-48), TC-B-006 (TF-49), TC-B-007 (TF-50), TC-B-008 (TF-51), TC-B-016 (TF-59), TC-B-017 (TF-60), TC-B-029 (TF-72)
REQ-B-003 Preserve identity and creation timestamp while advancing update time	Mhamad	TC-B-003 (TF-46), TC-B-004 (TF-47), TC-B-005 (TF-48), TC-B-006 (TF-49), TC-B-007 (TF-50), TC-B-008 (TF-51), TC-B-009 (TF-52), TC-B-016 (TF-59), TC-B-017 (TF-60), TC-B-018 (TF-61)
REQ-B-004 Reject invalid edits without any partial commit	Mhamad	TC-B-011 (TF-54), TC-B-012 (TF-55), TC-B-013 (TF-56), TC-B-014 (TF-57), TC-B-015 (TF-58), TC-B-016 (TF-59), TC-B-023 (TF-66)
REQ-B-005 Recover a rejected edit and commit only the corrected values	Mhamad	TC-B-016 (TF-59)
REQ-B-006 Persist priority edits through the edit workflow	Mhamad	TC-B-005 (TF-48), TC-B-017 (TF-60), TC-B-018 (TF-61)
REQ-B-007 Apply repeated edits and target only the selected identity	Mhamad	TC-B-008 (TF-51), TC-B-009 (TF-52), TC-B-010 (TF-53), TC-B-018 (TF-61)

Requirement / title	Designer	Mapped cases from TestLink
REQ-B-008 Discard editing through every supported dismissal path	Mhamad	TC-B-019 (TF-62), TC-B-020 (TF-63), TC-B-021 (TF-64), TC-B-022 (TF-65), TC-B-023 (TF-66), TC-B-024 (TF-67), TC-B-025 (TF-68), TC-B-027 (TF-70), TC-B-041 (TF-84)
REQ-B-009 Reopening a canceled edit discards draft and validation state	Mhamad	TC-B-019 (TF-62), TC-B-020 (TF-63), TC-B-021 (TF-64), TC-B-022 (TF-65), TC-B-025 (TF-68), TC-B-027 (TF-70)
REQ-B-010 Interior modal interaction is not backdrop dismissal	Mhamad	TC-B-026 (TF-69), TC-B-037 (TF-80)
REQ-B-011 Show exact deletion confirmation for the current target	Mhamad	TC-B-028 (TF-71), TC-B-029 (TF-72), TC-B-030 (TF-73), TC-B-032 (TF-75), TC-B-037 (TF-80), TC-B-038 (TF-81), TC-B-039 (TF-82), TC-B-040 (TF-83), TC-B-041 (TF-84)
REQ-B-012 Confirm deletion of only the intended task	Mhamad	TC-B-030 (TF-73), TC-B-031 (TF-74), TC-B-032 (TF-75), TC-B-039 (TF-82), TC-B-040 (TF-83), TC-B-041 (TF-84)
REQ-B-013 Cancel deletion through every supported dismissal path	Mhamad	TC-B-033 (TF-76), TC-B-034 (TF-77), TC-B-035 (TF-78), TC-B-036 (TF-79), TC-B-037 (TF-80), TC-B-038 (TF-81), TC-B-039 (TF-82)
REQ-B-014 Keep deletion targets correct across repeated and mixed operations	Mhamad	TC-B-038 (TF-81), TC-B-039 (TF-82), TC-B-040 (TF-83), TC-B-041 (TF-84)
REQ-C-001 Priority values and validation	Lanya Faraidun	TC-C-001 (TF-85), TC-C-002 (TF-86), TC-C-003 (TF-87), TC-C-007 (TF-91), TC-C-008 (TF-92), TC-C-011 (TF-95)
REQ-C-002 Status values and validation	Lanya Faraidun	TC-C-004 (TF-88), TC-C-005 (TF-89), TC-C-006 (TF-90), TC-C-009 (TF-93), TC-C-010 (TF-94), TC-C-011 (TF-95), TC-C-012 (TF-96), TC-C-013 (TF-97), TC-C-014 (TF-98), TC-C-015 (TF-99), TC-C-016 (TF-100), TC-C-017 (TF-101), TC-C-018 (TF-102), TC-C-019 (TF-103), TC-C-020 (TF-104)
REQ-C-003 Status change and summary totals	Lanya Faraidun	TC-C-012 (TF-96), TC-C-013 (TF-97), TC-C-014 (TF-98), TC-C-015 (TF-99), TC-C-016 (TF-100), TC-C-017 (TF-101), TC-C-018 (TF-102), TC-C-019 (TF-103), TC-C-020 (TF-104), TC-C-021 (TF-105), TC-C-022 (TF-106), TC-C-023 (TF-107), TC-C-024 (TF-108)
REQ-C-004 Completed task presentation	Lanya Faraidun	TC-C-025 (TF-109), TC-C-026 (TF-110), TC-C-037 (TF-121), TC-C-038 (TF-122)
REQ-C-005 Optional due date and real calendar validation	Lanya Faraidun	TC-C-027 (TF-111), TC-C-028 (TF-112), TC-C-029 (TF-113), TC-C-030 (TF-114), TC-C-032 (TF-116), TC-C-036 (TF-120)

Requirement / title	Designer	Mapped cases from TestLink
REQ-C-006 Leap years and calendar boundaries	Lanya Faraidun	TC-C-028 (TF-112), TC-C-030 (TF-114), TC-C-031 (TF-115), TC-C-032 (TF-116), TC-C-033 (TF-117), TC-C-034 (TF-118), TC-C-035 (TF-119), TC-C-036 (TF-120)
REQ-C-007 Overdue and due-today decision	Lanya Faraidun	TC-C-025 (TF-109), TC-C-026 (TF-110), TC-C-037 (TF-121), TC-C-038 (TF-122), TC-C-039 (TF-123)
REQ-C-008 Local calendar day and date display	Lanya Faraidun	TC-C-028 (TF-112), TC-C-039 (TF-123), TC-C-040 (TF-124), TC-C-041 (TF-125)
REQ-D-001 Trimmed case-insensitive title substring	Ahmed	TC-D-002 (TF-127), TC-D-003 (TF-128), TC-D-005 (TF-130), TC-D-010 (TF-135), TC-D-011 (TF-136), TC-D-013 (TF-138), TC-D-024 (TF-149)
REQ-D-002 Description substring and title-or-description	Ahmed	TC-D-004 (TF-129), TC-D-005 (TF-130), TC-D-006 (TF-131), TC-D-009 (TF-134), TC-D-013 (TF-138), TC-D-024 (TF-149)
REQ-D-003 Blank query and literal punctuation	Ahmed	TC-D-001 (TF-126), TC-D-002 (TF-127), TC-D-007 (TF-132), TC-D-008 (TF-133), TC-D-009 (TF-134), TC-D-031 (TF-156)
REQ-D-004 Synchronized search boxes	Ahmed	TC-D-010 (TF-135), TC-D-011 (TF-136), TC-D-037 (TF-162), TC-D-039 (TF-164), TC-D-040 (TF-165)
REQ-D-005 Status filter partitions	Ahmed	TC-D-015 (TF-140), TC-D-016 (TF-141), TC-D-017 (TF-142), TC-D-021 (TF-146), TC-D-022 (TF-147), TC-D-023 (TF-148), TC-D-024 (TF-149), TC-D-032 (TF-157)
REQ-D-006 Priority filter partitions	Ahmed	TC-D-018 (TF-143), TC-D-019 (TF-144), TC-D-020 (TF-145), TC-D-021 (TF-146), TC-D-022 (TF-147), TC-D-023 (TF-148), TC-D-024 (TF-149), TC-D-032 (TF-157)
REQ-D-007 Search/status/priority AND decision table	Ahmed	TC-D-005 (TF-130), TC-D-021 (TF-146), TC-D-022 (TF-147), TC-D-023 (TF-148), TC-D-024 (TF-149), TC-D-033 (TF-158)
REQ-D-008 Four sorts and newest default	Ahmed	TC-D-025 (TF-150), TC-D-026 (TF-151), TC-D-027 (TF-152), TC-D-028 (TF-153), TC-D-038 (TF-163)
REQ-D-009 Creation order and due-date tie order	Ahmed	TC-D-025 (TF-150), TC-D-026 (TF-151), TC-D-027 (TF-152), TC-D-028 (TF-153)
REQ-D-010 Undated-last behavior	Ahmed	TC-D-027 (TF-152), TC-D-028 (TF-153), TC-D-029 (TF-154), TC-D-030 (TF-155)
REQ-D-011 Singular and plural result counts	Ahmed	TC-D-001 (TF-126), TC-D-005 (TF-130), TC-D-012 (TF-137), TC-D-013 (TF-138), TC-D-014 (TF-139), TC-D-015 (TF-140)

Requirement / title	Designer	Mapped cases from TestLink
REQ-D-012 No-result message precedence and actions	Ahmed	TC-D-007 (TF-132), TC-D-021 (TF-146), TC-D-022 (TF-147), TC-D-023 (TF-148), TC-D-024 (TF-149), TC-D-031 (TF-156), TC-D-032 (TF-157), TC-D-033 (TF-158), TC-D-034 (TF-159)
REQ-D-013 Clear search preserves filters and sort	Ahmed	TC-D-035 (TF-160)
REQ-D-014 Both Clear Filters actions reset all controls	Ahmed	TC-D-036 (TF-161), TC-D-037 (TF-162), TC-D-038 (TF-163), TC-D-039 (TF-164), TC-D-040 (TF-165)
REQ-E-001 Reload persistence	Rasan soran	TC-E-002 (TF-167)
REQ-E-002 Missing and corrupt storage	Rasan soran	TC-E-001 (TF-166), TC-E-003 (TF-168), TC-E-004 (TF-169), TC-E-017 (TF-182), TC-E-020 (TF-185)
REQ-E-003 Invalid entries and duplicate ids	Rasan soran	TC-E-005 (TF-170), TC-E-006 (TF-171), TC-E-007 (TF-172), TC-E-008 (TF-173), TC-E-009 (TF-174), TC-E-010 (TF-175), TC-E-011 (TF-176), TC-E-012 (TF-177), TC-E-015 (TF-180)
REQ-E-004 Updated timestamp fallback and normalization	Rasan soran	TC-E-005 (TF-170), TC-E-013 (TF-178), TC-E-014 (TF-179)
REQ-E-005 Storage read failure	Rasan soran	TC-E-016 (TF-181)
REQ-E-006 Reset and backup retention	Rasan soran	TC-E-020 (TF-185), TC-E-021 (TF-186)
REQ-E-007 Failed write remains optimistic	Rasan soran	TC-E-018 (TF-183), TC-E-019 (TF-184), TC-E-037 (TF-202)
REQ-E-008 Warning announcement and dismissal	Rasan soran	TC-E-022 (TF-187), TC-E-023 (TF-188)
REQ-E-009 Navigation and page title	Rasan soran	TC-E-024 (TF-189), TC-E-025 (TF-190), TC-E-032 (TF-197)
REQ-E-010 Responsive sidebar breakpoint	Rasan soran	TC-E-026 (TF-191), TC-E-027 (TF-192), TC-E-028 (TF-193), TC-E-029 (TF-194)
REQ-E-011 Drawer close paths	Rasan soran	TC-E-030 (TF-195), TC-E-031 (TF-196), TC-E-032 (TF-197)

Requirement / title	Designer	Mapped cases from TestLink
REQ-E-012 Dialog name, focus and opener restoration	Rasan soran	TC-E-033 (TF-198), TC-E-034 (TF-199), TC-E-035 (TF-200)
REQ-E-013 Toast timing and semantics	Rasan soran	TC-E-036 (TF-201), TC-E-037 (TF-202), TC-E-038 (TF-203)

Test case to requirements

Stable case / TestLink ID	Test case title	Mapped requirements
TC-A-001 / TF-1	TC-A-001 - Title length 0	REQ-A-001, REQ-A-005
TC-A-002 / TF-2	TC-A-002 - Title length 1	REQ-A-002, REQ-A-005
TC-A-003 / TF-3	TC-A-003 - Title length 2	REQ-A-002, REQ-A-005
TC-A-004 / TF-4	TC-A-004 - Title length 3	REQ-A-002, REQ-A-005
TC-A-005 / TF-5	TC-A-005 - Title length 4	REQ-A-002, REQ-A-005
TC-A-006 / TF-6	TC-A-006 - Title length 79	REQ-A-002, REQ-A-005
TC-A-007 / TF-7	TC-A-007 - Title length 80	REQ-A-002, REQ-A-005
TC-A-008 / TF-8	TC-A-008 - Title length 81	REQ-A-002, REQ-A-005
TC-A-009 / TF-9	TC-A-009 - Whitespace-only title	REQ-A-001, REQ-A-003
TC-A-010 / TF-10	TC-A-010 - Trim title before counting and saving	REQ-A-002, REQ-A-003
TC-A-011 / TF-11	TC-A-011 - Padding cannot bypass minimum	REQ-A-002, REQ-A-003
TC-A-012 / TF-12	TC-A-012 - Padded maximum title	REQ-A-002, REQ-A-003, REQ-A-005
TC-A-013 / TF-13	TC-A-013 - Emoji title 2 code points	REQ-A-002, REQ-A-003, REQ-A-005
TC-A-014 / TF-14	TC-A-014 - Emoji title 3 code points	REQ-A-002, REQ-A-003, REQ-A-005
TC-A-015 / TF-15	TC-A-015 - Emoji title 80 code points	REQ-A-002, REQ-A-003, REQ-A-005
TC-A-016 / TF-16	TC-A-016 - Emoji title 81 code points	REQ-A-002, REQ-A-003, REQ-A-005
TC-A-017 / TF-17	TC-A-017 - Description length 0	REQ-A-004, REQ-A-005
TC-A-018 / TF-18	TC-A-018 - Description length 1	REQ-A-004, REQ-A-005
TC-A-019 / TF-19	TC-A-019 - Description length 499	REQ-A-004, REQ-A-005
TC-A-020 / TF-20	TC-A-020 - Description length 500	REQ-A-004, REQ-A-005

Stable case / TestLink ID	Test case title	Mapped requirements
TC-A-021 / TF-21	TC-A-021 - Description length 501	REQ-A-004, REQ-A-005
TC-A-022 / TF-22	TC-A-022 - Trim padded description maximum	REQ-A-003, REQ-A-004, REQ-A-005
TC-A-023 / TF-23	TC-A-023 - Whitespace-only optional description	REQ-A-003, REQ-A-004
TC-A-024 / TF-24	TC-A-024 - Emoji description maximum	REQ-A-003, REQ-A-004, REQ-A-005
TC-A-025 / TF-25	TC-A-025 - Emoji description above maximum	REQ-A-003, REQ-A-004, REQ-A-005
TC-A-026 / TF-26	TC-A-026 - Create using default values	REQ-A-006, REQ-A-007
TC-A-027 / TF-27	TC-A-027 - Create with every field supplied	REQ-A-007, REQ-A-008
TC-A-028 / TF-28	TC-A-028 - Discard creation via Cancel	REQ-A-009, REQ-A-010
TC-A-029 / TF-29	TC-A-029 - Discard creation via Close X	REQ-A-009, REQ-A-010
TC-A-030 / TF-30	TC-A-030 - Discard creation via Escape	REQ-A-009, REQ-A-010
TC-A-031 / TF-31	TC-A-031 - Discard creation via Backdrop	REQ-A-009, REQ-A-010
TC-A-032 / TF-32	TC-A-032 - Validation appears only after submit	REQ-A-011
TC-A-033 / TF-33	TC-A-033 - Correct invalid title without resubmitting	REQ-A-011, REQ-A-012
TC-A-034 / TF-34	TC-A-034 - Simultaneous text errors and first-invalid focus	REQ-A-002, REQ-A-004, REQ-A-011, REQ-A-012
TC-A-035 / TF-35	TC-A-035 - Fresh form after successful creation	REQ-A-007, REQ-A-010
TC-A-036 / TF-36	TC-A-036 - Duplicate titles have separate identities	REQ-A-007, REQ-A-008
TC-A-037 / TF-37	TC-A-037 - Empty-state creation entry point	REQ-A-006, REQ-A-013
TC-A-038 / TF-38	TC-A-038 - Markup-like text stays literal	REQ-A-007, REQ-A-014
TC-A-039 / TF-39	TC-A-039 - Internal spaces and newlines preserved	REQ-A-003, REQ-A-008
TC-A-040 / TF-40	TC-A-040 - Clicks inside dialog do not cancel draft	REQ-A-009
TC-A-041 / TF-41	TC-A-041 - Fresh validation state after cancelling errors	REQ-A-010, REQ-A-011

Stable case / TestLink ID	Test case title	Mapped requirements
TC-A-042 / TF-42	TC-A-042 - Counter returns from over-limit state	REQ-A-005, REQ-A-012
TC-A-043 / TF-43	TC-A-043 - Combining sequence is counted as code points	REQ-A-002, REQ-A-003, REQ-A-005
TC-B-001 / TF-44	TC-B-001 - Prefill all saved fields	REQ-B-001
TC-B-002 / TF-45	TC-B-002 - Prefill empty optional fields	REQ-B-001
TC-B-003 / TF-46	TC-B-003 - Save title-only edit with identity retained	REQ-B-002, REQ-B-003
TC-B-004 / TF-47	TC-B-004 - Save description-only edit	REQ-B-002, REQ-B-003
TC-B-005 / TF-48	TC-B-005 - Save all editable fields together	REQ-B-002, REQ-B-003, REQ-B-006
TC-B-006 / TF-49	TC-B-006 - Clear existing optional description and date	REQ-B-002, REQ-B-003
TC-B-007 / TF-50	TC-B-007 - Save unchanged form still updates metadata	REQ-B-002, REQ-B-003
TC-B-008 / TF-51	TC-B-008 - Edit one same-title sibling only	REQ-B-002, REQ-B-003, REQ-B-007
TC-B-009 / TF-52	TC-B-009 - Repeat edits to the same task	REQ-B-001, REQ-B-003, REQ-B-007
TC-B-010 / TF-53	TC-B-010 - Edit different tasks in sequence	REQ-B-001, REQ-B-007
TC-B-011 / TF-54	TC-B-011 - Reject blank-title edit atomically	REQ-B-004
TC-B-012 / TF-55	TC-B-012 - Reject short-title edit atomically	REQ-B-004
TC-B-013 / TF-56	TC-B-013 - Reject overlong-title edit atomically	REQ-B-004
TC-B-014 / TF-57	TC-B-014 - Reject overlong-description edit atomically	REQ-B-004
TC-B-015 / TF-58	TC-B-015 - Reject two invalid fields without partial save	REQ-B-004
TC-B-016 / TF-59	TC-B-016 - Correct rejected edit and save once	REQ-B-002, REQ-B-003, REQ-B-004, REQ-B-005
TC-B-017 / TF-60	TC-B-017 - Save priority edit and retain it after reload	REQ-B-002, REQ-B-003, REQ-B-006
TC-B-018 / TF-61	TC-B-018 - Latest repeated priority edit wins	REQ-B-003, REQ-B-006, REQ-B-007
TC-B-019 / TF-62	TC-B-019 - Discard dirty edit using Cancel button	REQ-B-008, REQ-B-009

Stable case / TestLink ID	Test case title	Mapped requirements
TC-B-020 / TF-63	TC-B-020 - Discard dirty edit using Close X button	REQ-B-008, REQ-B-009
TC-B-021 / TF-64	TC-B-021 - Discard dirty edit using Escape key	REQ-B-008, REQ-B-009
TC-B-022 / TF-65	TC-B-022 - Discard dirty edit using dark backdrop	REQ-B-008, REQ-B-009
TC-B-023 / TF-66	TC-B-023 - Cancel a rejected draft	REQ-B-004, REQ-B-008
TC-B-024 / TF-67	TC-B-024 - Cancel untouched edit without advancing timestamp	REQ-B-008
TC-B-025 / TF-68	TC-B-025 - Reopen after rejected draft dismissal clears draft and errors	REQ-B-001, REQ-B-008, REQ-B-009
TC-B-026 / TF-69	TC-B-026 - Clicking inside edit modal does not discard draft	REQ-B-010
TC-B-027 / TF-70	TC-B-027 - Cancel priority-only change then reload	REQ-B-008, REQ-B-009
TC-B-028 / TF-71	TC-B-028 - Exact confirmation before any deletion	REQ-B-011
TC-B-029 / TF-72	TC-B-029 - Confirmation uses latest saved title and punctuation	REQ-B-001, REQ-B-002, REQ-B-011
TC-B-030 / TF-73	TC-B-030 - Confirm deletion leaves siblings intact	REQ-B-011, REQ-B-012
TC-B-031 / TF-74	TC-B-031 - Confirm deletion of the sole remaining task	REQ-B-012
TC-B-032 / TF-75	TC-B-032 - Delete only intended same-title sibling	REQ-B-011, REQ-B-012
TC-B-033 / TF-76	TC-B-033 - Dismiss deletion using Cancel button	REQ-B-013
TC-B-034 / TF-77	TC-B-034 - Dismiss deletion using Close X button	REQ-B-013
TC-B-035 / TF-78	TC-B-035 - Dismiss deletion using Escape key	REQ-B-013
TC-B-036 / TF-79	TC-B-036 - Dismiss deletion using dark backdrop	REQ-B-013
TC-B-037 / TF-80	TC-B-037 - Interior deletion click is not a confirmation or dismissal	REQ-B-010, REQ-B-011, REQ-B-013
TC-B-038 / TF-81	TC-B-038 - Reopen after canceled deletion targets newly selected task	REQ-B-011, REQ-B-013, REQ-B-014
TC-B-039 / TF-82	TC-B-039 - Repeated cancellation then one confirmed deletion	REQ-B-011, REQ-B-012, REQ-B-013, REQ-B-014
TC-B-040 / TF-83	TC-B-040 - Consecutive deletions never reuse old target	REQ-B-011, REQ-B-012, REQ-B-014

Stable case / TestLink ID	Test case title	Mapped requirements
TC-B-041 / TF-84	TC-B-041 - Canceled edit does not contaminate subsequent deletion	REQ-B-008, REQ-B-011, REQ-B-012, REQ-B-014
TC-C-001 / TF-85	TC-C-001 - Accepted priority partition: Low	REQ-C-001
TC-C-002 / TF-86	TC-C-002 - Accepted priority partition: Medium	REQ-C-001
TC-C-003 / TF-87	TC-C-003 - Accepted priority partition: High	REQ-C-001
TC-C-004 / TF-88	TC-C-004 - Accepted status partition: To Do	REQ-C-002
TC-C-005 / TF-89	TC-C-005 - Accepted status partition: In Progress	REQ-C-002
TC-C-006 / TF-90	TC-C-006 - Accepted status partition: Completed	REQ-C-002
TC-C-007 / TF-91	TC-C-007 - Reject unsupported priority string in validator harness	REQ-C-001
TC-C-008 / TF-92	TC-C-008 - Reject non-string and missing priority values in validator harness	REQ-C-001
TC-C-009 / TF-93	TC-C-009 - Reject unsupported status string in validator harness	REQ-C-002
TC-C-010 / TF-94	TC-C-010 - Reject non-string and missing status values in validator harness	REQ-C-002
TC-C-011 / TF-95	TC-C-011 - Report both invalid enum fields together	REQ-C-001, REQ-C-002
TC-C-012 / TF-96	TC-C-012 - Status transition To Do to In Progress	REQ-C-002, REQ-C-003
TC-C-013 / TF-97	TC-C-013 - Status transition To Do to Completed	REQ-C-002, REQ-C-003
TC-C-014 / TF-98	TC-C-014 - Status transition In Progress to To Do	REQ-C-002, REQ-C-003
TC-C-015 / TF-99	TC-C-015 - Status transition In Progress to Completed	REQ-C-002, REQ-C-003
TC-C-016 / TF-100	TC-C-016 - Status transition Completed to To Do	REQ-C-002, REQ-C-003
TC-C-017 / TF-101	TC-C-017 - Status transition Completed to In Progress	REQ-C-002, REQ-C-003
TC-C-018 / TF-102	TC-C-018 - Same-state selection behavior for To Do	REQ-C-002, REQ-C-003
TC-C-019 / TF-103	TC-C-019 - Same-state selection behavior for In Progress	REQ-C-002, REQ-C-003
TC-C-020 / TF-104	TC-C-020 - Same-state selection behavior for Completed	REQ-C-002, REQ-C-003

Stable case / TestLink ID	Test case title	Mapped requirements
TC-C-021 / TF-105	TC-C-021 - Summary totals ignore search filtering	REQ-C-003
TC-C-022 / TF-106	TC-C-022 - Summary totals ignore status filtering	REQ-C-003
TC-C-023 / TF-107	TC-C-023 - Summary totals ignore priority filtering	REQ-C-003
TC-C-024 / TF-108	TC-C-024 - Summary totals ignore combined filtering	REQ-C-003
TC-C-025 / TF-109	TC-C-025 - Completed overdue card has completed styling and no overdue treatment	REQ-C-004, REQ-C-007
TC-C-026 / TF-110	TC-C-026 - Completed task due today omits Due today badge	REQ-C-004, REQ-C-007
TC-C-027 / TF-111	TC-C-027 - Empty due date is a valid optional value	REQ-C-005
TC-C-028 / TF-112	TC-C-028 - Valid leap-day date is retained and formatted	REQ-C-005, REQ-C-006, REQ-C-008
TC-C-029 / TF-113	TC-C-029 - Native date input sanitizes impossible date before validator	REQ-C-005
TC-C-030 / TF-114	TC-C-030 - Validator rejects impossible calendar date independently of native control	REQ-C-005, REQ-C-006
TC-C-031 / TF-115	TC-C-031 - Leap-year divisibility decision table	REQ-C-006
TC-C-032 / TF-116	TC-C-032 - Day-of-month minimum and maximum boundaries	REQ-C-005, REQ-C-006
TC-C-033 / TF-117	TC-C-033 - Leap-February day maximum and max+1	REQ-C-006
TC-C-034 / TF-118	TC-C-034 - Thirty-day month maximum and max+1	REQ-C-006
TC-C-035 / TF-119	TC-C-035 - Month range min-1/min/max/max+1	REQ-C-006
TC-C-036 / TF-120	TC-C-036 - Date string shape and optional absence partitions	REQ-C-005, REQ-C-006
TC-C-037 / TF-121	TC-C-037 - Fixed local yesterday-today-tomorrow by completion state	REQ-C-004, REQ-C-007
TC-C-038 / TF-122	TC-C-038 - Overdue result changes when a task becomes Completed	REQ-C-004, REQ-C-007
TC-C-039 / TF-123	TC-C-039 - Due-date relation follows local calendar day, not UTC parsing	REQ-C-007, REQ-C-008
TC-C-040 / TF-124	TC-C-040 - Due-date formatting is stable for a fixed date	REQ-C-008
TC-C-041 / TF-125	TC-C-041 - Local today helpers use fixed local date rather than wall clock	REQ-C-008

Stable case / TestLink ID	Test case title	Mapped requirements
TC-D-001 / TF-126	TC-D-001 Empty query shows all tasks	REQ-D-003, REQ-D-011
TC-D-002 / TF-127	TC-D-002 Whitespace-only query is blank after trimming	REQ-D-001, REQ-D-003
TC-D-003 / TF-128	TC-D-003 Case-insensitive title substring	REQ-D-001
TC-D-004 / TF-129	TC-D-004 Description-only substring	REQ-D-002
TC-D-005 / TF-130	TC-D-005 Title OR description returns each match once	REQ-D-001, REQ-D-002, REQ-D-007, REQ-D-011
TC-D-006 / TF-131	TC-D-006 Case-insensitive description substring	REQ-D-002
TC-D-007 / TF-132	TC-D-007 Nonmatch displays exact search empty state	REQ-D-003, REQ-D-012
TC-D-008 / TF-133	TC-D-008 Percent and parentheses are literal search characters	REQ-D-003
TC-D-009 / TF-134	TC-D-009 Square bracket and question mark are literal	REQ-D-002, REQ-D-003
TC-D-010 / TF-135	TC-D-010 TopBar search synchronizes toolbar value and results	REQ-D-001, REQ-D-004
TC-D-011 / TF-136	TC-D-011 Toolbar search synchronizes TopBar value and results	REQ-D-001, REQ-D-004
TC-D-012 / TF-137	TC-D-012 One visible among six uses plural total wording	REQ-D-011
TC-D-013 / TF-138	TC-D-013 Several visible tasks use plural total wording	REQ-D-001, REQ-D-002, REQ-D-011
TC-D-014 / TF-139	TC-D-014 Single-task total uses singular wording	REQ-D-011
TC-D-015 / TF-140	TC-D-015 To Do status partition	REQ-D-005, REQ-D-011
TC-D-016 / TF-141	TC-D-016 In Progress status partition	REQ-D-005
TC-D-017 / TF-142	TC-D-017 Completed status partition	REQ-D-005
TC-D-018 / TF-143	TC-D-018 High priority partition	REQ-D-006
TC-D-019 / TF-144	TC-D-019 Medium priority partition	REQ-D-006
TC-D-020 / TF-145	TC-D-020 Low priority partition	REQ-D-006
TC-D-021 / TF-146	TC-D-021 Decision table: To Do AND each priority	REQ-D-005, REQ-D-006, REQ-D-007, REQ-D-012

Stable case / TestLink ID	Test case title	Mapped requirements
TC-D-022 / TF-147	TC-D-022 Decision table: In Progress AND each priority	REQ-D-005, REQ-D-006, REQ-D-007, REQ-D-012
TC-D-023 / TF-148	TC-D-023 Decision table: Completed AND each priority	REQ-D-005, REQ-D-006, REQ-D-007, REQ-D-012
TC-D-024 / TF-149	TC-D-024 Decision table: query AND status AND priority	REQ-D-001, REQ-D-002, REQ-D-005, REQ-D-006, REQ-D-007, REQ-D-012
TC-D-025 / TF-150	TC-D-025 Newest first is default and orders creation newest first	REQ-D-008, REQ-D-009
TC-D-026 / TF-151	TC-D-026 Oldest first orders creation oldest first	REQ-D-008, REQ-D-009
TC-D-027 / TF-152	TC-D-027 Due soonest orders dates and ties then undated last	REQ-D-008, REQ-D-009, REQ-D-010
TC-D-028 / TF-153	TC-D-028 Due latest reverses date order and keeps tie/blank rules	REQ-D-008, REQ-D-009, REQ-D-010
TC-D-029 / TF-154	TC-D-029 Soonest sort places both undated tasks last	REQ-D-010
TC-D-030 / TF-155	TC-D-030 Latest sort places both undated tasks last	REQ-D-010
TC-D-031 / TF-156	TC-D-031 Search empty state echoes trimmed query	REQ-D-003, REQ-D-012
TC-D-032 / TF-157	TC-D-032 Blank query and no matching filters show filter empty state	REQ-D-005, REQ-D-006, REQ-D-012
TC-D-033 / TF-158	TC-D-033 Search no-hit takes precedence over filter no-hit	REQ-D-007, REQ-D-012
TC-D-034 / TF-159	TC-D-034 Zero total tasks takes precedence over query and filters	REQ-D-012
TC-D-035 / TF-160	TC-D-035 Clear search preserves status priority and sort	REQ-D-013
TC-D-036 / TF-161	TC-D-036 Empty-state Clear filters restores all defaults	REQ-D-014
TC-D-037 / TF-162	TC-D-037 Toolbar Clear Filters resets synchronized controls and sort	REQ-D-004, REQ-D-014
TC-D-038 / TF-163	TC-D-038 Toolbar Clear Filters resets sort alone	REQ-D-008, REQ-D-014
TC-D-039 / TF-164	TC-D-039 Toolbar Clear Filters clears a matching query	REQ-D-004, REQ-D-014
TC-D-040 / TF-165	TC-D-040 Search and filter clear actions act in sequence	REQ-D-004, REQ-D-014
TC-E-001 / TF-166	TC-E-001 - Missing task key loads quietly	REQ-E-002

Stable case / TestLink ID	Test case title	Mapped requirements
TC-E-002 / TF-167	TC-E-002 - Persist task through ordinary reload	REQ-E-001
TC-E-003 / TF-168	TC-E-003 - Malformed JSON copied byte-for-byte	REQ-E-002
TC-E-004 / TF-169	TC-E-004 - Parsed object rejected as non-array	REQ-E-002
TC-E-005 / TF-170	TC-E-005 - Valid stored task loads normalized	REQ-E-003, REQ-E-004
TC-E-006 / TF-171	TC-E-006 - Missing id skipped with singular warning	REQ-E-003
TC-E-007 / TF-172	TC-E-007 - Empty id skipped	REQ-E-003
TC-E-008 / TF-173	TC-E-008 - Duplicate id keeps first valid record	REQ-E-003
TC-E-009 / TF-174	TC-E-009 - Plural invalid count grammar	REQ-E-003
TC-E-010 / TF-175	TC-E-010 - Reject bad priority in storage	REQ-E-003
TC-E-011 / TF-176	TC-E-011 - Reject bad status in storage	REQ-E-003
TC-E-012 / TF-177	TC-E-012 - Reject invalid date and missing creation time	REQ-E-003
TC-E-013 / TF-178	TC-E-013 - Missing updatedAt falls back to createdAt	REQ-E-004
TC-E-014 / TF-179	TC-E-014 - Malformed updatedAt falls back	REQ-E-004
TC-E-015 / TF-180	TC-E-015 - Valid siblings retained around rejected row	REQ-E-003
TC-E-016 / TF-181	TC-E-016 - Read exception returns unavailable warning	REQ-E-005
TC-E-017 / TF-182	TC-E-017 - Blocked backup write does not throw	REQ-E-002
TC-E-018 / TF-183	TC-E-018 - Failed creation save reports error but stays optimistic	REQ-E-007
TC-E-019 / TF-184	TC-E-019 - Failed status save is optimistic	REQ-E-007
TC-E-020 / TF-185	TC-E-020 - Reset removes primary and retains backup	REQ-E-002, REQ-E-006
TC-E-021 / TF-186	TC-E-021 - Repeated reset remains safe	REQ-E-006
TC-E-022 / TF-187	TC-E-022 - Dismiss warning changes no storage	REQ-E-008

Stable case / TestLink ID	Test case title	Mapped requirements
TC-E-023 / TF-188	TC-E-023 - Warning role and dismissal name	REQ-E-008
TC-E-024 / TF-189	TC-E-024 - Dashboard and All Tasks show all statuses	REQ-E-009
TC-E-025 / TF-190	TC-E-025 - Each status navigation sets title and active state	REQ-E-009
TC-E-026 / TF-191	TC-E-026 - Desktop sidebar collapse toggles labels	REQ-E-010
TC-E-027 / TF-192	TC-E-027 - Responsive behavior at 767px	REQ-E-010
TC-E-028 / TF-193	TC-E-028 - Responsive behavior at 768px and README discrepancy	REQ-E-010
TC-E-029 / TF-194	TC-E-029 - Responsive behavior at 769px	REQ-E-010
TC-E-030 / TF-195	TC-E-030 - Close drawer via close control and navigation	REQ-E-011
TC-E-031 / TF-196	TC-E-031 - Backdrop closes drawer but inside click does not	REQ-E-011
TC-E-032 / TF-197	TC-E-032 - Mobile navigation updates page title	REQ-E-009, REQ-E-011
TC-E-033 / TF-198	TC-E-033 - Dialog name and modal accessibility properties	REQ-E-012
TC-E-034 / TF-199	TC-E-034 - Dialog autofocuses marked control	REQ-E-012
TC-E-035 / TF-200	TC-E-035 - Dialog close restores opener focus	REQ-E-012
TC-E-036 / TF-201	TC-E-036 - Success toast uses status and dismiss control	REQ-E-013
TC-E-037 / TF-202	TC-E-037 - Error toast uses alert and dismiss control	REQ-E-007, REQ-E-013
TC-E-038 / TF-203	TC-E-038 - Toast automatic duration tolerance	REQ-E-013