

Requirements Specification Document

Test Project: TaskFlow

Printed by TestLink on 27/10/2026

2026 Group TaskFlow - Project 1 Test Case Design

Table Of Contents

1. SRS-D-SEARCH-FILTER-SORT : Search, filters, sorting and result feedback

REQ-D-001 : Trimmed case-insensitive title substring

REQ-D-002 : Description substring and title-or-description

REQ-D-003 : Blank query and literal punctuation

REQ-D-004 : Synchronized search boxes

REQ-D-005 : Status filter partitions

REQ-D-006 : Priority filter partitions

REQ-D-007 : Search/status/priority AND decision table

REQ-D-008 : Four sorts and newest default

REQ-D-009 : Creation order and due-date tie order

REQ-D-010 : Undated-last behavior

REQ-D-011 : Singular and plural result counts

REQ-D-012 : No-result message precedence and actions

REQ-D-013 : Clear search preserves filters and sort

REQ-D-014 : Both Clear Filters actions reset all controls

1. Requirements Spec.: SRS-D-SEARCH-FILTER-SORT : Search, filters, sorting and result feedback

revision	1
Author	ahmed
Type	User Requirement Specification
Total count of requirements (Coverage)	100% (14/14)

Member 4 / D only. README.md TF-REQ-019 and Behaviour notes; code-derived details in src/utils/tasks.js, src/components/TaskToolbar.jsx, TopBar.jsx, TaskList.jsx, and src/App.jsx. Fixture setup is not an assertion about CRUD, storage, status transitions, summary counts, or navigation.

Requirement: REQ-D-001 : Trimmed case-insensitive title substring	
Version :	1
revision:	1
Author:	ahmed
Status	Valid
Type	Use Case
Coverage	100% (1/1)

A nonblank trimmed query shall match a case-insensitive substring of title. Source: README.md (TF-REQ-019 / Behaviour notes / Exact messages); src/utils/tasks.js filterAndSortTasks; baseline main@5133a6c.

Related Test Cases	TF-127 : TC-D-002 Whitespace-only query is blank after trimming [Version :1]TF-128 : TC-D-003 Case-insensitive title substring [Version :1]TF-130 : TC-D-005 Title OR description returns each match once [Version :1]TF-135 : TC-D-010 TopBar search synchronizes toolbar value and results [Version :1]TF-136 : TC-D-011 Toolbar search synchronizes TopBar value and results [Version :1]TF-138 : TC-D-013 Several visible tasks use plural total wording [Version :1]TF-149 : TC-D-024 Decision table: query AND status AND priority [Version :1]

Requirement: REQ-D-002 : Description substring and title-or-description	
Version :	1
revision:	1
Author:	ahmed
Status	Valid
Type	Use Case
Coverage	100% (1/1)

A nonblank query shall match a case-insensitive substring in description or title; either field is sufficient. Source: README.md (TF-REQ-019 / Behaviour notes / Exact messages); src/utils/tasks.js filterAndSortTasks; baseline main@5133a6c.

Related Test Cases	TF-129 : TC-D-004 Description-only substring [Version :1]TF-130 : TC-D-005 Title OR description returns each match once [Version :1]TF-131 : TC-D-006 Case-insensitive description substring [Version :1]TF-134 : TC-D-009 Square bracket and question mark are literal [Version :1]TF-138 : TC-D-013 Several visible tasks use plural total wording [Version :1]TF-149 : TC-D-024 Decision table: query AND status AND priority [Version :1]

Requirement: REQ-D-003 : Blank query and literal punctuation	
Version :	1
revision:	1
Author:	ahmed
Status	Valid
Type	Use Case
Coverage	100% (1/1)
A query that becomes empty after trim shall not restrict results. Punctuation is literal substring data; no query length limit is specified. Source: README.md (TF-REQ-019 / Behaviour notes / Exact messages); src/utils/tasks.js filterAndSortTasks; baseline main@5133a6c.	
Related Test Cases	TF-126 : TC-D-001 Empty query shows all tasks [Version :1]TF-127 : TC-D-002 Whitespace-only query is blank after trimming [Version :1]TF-132 : TC-D-007 Nonmatch displays exact search empty state [Version :1]TF-133 : TC-D-008 Percent and parentheses are literal search characters [Version :1]TF-134 : TC-D-009 Square bracket and question mark are literal [Version :1]TF-156 : TC-D-031 Search empty state echoes trimmed query [Version :1]

Requirement: REQ-D-004 : Synchronized search boxes	
Version :	1
revision:	1
Author:	ahmed
Status	Valid
Type	Use Case
Coverage	100% (1/1)
TopBar and TaskToolbar inputs shall share the same controlled query; typing in either changes the other input and visible results. Source: README.md (TF-REQ-019 / Behaviour notes / Exact messages); src/App.jsx search state; src/components/TopBar.jsx; src/components/TaskToolbar.jsx; baseline main@5133a6c.	
Related Test Cases	TF-135 : TC-D-010 TopBar search synchronizes toolbar value and results [Version :1]TF-136 : TC-D-011 Toolbar search synchronizes TopBar value and results [Version :1]TF-162 : TC-D-037 Toolbar Clear Filters resets synchronized controls and sort [Version :1]TF-164 : TC-D-039 Toolbar Clear Filters clears a matching query [Version :1]TF-165 : TC-D-040 Search and filter clear actions act in sequence [Version :1]

Requirement: REQ-D-005 : Status filter partitions	
Version :	1
revision:	1
Author:	ahmed
Status	Valid
Type	Use Case
Coverage	100% (1/1)
All Statuses includes all tasks; To Do, In Progress, and Completed include tasks of only the selected status. Source: README.md (TF-REQ-019 / Behaviour notes / Exact messages); src/components/TaskToolbar.jsx; src/utils/tasks.js filterAndSortTasks; baseline main@5133a6c.	
Related Test Cases	TF-140 : TC-D-015 To Do status partition [Version :1]TF-141 : TC-D-016 In Progress status partition [Version :1]TF-142 : TC-D-017 Completed status partition [Version :1]TF-146 : TC-D-021 Decision table: To Do AND each priority [Version :1]TF-147 : TC-D-022 Decision table: In Progress AND each priority [Version :1]TF-148 : TC-D-023 Decision table: Completed AND each priority [Version :1]TF-149 : TC-D-024 Decision table: query AND status AND priority [Version :1]TF-157 : TC-D-032 Blank query and no matching filters show filter empty state [Version :1]

Requirement: REQ-D-006 : Priority filter partitions	
Version :	1
revision:	1
Author:	ahmed
Status	Valid
Type	Use Case
Coverage	100% (1/1)
All Priorities includes all tasks; Low, Medium, and High include tasks of only the selected priority. Source: README.md (TF-REQ-019 / Behaviour notes / Exact messages); src/components/TaskToolbar.jsx; src/utils/tasks.js filterAndSortTasks; baseline main@5133a6c.	
Related Test Cases	TF-143 : TC-D-018 High priority partition [Version :1]TF-144 : TC-D-019 Medium priority partition [Version :1]TF-145 : TC-D-020 Low priority partition [Version :1]TF-146 : TC-D-021 Decision table: To Do AND each priority [Version :1]TF-147 : TC-D-022 Decision table: In Progress AND each priority [Version :1]TF-148 : TC-D-023 Decision table: Completed AND each priority [Version :1]TF-149 : TC-D-024 Decision table: query AND status AND priority [Version :1]TF-157 : TC-D-032 Blank query and no matching filters show filter empty state [Version :1]

Requirement: REQ-D-007 : Search/status/priority AND decision table	
Version :	1
revision:	1
Author:	ahmed
Status	Valid
Type	Use Case
Coverage	100% (1/1)
Visible tasks satisfy status AND priority AND query; query condition is title OR description match. Source: README.md (TF-REQ-019 / Behaviour notes / Exact messages); README.md TF-REQ-019 / Behaviour notes; src/utils/tasks.js filterAndSortTasks; baseline main@5133a6c.	
Related Test Cases	TF-130 : TC-D-005 Title OR description returns each match once [Version :1]TF-146 : TC-D-021 Decision table: To Do AND each priority [Version :1]TF-147 : TC-D-022 Decision table: In Progress AND each priority [Version :1]TF-148 : TC-D-023 Decision table: Completed AND each priority [Version :1]TF-149 : TC-D-024 Decision table: query AND status AND priority [Version :1]TF-158 : TC-D-033 Search no-hit takes precedence over filter no-hit [Version :1]

Requirement: REQ-D-008 : Four sorts and newest default	
Version :	1
revision:	1
Author:	ahmed
Status	Valid
Type	Use Case
Coverage	100% (1/1)
Newest first is the default; choices are Newest first, Oldest first, Due date: soonest, and Due date: latest. Source: README.md (TF-REQ-019 / Behaviour notes / Exact messages); src/utils/tasks.js SORT_OPTIONS/filterAndSortTasks; src/components/TaskToolbar.jsx; src/App.jsx; baseline main@5133a6c.	
Related Test Cases	TF-150 : TC-D-025 Newest first is default and orders creation newest first [Version :1]TF-151 : TC-D-026 Oldest first orders creation oldest first [Version :1]TF-152 : TC-D-027 Due soonest orders dates and ties then undated last [Version :1]TF-153 : TC-D-028 Due latest reverses date order and keeps tie/blank rules [Version :1]TF-163 : TC-D-038 Toolbar Clear Filters resets sort alone [Version :1]

Requirement: REQ-D-009 : Creation order and due-date tie order	
Version :	1
revision:	1
Author:	ahmed
Status	Valid
Type	Use Case
Coverage	100% (1/1)
Newest orders createdAt descending; Oldest orders createdAt ascending. Tasks with equal due dates are ordered by newest createdAt first. Source: README.md (TF-REQ-019 / Behaviour notes / Exact messages); src/utils/tasks.js filterAndSortTasks comparators/byDueDate; baseline main@5133a6c.	
Related Test Cases	TF-150 : TC-D-025 Newest first is default and orders creation newest first [Version :1]TF-151 : TC-D-026 Oldest first orders creation oldest first [Version :1]TF-152 : TC-D-027 Due soonest orders dates and ties then undated last [Version :1]TF-153 : TC-D-028 Due latest reverses date order and keeps tie/blank rules [Version :1]

Requirement: REQ-D-010 : Undated-last behavior	
Version :	1
revision:	1
Author:	ahmed
Status	Valid
Type	Use Case
Coverage	100% (1/1)
Due-date sorts place every dated task before undated tasks; undated tasks are ordered newest createdAt first. Source: README.md (TF-REQ-019 / Behaviour notes / Exact messages); README.md Behaviour notes; src/utils/tasks.js filterAndSortTasks byDueDate; baseline main@5133a6c.	
Related Test Cases	TF-152 : TC-D-027 Due soonest orders dates and ties then undated last [Version :1]TF-153 : TC-D-028 Due latest reverses date order and keeps tie/blank rules [Version :1]TF-154 : TC-D-029 Soonest sort places both undated tasks last [Version :1]TF-155 : TC-D-030 Latest sort places both undated tasks last [Version :1]

Requirement: REQ-D-011 : Singular and plural result counts	
Version :	1
revision:	1
Author:	ahmed
Status	Valid
Type	Use Case
Coverage	100% (1/1)
When results exist, display Showing <visible> of <total> task for total 1 and Showing <visible> of <total> tasks otherwise; total counts all tasks before filters. Source: README.md (TF-REQ-019 / Behaviour notes / Exact messages); src/components/TaskList.jsx result-count; baseline main@5133a6c.	
Related Test Cases	TF-126 : TC-D-001 Empty query shows all tasks [Version :1]TF-130 : TC-D-005 Title OR description returns each match once [Version :1]TF-137 : TC-D-012 One visible among six uses plural total wording [Version :1]TF-138 : TC-D-013 Several visible tasks use plural total wording [Version :1]TF-139 : TC-D-014 Single-task total uses singular wording [Version :1]TF-140 : TC-D-015 To Do status partition [Version :1]

Requirement: REQ-D-012 : No-result message precedence and actions	
Version :	1
revision:	1
Author:	ahmed
Status	Valid
Type	Use Case
Coverage	100% (1/1)
With zero total tasks show No tasks yet / Tasks you create will appear here. / Create your first task. Otherwise zero results with nonblank trimmed search show No tasks match "<query>" / Try a different search term. / Clear search. With blank search show No tasks match the current filters / Try changing or clearing your filters. / Clear filters. Source: README.md (TF-REQ-019 / Behaviour notes / Exact messages); README.md Exact messages / Empty states; src/components/TaskList.jsx; baseline main@5133a6c.	
Related Test Cases	TF-132 : TC-D-007 Nonmatch displays exact search empty state [Version :1]TF-146 : TC-D-021 Decision table: To Do AND each priority [Version :1]TF-147 : TC-D-022 Decision table: In Progress AND each priority [Version :1]TF-148 : TC-D-023 Decision table: Completed AND each priority [Version :1]TF-149 : TC-D-024 Decision table: query AND status AND priority [Version :1]TF-156 : TC-D-031 Search empty state echoes trimmed query [Version :1]TF-157 : TC-D-032 Blank query and no matching filters show filter empty state [Version :1]TF-158 : TC-D-033 Search no-hit takes precedence over filter no-hit [Version :1]TF-159 : TC-D-034 Zero total tasks takes precedence over query and filters [Version :1]

Requirement: REQ-D-013 : Clear search preserves filters and sort	
Version :	1
revision:	1
Author:	ahmed
Status	Valid
Type	Use Case
Coverage	100% (1/1)
The search empty-state Clear search action clears only search and preserves status, priority, and sort. Source: README.md (TF-REQ-019 / Behaviour notes / Exact messages); src/components/TaskList.jsx onClearSearch; src/App.jsx setSearch; baseline main@5133a6c.	
Related Test Cases	TF-160 : TC-D-035 Clear search preserves status priority and sort [Version :1]

Requirement: REQ-D-014 : Both Clear Filters actions reset all controls	
Version :	1
revision:	1
Author:	ahmed
Status	Valid
Type	Use Case
Coverage	100% (1/1)
Toolbar Clear Filters and filter-empty-state Clear filters clear search, set status and priority to All, and restore newest sort. Source: README.md (TF-REQ-019 / Behaviour notes / Exact messages); src/App.jsx clearFilters; src/components/TaskToolbar.jsx; src/components/TaskList.jsx onClearFilters; baseline main@5133a6c.	
Related Test Cases	TF-161 : TC-D-036 Empty-state Clear filters restores all defaults [Version :1]TF-162 : TC-D-037 Toolbar Clear Filters resets synchronized controls and sort [Version :1]TF-163 : TC-D-038 Toolbar Clear Filters resets sort alone [Version :1]TF-164 : TC-D-039 Toolbar Clear Filters clears a matching query [Version :1]TF-165 : TC-D-040 Search and filter clear actions act in sequence [Version :1]