

Requirements Specification Document

Test Project: TaskFlow

Printed by TestLink on 27/10/2026

2026 Group TaskFlow - Project 1 Test Case Design

Table Of Contents

1. **SRS-A-CREATE : Task creation and text validation**
    - REQ-A-001 : Required trimmed title
    - REQ-A-002 : Title inclusive length boundaries
    - REQ-A-003 : Trim and Unicode normalization
    - REQ-A-004 : Optional description maximum
    - REQ-A-005 : Live trimmed counters
    - REQ-A-006 : Creation form defaults
    - REQ-A-007 : Successful creation and persistence
    - REQ-A-008 : All creation values retained
    - REQ-A-009 : Cancel creation through every close path
    - REQ-A-010 : Fresh creation form on reopen
    - REQ-A-011 : Error timing and focus
    - REQ-A-012 : Live recovery after failed submit
    - REQ-A-013 : Creation entry points
    - REQ-A-014 : Safe literal text rendering

1. Requirements Spec.: SRS-A-CREATE : Task creation and text validation

revision	1
Author	aland
Type	User Requirement Specification
Total count of requirements (Coverage)	100% (14/14)

README.md TF-REQ-001,002,003,007,008; creation defaults from TF-REQ-004/005/006. Derived acceptance requirements from implemented behavior; no separate customer SRS exists. src/components/TaskFormModal.jsx, Modal.jsx; src/utils/validation.js, tasks.js; src/App.jsx.

Requirement: REQ-A-001 : Required trimmed title	
Version :	1
revision:	1
Author:	aland
Status	Valid
Type	Use Case
Coverage	100% (1/1)

A blank or whitespace-only title shall show "Title is required." and prevent creation. Source: README.md (Requirements traceability / Exact messages / Behaviour notes); src/utils/validation.js validateTask; src/components/TaskFormModal.jsx handleSubmit; baseline main@5133a6c.

Related Test Cases	TF-1 : TC-A-001 - Title length 0 [Version :1]TF-9 : TC-A-009 - Whitespace-only title [Version :1]

Requirement: REQ-A-002 : Title inclusive length boundaries	
Version :	1
revision:	1
Author:	aland
Status	Valid
Type	Use Case
Coverage	100% (1/1)

Trimmed title length shall be 3 through 80 Unicode code points inclusive. Below 3 shows "Title must be at least 3 characters." Above 80 shows "Title must be 80 characters or fewer." Inputs have no maxLength. Source: README.md (Requirements traceability / Exact messages / Behaviour notes); src/utils/validation.js TITLE_MIN/TITLE_MAX/countChars; src/components/TaskFormModal.jsx; baseline main@5133a6c.

Related Test Cases	TF-2 : TC-A-002 - Title length 1 [Version :1]TF-3 : TC-A-003 - Title length 2 [Version :1]TF-4 : TC-A-004 - Title length 3 [Version :1]TF-5 : TC-A-005 - Title length 4 [Version :1]TF-6 : TC-A-006 - Title length 79 [Version :1]TF-7 : TC-A-007 - Title length 80 [Version :1]TF-8 : TC-A-008 - Title length 81 [Version :1]TF-10 : TC-A-010 - Trim title before counting and saving [Version :1]TF-11 : TC-A-011 - Padding cannot bypass minimum [Version :1]TF-12 : TC-A-012 - Padded maximum title [Version :1]TF-13 : TC-A-013 - Emoji title 2 code points [Version :1]TF-14 : TC-A-014 - Emoji title 3 code points [Version :1]TF-15 : TC-A-015 - Emoji title 80 code points [Version :1]TF-16 : TC-A-016 - Emoji title 81 code points [Version :1]TF-34 : TC-A-034 - Simultaneous text errors and first-invalid focus [Version :1]TF-43 : TC-A-043 - Combining sequence is counted as code points [Version :1]

Requirement: REQ-A-003 : Trim and Unicode normalization	
Version :	1
revision:	1
Author:	aland
Status	Valid
Type	Use Case
Coverage	100% (1/1)
Leading/trailing title and description whitespace shall be removed before counting and saving. Each Unicode code point, including a single emoji, counts as one. Combining sequences consist of multiple code points; no Unicode canonical normalization occurs. Source: README.md (Requirements traceability / Exact messages / Behaviour notes); src/utils/validation.js countChars/validateTask; src/utils/tasks.js normalizeValues; baseline main@5133a6c.	
Related Test Cases	TF-9 : TC-A-009 - Whitespace-only title [Version :1]TF-10 : TC-A-010 - Trim title before counting and saving [Version :1]TF-11 : TC-A-011 - Padding cannot bypass minimum [Version :1]TF-12 : TC-A-012 - Padded maximum title [Version :1]TF-13 : TC-A-013 - Emoji title 2 code points [Version :1]TF-14 : TC-A-014 - Emoji title 3 code points [Version :1]TF-15 : TC-A-015 - Emoji title 80 code points [Version :1]TF-16 : TC-A-016 - Emoji title 81 code points [Version :1]TF-22 : TC-A-022 - Trim padded description maximum [Version :1]TF-23 : TC-A-023 - Whitespace-only optional description [Version :1]TF-24 : TC-A-024 - Emoji description maximum [Version :1]TF-25 : TC-A-025 - Emoji description above maximum [Version :1]TF-39 : TC-A-039 - Internal spaces and newlines preserved [Version :1]TF-43 : TC-A-043 - Combining sequence is counted as code points [Version :1]

Requirement: REQ-A-004 : Optional description maximum	
Version :	1
revision:	1
Author:	aland
Status	Valid
Type	Use Case
Coverage	100% (1/1)
Description may be empty and shall accept up to 500 trimmed Unicode code points. At 501 it shall show "Description must be 500 characters or fewer." and prevent creation. Source: README.md (Requirements traceability / Exact messages / Behaviour notes); src/utils/validation.js DESCRIPTION_MAX/validateTask; src/components/TaskFormModal.jsx; baseline main@5133a6c.	
Related Test Cases	TF-17 : TC-A-017 - Description length 0 [Version :1]TF-18 : TC-A-018 - Description length 1 [Version :1]TF-19 : TC-A-019 - Description length 499 [Version :1]TF-20 : TC-A-020 - Description length 500 [Version :1]TF-21 : TC-A-021 - Description length 501 [Version :1]TF-22 : TC-A-022 - Trim padded description maximum [Version :1]TF-23 : TC-A-023 - Whitespace-only optional description [Version :1]TF-24 : TC-A-024 - Emoji description maximum [Version :1]TF-25 : TC-A-025 - Emoji description above maximum [Version :1]TF-34 : TC-A-034 - Simultaneous text errors and first-invalid focus [Version :1]

Requirement: REQ-A-005 : Live trimmed counters	
Version :	1
revision:	1
Author:	aland
Status	Valid
Type	Use Case
Coverage	100% (1/1)
The title and description counters shall display "n / 80" and "n / 500" using trimmed code point counts. counter-over/red shall apply only when n exceeds the maximum. Source: README.md (Requirements traceability / Exact messages / Behaviour notes); src/components/TaskFormModal.jsx titleLength/descriptionLength; src/App.css .counter-over; baseline main@5133a6c.	
Related Test Cases	TF-1 : TC-A-001 - Title length 0 [Version :1]TF-2 : TC-A-002 - Title length 1 [Version :1]TF-3 : TC-A-003 - Title length 2 [Version :1]TF-4 : TC-A-004 - Title length 3 [Version :1]TF-5 : TC-A-005 - Title length 4 [Version :1]TF-6 : TC-A-006 - Title length 79 [Version :1]TF-7 : TC-A-007 - Title length 80 [Version :1]TF-8 : TC-A-008 - Title length 81 [Version :1]TF-12 : TC-A-012 - Padded maximum title [Version :1]TF-13 : TC-A-013 - Emoji title 2 code points [Version :1]TF-14 : TC-A-014 - Emoji title 3 code points [Version :1]TF-15 : TC-A-015 - Emoji title 80 code points [Version :1]TF-16 : TC-A-016 - Emoji title 81 code points [Version :1]TF-17 : TC-A-017 - Description length 0 [Version :1]TF-18 : TC-A-018 - Description length 1 [Version :1]TF-19 : TC-A-019 - Description length 499 [Version :1]TF-20 : TC-A-020 - Description length 500 [Version :1]TF-21 : TC-A-021 - Description length 501 [Version :1]TF-22 : TC-A-022 - Trim padded description maximum [Version :1]TF-24 : TC-A-024 - Emoji description maximum [Version :1]TF-25 : TC-A-025 - Emoji description above maximum [Version :1]TF-42 : TC-A-042 - Counter returns from over-limit state [Version :1]TF-43 : TC-A-043 - Combining sequence is counted as code points [Version :1]

Requirement: REQ-A-006 : Creation form defaults	
Version :	1
revision:	1
Author:	aland
Status	Valid
Type	Use Case
Coverage	100% (1/1)
Opening "+ New Task" shall show "New Task", blank title/description/date, priority "Medium", status "To Do", "Cancel" and "Create Task". Empty date saves as an empty string. Source: README.md (Requirements traceability / Exact messages / Behaviour notes); src/components/TaskFormModal.jsx EMPTY_FORM; src/utils/tasks.js normalizeValues; baseline main@5133a6c.	
Related Test Cases	TF-26 : TC-A-026 - Create using default values [Version :1]TF-37 : TC-A-037 - Empty-state creation entry point [Version :1]

Requirement: REQ-A-007 : Successful creation and persistence	
Version :	1
revision:	1
Author:	aland
Status	Valid
Type	Use Case
Coverage	100% (1/1)
A valid submission shall close the form, add exactly one task, save it to taskflow_tasks and immediately show "Task created successfully." The saved object has a nonempty generated id and identical valid ISO createdAt/updatedAt on creation. Source: README.md (Requirements traceability / Exact messages / Behaviour notes); src/App.jsx createTask/commit; src/utils/tasks.js buildTask; src/utils/storage.js saveTasks; baseline main@5133a6c.	
Related Test Cases	TF-26 : TC-A-026 - Create using default values [Version :1]TF-27 : TC-A-027 - Create with every field supplied [Version :1]TF-35 : TC-A-035 - Fresh form after successful creation [Version :1]TF-36 : TC-A-036 - Duplicate titles have separate identities [Version :1]TF-38 : TC-A-038 - Markup-like text stays literal [Version :1]

Requirement: REQ-A-008 : All creation values retained	
Version :	1
revision:	1
Author:	aland
Status	Valid
Type	Use Case
Coverage	100% (1/1)
A valid creation shall preserve selected priority/status/date and save trimmed title/description without altering internal spaces or line breaks. Duplicate task titles are allowed and receive distinct ids. Source: README.md (Requirements traceability / Exact messages / Behaviour notes); src/components/TaskFormModal.jsx handleSubmit; src/utils/tasks.js buildTask/normalizeValues; src/App.jsx createTask; baseline main@5133a6c.	
Related Test Cases	TF-27 : TC-A-027 - Create with every field supplied [Version :1]TF-36 : TC-A-036 - Duplicate titles have separate identities [Version :1]TF-39 : TC-A-039 - Internal spaces and newlines preserved [Version :1]

Requirement: REQ-A-009 : Cancel creation through every close path	
Version :	1
revision:	1
Author:	aland
Status	Valid
Type	Use Case
Coverage	100% (1/1)
Cancel, Close (X), Escape and pressing the dark backdrop shall close New Task and discard unsaved values, without creating or persisting a task or showing a success toast. Source: README.md (Requirements traceability / Exact messages / Behaviour notes); src/components/TaskFormModal.jsx; src/components/Modal.jsx onKeyDown/onMouseDown/onClose; baseline main@5133a6c.	
Related Test Cases	TF-28 : TC-A-028 - Discard creation via Cancel [Version :1]TF-29 : TC-A-029 - Discard creation via Close X [Version :1]TF-30 : TC-A-030 - Discard creation via Escape [Version :1]TF-31 : TC-A-031 - Discard creation via Backdrop [Version :1]TF-40 : TC-A-040 - Clicks inside dialog do not cancel draft [Version :1]

Requirement: REQ-A-010 : Fresh creation form on reopen	
Version :	1
revision:	1
Author:	aland
Status	Valid
Type	Use Case
Coverage	100% (1/1)
After dismissal or successful creation, opening New Task again shall use EMPTY_FORM and clear previously displayed validation errors. Source: README.md (Requirements traceability / Exact messages / Behaviour notes); src/App.jsx conditional TaskFormModal mounting; src/components/TaskFormModal.jsx useState; baseline main@5133a6c.	
Related Test Cases	TF-28 : TC-A-028 - Discard creation via Cancel [Version :1]TF-29 : TC-A-029 - Discard creation via Close X [Version :1]TF-30 : TC-A-030 - Discard creation via Escape [Version :1]TF-31 : TC-A-031 - Discard creation via Backdrop [Version :1]TF-35 : TC-A-035 - Fresh form after successful creation [Version :1]TF-41 : TC-A-041 - Fresh validation state after cancelling errors [Version :1]

Requirement: REQ-A-011 : Error timing and focus	
Version :	1
revision:	1
Author:	aland
Status	Valid
Type	Use Case
Coverage	100% (1/1)
Before the first submit validation errors shall stay hidden. Invalid submit shall keep the modal open, show all relevant field errors, set aria-invalid and focus the first invalid field (title before description). Source: README.md (Requirements traceability / Exact messages / Behaviour notes); src/components/TaskFormModal.jsx submitted/errors/handleSubmit/invalid; baseline main@5133a6c.	
Related Test Cases	TF-32 : TC-A-032 - Validation appears only after submit [Version :1]TF-33 : TC-A-033 - Correct invalid title without resubmitting [Version :1]TF-34 : TC-A-034 - Simultaneous text errors and first-invalid focus [Version :1]TF-41 : TC-A-041 - Fresh validation state after cancelling errors [Version :1]

Requirement: REQ-A-012 : Live recovery after failed submit	
Version :	1
revision:	1
Author:	aland
Status	Valid
Type	Use Case
Coverage	100% (1/1)
After the first failed submit, errors shall update on each edit. Correcting every invalid field shall permit one successful creation on the next submit. Source: README.md (Requirements traceability / Exact messages / Behaviour notes); src/components/TaskFormModal.jsx handleChange/submitted/handleSubmit; baseline main@5133a6c.	
Related Test Cases	TF-33 : TC-A-033 - Correct invalid title without resubmitting [Version :1]TF-34 : TC-A-034 - Simultaneous text errors and first-invalid focus [Version :1]TF-42 : TC-A-042 - Counter returns from over-limit state [Version :1]

Requirement: REQ-A-013 : Creation entry points	
Version :	1
revision:	1
Author:	aland
Status	Valid
Type	Use Case
Coverage	100% (1/1)
With no tasks the page shall show "No tasks yet", "Tasks you create will appear here." and "Create your first task". That button shall open the same New Task form as "+ New Task". Source: README.md (Requirements traceability / Exact messages / Behaviour notes); src/components/TaskList.jsx empty state; src/App.jsx onCreate; src/components/EmptyState.jsx; baseline main@5133a6c.	
Related Test Cases	TF-37 : TC-A-037 - Empty-state creation entry point [Version :1]

Requirement: REQ-A-014 : Safe literal text rendering	
Version :	1
revision:	1
Author:	aland
Status	Valid
Type	Use Case
Coverage	100% (1/1)
Task title and description shall render as literal React text, including HTML-like content, without creating injected markup or executing scripts. Source: README.md (Requirements traceability / Exact messages / Behaviour notes); src/components/TaskCard.jsx task.title/task.description; src/components/TaskFormModal.jsx controlled values; baseline main@5133a6c.	
Related Test Cases	TF-38 : TC-A-038 - Markup-like text stays literal [Version :1]