

Requirements Specification Document

Test Project: TaskFlow

Printed by TestLink on 27/10/2026

2026 Group TaskFlow - Project 1 Test Case Design

Table Of Contents

1. **SRS-E-STORAGE-NAV-A11Y : Storage recovery, navigation and accessibility**
    - REQ-E-001 : Reload persistence
    - REQ-E-002 : Missing and corrupt storage
    - REQ-E-003 : Invalid entries and duplicate ids
    - REQ-E-004 : Updated timestamp fallback and normalization
    - REQ-E-005 : Storage read failure
    - REQ-E-006 : Reset and backup retention
    - REQ-E-007 : Failed write remains optimistic
    - REQ-E-008 : Warning announcement and dismissal
    - REQ-E-009 : Navigation and page title
    - REQ-E-010 : Responsive sidebar breakpoint
    - REQ-E-011 : Drawer close paths
    - REQ-E-012 : Dialog name, focus and opener restoration
    - REQ-E-013 : Toast timing and semantics

1. Requirements Spec.: SRS-E-STORAGE-NAV-A11Y : Storage recovery, navigation and accessibility

revision	1
Author	rasan
Type	User Requirement Specification
Total count of requirements (Coverage)	100% (13/13)

Derived acceptance requirements supplementing README.md TF-REQ-001..019. Member E scope uses src/utils/storage.js, normalization/validation helpers, StorageBanner.jsx, Sidebar.jsx, TopBar.jsx, Toast.jsx, Modal.jsx, App.jsx and App.css. Code-derived requirements below do not claim original TF-REQ identifiers.

Requirement: REQ-E-001 : Reload persistence	
Version :	1
revision:	1
Author:	rasan
Status	Valid
Type	Use Case
Coverage	100% (1/1)

A valid task array is loaded at app initialization and remains visible after ordinary reload. Code-derived. Sources: README.md (Storage / Behaviour notes / Exact messages); src/utils/storage.js loadTasks; src/App.jsx useState(loadTasks); baseline main@5133a6c.

Related Test Cases	TF-167 : TC-E-002 - Persist task through ordinary reload [Version :1]

Requirement: REQ-E-002 : Missing and corrupt storage	
Version :	1
revision:	1
Author:	rasan
Status	Valid
Type	Use Case
Coverage	100% (1/1)

A missing key loads empty without warning. Malformed JSON or parsed non-array loads empty, backs up original raw string byte-for-byte under taskflow_tasks_backup, and shows exact corruption warning with Reset storage. Sources: README.md (Storage / Behaviour notes / Exact messages); src/utils/storage.js loadTasks/keepBackup; baseline main@5133a6c.

Related Test Cases	TF-166 : TC-E-001 - Missing task key loads quietly [Version :1]TF-168 : TC-E-003 - Malformed JSON copied byte-for-byte [Version :1]TF-169 : TC-E-004 - Parsed object rejected as non-array [Version :1]TF-182 : TC-E-017 - Blocked backup write does not throw [Version :1]TF-185 : TC-E-020 - Reset removes primary and retains backup [Version :1]

Requirement: REQ-E-003 : Invalid entries and duplicate ids	
Version :	1
revision:	1
Author:	rasan
Status	Valid
Type	Use Case
Coverage	100% (1/1)
Skip entries with missing/empty/non-string id, invalid validateTask values, unparseable/missing createdAt, or duplicate id after first valid occurrence. Keep valid entries in order. Back up original array JSON and show exact count: 1 saved entry was invalid and skipped. A backup was kept. or N saved entries were invalid and skipped. A backup was kept. Code-derived. Sources: README.md (Storage / Behaviour notes / Exact messages); src/utils/storage.js toSavedTask/loadTasks; src/utils/validation.js validateTask; baseline main@5133a6c.	
Related Test Cases	TF-170 : TC-E-005 - Valid stored task loads normalized [Version :1]TF-171 : TC-E-006 - Missing id skipped with singular warning [Version :1]TF-172 : TC-E-007 - Empty id skipped [Version :1]TF-173 : TC-E-008 - Duplicate id keeps first valid record [Version :1]TF-174 : TC-E-009 - Plural invalid count grammar [Version :1]TF-175 : TC-E-010 - Reject bad priority in storage [Version :1]TF-176 : TC-E-011 - Reject bad status in storage [Version :1]TF-177 : TC-E-012 - Reject invalid date and missing creation time [Version :1]TF-180 : TC-E-015 - Valid siblings retained around rejected row [Version :1]

Requirement: REQ-E-004 : Updated timestamp fallback and normalization	
Version :	1
revision:	1
Author:	rasan
Status	Valid
Type	Use Case
Coverage	100% (1/1)
For valid entries missing or invalid updatedAt, use createdAt exactly. Retain normalized title/description; missing description and undefined/null/empty dueDate become empty strings. Code-derived. Sources: README.md (Storage / Behaviour notes / Exact messages); src/utils/storage.js toSavedTask; src/utils/tasks.js normalizeValues; baseline main@5133a6c.	
Related Test Cases	TF-170 : TC-E-005 - Valid stored task loads normalized [Version :1]TF-178 : TC-E-013 - Missing updatedAt falls back to createdAt [Version :1]TF-179 : TC-E-014 - Malformed updatedAt falls back [Version :1]

Requirement: REQ-E-005 : Storage read failure	
Version :	1
revision:	1
Author:	rasan
Status	Valid
Type	Use Case
Coverage	100% (1/1)
If localStorage.getItem throws, return empty tasks and warning Browser storage is unavailable, so tasks cannot be loaded or saved. with canReset false. Code-derived. Sources: README.md (Storage / Behaviour notes / Exact messages); src/utils/storage.js loadTasks; baseline main@5133a6c.	
Related Test Cases	TF-181 : TC-E-016 - Read exception returns unavailable warning [Version :1]

Requirement: REQ-E-006 : Reset and backup retention	
Version :	1
revision:	1
Author:	rasan
Status	Valid
Type	Use Case
Coverage	100% (1/1)
Reset removes only taskflow_tasks, ignores removal failure, clears current in-memory tasks and warning, and retains taskflow_tasks_backup. Code-derived. Sources: README.md (Storage / Behaviour notes / Exact messages); src/utils/storage.js resetStorage; src/App.jsx handleResetStorage; baseline main@5133a6c.	
Related Test Cases	TF-185 : TC-E-020 - Reset removes primary and retains backup [Version :1]TF-186 : TC-E-021 - Repeated reset remains safe [Version :1]

Requirement: REQ-E-007 : Failed write remains optimistic	
Version :	1
revision:	1
Author:	rasan
Status	Valid
Type	Use Case
Coverage	100% (1/1)
A failed save returns false; App still updates in-memory state and shows Could not save tasks to browser storage. The mutation is not persisted and can disappear after reload. Code-derived. Sources: README.md (Storage / Behaviour notes / Exact messages); src/utils/storage.js saveTasks; src/App.jsx commit/createTask/changeStatus; src/components/Toast.jsx; baseline main@5133a6c.	
Related Test Cases	TF-183 : TC-E-018 - Failed creation save reports error but stays optimistic [Version :1]TF-184 : TC-E-019 - Failed status save is optimistic [Version :1]TF-202 : TC-E-037 - Error toast uses alert and dismiss control [Version :1]

Requirement: REQ-E-008 : Warning announcement and dismissal	
Version :	1
revision:	1
Author:	rasan
Status	Valid
Type	Use Case
Coverage	100% (1/1)
Storage warning renders as role=alert with supplied text and Dismiss warning button. Dismissal hides current warning without changing storage. Code-derived. Sources: README.md (Storage / Behaviour notes / Exact messages); src/components/StorageBanner.jsx; src/App.jsx warning state; baseline main@5133a6c.	
Related Test Cases	TF-187 : TC-E-022 - Dismiss warning changes no storage [Version :1]TF-188 : TC-E-023 - Warning role and dismissal name [Version :1]

Requirement: REQ-E-009 : Navigation and page title	
Version :	1
revision:	1
Author:	rasan
Status	Valid
Type	Use Case
Coverage	100% (1/1)
Dashboard and All Tasks reset status filter to All; status navigation selects matching filter. Active nav button has aria-current=page and TopBar h1 follows active label. Code-derived; query behavior belongs to D. Sources: README.md (Storage / Behaviour notes / Exact messages); README.md Behaviour notes; src/App.jsx navigate/activeNav; src/components/Sidebar.jsx; src/components/TopBar.jsx; baseline main@5133a6c.	
Related Test Cases	TF-189 : TC-E-024 - Dashboard and All Tasks show all statuses [Version :1]TF-190 : TC-E-025 - Each status navigation sets title and active state [Version :1]TF-197 : TC-E-032 - Mobile navigation updates page title [Version :1]

Requirement: REQ-E-010 : Responsive sidebar breakpoint	
Version :	1
revision:	1
Author:	rasan
Status	Valid
Type	Use Case
Coverage	100% (1/1)
At 769px+, desktop collapse toggles width 248px/72px and hides brand/nav/profile labels. At <=768px, CSS applies a 272px off-canvas drawer and overlay. README says under 768px, while CSS includes exactly 768px; 769px is desktop. Code-derived breakpoint detail. Sources: README.md (Storage / Behaviour notes / Exact messages); README.md Behaviour notes; src/App.css @media max-width:768px and min-width:769px; src/components/Sidebar.jsx; baseline main@5133a6c.	
Related Test Cases	TF-191 : TC-E-026 - Desktop sidebar collapse toggles labels [Version :1]TF-192 : TC-E-027 - Responsive behavior at 767px [Version :1]TF-193 : TC-E-028 - Responsive behavior at 768px and README discrepancy [Version :1]TF-194 : TC-E-029 - Responsive behavior at 769px [Version :1]

Requirement: REQ-E-011 : Drawer close paths	
Version :	1
revision:	1
Author:	rasan
Status	Valid
Type	Use Case
Coverage	100% (1/1)
Mobile menu opens drawer; nav selection, Close menu or overlay click closes it. Nav selection also updates filter/view and heading. Code-derived. Sources: README.md (Storage / Behaviour notes / Exact messages); src/App.jsx navigate/drawerOpen; src/components/Sidebar.jsx; src/components/TopBar.jsx; baseline main@5133a6c.	
Related Test Cases	TF-195 : TC-E-030 - Close drawer via close control and navigation [Version :1]TF-196 : TC-E-031 - Backdrop closes drawer but inside click does not [Version :1]TF-197 : TC-E-032 - Mobile navigation updates page title [Version :1]

Requirement: REQ-E-012 : Dialog name, focus and opener restoration	
Version :	1
revision:	1
Author:	rasan
Status	Valid
Type	Use Case
Coverage	100% (1/1)
Dialog has role=dialog, aria-modal=true and aria-labelledby referencing visible h2. On open focus moves to data-autofocus control; on unmount focus returns to element active when mounted. Do not assert focus trap; none is implemented. Code-derived. Sources: README.md (Storage / Behaviour notes / Exact messages); src/components/Modal.jsx; src/components/TaskFormModal.jsx; src/components/ConfirmDeleteModal.jsx; baseline main@5133a6c.	
Related Test Cases	TF-198 : TC-E-033 - Dialog name and modal accessibility properties [Version :1]TF-199 : TC-E-034 - Dialog autofocuses marked control [Version :1]TF-200 : TC-E-035 - Dialog close restores opener focus [Version :1]

Requirement: REQ-E-013 : Toast timing and semantics	
Version :	1
revision:	1
Author:	rasan
Status	Valid
Type	Use Case
Coverage	100% (1/1)
Toast closes after 3000ms (manual tolerance 2700–3800ms), has Dismiss notification control, role=status for success and role=alert for error. Code-derived. Sources: README.md (Storage / Behaviour notes / Exact messages); README.md Exact messages; src/components/Toast.jsx; baseline main@5133a6c.	
Related Test Cases	TF-201 : TC-E-036 - Success toast uses status and dismiss control [Version :1]TF-202 : TC-E-037 - Error toast uses alert and dismiss control [Version :1]TF-203 : TC-E-038 - Toast automatic duration tolerance [Version :1]