

Test Specification

Test Project: TaskFlow

Printed by TestLink on 27/10/2026

2026 Group TaskFlow - Project 1 Test Case Design

Table Of Contents

1.A - Aland Karwan - Creation and text validation

1.1.TS-A1 - Required title and Unicode boundaries

TF-1: TC-A-001 - Title length 0

TF-2: TC-A-002 - Title length 1

TF-3: TC-A-003 - Title length 2

TF-4: TC-A-004 - Title length 3

TF-5: TC-A-005 - Title length 4

TF-6: TC-A-006 - Title length 79

TF-7: TC-A-007 - Title length 80

TF-8: TC-A-008 - Title length 81

TF-9: TC-A-009 - Whitespace-only title

TF-10: TC-A-010 - Trim title before counting and saving

TF-11: TC-A-011 - Padding cannot bypass minimum

TF-12: TC-A-012 - Padded maximum title

TF-13: TC-A-013 - Emoji title 2 code points

TF-14: TC-A-014 - Emoji title 3 code points

TF-15: TC-A-015 - Emoji title 80 code points

TF-16: TC-A-016 - Emoji title 81 code points

1.2.TS-A2 - Description limits and live counters

TF-17: TC-A-017 - Description length 0

TF-18: TC-A-018 - Description length 1

TF-19: TC-A-019 - Description length 499

TF-20: TC-A-020 - Description length 500

TF-21: TC-A-021 - Description length 501

TF-22: TC-A-022 - Trim padded description maximum

TF-23: TC-A-023 - Whitespace-only optional description

TF-24: TC-A-024 - Emoji description maximum

TF-25: TC-A-025 - Emoji description above maximum

1.3.TS-A3 - Creation, cancellation and error recovery

TF-26: TC-A-026 - Create using default values

TF-27: TC-A-027 - Create with every field supplied

TF-28: TC-A-028 - Discard creation via Cancel

TF-29: TC-A-029 - Discard creation via Close X

TF-30: TC-A-030 - Discard creation via Escape

TF-31: TC-A-031 - Discard creation via Backdrop

TF-32: TC-A-032 - Validation appears only after submit

TF-33: TC-A-033 - Correct invalid title without resubmitting

TF-34: TC-A-034 - Simultaneous text errors and first-invalid focus

TF-35: TC-A-035 - Fresh form after successful creation

TF-36: TC-A-036 - Duplicate titles have separate identities

TF-37: TC-A-037 - Empty-state creation entry point

TF-38: TC-A-038 - Markup-like text stays literal

TF-39: TC-A-039 - Internal spaces and newlines preserved

TF-40: TC-A-040 - Clicks inside dialog do not cancel draft

TF-41: TC-A-041 - Fresh validation state after cancelling errors

TF-42: TC-A-042 - Counter returns from over-limit state

TF-43: TC-A-043 - Combining sequence is counted as code points

2.B - Mhamad - Editing and deletion

2.1.TS-B1 - Prefilled editing and committed changes

TF-44: TC-B-001 - Prefill all saved fields

TF-45: TC-B-002 - Prefill empty optional fields

TF-46: TC-B-003 - Save title-only edit with identity retained

TF-47: TC-B-004 - Save description-only edit

TF-48: TC-B-005 - Save all editable fields together

TF-49: TC-B-006 - Clear existing optional description and date

TF-50: TC-B-007 - Save unchanged form still updates metadata

TF-51: TC-B-008 - Edit one same-title sibling only

TF-52: TC-B-009 - Repeat edits to the same task

TF-53: TC-B-010 - Edit different tasks in sequence

TF-54: TC-B-011 - Reject blank-title edit atomically

TF-55: TC-B-012 - Reject short-title edit atomically

TF-56: TC-B-013 - Reject overlong-title edit atomically

TF-57: TC-B-014 - Reject overlong-description edit atomically

TF-58: TC-B-015 - Reject two invalid fields without partial save

TF-59: TC-B-016 - Correct rejected edit and save once

TF-60: TC-B-017 - Save priority edit and retain it after reload

TF-61: TC-B-018 - Latest repeated priority edit wins

2.2.TS-B2 - Editing cancellation and draft isolation

TF-62: TC-B-019 - Discard dirty edit using Cancel button

TF-63: TC-B-020 - Discard dirty edit using Close X button

TF-64: TC-B-021 - Discard dirty edit using Escape key

TF-65: TC-B-022 - Discard dirty edit using dark backdrop

TF-66: TC-B-023 - Cancel a rejected draft

TF-67: TC-B-024 - Cancel untouched edit without advancing timestamp

TF-68: TC-B-025 - Reopen after rejected draft dismissal clears draft and errors

TF-69: TC-B-026 - Clicking inside edit modal does not discard draft

TF-70: TC-B-027 - Cancel priority-only change then reload

2.3.TS-B3 - Deletion confirmation and repeated targeting

TF-71: TC-B-028 - Exact confirmation before any deletion

TF-72: TC-B-029 - Confirmation uses latest saved title and punctuation

TF-73: TC-B-030 - Confirm deletion leaves siblings intact

TF-74: TC-B-031 - Confirm deletion of the sole remaining task

TF-75: TC-B-032 - Delete only intended same-title sibling

TF-76: TC-B-033 - Dismiss deletion using Cancel button

TF-77: TC-B-034 - Dismiss deletion using Close X button

TF-78: TC-B-035 - Dismiss deletion using Escape key

TF-79: TC-B-036 - Dismiss deletion using dark backdrop

TF-80: TC-B-037 - Interior deletion click is not a confirmation or dismissal

TF-81: TC-B-038 - Reopen after canceled deletion targets newly selected task

TF-82: TC-B-039 - Repeated cancellation then one confirmed deletion

TF-83: TC-B-040 - Consecutive deletions never reuse old target

TF-84: TC-B-041 - Canceled edit does not contaminate subsequent deletion

3.C - Lanya Faraidun - Status, dates and counts

3.1.TS-C1 - Priority and status partitions

TF-85: TC-C-001 - Accepted priority partition: Low

TF-86: TC-C-002 - Accepted priority partition: Medium

TF-87: TC-C-003 - Accepted priority partition: High

TF-88: TC-C-004 - Accepted status partition: To Do

TF-89: TC-C-005 - Accepted status partition: In Progress

TF-90: TC-C-006 - Accepted status partition: Completed

TF-91: TC-C-007 - Reject unsupported priority string in validator harness

TF-92: TC-C-008 - Reject non-string and missing priority values in validator harness

TF-93: TC-C-009 - Reject unsupported status string in validator harness

TF-94: TC-C-010 - Reject non-string and missing status values in validator harness

TF-95: TC-C-011 - Report both invalid enum fields together

3.2.TS-C2 - Status transitions, summaries and Completed tasks

TF-96: TC-C-012 - Status transition To Do to In Progress

TF-97: TC-C-013 - Status transition To Do to Completed

TF-98: TC-C-014 - Status transition In Progress to To Do

TF-99: TC-C-015 - Status transition In Progress to Completed

TF-100: TC-C-016 - Status transition Completed to To Do

TF-101: TC-C-017 - Status transition Completed to In Progress

TF-102: TC-C-018 - Same-state selection behavior for To Do

TF-103: TC-C-019 - Same-state selection behavior for In Progress

TF-104: TC-C-020 - Same-state selection behavior for Completed

TF-105: TC-C-021 - Summary totals ignore search filtering

TF-106: TC-C-022 - Summary totals ignore status filtering

TF-107: TC-C-023 - Summary totals ignore priority filtering

TF-108: TC-C-024 - Summary totals ignore combined filtering

TF-109: TC-C-025 - Completed overdue card has completed styling and no overdue treatment

TF-110: TC-C-026 - Completed task due today omits Due today badge

3.3.TS-C3 - Optional dates and calendar validation

TF-111: TC-C-027 - Empty due date is a valid optional value

TF-112: TC-C-028 - Valid leap-day date is retained and formatted

TF-113: TC-C-029 - Native date input sanitizes impossible date before validator

TF-114: TC-C-030 - Validator rejects impossible calendar date independently of native control

TF-115: TC-C-031 - Leap-year divisibility decision table

TF-116: TC-C-032 - Day-of-month minimum and maximum boundaries

TF-117: TC-C-033 - Leap-February day maximum and max+1

TF-118: TC-C-034 - Thirty-day month maximum and max+1

TF-119: TC-C-035 - Month range min-1/min/max/max+1

TF-120: TC-C-036 - Date string shape and optional absence partitions

3.4.TS-C4 - Local-day decisions and date formatting

TF-121: TC-C-037 - Fixed local yesterday-today-tomorrow by completion state

TF-122: TC-C-038 - Overdue result changes when a task becomes Completed

TF-123: TC-C-039 - Due-date relation follows local calendar day, not UTC parsing

TF-124: TC-C-040 - Due-date formatting is stable for a fixed date

TF-125: TC-C-041 - Local today helpers use fixed local date rather than wall clock

4.D - Ahmed - Search filters and sorting

4.1.TS-D1 - Search and result feedback

TF-126: TC-D-001 Empty query shows all tasks

TF-127: TC-D-002 Whitespace-only query is blank after trimming

TF-128: TC-D-003 Case-insensitive title substring

TF-129: TC-D-004 Description-only substring

TF-130: TC-D-005 Title OR description returns each match once

TF-131: TC-D-006 Case-insensitive description substring

TF-132: TC-D-007 Nonmatch displays exact search empty state

TF-133: TC-D-008 Percent and parentheses are literal search characters

TF-134: TC-D-009 Square bracket and question mark are literal

TF-135: TC-D-010 TopBar search synchronizes toolbar value and results

TF-136: TC-D-011 Toolbar search synchronizes TopBar value and results

TF-137: TC-D-012 One visible among six uses plural total wording

TF-138: TC-D-013 Several visible tasks use plural total wording

TF-139: TC-D-014 Single-task total uses singular wording

4.2.TS-D2 - Status, priority and AND decision tables

TF-140: TC-D-015 To Do status partition

TF-141: TC-D-016 In Progress status partition

TF-142: TC-D-017 Completed status partition

TF-143: TC-D-018 High priority partition

TF-144: TC-D-019 Medium priority partition

TF-145: TC-D-020 Low priority partition

TF-146: TC-D-021 Decision table: To Do AND each priority

TF-147: TC-D-022 Decision table: In Progress AND each priority

TF-148: TC-D-023 Decision table: Completed AND each priority

TF-149: TC-D-024 Decision table: query AND status AND priority

4.3.TS-D3 - Sort orders and due-date boundaries

TF-150: TC-D-025 Newest first is default and orders creation newest first

TF-151: TC-D-026 Oldest first orders creation oldest first

TF-152: TC-D-027 Due soonest orders dates and ties then undated last

TF-153: TC-D-028 Due latest reverses date order and keeps tie/blank rules

TF-154: TC-D-029 Soonest sort places both undated tasks last

TF-155: TC-D-030 Latest sort places both undated tasks last

4.4.TS-D4 - Empty states and clearing behavior

TF-156: TC-D-031 Search empty state echoes trimmed query

TF-157: TC-D-032 Blank query and no matching filters show filter empty state

TF-158: TC-D-033 Search no-hit takes precedence over filter no-hit

TF-159: TC-D-034 Zero total tasks takes precedence over query and filters

TF-160: TC-D-035 Clear search preserves status priority and sort

TF-161: TC-D-036 Empty-state Clear filters restores all defaults

TF-162: TC-D-037 Toolbar Clear Filters resets synchronized controls and sort

TF-163: TC-D-038 Toolbar Clear Filters resets sort alone

TF-164: TC-D-039 Toolbar Clear Filters clears a matching query

TF-165: TC-D-040 Search and filter clear actions act in sequence

5.E - Rasan soran - Storage navigation and accessibility

5.1.TS-E1 - Storage loading and recovery

TF-166: TC-E-001 - Missing task key loads quietly

TF-167: TC-E-002 - Persist task through ordinary reload

TF-168: TC-E-003 - Malformed JSON copied byte-for-byte

TF-169: TC-E-004 - Parsed object rejected as non-array

TF-170: TC-E-005 - Valid stored task loads normalized

TF-171: TC-E-006 - Missing id skipped with singular warning

TF-172: TC-E-007 - Empty id skipped

TF-173: TC-E-008 - Duplicate id keeps first valid record

TF-174: TC-E-009 - Plural invalid count grammar

TF-175: TC-E-010 - Reject bad priority in storage

TF-176: TC-E-011 - Reject bad status in storage

TF-177: TC-E-012 - Reject invalid date and missing creation time

TF-178: TC-E-013 - Missing updatedAt falls back to createdAt

TF-179: TC-E-014 - Malformed updatedAt falls back

TF-180: TC-E-015 - Valid siblings retained around rejected row

5.2.TS-E2 - Storage failures warnings and navigation

TF-181: TC-E-016 - Read exception returns unavailable warning

TF-182: TC-E-017 - Blocked backup write does not throw

TF-183: TC-E-018 - Failed creation save reports error but stays optimistic

TF-184: TC-E-019 - Failed status save is optimistic

TF-185: TC-E-020 - Reset removes primary and retains backup

TF-186: TC-E-021 - Repeated reset remains safe

TF-187: TC-E-022 - Dismiss warning changes no storage

TF-188: TC-E-023 - Warning role and dismissal name

TF-189: TC-E-024 - Dashboard and All Tasks show all statuses

TF-190: TC-E-025 - Each status navigation sets title and active state

TF-191: TC-E-026 - Desktop sidebar collapse toggles labels

TF-192: TC-E-027 - Responsive behavior at 767px

TF-193: TC-E-028 - Responsive behavior at 768px and README discrepancy

TF-194: TC-E-029 - Responsive behavior at 769px

TF-195: TC-E-030 - Close drawer via close control and navigation

TF-196: TC-E-031 - Backdrop closes drawer but inside click does not

TF-197: TC-E-032 - Mobile navigation updates page title

5.3.TS-E3 - Dialog focus and toast accessibility

TF-198: TC-E-033 - Dialog name and modal accessibility properties

TF-199: TC-E-034 - Dialog autofocuses marked control

TF-200: TC-E-035 - Dialog close restores opener focus

TF-201: TC-E-036 - Success toast uses status and dismiss control

TF-202: TC-E-037 - Error toast uses alert and dismiss control

TF-203: TC-E-038 - Toast automatic duration tolerance

Scope

TaskFlow - single-user React/Vite task manager. SECJ3343 Project 1 local preparation environment. Import exports into the lecturer's existing project.

1.Test Suite : A - Aland Karwan - Creation and text validation

Tester: Aland Karwan. SECJ3343 Project 1. Group TaskFlow. Baseline: TaskFlow main@5133a6c. Test basis: README.md TF-REQ-001/002/003/007/008 and the default-only portions of TF-REQ-004/005/006. Code: src/utils/validation.js, tasks.js; src/components/TaskFormModal.jsx, Modal.jsx; src/App.jsx.

Scope: creation workflow, trimmed Unicode text limits, counters, inline errors, cancel and reopen. Member C owns enum/date validation and subsequent status changes; B owns editing/deletion; D owns querying; E owns storage failure/recovery and navigation. Techniques: EP, BVA, Decision Table, State Transition, Use Case, Error Guessing. All cases are designed manual tests, initially Not Run.

Use a dedicated Chrome profile at http://localhost:5173. Before EACH independent case open DevTools Console, run localStorage.removeItem("taskflow_tasks"); localStorage.removeItem("taskflow_tasks_backup"); location.reload(); close DevTools. Leave Dashboard, empty search, All Statuses, All Priorities, Newest first. Unless overridden: title = Write Weekly Report; description empty; priority Medium; status To Do; due date empty. In literal repetition notation, a x N means exactly N copies of ASCII a, with no separators. Use the supplied Console copy expressions to put exact data on the clipboard. Observe toasts immediately (they disappear after 3000 ms). Never clear personal task data.

1.1.Test Suite : TS-A1 - Required title and Unicode boundaries

Title EP and BVA: 0,1,2,3,4,79,80,81; padding and emoji.

Test Case TF-1: TC-A-001 - Title length 0 [Version : 1]		
Author:	aland	
Summary: TC-A-001 - Title length 0. **Test design technique:** EP - empty required-title partition **Requirements:** REQ-A-001, REQ-A-005		
Preconditions: Use dedicated Chrome profile; TaskFlow at http://localhost:5173 from main@5133a6c. Before this case clear only that profile's taskflow_tasks and taskflow_tasks_backup keys and reload. Dashboard; no search/filters; Newest first. Browser storage writable. Unless specified: Write Weekly Report, empty description/date, Medium, To Do. Observe toast within 3 seconds.		
#:	Step actions:	Expected Results:
1	+ New Task: click the button.	Dialog "New Task" opens with "Create Task" and "Cancel".
2	Set Task Title to Write Weekly Report, then In Chrome DevTools Console run copy("a".repeat(0)); close DevTools and paste into Task Title.	Task Title counter is "0 / 80"; counter is not red.
3	Click Create Task.	"Title is required." appears under Task Title; "New Task" stays open.
4	Inspect localStorage taskflow_tasks and the list after Cancel.	No task was saved. "No tasks yet" is shown; no success toast.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-A-001: Required trimmed title [Version : 1] REQ-A-005: Live trimmed counters [Version : 1]	
Keywords:	None	

Test Case TF-2: TC-A-002 - Title length 1 [Version : 1]		
Author:	aland	
Summary: TC-A-002 - Title length 1. **Test design technique:** EP - below-minimum invalid partition **Requirements:** REQ-A-002, REQ-A-005		
Preconditions: Use dedicated Chrome profile; TaskFlow at http://localhost:5173 from main@5133a6c. Before this case clear only that profile's taskflow_tasks and taskflow_tasks_backup keys and reload. Dashboard; no search/filters; Newest first. Browser storage writable. Unless specified: Write Weekly Report, empty description/date, Medium, To Do. Observe toast within 3 seconds.		
#:	Step actions:	Expected Results:
1	+ New Task: click the button.	Dialog "New Task" opens with "Create Task" and "Cancel".
2	Set Task Title to Write Weekly Report, then In Chrome DevTools Console run copy("a".repeat(1)); close DevTools and paste into Task Title.	Task Title counter is "1 / 80"; counter is not red.
3	Click Create Task.	"Title must be at least 3 characters." appears under Task Title; "New Task" stays open.
4	Inspect localStorage taskflow_tasks and the list after Cancel.	No task was saved. "No tasks yet" is shown; no success toast.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-A-002: Title inclusive length boundaries [Version : 1] REQ-A-005: Live trimmed counters [Version : 1]	
Keywords:	None	

Test Case TF-3: TC-A-003 - Title length 2 [Version : 1]		
Author:	aland	
Summary:		
TC-A-003 - Title length 2. **Test design technique:** BVA - title length 2; inclusive bounds 3 and 80 **Requirements:** REQ-A-002, REQ-A-005		
Preconditions:		
Use dedicated Chrome profile; TaskFlow at http://localhost:5173 from main@5133a6c. Before this case clear only that profile's taskflow_tasks and taskflow_tasks_backup keys and reload. Dashboard; no search/filters; Newest first. Browser storage writable. Unless specified: Write Weekly Report, empty description/date, Medium, To Do. Observe toast within 3 seconds.		
#:	Step actions:	Expected Results:
1	+ New Task: click the button.	Dialog "New Task" opens with "Create Task" and "Cancel".
2	Set Task Title to Write Weekly Report, then In Chrome DevTools Console run copy("a".repeat(2)); close DevTools and paste into Task Title.	Task Title counter is "2 / 80"; counter is not red.
3	Click Create Task.	"Title must be at least 3 characters." appears under Task Title; "New Task" stays open.
4	Inspect localStorage taskflow_tasks and the list after Cancel.	No task was saved. "No tasks yet" is shown; no success toast.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-A-002: Title inclusive length boundaries [Version : 1] REQ-A-005: Live trimmed counters [Version : 1]	
Keywords:	None	

Test Case TF-4: TC-A-004 - Title length 3 [Version : 1]		
Author:	aland	
Summary:		
TC-A-004 - Title length 3. **Test design technique:** BVA - title length 3; inclusive bounds 3 and 80 **Requirements:** REQ-A-002, REQ-A-005		
Preconditions:		
Use dedicated Chrome profile; TaskFlow at http://localhost:5173 from main@5133a6c. Before this case clear only that profile's taskflow_tasks and taskflow_tasks_backup keys and reload. Dashboard; no search/filters; Newest first. Browser storage writable. Unless specified: Write Weekly Report, empty description/date, Medium, To Do. Observe toast within 3 seconds.		
#:	Step actions:	Expected Results:
1	+ New Task: click the button.	Dialog "New Task" opens with "Create Task" and "Cancel".
2	Set Task Title to Write Weekly Report, then In Chrome DevTools Console run copy("a".repeat(3)); close DevTools and paste into Task Title.	Task Title counter is "3 / 80"; counter is not red.
3	Click Create Task.	Dialog closes. Exactly one card appears; toast "Task created successfully." appears.
4	Reload; inspect taskflow_tasks in DevTools Application > Local Storage.	Exactly one task remains. Saved title equals 'aaa'; no surrounding whitespace remains.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-A-002: Title inclusive length boundaries [Version : 1] REQ-A-005: Live trimmed counters [Version : 1]	
Keywords:	None	

Test Case TF-5: TC-A-005 - Title length 4 [Version : 1]		
Author:	aland	
Summary:		
TC-A-005 - Title length 4. **Test design technique:** BVA - title length 4; inclusive bounds 3 and 80 **Requirements:** REQ-A-002, REQ-A-005		
Preconditions:		
Use dedicated Chrome profile; TaskFlow at http://localhost:5173 from main@5133a6c. Before this case clear only that profile's taskflow_tasks and taskflow_tasks_backup keys and reload. Dashboard; no search/filters; Newest first. Browser storage writable. Unless specified: Write Weekly Report, empty description/date, Medium, To Do. Observe toast within 3 seconds.		
#:	Step actions:	Expected Results:
1	+ New Task: click the button.	Dialog "New Task" opens with "Create Task" and "Cancel".
2	Set Task Title to Write Weekly Report, then In Chrome DevTools Console run copy("a".repeat(4)); close DevTools and paste into Task Title.	Task Title counter is "4 / 80"; counter is not red.
3	Click Create Task.	Dialog closes. Exactly one card appears; toast "Task created successfully." appears.
4	Reload; inspect taskflow_tasks in DevTools Application > Local Storage.	Exactly one task remains. Saved title equals 'aaaa'; no surrounding whitespace remains.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-A-002: Title inclusive length boundaries [Version : 1] REQ-A-005: Live trimmed counters [Version : 1]	
Keywords:	None	

Test Case TF-6: TC-A-006 - Title length 79 [Version : 1]		
Author:	aland	
Summary: TC-A-006 - Title length 79. **Test design technique:** BVA - title length 79; inclusive bounds 3 and 80 **Requirements:** REQ-A-002, REQ-A-005		
Preconditions: Use dedicated Chrome profile; TaskFlow at http://localhost:5173 from main@5133a6c. Before this case clear only that profile's taskflow_tasks and taskflow_tasks_backup keys and reload. Dashboard; no search/filters; Newest first. Browser storage writable. Unless specified: Write Weekly Report, empty description/date, Medium, To Do. Observe toast within 3 seconds.		
#:	Step actions:	Expected Results:
1	+ New Task: click the button.	Dialog "New Task" opens with "Create Task" and "Cancel".
2	Set Task Title to Write Weekly Report, then In Chrome DevTools Console run copy("a".repeat(79)); close DevTools and paste into Task Title.	Task Title counter is "79 / 80"; counter is not red.
3	Click Create Task.	Dialog closes. Exactly one card appears; toast "Task created successfully." appears.
4	Reload; inspect taskflow_tasks in DevTools Application > Local Storage.	Exactly one task remains. Saved title equals 'aaaa

Test Case TF-7: TC-A-007 - Title length 80 [Version : 1]		
Author:	aland	
Summary: TC-A-007 - Title length 80. **Test design technique:** BVA - title length 80; inclusive bounds 3 and 80 **Requirements:** REQ-A-002, REQ-A-005		
Preconditions: Use dedicated Chrome profile; TaskFlow at http://localhost:5173 from main@5133a6c. Before this case clear only that profile's taskflow_tasks and taskflow_tasks_backup keys and reload. Dashboard; no search/filters; Newest first. Browser storage writable. Unless specified: Write Weekly Report, empty description/date, Medium, To Do. Observe toast within 3 seconds.		
#:	Step actions:	Expected Results:
1	+ New Task: click the button.	Dialog "New Task" opens with "Create Task" and "Cancel".
2	Set Task Title to Write Weekly Report, then In Chrome DevTools Console run copy("a".repeat(80)); close DevTools and paste into Task Title.	Task Title counter is "80 / 80"; counter is not red.
3	Click Create Task.	Dialog closes. Exactly one card appears; toast "Task created successfully." appears.
4	Reload; inspect taskflow_tasks in DevTools Application > Local Storage.	Exactly one task remains. Saved title equals 'aaaa

Test Case TF-8: TC-A-008 - Title length 81 [Version : 1]		
Author:	aland	
Summary: TC-A-008 - Title length 81. **Test design technique:** BVA - title length 81; inclusive bounds 3 and 80 **Requirements:** REQ-A-002, REQ-A-005		
Preconditions: Use dedicated Chrome profile; TaskFlow at http://localhost:5173 from main@5133a6c. Before this case clear only that profile's taskflow_tasks and taskflow_tasks_backup keys and reload. Dashboard; no search/filters; Newest first. Browser storage writable. Unless specified: Write Weekly Report, empty description/date, Medium, To Do. Observe toast within 3 seconds.		
#:	Step actions:	Expected Results:
1	+ New Task: click the button.	Dialog "New Task" opens with "Create Task" and "Cancel".
2	Set Task Title to Write Weekly Report, then In Chrome DevTools Console run copy("a".repeat(81)); close DevTools and paste into Task Title.	Task Title counter is "81 / 80"; counter is red.
3	Click Create Task.	"Title must be 80 characters or fewer." appears under Task Title; "New Task" stays open.
4	Inspect localStorage taskflow_tasks and the list after Cancel.	No task was saved. "No tasks yet" is shown; no success toast.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-A-002: Title inclusive length boundaries [Version : 1] REQ-A-005: Live trimmed counters [Version : 1]	
Keywords:	None	

Test Case TF-9: TC-A-009 - Whitespace-only title [Version : 1]		
Author:	aland	
Summary: TC-A-009 - Whitespace-only title. **Test design technique:** EP - whitespace-only invalid partition **Requirements:** REQ-A-001, REQ-A-003		
Preconditions: Use dedicated Chrome profile; TaskFlow at http://localhost:5173 from main@5133a6c. Before this case clear only that profile's taskflow_tasks and taskflow_tasks_backup keys and reload. Dashboard; no search/filters; Newest first. Browser storage writable. Unless specified: Write Weekly Report, empty description/date, Medium, To Do. Observe toast within 3 seconds.		
#:	Step actions:	Expected Results:
1	+ New Task: click the button.	Dialog "New Task" opens with "Create Task" and "Cancel".
2	Set Task Title to Write Weekly Report, then Enter exactly ' ' in Task Title.	Task Title counter is "0 / 80"; counter is not red.
3	Click Create Task.	"Title is required." appears under Task Title; "New Task" stays open.
4	Inspect localStorage taskflow_tasks and the list after Cancel.	No task was saved. "No tasks yet" is shown; no success toast.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-A-001: Required trimmed title [Version : 1] REQ-A-003: Trim and Unicode normalization [Version : 1]	
Keywords:	None	

Test Case TF-10: TC-A-010 - Trim title before counting and saving [Version : 1]		
Author:	aland	
Summary:		
TC-A-010 - Trim title before counting and saving. **Test design technique:** EP - padded valid partition **Requirements:** REQ-A-002, REQ-A-003		
Preconditions:		
Use dedicated Chrome profile; TaskFlow at http://localhost:5173 from main@5133a6c. Before this case clear only that profile's taskflow_tasks and taskflow_tasks_backup keys and reload. Dashboard; no search/filters; Newest first. Browser storage writable. Unless specified: Write Weekly Report, empty description/date, Medium, To Do. Observe toast within 3 seconds.		
#:	Step actions:	Expected Results:
1	+ New Task: click the button.	Dialog "New Task" opens with "Create Task" and "Cancel".
2	Set Task Title to Write Weekly Report, then Enter exactly ' abc ' in Task Title.	Task Title counter is "3 / 80"; counter is not red.
3	Click Create Task.	Dialog closes. Exactly one card appears; toast "Task created successfully." appears.
4	Reload; inspect taskflow_tasks in DevTools Application > Local Storage.	Exactly one task remains. Saved title equals 'abc'; no surrounding whitespace remains.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-A-002: Title inclusive length boundaries [Version : 1] REQ-A-003: Trim and Unicode normalization [Version : 1]	
Keywords:	None	

Test Case TF-11: TC-A-011 - Padding cannot bypass minimum [Version : 1]		
Author:	aland	
Summary: TC-A-011 - Padding cannot bypass minimum. **Test design technique:** BVA - trimmed min-1 **Requirements:** REQ-A-002, REQ-A-003		
Preconditions: Use dedicated Chrome profile; TaskFlow at http://localhost:5173 from main@5133a6c. Before this case clear only that profile's taskflow_tasks and taskflow_tasks_backup keys and reload. Dashboard; no search/filters; Newest first. Browser storage writable. Unless specified: Write Weekly Report, empty description/date, Medium, To Do. Observe toast within 3 seconds.		
#:	Step actions:	Expected Results:
1	+ New Task: click the button.	Dialog "New Task" opens with "Create Task" and "Cancel".
2	Set Task Title to Write Weekly Report, then Enter exactly ' ab ' in Task Title.	Task Title counter is "2 / 80"; counter is not red.
3	Click Create Task.	"Title must be at least 3 characters." appears under Task Title; "New Task" stays open.
4	Inspect localStorage taskflow_tasks and the list after Cancel.	No task was saved. "No tasks yet" is shown; no success toast.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-A-002: Title inclusive length boundaries [Version : 1] REQ-A-003: Trim and Unicode normalization [Version : 1]	
Keywords:	None	

Test Case TF-12: TC-A-012 - Padded maximum title [Version : 1]		
Author:	aland	
Summary: TC-A-012 - Padded maximum title. **Test design technique:** BVA - trimmed max despite 84 raw characters **Requirements:** REQ-A-002, REQ-A-003, REQ-A-005		
Preconditions: Use dedicated Chrome profile; TaskFlow at http://localhost:5173 from main@5133a6c. Before this case clear only that profile's taskflow_tasks and taskflow_tasks_backup keys and reload. Dashboard; no search/filters; Newest first. Browser storage writable. Unless specified: Write Weekly Report, empty description/date, Medium, To Do. Observe toast within 3 seconds.		
#:	Step actions:	Expected Results:
1	+ New Task: click the button.	Dialog "New Task" opens with "Create Task" and "Cancel".
2	Set Task Title to Write Weekly Report, then In Chrome DevTools Console run copy(" " + "a".repeat(80) + " "); close DevTools and paste into Task Title.	Task Title counter is "80 / 80"; counter is not red.
3	Click Create Task.	Dialog closes. Exactly one card appears; toast "Task created successfully." appears.
4	Reload; inspect taskflow_tasks in DevTools Application > Local Storage.	Exactly one task remains. Saved title equals 'aaaa

Test Case TF-13: TC-A-013 - Emoji title 2 code points [Version : 1]		
Author:	aland	
Summary:		
TC-A-013 - Emoji title 2 code points. **Test design technique:** BVA - Unicode code points at min-1/min/max/max+1 **Requirements:** REQ-A-002, REQ-A-003, REQ-A-005		
Preconditions:		
Use dedicated Chrome profile; TaskFlow at http://localhost:5173 from main@5133a6c. Before this case clear only that profile's taskflow_tasks and taskflow_tasks_backup keys and reload. Dashboard; no search/filters; Newest first. Browser storage writable. Unless specified: Write Weekly Report, empty description/date, Medium, To Do. Observe toast within 3 seconds.		
#:	Step actions:	Expected Results:
1	+ New Task: click the button.	Dialog "New Task" opens with "Create Task" and "Cancel".
2	Set Task Title to Write Weekly Report, then In Chrome DevTools Console run copy("😀".repeat(2)); close DevTools and paste into Task Title.	Task Title counter is "2 / 80"; counter is not red.
3	Click Create Task.	"Title must be at least 3 characters." appears under Task Title; "New Task" stays open.
4	Inspect localStorage taskflow_tasks and the list after Cancel.	No task was saved. "No tasks yet" is shown; no success toast.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-A-002: Title inclusive length boundaries [Version : 1] REQ-A-003: Trim and Unicode normalization [Version : 1] REQ-A-005: Live trimmed counters [Version : 1]	
Keywords:	None	

Test Case TF-14: TC-A-014 - Emoji title 3 code points [Version : 1]		
Author:	aland	
Summary: TC-A-014 - Emoji title 3 code points. **Test design technique:** BVA - Unicode code points at min-1/min/max/max+1 **Requirements:** REQ-A-002, REQ-A-003, REQ-A-005		
Preconditions: Use dedicated Chrome profile; TaskFlow at http://localhost:5173 from main@5133a6c. Before this case clear only that profile's taskflow_tasks and taskflow_tasks_backup keys and reload. Dashboard; no search/filters; Newest first. Browser storage writable. Unless specified: Write Weekly Report, empty description/date, Medium, To Do. Observe toast within 3 seconds.		
#:	Step actions:	Expected Results:
1	+ New Task: click the button.	Dialog "New Task" opens with "Create Task" and "Cancel".
2	Set Task Title to Write Weekly Report, then In Chrome DevTools Console run copy("😀".repeat(3)); close DevTools and paste into Task Title.	Task Title counter is "3 / 80"; counter is not red.
3	Click Create Task.	Dialog closes. Exactly one card appears; toast "Task created successfully." appears.
4	Reload; inspect taskflow_tasks in DevTools Application > Local Storage.	Exactly one task remains. Saved title equals '😀😀😀'; no surrounding whitespace remains.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-A-002: Title inclusive length boundaries [Version : 1] REQ-A-003: Trim and Unicode normalization [Version : 1] REQ-A-005: Live trimmed counters [Version : 1]	
Keywords:	None	

Test Case TF-15: TC-A-015 - Emoji title 80 code points [Version : 1]		
Author:	aland	
Summary: TC-A-015 - Emoji title 80 code points. **Test design technique:** BVA - Unicode code points at min-1/min/max/max+1 **Requirements:** REQ-A-002, REQ-A-003, REQ-A-005		
Preconditions: Use dedicated Chrome profile; TaskFlow at http://localhost:5173 from main@5133a6c. Before this case clear only that profile's taskflow_tasks and taskflow_tasks_backup keys and reload. Dashboard; no search/filters; Newest first. Browser storage writable. Unless specified: Write Weekly Report, empty description/date, Medium, To Do. Observe toast within 3 seconds.		
#:	Step actions:	Expected Results:
1	+ New Task: click the button.	Dialog "New Task" opens with "Create Task" and "Cancel".
2	Set Task Title to Write Weekly Report, then In Chrome DevTools Console run copy("😀".repeat(80)); close DevTools and paste into Task Title.	Task Title counter is "80 / 80"; counter is not red.
3	Click Create Task.	Dialog closes. Exactly one card appears; toast "Task created successfully." appears.
4	Reload; inspect taskflow_tasks in DevTools Application > Local Storage.	Exactly one task remains. Saved title equals '😀😀😀

Test Case TF-16: TC-A-016 - Emoji title 81 code points [Version : 1]		
Author:	aland	
Summary:		
TC-A-016 - Emoji title 81 code points. **Test design technique:** BVA - Unicode code points at min-1/min/max/max+1 **Requirements:** REQ-A-002, REQ-A-003, REQ-A-005		
Preconditions:		
Use dedicated Chrome profile; TaskFlow at http://localhost:5173 from main@5133a6c. Before this case clear only that profile's taskflow_tasks and taskflow_tasks_backup keys and reload. Dashboard; no search/filters; Newest first. Browser storage writable. Unless specified: Write Weekly Report, empty description/date, Medium, To Do. Observe toast within 3 seconds.		
#:	Step actions:	Expected Results:
1	+ New Task: click the button.	Dialog "New Task" opens with "Create Task" and "Cancel".
2	Set Task Title to Write Weekly Report, then In Chrome DevTools Console run copy("😀".repeat(81)); close DevTools and paste into Task Title.	Task Title counter is "81 / 80"; counter is red.
3	Click Create Task.	"Title must be 80 characters or fewer." appears under Task Title; "New Task" stays open.
4	Inspect localStorage taskflow_tasks and the list after Cancel.	No task was saved. "No tasks yet" is shown; no success toast.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-A-002: Title inclusive length boundaries [Version : 1] REQ-A-003: Trim and Unicode normalization [Version : 1] REQ-A-005: Live trimmed counters [Version : 1]	
Keywords:	None	

1.2.Test Suite : TS-A2 - Description limits and live counters

Optional description EP and BVA: 0,1,499,500,501; padded and emoji data.

Test Case TF-17: TC-A-017 - Description length 0 [Version : 1]		
Author:	aland	
Summary:		
TC-A-017 - Description length 0. **Test design technique:** BVA - optional min 0, min+1, max-1/max/max+1 **Requirements:** REQ-A-004, REQ-A-005		
Preconditions:		
Use dedicated Chrome profile; TaskFlow at http://localhost:5173 from main@5133a6c. Before this case clear only that profile's taskflow_tasks and taskflow_tasks_backup keys and reload. Dashboard; no search/filters; Newest first. Browser storage writable. Unless specified: Write Weekly Report, empty description/date, Medium, To Do. Observe toast within 3 seconds.		
#:	Step actions:	Expected Results:
1	+ New Task: click the button.	Dialog "New Task" opens with "Create Task" and "Cancel".
2	Set Task Title to Write Weekly Report, then In Chrome DevTools Console run copy("d".repeat(0)); close DevTools and paste into Description.	Description counter is "0 / 500"; counter is not red.
3	Click Create Task.	Dialog closes. Exactly one card appears; toast "Task created successfully." appears.
4	Reload; inspect taskflow_tasks in DevTools Application > Local Storage.	Exactly one task remains. Saved description equals ''; no surrounding whitespace remains.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-A-004: Optional description maximum [Version : 1] REQ-A-005: Live trimmed counters [Version : 1]	
Keywords:	None	

Test Case TF-18: TC-A-018 - Description length 1 [Version : 1]		
Author:	aland	
Summary:		
TC-A-018 - Description length 1. **Test design technique:** BVA - optional min 0, min+1, max-1/max/max+1 **Requirements:** REQ-A-004, REQ-A-005		
Preconditions:		
Use dedicated Chrome profile; TaskFlow at http://localhost:5173 from main@5133a6c. Before this case clear only that profile's taskflow_tasks and taskflow_tasks_backup keys and reload. Dashboard; no search/filters; Newest first. Browser storage writable. Unless specified: Write Weekly Report, empty description/date, Medium, To Do. Observe toast within 3 seconds.		
#:	Step actions:	Expected Results:
1	+ New Task: click the button.	Dialog "New Task" opens with "Create Task" and "Cancel".
2	Set Task Title to Write Weekly Report, then In Chrome DevTools Console run copy("d".repeat(1)); close DevTools and paste into Description.	Description counter is "1 / 500"; counter is not red.
3	Click Create Task.	Dialog closes. Exactly one card appears; toast "Task created successfully." appears.
4	Reload; inspect taskflow_tasks in DevTools Application > Local Storage.	Exactly one task remains. Saved description equals 'd'; no surrounding whitespace remains.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-A-004: Optional description maximum [Version : 1] REQ-A-005: Live trimmed counters [Version : 1]	
Keywords:	None	

Test Case TF-19: TC-A-019 - Description length 499 [Version : 1]		
Author:	aland	
Summary:		
TC-A-019 - Description length 499. **Test design technique:** BVA - optional min 0, min+1, max-1/max/max+1 **Requirements:** REQ-A-004, REQ-A-005		
Preconditions:		
Use dedicated Chrome profile; TaskFlow at http://localhost:5173 from main@5133a6c. Before this case clear only that profile's taskflow_tasks and taskflow_tasks_backup keys and reload. Dashboard; no search/filters; Newest first. Browser storage writable. Unless specified: Write Weekly Report, empty description/date, Medium, To Do. Observe toast within 3 seconds.		
#:	Step actions:	Expected Results:
1	+ New Task: click the button.	Dialog "New Task" opens with "Create Task" and "Cancel".
2	Set Task Title to Write Weekly Report, then In Chrome DevTools Console run copy("d".repeat(499)); close DevTools and paste into Description.	Description counter is "499 / 500"; counter is not red.
3	Click Create Task.	Dialog closes. Exactly one card appears; toast "Task created successfully." appears.
4	Reload; inspect taskflow_tasks in DevTools Application > Local Storage.	Exactly one task remains. Saved description equals 'dddddd

Test Case TF-20: TC-A-020 - Description length 500 [Version : 1]		
Author:	aland	
Summary:		
TC-A-020 - Description length 500. **Test design technique:** BVA - optional min 0, min+1, max-1/max/max+1 **Requirements:** REQ-A-004, REQ-A-005		
Preconditions:		
Use dedicated Chrome profile; TaskFlow at http://localhost:5173 from main@5133a6c. Before this case clear only that profile's taskflow_tasks and taskflow_tasks_backup keys and reload. Dashboard; no search/filters; Newest first. Browser storage writable. Unless specified: Write Weekly Report, empty description/date, Medium, To Do. Observe toast within 3 seconds.		
#:	Step actions:	Expected Results:
1	+ New Task: click the button.	Dialog "New Task" opens with "Create Task" and "Cancel".
2	Set Task Title to Write Weekly Report, then In Chrome DevTools Console run copy("d".repeat(500)); close DevTools and paste into Description.	Description counter is "500 / 500"; counter is not red.
3	Click Create Task.	Dialog closes. Exactly one card appears; toast "Task created successfully." appears.
4	Reload; inspect taskflow_tasks in DevTools Application > Local Storage.	Exactly one task remains. Saved description equals 'dddddd

Test Case TF-21: TC-A-021 - Description length 501 [Version : 1]		
Author:	aland	
Summary: TC-A-021 - Description length 501. **Test design technique:** BVA - optional min 0, min+1, max-1/max/max+1 **Requirements:** REQ-A-004, REQ-A-005		
Preconditions: Use dedicated Chrome profile; TaskFlow at http://localhost:5173 from main@5133a6c. Before this case clear only that profile's taskflow_tasks and taskflow_tasks_backup keys and reload. Dashboard; no search/filters; Newest first. Browser storage writable. Unless specified: Write Weekly Report, empty description/date, Medium, To Do. Observe toast within 3 seconds.		
#:	Step actions:	Expected Results:
1	+ New Task: click the button.	Dialog "New Task" opens with "Create Task" and "Cancel".
2	Set Task Title to Write Weekly Report, then In Chrome DevTools Console run copy("d".repeat(501)); close DevTools and paste into Description.	Description counter is "501 / 500"; counter is red.
3	Click Create Task.	"Description must be 500 characters or fewer." appears under Description; "New Task" stays open.
4	Inspect localStorage taskflow_tasks and the list after Cancel.	No task was saved. "No tasks yet" is shown; no success toast.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-A-004: Optional description maximum [Version : 1] REQ-A-005: Live trimmed counters [Version : 1]	
Keywords:	None	

Test Case TF-22: TC-A-022 - Trim padded description maximum [Version : 1]		
Author:	aland	
Summary: TC-A-022 - Trim padded description maximum. **Test design technique:** BVA - trimmed max **Requirements:** REQ-A-003, REQ-A-004, REQ-A-005		
Preconditions: Use dedicated Chrome profile; TaskFlow at http://localhost:5173 from main@5133a6c. Before this case clear only that profile's taskflow_tasks and taskflow_tasks_backup keys and reload. Dashboard; no search/filters; Newest first. Browser storage writable. Unless specified: Write Weekly Report, empty description/date, Medium, To Do. Observe toast within 3 seconds.		
#:	Step actions:	Expected Results:
1	+ New Task: click the button.	Dialog "New Task" opens with "Create Task" and "Cancel".
2	Set Task Title to Write Weekly Report, then In Chrome DevTools Console run copy(" " + "d".repeat(500) + " "); close DevTools and paste into Description.	Description counter is "500 / 500"; counter is not red.
3	Click Create Task.	Dialog closes. Exactly one card appears; toast "Task created successfully." appears.
4	Reload; inspect taskflow_tasks in DevTools Application > Local Storage.	Exactly one task remains. Saved description equals 'dddddd

Test Case TF-23: TC-A-023 - Whitespace-only optional description [Version : 1]		
Author:	aland	
Summary:		
TC-A-023 - Whitespace-only optional description. **Test design technique:** EP - optional whitespace partition **Requirements:** REQ-A-003, REQ-A-004		
Preconditions:		
Use dedicated Chrome profile; TaskFlow at http://localhost:5173 from main@5133a6c. Before this case clear only that profile's taskflow_tasks and taskflow_tasks_backup keys and reload. Dashboard; no search/filters; Newest first. Browser storage writable. Unless specified: Write Weekly Report, empty description/date, Medium, To Do. Observe toast within 3 seconds.		
#:	Step actions:	Expected Results:
1	+ New Task: click the button.	Dialog "New Task" opens with "Create Task" and "Cancel".
2	Set Task Title to Write Weekly Report, then Enter exactly ' \n\t ' in Description.	Description counter is "0 / 500"; counter is not red.
3	Click Create Task.	Dialog closes. Exactly one card appears; toast "Task created successfully." appears.
4	Reload; inspect taskflow_tasks in DevTools Application > Local Storage.	Exactly one task remains. Saved description equals ''; no surrounding whitespace remains.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-A-003: Trim and Unicode normalization [Version : 1] REQ-A-004: Optional description maximum [Version : 1]	
Keywords:	None	

Test Case TF-24: TC-A-024 - Emoji description maximum [Version : 1]		
Author:	aland	
Summary: TC-A-024 - Emoji description maximum. **Test design technique:** BVA - 500 code points / 1000 UTF-16 units **Requirements:** REQ-A-003, REQ-A-004, REQ-A-005		
Preconditions: Use dedicated Chrome profile; TaskFlow at http://localhost:5173 from main@5133a6c. Before this case clear only that profile's taskflow_tasks and taskflow_tasks_backup keys and reload. Dashboard; no search/filters; Newest first. Browser storage writable. Unless specified: Write Weekly Report, empty description/date, Medium, To Do. Observe toast within 3 seconds.		
#:	Step actions:	Expected Results:
1	+ New Task: click the button.	Dialog "New Task" opens with "Create Task" and "Cancel".
2	Set Task Title to Write Weekly Report, then In Chrome DevTools Console run copy("😀".repeat(500)); close DevTools and paste into Description.	Description counter is "500 / 500"; counter is not red.
3	Click Create Task.	Dialog closes. Exactly one card appears; toast "Task created successfully." appears.

4	Reload; inspect taskflow_tasks in DevTools Application > Local Storage.	Exactly one task remains. Saved description equals '😀😀😀😀😀😀😀😀😀😀😀😀😀😀😀😀 😀😀

Test Case TF-25: TC-A-025 - Emoji description above maximum [Version : 1]		
Author:	aland	
Summary: TC-A-025 - Emoji description above maximum. **Test design technique:** BVA - max+1 code points **Requirements:** REQ-A-003, REQ-A-004, REQ-A-005		
Preconditions: Use dedicated Chrome profile; TaskFlow at http://localhost:5173 from main@5133a6c. Before this case clear only that profile's taskflow_tasks and taskflow_tasks_backup keys and reload. Dashboard; no search/filters; Newest first. Browser storage writable. Unless specified: Write Weekly Report, empty description/date, Medium, To Do. Observe toast within 3 seconds.		
#:	Step actions:	Expected Results:
1	+ New Task: click the button.	Dialog "New Task" opens with "Create Task" and "Cancel".
2	Set Task Title to Write Weekly Report, then In Chrome DevTools Console run copy("😀".repeat(501)); close DevTools and paste into Description.	Description counter is "501 / 500"; counter is red.
3	Click Create Task.	"Description must be 500 characters or fewer." appears under Description; "New Task" stays open.
4	Inspect localStorage taskflow_tasks and the list after Cancel.	No task was saved. "No tasks yet" is shown; no success toast.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-A-003: Trim and Unicode normalization [Version : 1] REQ-A-004: Optional description maximum [Version : 1] REQ-A-005: Live trimmed counters [Version : 1]	
Keywords:	None	

1.3.Test Suite : TS-A3 - Creation, cancellation and error recovery

Creation use cases, draft state transitions, decision table and error guessing.

Test Case TF-26: TC-A-026 - Create using default values [Version : 1]		
Author:	aland	
Summary:		
TC-A-026 - Create using default values. **Test design technique:** Use Case - minimum valid creation **Requirements:** REQ-A-006, REQ-A-007		
Preconditions:		
Use dedicated Chrome profile; TaskFlow at http://localhost:5173 from main@5133a6c. Before this case clear only that profile's taskflow_tasks and taskflow_tasks_backup keys and reload. Dashboard; no search/filters; Newest first. Browser storage writable. Unless specified: Write Weekly Report, empty description/date, Medium, To Do. Observe toast within 3 seconds.		
#:	Step actions:	Expected Results:
1	Click + New Task.	"New Task" has blank text/date, "Medium", "To Do", "0 / 80", "0 / 500", "Cancel" and "Create Task".
2	Enter Write Weekly Report as Task Title; click Create Task.	Form closes; card "Write Weekly Report" has "Medium" and "To Do"; toast "Task created successfully.".
3	Inspect saved JSON and reload.	One object in taskflow_tasks has title Write Weekly Report, description "", priority Medium, status To Do, dueDate "", nonempty id, valid ISO createdAt equal to updatedAt. Same card remains after reload.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-A-006: Creation form defaults [Version : 1] REQ-A-007: Successful creation and persistence [Version : 1]	
Keywords:	None	

Test Case TF-27: TC-A-027 - Create with every field supplied [Version : 1]		
Author:	aland	
Summary:		
TC-A-027 - Create with every field supplied. **Test design technique:** Use Case - complete valid creation **Requirements:** REQ-A-007, REQ-A-008		
Preconditions:		
Use dedicated Chrome profile; TaskFlow at http://localhost:5173 from main@5133a6c. Before this case clear only that profile's taskflow_tasks and taskflow_tasks_backup keys and reload. Dashboard; no search/filters; Newest first. Browser storage writable. Unless specified: Write Weekly Report, empty description/date, Medium, To Do. Observe toast within 3 seconds.		
#:	Step actions:	Expected Results:
1	Open New Task; enter title " Plan sprint ", description " Agenda keep two spaces ", choose High, In Progress, due date 2028-02-29.	Form displays entered values and "High", "In Progress".
2	Click Create Task and inspect stored JSON.	Toast "Task created successfully."; one task has title "Plan sprint", description "Agenda keep two spaces", High, In Progress and "2028-02-29".
3	Reload.	Card "Plan sprint" remains with "High", "In Progress" and "Due: Feb 29, 2028".
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-A-007: Successful creation and persistence [Version : 1] REQ-A-008: All creation values retained [Version : 1]	
Keywords:	None	

Test Case TF-28: TC-A-028 - Discard creation via Cancel [Version : 1]		
Author:	aland	
Summary: TC-A-028 - Discard creation via Cancel. **Test design technique:** State Transition - draft to discarded **Requirements:** REQ-A-009, REQ-A-010		
Preconditions: Use dedicated Chrome profile; TaskFlow at http://localhost:5173 from main@5133a6c. Before this case clear only that profile's taskflow_tasks and taskflow_tasks_backup keys and reload. Dashboard; no search/filters; Newest first. Browser storage writable. Unless specified: Write Weekly Report, empty description/date, Medium, To Do. Observe toast within 3 seconds.		
#:	Step actions:	Expected Results:
1	Open New Task; enter Unsaved draft and description Must disappear.	Draft is visible in "New Task"; no task saved yet.
2	Click Cancel.	Dialog closes; "No tasks yet" remains; no "Task created successfully." toast.
3	Open New Task again and inspect localStorage.	Title, description and date are blank; Medium, To Do; no errors; no saved task.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-A-009: Cancel creation through every close path [Version : 1] REQ-A-010: Fresh creation form on reopen [Version : 1]	
Keywords:	None	

Test Case TF-29: TC-A-029 - Discard creation via Close X [Version : 1]		
Author:	aland	
Summary: TC-A-029 - Discard creation via Close X. **Test design technique:** State Transition - draft to discarded **Requirements:** REQ-A-009, REQ-A-010		
Preconditions: Use dedicated Chrome profile; TaskFlow at http://localhost:5173 from main@5133a6c. Before this case clear only that profile's taskflow_tasks and taskflow_tasks_backup keys and reload. Dashboard; no search/filters; Newest first. Browser storage writable. Unless specified: Write Weekly Report, empty description/date, Medium, To Do. Observe toast within 3 seconds.		
#:	Step actions:	Expected Results:
1	Open New Task; enter Unsaved draft and description Must disappear.	Draft is visible in "New Task"; no task saved yet.
2	Click the X button labelled Close.	Dialog closes; "No tasks yet" remains; no "Task created successfully." toast.
3	Open New Task again and inspect localStorage.	Title, description and date are blank; Medium, To Do; no errors; no saved task.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-A-009: Cancel creation through every close path [Version : 1] REQ-A-010: Fresh creation form on reopen [Version : 1]	
Keywords:	None	

Test Case TF-30: TC-A-030 - Discard creation via Escape [Version : 1]		
Author:	aland	
Summary: TC-A-030 - Discard creation via Escape. **Test design technique:** State Transition - draft to discarded **Requirements:** REQ-A-009, REQ-A-010		
Preconditions: Use dedicated Chrome profile; TaskFlow at http://localhost:5173 from main@5133a6c. Before this case clear only that profile's taskflow_tasks and taskflow_tasks_backup keys and reload. Dashboard; no search/filters; Newest first. Browser storage writable. Unless specified: Write Weekly Report, empty description/date, Medium, To Do. Observe toast within 3 seconds.		
#:	Step actions:	Expected Results:
1	Open New Task; enter Unsaved draft and description Must disappear.	Draft is visible in "New Task"; no task saved yet.
2	Press Escape.	Dialog closes; "No tasks yet" remains; no "Task created successfully." toast.
3	Open New Task again and inspect localStorage.	Title, description and date are blank; Medium, To Do; no errors; no saved task.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-A-009: Cancel creation through every close path [Version : 1] REQ-A-010: Fresh creation form on reopen [Version : 1]	
Keywords:	None	

Test Case TF-31: TC-A-031 - Discard creation via Backdrop [Version : 1]		
Author:	aland	
Summary:		
TC-A-031 - Discard creation via Backdrop. **Test design technique:** State Transition - draft to discarded **Requirements:** REQ-A-009, REQ-A-010		
Preconditions:		
Use dedicated Chrome profile; TaskFlow at http://localhost:5173 from main@5133a6c. Before this case clear only that profile's taskflow_tasks and taskflow_tasks_backup keys and reload. Dashboard; no search/filters; Newest first. Browser storage writable. Unless specified: Write Weekly Report, empty description/date, Medium, To Do. Observe toast within 3 seconds.		
#:	Step actions:	Expected Results:
1	Open New Task; enter Unsaved draft and description Must disappear.	Draft is visible in "New Task"; no task saved yet.
2	Press and release on the dark backdrop outside the white dialog.	Dialog closes; "No tasks yet" remains; no "Task created successfully." toast.
3	Open New Task again and inspect localStorage.	Title, description and date are blank; Medium, To Do; no errors; no saved task.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-A-009: Cancel creation through every close path [Version : 1] REQ-A-010: Fresh creation form on reopen [Version : 1]	
Keywords:	None	

Test Case TF-32: TC-A-032 - Validation appears only after submit [Version : 1]		
Author:	aland	
Summary: TC-A-032 - Validation appears only after submit. **Test design technique:** State Transition - pristine to submitted invalid **Requirements:** REQ-A-011		
Preconditions: Use dedicated Chrome profile; TaskFlow at http://localhost:5173 from main@5133a6c. Before this case clear only that profile's taskflow_tasks and taskflow_tasks_backup keys and reload. Dashboard; no search/filters; Newest first. Browser storage writable. Unless specified: Write Weekly Report, empty description/date, Medium, To Do. Observe toast within 3 seconds.		
#:	Step actions:	Expected Results:
1	Open New Task; type ab in Task Title without submitting.	Counter "2 / 80"; no "Title must be at least 3 characters." message yet; title aria-invalid="false".
2	Click Create Task.	"Title must be at least 3 characters." appears; title aria-invalid="true"; focus returns to Task Title; modal remains; no task saved.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-A-011: Error timing and focus [Version : 1]	
Keywords:	None	

Test Case TF-33: TC-A-033 - Correct invalid title without resubmitting [Version : 1]		
Author:	aland	
Summary:		
TC-A-033 - Correct invalid title without resubmitting. **Test design technique:** State Transition - invalid to corrected to saved **Requirements:** REQ-A-011, REQ-A-012		
Preconditions:		
Use dedicated Chrome profile; TaskFlow at http://localhost:5173 from main@5133a6c. Before this case clear only that profile's taskflow_tasks and taskflow_tasks_backup keys and reload. Dashboard; no search/filters; Newest first. Browser storage writable. Unless specified: Write Weekly Report, empty description/date, Medium, To Do. Observe toast within 3 seconds.		
#:	Step actions:	Expected Results:
1	Open New Task; submit empty form.	"Title is required." appears, title focused; no task saved.
2	Type ab, then abc without clicking Create Task.	At ab: "Title must be at least 3 characters.". At abc: title error disappears immediately and aria-invalid="false".
3	Click Create Task.	Exactly one abc card saved; "Task created successfully."; modal closes.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-A-011: Error timing and focus [Version : 1] REQ-A-012: Live recovery after failed submit [Version : 1]	
Keywords:	None	

Test Case TF-34: TC-A-034 - Simultaneous text errors and first-invalid focus [Version : 1]		
Author:	aland	
Summary:		
TC-A-034 - Simultaneous text errors and first-invalid focus. **Test design technique:** Decision Table - title invalid AND description invalid **Requirements:** REQ-A-002, REQ-A-004, REQ-A-011, REQ-A-012		
Preconditions:		
Use dedicated Chrome profile; TaskFlow at http://localhost:5173 from main@5133a6c. Before this case clear only that profile's taskflow_tasks and taskflow_tasks_backup keys and reload. Dashboard; no search/filters; Newest first. Browser storage writable. Unless specified: Write Weekly Report, empty description/date, Medium, To Do. Observe toast within 3 seconds.		
#:	Step actions:	Expected Results:
1	Open New Task; title ab; paste 501 d characters using Console copy("d".repeat(501)); click Create Task.	Both "Title must be at least 3 characters." and "Description must be 500 characters or fewer." appear; focus is Task Title; no save.
2	Change title to abc and click Create Task.	Title error clears; description error remains; focus is Description; no save.
3	Remove one d (500 remain); click Create Task.	Description error clears; "Task created successfully."; exactly one abc task saved.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-A-002: Title inclusive length boundaries [Version : 1] REQ-A-004: Optional description maximum [Version : 1] REQ-A-011: Error timing and focus [Version : 1] REQ-A-012: Live recovery after failed submit [Version : 1]	
Keywords:	None	

Test Case TF-35: TC-A-035 - Fresh form after successful creation [Version : 1]		
Author:	aland	
Summary: TC-A-035 - Fresh form after successful creation. **Test design technique:** State Transition - saved to fresh draft **Requirements:** REQ-A-007, REQ-A-010		
Preconditions: Use dedicated Chrome profile; TaskFlow at http://localhost:5173 from main@5133a6c. Before this case clear only that profile's taskflow_tasks and taskflow_tasks_backup keys and reload. Dashboard; no search/filters; Newest first. Browser storage writable. Unless specified: Write Weekly Report, empty description/date, Medium, To Do. Observe toast within 3 seconds.		
#:	Step actions:	Expected Results:
1	Create Write Weekly Report with default fields.	"Task created successfully." and one Write Weekly Report card.
2	Open + New Task.	"New Task" shows blank title/description/date, Medium and To Do; counters "0 / 80" and "0 / 500"; no errors.
3	Cancel.	Exactly the original card remains; no second task.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-A-007: Successful creation and persistence [Version : 1] REQ-A-010: Fresh creation form on reopen [Version : 1]	
Keywords:	None	

Test Case TF-36: TC-A-036 - Duplicate titles have separate identities [Version : 1]		
Author:	aland	
Summary:		
TC-A-036 - Duplicate titles have separate identities. **Test design technique:** EP - duplicate title allowed **Requirements:** REQ-A-007, REQ-A-008		
Preconditions:		
Use dedicated Chrome profile; TaskFlow at http://localhost:5173 from main@5133a6c. Before this case clear only that profile's taskflow_tasks and taskflow_tasks_backup keys and reload. Dashboard; no search/filters; Newest first. Browser storage writable. Unless specified: Write Weekly Report, empty description/date, Medium, To Do. Observe toast within 3 seconds.		
#:	Step actions:	Expected Results:
1	Create Write Weekly Report twice, reopening + New Task each time.	Each submit closes its dialog with "Task created successfully."; two cards share title Write Weekly Report.
2	Inspect taskflow_tasks and reload.	Two objects have distinct nonempty ids; both title values equal Write Weekly Report; both cards remain.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-A-007: Successful creation and persistence [Version : 1] REQ-A-008: All creation values retained [Version : 1]	
Keywords:	None	

Test Case TF-37: TC-A-037 - Empty-state creation entry point [Version : 1]		
Author:	aland	
Summary:		
TC-A-037 - Empty-state creation entry point. **Test design technique:** Use Case - first-task entry **Requirements:** REQ-A-013, REQ-A-006		
Preconditions:		
Use dedicated Chrome profile; TaskFlow at http://localhost:5173 from main@5133a6c. Before this case clear only that profile's taskflow_tasks and taskflow_tasks_backup keys and reload. Dashboard; no search/filters; Newest first. Browser storage writable. Unless specified: Write Weekly Report, empty description/date, Medium, To Do. Observe toast within 3 seconds.		
#:	Step actions:	Expected Results:
1	Load clean app.	"No tasks yet", "Tasks you create will appear here." and "Create your first task" appear.
2	Click Create your first task.	Same "New Task" form with blank fields, Medium, To Do and "Create Task".
3	Enter First task; click Create Task.	"First task" card replaces empty state; "Task created successfully.".
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-A-006: Creation form defaults [Version : 1] REQ-A-013: Creation entry points [Version : 1]	
Keywords:	None	

Test Case TF-38: TC-A-038 - Markup-like text stays literal [Version : 1]		
Author:	aland	
Summary: TC-A-038 - Markup-like text stays literal. **Test design technique:** Error Guessing - HTML/script text injection **Requirements:** REQ-A-014, REQ-A-007		
Preconditions: Use dedicated Chrome profile; TaskFlow at http://localhost:5173 from main@5133a6c. Before this case clear only that profile's taskflow_tasks and taskflow_tasks_backup keys and reload. Dashboard; no search/filters; Newest first. Browser storage writable. Unless specified: Write Weekly Report, empty description/date, Medium, To Do. Observe toast within 3 seconds.		
#:	Step actions:	Expected Results:
1	Open New Task; title Report; description <img src=x onerror=alert(1)>; submit.	Toast "Task created successfully."; card visibly displays literal "Report" and "<img src=x onerror=alert(1)>"; no alert.
2	Inspect the card DOM and reload.	No b or img child element from those strings; content remains literal after reload; no script runs.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-A-007: Successful creation and persistence [Version : 1] REQ-A-014: Safe literal text rendering [Version : 1]	
Keywords:	None	

Test Case TF-39: TC-A-039 - Internal spaces and newlines preserved [Version : 1]		
Author:	aland	
Summary: TC-A-039 - Internal spaces and newlines preserved. **Test design technique:** EP - internal whitespace valid partition **Requirements:** REQ-A-003, REQ-A-008		
Preconditions: Use dedicated Chrome profile; TaskFlow at http://localhost:5173 from main@5133a6c. Before this case clear only that profile's taskflow_tasks and taskflow_tasks_backup keys and reload. Dashboard; no search/filters; Newest first. Browser storage writable. Unless specified: Write Weekly Report, empty description/date, Medium, To Do. Observe toast within 3 seconds.		
#:	Step actions:	Expected Results:
1	Create title " Plan sprint " and description " Line one Line two ".	"Task created successfully."; card title "Plan sprint".
2	Inspect saved JSON.	title equals "Plan sprint" with two internal spaces. description equals "Line one Line two". Surrounding spaces removed; newline retained.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-A-003: Trim and Unicode normalization [Version : 1] REQ-A-008: All creation values retained [Version : 1]	
Keywords:	None	

Test Case TF-40: TC-A-040 - Clicks inside dialog do not cancel draft [Version : 1]		
Author:	aland	
Summary: TC-A-040 - Clicks inside dialog do not cancel draft. **Test design technique:** Error Guessing - backdrop target discrimination **Requirements:** REQ-A-009		
Preconditions: Use dedicated Chrome profile; TaskFlow at http://localhost:5173 from main@5133a6c. Before this case clear only that profile's taskflow_tasks and taskflow_tasks_backup keys and reload. Dashboard; no search/filters; Newest first. Browser storage writable. Unless specified: Write Weekly Report, empty description/date, Medium, To Do. Observe toast within 3 seconds.		
#:	Step actions:	Expected Results:
1	Open New Task; type Keep draft; click the New Task heading and empty padding inside the white dialog.	Dialog remains open with Keep draft; no save or toast.
2	Click Create Task.	"Task created successfully."; exactly one Keep draft card.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-A-009: Cancel creation through every close path [Version : 1]	
Keywords:	None	

Test Case TF-41: TC-A-041 - Fresh validation state after cancelling errors [Version : 1]		
Author:	aland	
Summary:		
TC-A-041 - Fresh validation state after cancelling errors. **Test design technique:** State Transition - invalid to dismissed to pristine **Requirements:** REQ-A-010, REQ-A-011		
Preconditions:		
Use dedicated Chrome profile; TaskFlow at http://localhost:5173 from main@5133a6c. Before this case clear only that profile's taskflow_tasks and taskflow_tasks_backup keys and reload. Dashboard; no search/filters; Newest first. Browser storage writable. Unless specified: Write Weekly Report, empty description/date, Medium, To Do. Observe toast within 3 seconds.		
#:	Step actions:	Expected Results:
1	Open New Task; submit empty title; click Cancel.	"Title is required." appears before Cancel; then dialog closes without saving.
2	Reopen New Task.	Blank title; "0 / 80"; no "Title is required." message and aria-invalid="false".
3	Cancel.	"No tasks yet" remains.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-A-010: Fresh creation form on reopen [Version : 1] REQ-A-011: Error timing and focus [Version : 1]	
Keywords:	None	

Test Case TF-42: TC-A-042 - Counter returns from over-limit state [Version : 1]		
Author:	aland	
Summary:		
TC-A-042 - Counter returns from over-limit state. **Test design technique:** BVA - max+1 to max for both text fields **Requirements:** REQ-A-005, REQ-A-012		
Preconditions:		
Use dedicated Chrome profile; TaskFlow at http://localhost:5173 from main@5133a6c. Before this case clear only that profile's taskflow_tasks and taskflow_tasks_backup keys and reload. Dashboard; no search/filters; Newest first. Browser storage writable. Unless specified: Write Weekly Report, empty description/date, Medium, To Do. Observe toast within 3 seconds.		
#:	Step actions:	Expected Results:
1	Open New Task; paste 81 a characters and 501 d characters using copy("a".repeat(81)) and copy("d".repeat(501)); submit.	Counters "81 / 80", "501 / 500" are red; both length errors appear; no save.
2	Remove one character from each field.	Counters "80 / 80", "500 / 500" are not red; both errors disappear immediately.
3	Click Create Task.	"Task created successfully."; one saved task has 80-character title and 500-character description.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-A-005: Live trimmed counters [Version : 1] REQ-A-012: Live recovery after failed submit [Version : 1]	
Keywords:	None	

Test Case TF-43: TC-A-043 - Combining sequence is counted as code points [Version : 1]		
Author:	aland	
Summary:		
TC-A-043 - Combining sequence is counted as code points. **Test design technique:** BVA - Unicode min-1 and min without canonical normalization **Requirements:** REQ-A-002, REQ-A-003, REQ-A-005		
Preconditions:		
Use dedicated Chrome profile; TaskFlow at http://localhost:5173 from main@5133a6c. Before this case clear only that profile's taskflow_tasks and taskflow_tasks_backup keys and reload. Dashboard; no search/filters; Newest first. Browser storage writable. Unless specified: Write Weekly Report, empty description/date, Medium, To Do. Observe toast within 3 seconds.		
#:	Step actions:	Expected Results:
1	Open New Task; use DevTools copy("e\u0301") and paste as title; submit.	Title visually resembles accented e but counter is "2 / 80"; "Title must be at least 3 characters."; no save.
2	Append x to title.	Counter "3 / 80"; error clears live.
3	Click Create Task; inspect JSON.	"Task created successfully."; stored title is e + U+0301 + x, three code points with no canonical normalization.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-A-002: Title inclusive length boundaries [Version : 1] REQ-A-003: Trim and Unicode normalization [Version : 1] REQ-A-005: Live trimmed counters [Version : 1]	
Keywords:	None	

2.Test Suite : B - Mhamad - Editing and deletion

Member 2 / B: Mhamad (GitHub MhammedAzad). Group TaskFlow; leader Aland Karwan. SECJ3343 Project 1 Test Case Design, due 27 October 2026. Basis: README.md TF-REQ-009 through TF-REQ-015 and editing persistence in TF-REQ-018, TaskFlow main@5133a6c. Code-derived refinements are identified in the requirements.

Scope: prefilled edits, valid and rejected edits, identity/timestamps, every edit dismissal path, priority edit persistence, exact deletion confirmation, every deletion dismissal path, intended-target isolation and repeated operations. Creation, text boundary sweeps, enum/date partitions, counts/status transitions, queries, general storage recovery and navigation belong to other members. Their actions are setup only. All cases are manual and Not Run.

Each case independently resets ONLY a disposable Chrome profile at http://localhost:5173 using the complete fixture instructions in its preconditions. Never use personal task storage. Read ISO timestamps in stored JSON, not the day-resolution Created label. Observe specified success messages within three seconds. Numbered steps are generated from the ordered action/expected-result tuples.

2.1.Test Suite : TS-B1 - Prefilled editing and committed changes

18 independent manual cases; valid/rejected edits, atomicity, identity/timestamps, latest-value/target isolation and priority persistence. Representative invalid text inputs exercise edit rejection; A owns comprehensive text boundaries; C owns enum/date semantics.

Test Case TF-44: TC-B-001 - Prefill all saved fields [Version : 1]		
Author:	mhammedazad	
Summary:		
TC-B-001 - Prefill all saved fields. **Test design technique:** Use Case - selected existing task opens for edit **Requirements:** REQ-B-001		
Preconditions:		
INDEPENDENT RESET: use ONLY a disposable Chrome profile, http://localhost:5173, TaskFlow main@5133a6c; writable browser storage; system clock later than 2026-01-06. Open DevTools Console and run the following exact fixture; close DevTools after reload: localStorage.removeItem("taskflow_tasks_backup"); localStorage.setItem("taskflow_tasks", JSON.stringify([{id:"b-alpha",title:"Prepare sprint review",description:"Agenda draft",priority:"Low",status:"In Progress",dueDate:"2028-02-29",createdAt:"2026-01-01T09:00:00.000Z",updatedAt:"2026-01-02T10:00:00.000Z"}, {id:"b-beta",title:"Book meeting room",description:"Room 4",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-03T09:00:00.000Z",updatedAt:"2026-01-04T10:00:00.000Z"}, {id:"b-gamma",title:"Archive review notes",description:"Keep signed copy",priority:"High",status:"Completed",dueDate:"",createdAt:"2026-01-05T09:00:00.000Z",updatedAt:"2026-01-06T10:00:00.000Z"}])); location.reload(); Dashboard, search empty, status/priority filters All, Newest first (setup only). A means id b-alpha, B means b-beta, C means b-gamma, irrespective of card order. Before acting, use Console: window.bBefore = JSON.parse(localStorage.getItem("taskflow_tasks")); close DevTools. To inspect persisted objects later, reopen Console and evaluate JSON.parse(localStorage.getItem("taskflow_tasks")); compare by id with bBefore, not array position. Do not reload before completing an in-memory draft step. Read toasts immediately within 3 seconds. Inspect id/createdAt/updatedAt as raw JSON; list date formatting, counts, query behavior, generic reload/recovery, enum/date semantics and creation are not assertions of these cases.		
#:	Step actions:	Expected Results:
1	Click "Edit Prepare sprint review" on A.	"Edit Task" opens for A with "Cancel" and "Save Changes".
2	Inspect the five form controls without changing or submitting them.	Task Title "Prepare sprint review"; Description "Agenda draft"; Priority "Low"; Status "In Progress"; Due Date value "2028-02-29". No saved value has been replaced by a creation default.
3	Click "Cancel".	Dialog closes; no edit is committed.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-B-001: Prefill the selected task for editing [Version : 1]	
Keywords:	None	

Test Case TF-45: TC-B-002 - Prefill empty optional fields [Version : 1]		
Author:	mhammedazad	
Summary:		
TC-B-002 - Prefill empty optional fields. **Test design technique:** EP - existing task with absent optional content **Requirements:** REQ-B-001		
Preconditions:		
INDEPENDENT RESET: use ONLY a disposable Chrome profile, http://localhost:5173, TaskFlow main@5133a6c; writable browser storage; system clock later than 2026-01-06. Open DevTools Console and run the following exact fixture; close DevTools after reload: localStorage.removeItem("taskflow_tasks_backup"); localStorage.setItem("taskflow_tasks", JSON.stringify([{id:"b-alpha",title:"Prepare sprint review",description:"Agenda draft",priority:"Low",status:"In Progress",dueDate:"2028-02-29",createdAt:"2026-01-01T09:00:00.000Z",updatedAt:"2026-01-02T10:00:00.000Z"}, {id:"b-beta",title:"Book meeting room",description:"Room 4",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-03T09:00:00.000Z",updatedAt:"2026-01-04T10:00:00.000Z"}, {id:"b-gamma",title:"Archive review notes",description:"Keep signed copy",priority:"High",status:"Completed",dueDate:"",createdAt:"2026-01-05T09:00:00.000Z",updatedAt:"2026-01-06T10:00:00.000Z"}])); location.reload(); Dashboard, search empty, status/priority filters All, Newest first (setup only). A means id b-alpha, B means b-beta, C means b-gamma, irrespective of card order. Before acting, use Console: window.bBefore = JSON.parse(localStorage.getItem("taskflow_tasks")); close DevTools. To inspect persisted objects later, reopen Console and evaluate JSON.parse(localStorage.getItem("taskflow_tasks")); compare by id with bBefore, not array position. Do not reload before completing an in-memory draft step. Read toasts immediately within 3 seconds. Inspect id/createdAt/updatedAt as raw JSON; list date formatting, counts, query behavior, generic reload/recovery, enum/date semantics and creation are not assertions of these cases.		
#:	Step actions:	Expected Results:
1	For this case only, before opening edit, set B.description to "" in stored JSON and reload; recapture bBefore.	Fixture B is available with description "" and dueDate "".
2	Click "Edit Book meeting room".	"Edit Task" has title "Book meeting room", empty Description and Due Date, "Medium", "To Do".
3	Click "Cancel".	Dialog closes without saving.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-B-001: Prefill the selected task for editing [Version : 1]	
Keywords:	None	

Test Case TF-46: TC-B-003 - Save title-only edit with identity retained [Version : 1]		
Author:	mhammedazad	
Summary: TC-B-003 - Save title-only edit with identity retained. **Test design technique:** Use Case - single-field edit **Requirements:** REQ-B-002, REQ-B-003		
Preconditions: INDEPENDENT RESET: use ONLY a disposable Chrome profile, http://localhost:5173, TaskFlow main@5133a6c; writable browser storage; system clock later than 2026-01-06. Open DevTools Console and run the following exact fixture; close DevTools after reload: localStorage.removeItem("taskflow_tasks_backup"); localStorage.setItem("taskflow_tasks", JSON.stringify([{id:"b-alpha",title:"Prepare sprint review",description:"Agenda draft",priority:"Low",status:"In Progress",dueDate:"2028-02-29",createdAt:"2026-01-01T09:00:00.000Z",updatedAt:"2026-01-02T10:00:00.000Z"}, {id:"b-beta",title:"Book meeting room",description:"Room 4",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-03T09:00:00.000Z",updatedAt:"2026-01-04T10:00:00.000Z"}, {id:"b-gamma",title:"Archive review notes",description:"Keep signed copy",priority:"High",status:"Completed",dueDate:"",createdAt:"2026-01-05T09:00:00.000Z",updatedAt:"2026-01-06T10:00:00.000Z"}])); location.reload(); Dashboard, search empty, status/priority filters All, Newest first (setup only). A means id b-alpha, B means b-beta, C means b-gamma, irrespective of card order. Before acting, use Console: window.bBefore = JSON.parse(localStorage.getItem("taskflow_tasks")); close DevTools. To inspect persisted objects later, reopen Console and evaluate JSON.parse(localStorage.getItem("taskflow_tasks")); compare by id with bBefore, not array position. Do not reload before completing an in-memory draft step. Read toasts immediately within 3 seconds. Inspect id/createdAt/updatedAt as raw JSON; list date formatting, counts, query behavior, generic reload/recovery, enum/date semantics and creation are not assertions of these cases.		
#:	Step actions:	Expected Results:
1	Click "Edit Prepare sprint review" on A.	"Edit Task" opens for A with "Cancel" and "Save Changes".
2	Replace Task Title with "Prepare final sprint review"; leave other controls unchanged.	Draft title is "Prepare final sprint review".
3	Record new Date().toISOString() in Console immediately before save; close Console, click "Save Changes", observe toast, record the time again and inspect saved JSON.	Dialog closes; "Task updated successfully." appears. Stored array has the same three ids; A retains id b-alpha and createdAt 2026-01-01T09:00:00.000Z; updatedAt is valid ISO, later than 2026-01-02T10:00:00.000Z and within the recorded save interval. B and C are field-for-field unchanged from bBefore. A.title is "Prepare final sprint review"; description, priority, status and dueDate equal bBefore A.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-B-002: Commit a valid edit atomically to the selected task [Version : 1] REQ-B-003: Preserve identity and creation timestamp while advancing update time [Version : 1]	
Keywords:	None	

Test Case TF-47: TC-B-004 - Save description-only edit [Version : 1]		
Author:	mhammedazad	
Summary:		
TC-B-004 - Save description-only edit. **Test design technique:** Use Case - optional text edit **Requirements:** REQ-B-002, REQ-B-003		
Preconditions:		
INDEPENDENT RESET: use ONLY a disposable Chrome profile, http://localhost:5173, TaskFlow main@5133a6c; writable browser storage; system clock later than 2026-01-06. Open DevTools Console and run the following exact fixture; close DevTools after reload: localStorage.removeItem("taskflow_tasks_backup"); localStorage.setItem("taskflow_tasks", JSON.stringify([{id:"b-alpha",title:"Prepare sprint review",description:"Agenda draft",priority:"Low",status:"In Progress",dueDate:"2028-02-29",createdAt:"2026-01-01T09:00:00.000Z",updatedAt:"2026-01-02T10:00:00.000Z"}, {id:"b-beta",title:"Book meeting room",description:"Room 4",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-03T09:00:00.000Z",updatedAt:"2026-01-04T10:00:00.000Z"}, {id:"b-gamma",title:"Archive review notes",description:"Keep signed copy",priority:"High",status:"Completed",dueDate:"",createdAt:"2026-01-05T09:00:00.000Z",updatedAt:"2026-01-06T10:00:00.000Z"}])); location.reload(); Dashboard, search empty, status/priority filters All, Newest first (setup only). A means id b-alpha, B means b-beta, C means b-gamma, irrespective of card order. Before acting, use Console: window.bBefore = JSON.parse(localStorage.getItem("taskflow_tasks")); close DevTools. To inspect persisted objects later, reopen Console and evaluate JSON.parse(localStorage.getItem("taskflow_tasks")); compare by id with bBefore, not array position. Do not reload before completing an in-memory draft step. Read toasts immediately within 3 seconds. Inspect id/createdAt/updatedAt as raw JSON; list date formatting, counts, query behavior, generic reload/recovery, enum/date semantics and creation are not assertions of these cases.		
#:	Step actions:	Expected Results:
1	Click "Edit Prepare sprint review" on A.	"Edit Task" opens for A with "Cancel" and "Save Changes".
2	Replace Description with "Final agenda Bring demo".	Draft retains the two entered lines.
3	Record new Date().toISOString() in Console immediately before save; close Console, click "Save Changes", observe toast, record the time again and inspect saved JSON.	Dialog closes; "Task updated successfully." appears. Stored array has the same three ids; A retains id b-alpha and createdAt 2026-01-01T09:00:00.000Z; updatedAt is valid ISO, later than 2026-01-02T10:00:00.000Z and within the recorded save interval. B and C are field-for-field unchanged from bBefore. A.description is exactly "Final agenda Bring demo"; A title/priority/status/dueDate stay unchanged.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-B-002: Commit a valid edit atomically to the selected task [Version : 1] REQ-B-003: Preserve identity and creation timestamp while advancing update time [Version : 1]	
Keywords:	None	

Test Case TF-48: TC-B-005 - Save all editable fields together [Version : 1]		
Author:	mhammedazad	
Summary:		
TC-B-005 - Save all editable fields together. **Test design technique:** Use Case - complete valid edit **Requirements:** REQ-B-002, REQ-B-003, REQ-B-006		
Preconditions:		
INDEPENDENT RESET: use ONLY a disposable Chrome profile, http://localhost:5173, TaskFlow main@5133a6c; writable browser storage; system clock later than 2026-01-06. Open DevTools Console and run the following exact fixture; close DevTools after reload: localStorage.removeItem("taskflow_tasks_backup"); localStorage.setItem("taskflow_tasks", JSON.stringify([{id:"b-alpha",title:"Prepare sprint review",description:"Agenda draft",priority:"Low",status:"In Progress",dueDate:"2028-02-29",createdAt:"2026-01-01T09:00:00.000Z",updatedAt:"2026-01-02T10:00:00.000Z"}, {id:"b-beta",title:"Book meeting room",description:"Room 4",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-03T09:00:00.000Z",updatedAt:"2026-01-04T10:00:00.000Z"}, {id:"b-gamma",title:"Archive review notes",description:"Keep signed copy",priority:"High",status:"Completed",dueDate:"",createdAt:"2026-01-05T09:00:00.000Z",updatedAt:"2026-01-06T10:00:00.000Z"}])); location.reload(); Dashboard, search empty, status/priority filters All, Newest first (setup only). A means id b-alpha, B means b-beta, C means b-gamma, irrespective of card order. Before acting, use Console: window.bBefore = JSON.parse(localStorage.getItem("taskflow_tasks")); close DevTools. To inspect persisted objects later, reopen Console and evaluate JSON.parse(localStorage.getItem("taskflow_tasks")); compare by id with bBefore, not array position. Do not reload before completing an in-memory draft step. Read toasts immediately within 3 seconds. Inspect id/createdAt/updatedAt as raw JSON; list date formatting, counts, query behavior, generic reload/recovery, enum/date semantics and creation are not assertions of these cases.		
#:	Step actions:	Expected Results:
1	Click "Edit Prepare sprint review" on A.	"Edit Task" opens for A with "Cancel" and "Save Changes".
2	Enter title "Review launch plan", description "Review checklist"; select High, Completed; set Due Date to 2028-03-15.	Draft contains those five values (status/date selection is setup, not a validation or status/count assertion).
3	Record new Date().toISOString() in Console immediately before save; close Console, click "Save Changes", observe toast, record the time again and inspect saved JSON.	Dialog closes; "Task updated successfully." appears. Stored array has the same three ids; A retains id b-alpha and createdAt 2026-01-01T09:00:00.000Z; updatedAt is valid ISO, later than 2026-01-02T10:00:00.000Z and within the recorded save interval. B and C are field-for-field unchanged from bBefore. A stores "Review launch plan", "Review checklist", "High", "Completed", "2028-03-15".
4	Reopen "Edit Review launch plan".	"Edit Task" contains all five saved values.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-B-002: Commit a valid edit atomically to the selected task [Version : 1] REQ-B-003: Preserve identity and creation timestamp while advancing update time [Version : 1] REQ-B-006: Persist priority edits through the edit workflow [Version : 1]	
Keywords:	None	

Test Case TF-49: TC-B-006 - Clear existing optional description and date [Version : 1]		
Author:	mhammedazad	
Summary:		
TC-B-006 - Clear existing optional description and date. **Test design technique:** EP - valid removal of optional values during edit **Requirements:** REQ-B-002, REQ-B-003		
Preconditions:		
INDEPENDENT RESET: use ONLY a disposable Chrome profile, http://localhost:5173, TaskFlow main@5133a6c; writable browser storage; system clock later than 2026-01-06. Open DevTools Console and run the following exact fixture; close DevTools after reload: localStorage.removeItem("taskflow_tasks_backup"); localStorage.setItem("taskflow_tasks", JSON.stringify([{id:"b-alpha",title:"Prepare sprint review",description:"Agenda draft",priority:"Low",status:"In Progress",dueDate:"2028-02-29",createdAt:"2026-01-01T09:00:00.000Z",updatedAt:"2026-01-02T10:00:00.000Z"}, {id:"b-beta",title:"Book meeting room",description:"Room 4",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-03T09:00:00.000Z",updatedAt:"2026-01-04T10:00:00.000Z"}, {id:"b-gamma",title:"Archive review notes",description:"Keep signed copy",priority:"High",status:"Completed",dueDate:"",createdAt:"2026-01-05T09:00:00.000Z",updatedAt:"2026-01-06T10:00:00.000Z"}])); location.reload(); Dashboard, search empty, status/priority filters All, Newest first (setup only). A means id b-alpha, B means b-beta, C means b-gamma, irrespective of card order. Before acting, use Console: window.bBefore = JSON.parse(localStorage.getItem("taskflow_tasks")); close DevTools. To inspect persisted objects later, reopen Console and evaluate JSON.parse(localStorage.getItem("taskflow_tasks")); compare by id with bBefore, not array position. Do not reload before completing an in-memory draft step. Read toasts immediately within 3 seconds. Inspect id/createdAt/updatedAt as raw JSON; list date formatting, counts, query behavior, generic reload/recovery, enum/date semantics and creation are not assertions of these cases.		
#:	Step actions:	Expected Results:
1	Click "Edit Prepare sprint review" on A.	"Edit Task" opens for A with "Cancel" and "Save Changes".
2	Clear Description and Due Date; leave the other values unchanged.	Both optional controls are empty.
3	Record new Date().toISOString() in Console immediately before save; close Console, click "Save Changes", observe toast, record the time again and inspect saved JSON.	Dialog closes; "Task updated successfully." appears. Stored array has the same three ids; A retains id b-alpha and createdAt 2026-01-01T09:00:00.000Z; updatedAt is valid ISO, later than 2026-01-02T10:00:00.000Z and within the recorded save interval. B and C are field-for-field unchanged from bBefore. A.description and A.dueDate are both ""; other editable values remain unchanged.
4	Reopen A edit.	Description and Due Date are empty in "Edit Task".
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-B-002: Commit a valid edit atomically to the selected task [Version : 1] REQ-B-003: Preserve identity and creation timestamp while advancing update time [Version : 1]	
Keywords:	None	

Test Case TF-50: TC-B-007 - Save unchanged form still updates metadata [Version : 1]		
Author:	mhammedazad	
Summary:		
TC-B-007 - Save unchanged form still updates metadata. **Test design technique:** Error Guessing - no-op submit still calls updateTask **Requirements:** REQ-B-002, REQ-B-003		
Preconditions:		
INDEPENDENT RESET: use ONLY a disposable Chrome profile, http://localhost:5173, TaskFlow main@5133a6c; writable browser storage; system clock later than 2026-01-06. Open DevTools Console and run the following exact fixture; close DevTools after reload: localStorage.removeItem("taskflow_tasks_backup"); localStorage.setItem("taskflow_tasks", JSON.stringify([{id:"b-alpha",title:"Prepare sprint review",description:"Agenda draft",priority:"Low",status:"In Progress",dueDate:"2028-02-29",createdAt:"2026-01-01T09:00:00.000Z",updatedAt:"2026-01-02T10:00:00.000Z"}, {id:"b-beta",title:"Book meeting room",description:"Room 4",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-03T09:00:00.000Z",updatedAt:"2026-01-04T10:00:00.000Z"}, {id:"b-gamma",title:"Archive review notes",description:"Keep signed copy",priority:"High",status:"Completed",dueDate:"",createdAt:"2026-01-05T09:00:00.000Z",updatedAt:"2026-01-06T10:00:00.000Z"}])); location.reload(); Dashboard, search empty, status/priority filters All, Newest first (setup only). A means id b-alpha, B means b-beta, C means b-gamma, irrespective of card order. Before acting, use Console: window.bBefore = JSON.parse(localStorage.getItem("taskflow_tasks")); close DevTools. To inspect persisted objects later, reopen Console and evaluate JSON.parse(localStorage.getItem("taskflow_tasks")); compare by id with bBefore, not array position. Do not reload before completing an in-memory draft step. Read toasts immediately within 3 seconds. Inspect id/createdAt/updatedAt as raw JSON; list date formatting, counts, query behavior, generic reload/recovery, enum/date semantics and creation are not assertions of these cases.		
#:	Step actions:	Expected Results:
1	Click "Edit Prepare sprint review" on A.	"Edit Task" opens for A with "Cancel" and "Save Changes".
2	Record new Date().toISOString() in Console immediately before save; close Console, click "Save Changes", observe toast, record the time again and inspect saved JSON.	Dialog closes; "Task updated successfully." appears. Stored array has the same three ids; A retains id b-alpha and createdAt 2026-01-01T09:00:00.000Z; updatedAt is valid ISO, later than 2026-01-02T10:00:00.000Z and within the recorded save interval. B and C are field-for-field unchanged from bBefore. All five editable values equal bBefore A; only updatedAt changes.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-B-002: Commit a valid edit atomically to the selected task [Version : 1] REQ-B-003: Preserve identity and creation timestamp while advancing update time [Version : 1]	
Keywords:	None	

Test Case TF-51: TC-B-008 - Edit one same-title sibling only [Version : 1]		
Author:	mhammedazad	
Summary: TC-B-008 - Edit one same-title sibling only. **Test design technique:** Error Guessing - target identity differs despite equal titles **Requirements:** REQ-B-002, REQ-B-003, REQ-B-007		
Preconditions: INDEPENDENT RESET: use ONLY a disposable Chrome profile, http://localhost:5173, TaskFlow main@5133a6c; writable browser storage; system clock later than 2026-01-06. Open DevTools Console and run the following exact fixture; close DevTools after reload: localStorage.removeItem("taskflow_tasks_backup"); localStorage.setItem("taskflow_tasks", JSON.stringify([{id:"b-alpha",title:"Prepare sprint review",description:"Agenda draft",priority:"Low",status:"In Progress",dueDate:"2028-02-29",createdAt:"2026-01-01T09:00:00.000Z",updatedAt:"2026-01-02T10:00:00.000Z"}, {id:"b-beta",title:"Book meeting room",description:"Room 4",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-03T09:00:00.000Z",updatedAt:"2026-01-04T10:00:00.000Z"}, {id:"b-gamma",title:"Archive review notes",description:"Keep signed copy",priority:"High",status:"Completed",dueDate:"",createdAt:"2026-01-05T09:00:00.000Z",updatedAt:"2026-01-06T10:00:00.000Z"}])); location.reload(); Dashboard, search empty, status/priority filters All, Newest first (setup only). A means id b-alpha, B means b-beta, C means b-gamma, irrespective of card order. Before acting, use Console: window.bBefore = JSON.parse(localStorage.getItem("taskflow_tasks")); close DevTools. To inspect persisted objects later, reopen Console and evaluate JSON.parse(localStorage.getItem("taskflow_tasks")); compare by id with bBefore, not array position. Do not reload before completing an in-memory draft step. Read toasts immediately within 3 seconds. Inspect id/createdAt/updatedAt as raw JSON; list date formatting, counts, query behavior, generic reload/recovery, enum/date semantics and creation are not assertions of these cases.		
#:	Step actions:	Expected Results:
1	Before opening edit, set B.title to "Prepare sprint review" in stored JSON; reload; recapture bBefore.	A and B share the title but retain ids b-alpha and b-beta and distinct descriptions.
2	Within the card whose description is "Room 4", click Edit; replace Description with "Room 7".	"Edit Task" opens with B's values and accepts the draft description.
3	Click "Save Changes"; inspect JSON by id.	"Task updated successfully."; only b-beta.description becomes "Room 7" and its updatedAt advances. Its id/createdAt stay unchanged; A and C equal bBefore. There are still three objects.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-B-002: Commit a valid edit atomically to the selected task [Version : 1] REQ-B-003: Preserve identity and creation timestamp while advancing update time [Version : 1] REQ-B-007: Apply repeated edits and target only the selected identity [Version : 1]	
Keywords:	None	

Test Case TF-52: TC-B-009 - Repeat edits to the same task [Version : 1]		
Author:	mhammedazad	
Summary:		
TC-B-009 - Repeat edits to the same task. **Test design technique:** State Transition - saved original -> saved revision one -> saved revision two **Requirements:** REQ-B-001, REQ-B-003, REQ-B-007		
Preconditions:		
INDEPENDENT RESET: use ONLY a disposable Chrome profile, http://localhost:5173, TaskFlow main@5133a6c; writable browser storage; system clock later than 2026-01-06. Open DevTools Console and run the following exact fixture; close DevTools after reload: localStorage.removeItem("taskflow_tasks_backup"); localStorage.setItem("taskflow_tasks", JSON.stringify([{id:"b-alpha",title:"Prepare sprint review",description:"Agenda draft",priority:"Low",status:"In Progress",dueDate:"2028-02-29",createdAt:"2026-01-01T09:00:00.000Z",updatedAt:"2026-01-02T10:00:00.000Z"}, {id:"b-beta",title:"Book meeting room",description:"Room 4",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-03T09:00:00.000Z",updatedAt:"2026-01-04T10:00:00.000Z"}, {id:"b-gamma",title:"Archive review notes",description:"Keep signed copy",priority:"High",status:"Completed",dueDate:"",createdAt:"2026-01-05T09:00:00.000Z",updatedAt:"2026-01-06T10:00:00.000Z"}])); location.reload(); Dashboard, search empty, status/priority filters All, Newest first (setup only). A means id b-alpha, B means b-beta, C means b-gamma, irrespective of card order. Before acting, use Console: window.bBefore = JSON.parse(localStorage.getItem("taskflow_tasks")); close DevTools. To inspect persisted objects later, reopen Console and evaluate JSON.parse(localStorage.getItem("taskflow_tasks")); compare by id with bBefore, not array position. Do not reload before completing an in-memory draft step. Read toasts immediately within 3 seconds. Inspect id/createdAt/updatedAt as raw JSON; list date formatting, counts, query behavior, generic reload/recovery, enum/date semantics and creation are not assertions of these cases.		
#:	Step actions:	Expected Results:
1	Click "Edit Prepare sprint review" on A.	"Edit Task" opens for A with "Cancel" and "Save Changes".
2	Set Description to "Revision one"; save; inspect A JSON and record first updatedAt.	"Task updated successfully."; A.description "Revision one"; original id/createdAt preserved.
3	Wait at least 1 second; reopen A edit, set Description to "Revision two"; save.	Form initially shows "Revision one"; closes with "Task updated successfully." after save.
4	Inspect JSON by id.	Only A contains "Revision two"; updatedAt is later than the first save. No extra object; B/C unchanged.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-B-001: Prefill the selected task for editing [Version : 1] REQ-B-003: Preserve identity and creation timestamp while advancing update time [Version : 1] REQ-B-007: Apply repeated edits and target only the selected identity [Version : 1]	
Keywords:	None	

Test Case TF-53: TC-B-010 - Edit different tasks in sequence [Version : 1]		
Author:	mhammedazad	
Summary:		
TC-B-010 - Edit different tasks in sequence. **Test design technique:** State Transition - A edit saved -> B edit opened **Requirements:** REQ-B-001, REQ-B-007		
Preconditions:		
INDEPENDENT RESET: use ONLY a disposable Chrome profile, http://localhost:5173, TaskFlow main@5133a6c; writable browser storage; system clock later than 2026-01-06. Open DevTools Console and run the following exact fixture; close DevTools after reload: localStorage.removeItem("taskflow_tasks_backup"); localStorage.setItem("taskflow_tasks", JSON.stringify([{id:"b-alpha",title:"Prepare sprint review",description:"Agenda draft",priority:"Low",status:"In Progress",dueDate:"2028-02-29",createdAt:"2026-01-01T09:00:00.000Z",updatedAt:"2026-01-02T10:00:00.000Z"}, {id:"b-beta",title:"Book meeting room",description:"Room 4",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-03T09:00:00.000Z",updatedAt:"2026-01-04T10:00:00.000Z"}, {id:"b-gamma",title:"Archive review notes",description:"Keep signed copy",priority:"High",status:"Completed",dueDate:"",createdAt:"2026-01-05T09:00:00.000Z",updatedAt:"2026-01-06T10:00:00.000Z"}])); location.reload(); Dashboard, search empty, status/priority filters All, Newest first (setup only). A means id b-alpha, B means b-beta, C means b-gamma, irrespective of card order. Before acting, use Console: window.bBefore = JSON.parse(localStorage.getItem("taskflow_tasks")); close DevTools. To inspect persisted objects later, reopen Console and evaluate JSON.parse(localStorage.getItem("taskflow_tasks")); compare by id with bBefore, not array position. Do not reload before completing an in-memory draft step. Read toasts immediately within 3 seconds. Inspect id/createdAt/updatedAt as raw JSON; list date formatting, counts, query behavior, generic reload/recovery, enum/date semantics and creation are not assertions of these cases.		
#:	Step actions:	Expected Results:
1	Click "Edit Prepare sprint review" on A.	"Edit Task" opens for A with "Cancel" and "Save Changes".
2	Set Description to "A revised"; click "Save Changes"; then click "Edit Book meeting room".	Edit success toast; new "Edit Task" shows B: "Book meeting room", "Room 4", "Medium", "To Do", empty date.
3	Set Description to "B revised"; save; inspect JSON.	"Task updated successfully."; A has "A revised", B has "B revised". Their original ids/createdAt remain; C unchanged.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-B-001: Prefill the selected task for editing [Version : 1] REQ-B-007: Apply repeated edits and target only the selected identity [Version : 1]	
Keywords:	None	

Test Case TF-54: TC-B-011 - Reject blank-title edit atomically [Version : 1]		
Author:	mhammedazad	
Summary: TC-B-011 - Reject blank-title edit atomically. **Test design technique:** EP - representative invalid edit partition **Requirements:** REQ-B-004		
Preconditions: INDEPENDENT RESET: use ONLY a disposable Chrome profile, http://localhost:5173, TaskFlow main@5133a6c; writable browser storage; system clock later than 2026-01-06. Open DevTools Console and run the following exact fixture; close DevTools after reload: localStorage.removeItem("taskflow_tasks_backup"); localStorage.setItem("taskflow_tasks", JSON.stringify([{id:"b-alpha",title:"Prepare sprint review",description:"Agenda draft",priority:"Low",status:"In Progress",dueDate:"2028-02-29",createdAt:"2026-01-01T09:00:00.000Z",updatedAt:"2026-01-02T10:00:00.000Z"}, {id:"b-beta",title:"Book meeting room",description:"Room 4",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-03T09:00:00.000Z",updatedAt:"2026-01-04T10:00:00.000Z"}, {id:"b-gamma",title:"Archive review notes",description:"Keep signed copy",priority:"High",status:"Completed",dueDate:"",createdAt:"2026-01-05T09:00:00.000Z",updatedAt:"2026-01-06T10:00:00.000Z"}])); location.reload(); Dashboard, search empty, status/priority filters All, Newest first (setup only). A means id b-alpha, B means b-beta, C means b-gamma, irrespective of card order. Before acting, use Console: window.bBefore = JSON.parse(localStorage.getItem("taskflow_tasks")); close DevTools. To inspect persisted objects later, reopen Console and evaluate JSON.parse(localStorage.getItem("taskflow_tasks")); compare by id with bBefore, not array position. Do not reload before completing an in-memory draft step. Read toasts immediately within 3 seconds. Inspect id/createdAt/updatedAt as raw JSON; list date formatting, counts, query behavior, generic reload/recovery, enum/date semantics and creation are not assertions of these cases.		
#:	Step actions:	Expected Results:
1	Click "Edit Prepare sprint review" on A.	"Edit Task" opens for A with "Cancel" and "Save Changes".
2	Replace Task Title with three spaces. Also select High as a proposed valid edit.	Draft is entered; stored A still has Low.
3	Click "Save Changes"; inspect stored JSON without reloading.	"Edit Task" stays open. "Title is required." is displayed. All stored objects equal bBefore field-for-field, including id, createdAt and updatedAt. No "Task updated successfully." appears. Priority remains Low in saved A; the valid field change is not partially saved.
4	Click "Cancel".	Dialog closes; original A remains.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-B-004: Reject invalid edits without any partial commit [Version : 1]	
Keywords:	None	

Test Case TF-55: TC-B-012 - Reject short-title edit atomically [Version : 1]	
Author:	mhammedazad

Summary:

TC-B-012 - Reject short-title edit atomically.

Test design technique: EP - representative invalid edit partition

Requirements: REQ-B-004

Preconditions:

INDEPENDENT RESET: use ONLY a disposable Chrome profile, http://localhost:5173, TaskFlow main@5133a6c; writable browser storage; system clock later than 2026-01-06. Open DevTools Console and run the following exact fixture; close DevTools after reload: localStorage.removeItem("taskflow_tasks_backup"); localStorage.setItem("taskflow_tasks", JSON.stringify([{id:"b-alpha",title:"Prepare sprint review",description:"Agenda draft",priority:"Low",status:"In Progress",dueDate:"2028-02-29",createdAt:"2026-01-01T09:00:00.000Z",updatedAt:"2026-01-02T10:00:00.000Z"}, {id:"b-beta",title:"Book meeting room",description:"Room 4",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-03T09:00:00.000Z",updatedAt:"2026-01-04T10:00:00.000Z"}, {id:"b-gamma",title:"Archive review notes",description:"Keep signed copy",priority:"High",status:"Completed",dueDate:"",createdAt:"2026-01-05T09:00:00.000Z",updatedAt:"2026-01-06T10:00:00.000Z"}])); location.reload(); Dashboard, search empty, status/priority filters All, Newest first (setup only). A means id b-alpha, B means b-beta, C means b-gamma, irrespective of card order. Before acting, use Console: window.bBefore = JSON.parse(localStorage.getItem("taskflow_tasks")); close DevTools. To inspect persisted objects later, reopen Console and evaluate JSON.parse(localStorage.getItem("taskflow_tasks")); compare by id with bBefore, not array position. Do not reload before completing an in-memory draft step. Read toasts immediately within 3 seconds. Inspect id/createdAt/updatedAt as raw JSON; list date formatting, counts, query behavior, generic reload/recovery, enum/date semantics and creation are not assertions of these cases.

#:	Step actions:	Expected Results:
1	Click "Edit Prepare sprint review" on A.	"Edit Task" opens for A with "Cancel" and "Save Changes".
2	Replace Task Title with "ab". Also select High as a proposed valid edit.	Draft is entered; stored A still has Low.
3	Click "Save Changes"; inspect stored JSON without reloading.	"Edit Task" stays open. "Title must be at least 3 characters." is displayed. All stored objects equal bBefore field-for-field, including id, createdAt and updatedAt. No "Task updated successfully." appears. Priority remains Low in saved A; the valid field change is not partially saved.
4	Click "Cancel".	Dialog closes; original A remains.

Execution type:	Manual
Estimated exec. duration (min):	
Importance:	High
Requirements	REQ-B-004: Reject invalid edits without any partial commit [Version : 1]
Keywords:	None

Test Case TF-56: TC-B-013 - Reject overlong-title edit atomically [Version : 1]		
Author:	mhammedazad	
Summary:		
TC-B-013 - Reject overlong-title edit atomically. **Test design technique:** EP - representative invalid edit partition **Requirements:** REQ-B-004		
Preconditions:		
INDEPENDENT RESET: use ONLY a disposable Chrome profile, http://localhost:5173, TaskFlow main@5133a6c; writable browser storage; system clock later than 2026-01-06. Open DevTools Console and run the following exact fixture; close DevTools after reload: localStorage.removeItem("taskflow_tasks_backup"); localStorage.setItem("taskflow_tasks", JSON.stringify([{id:"b-alpha",title:"Prepare sprint review",description:"Agenda draft",priority:"Low",status:"In Progress",dueDate:"2028-02-29",createdAt:"2026-01-01T09:00:00.000Z",updatedAt:"2026-01-02T10:00:00.000Z"}, {id:"b-beta",title:"Book meeting room",description:"Room 4",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-03T09:00:00.000Z",updatedAt:"2026-01-04T10:00:00.000Z"}, {id:"b-gamma",title:"Archive review notes",description:"Keep signed copy",priority:"High",status:"Completed",dueDate:"",createdAt:"2026-01-05T09:00:00.000Z",updatedAt:"2026-01-06T10:00:00.000Z"}])); location.reload(); Dashboard, search empty, status/priority filters All, Newest first (setup only). A means id b-alpha, B means b-beta, C means b-gamma, irrespective of card order. Before acting, use Console: window.bBefore = JSON.parse(localStorage.getItem("taskflow_tasks")); close DevTools. To inspect persisted objects later, reopen Console and evaluate JSON.parse(localStorage.getItem("taskflow_tasks")); compare by id with bBefore, not array position. Do not reload before completing an in-memory draft step. Read toasts immediately within 3 seconds. Inspect id/createdAt/updatedAt as raw JSON; list date formatting, counts, query behavior, generic reload/recovery, enum/date semantics and creation are not assertions of these cases.		
#:	Step actions:	Expected Results:
1	Click "Edit Prepare sprint review" on A.	"Edit Task" opens for A with "Cancel" and "Save Changes".
2	Use DevTools copy("x".repeat(81)); close Console and paste into Task Title. Also select High as a proposed valid edit.	Draft is entered; stored A still has Low.
3	Click "Save Changes"; inspect stored JSON without reloading.	"Edit Task" stays open. "Title must be 80 characters or fewer." is displayed. All stored objects equal bBefore field-for-field, including id, createdAt and updatedAt. No "Task updated successfully." appears. Priority remains Low in saved A; the valid field change is not partially saved.
4	Click "Cancel".	Dialog closes; original A remains.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-B-004: Reject invalid edits without any partial commit [Version : 1]	
Keywords:	None	

Test Case TF-57: TC-B-014 - Reject overlong-description edit atomically [Version : 1]		
Author:	mhammedazad	
Summary:		
TC-B-014 - Reject overlong-description edit atomically. **Test design technique:** EP - representative invalid edit partition **Requirements:** REQ-B-004		
Preconditions:		
INDEPENDENT RESET: use ONLY a disposable Chrome profile, http://localhost:5173, TaskFlow main@5133a6c; writable browser storage; system clock later than 2026-01-06. Open DevTools Console and run the following exact fixture; close DevTools after reload: localStorage.removeItem("taskflow_tasks_backup"); localStorage.setItem("taskflow_tasks", JSON.stringify([{id:"b-alpha",title:"Prepare sprint review",description:"Agenda draft",priority:"Low",status:"In Progress",dueDate:"2028-02-29",createdAt:"2026-01-01T09:00:00.000Z",updatedAt:"2026-01-02T10:00:00.000Z"}, {id:"b-beta",title:"Book meeting room",description:"Room 4",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-03T09:00:00.000Z",updatedAt:"2026-01-04T10:00:00.000Z"}, {id:"b-gamma",title:"Archive review notes",description:"Keep signed copy",priority:"High",status:"Completed",dueDate:"",createdAt:"2026-01-05T09:00:00.000Z",updatedAt:"2026-01-06T10:00:00.000Z"}])); location.reload(); Dashboard, search empty, status/priority filters All, Newest first (setup only). A means id b-alpha, B means b-beta, C means b-gamma, irrespective of card order. Before acting, use Console: window.bBefore = JSON.parse(localStorage.getItem("taskflow_tasks")); close DevTools. To inspect persisted objects later, reopen Console and evaluate JSON.parse(localStorage.getItem("taskflow_tasks")); compare by id with bBefore, not array position. Do not reload before completing an in-memory draft step. Read toasts immediately within 3 seconds. Inspect id/createdAt/updatedAt as raw JSON; list date formatting, counts, query behavior, generic reload/recovery, enum/date semantics and creation are not assertions of these cases.		
#:	Step actions:	Expected Results:
1	Click "Edit Prepare sprint review" on A.	"Edit Task" opens for A with "Cancel" and "Save Changes".
2	Use DevTools copy("d".repeat(501)); close Console and paste into Description. Also select High as a proposed valid edit.	Draft is entered; stored A still has Low.
3	Click "Save Changes"; inspect stored JSON without reloading.	"Edit Task" stays open. "Description must be 500 characters or fewer." is displayed. All stored objects equal bBefore field-for-field, including id, createdAt and updatedAt. No "Task updated successfully." appears. Priority remains Low in saved A; the valid field change is not partially saved.
4	Click "Cancel".	Dialog closes; original A remains.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-B-004: Reject invalid edits without any partial commit [Version : 1]	
Keywords:	None	

Test Case TF-58: TC-B-015 - Reject two invalid fields without partial save [Version : 1]		
Author:	mhammedazad	
Summary:		
TC-B-015 - Reject two invalid fields without partial save. **Test design technique:** Decision Table - title valid=No, description valid=No, remaining fields valid=Yes; action=reject entire edit **Requirements:** REQ-B-004		
Preconditions:		
INDEPENDENT RESET: use ONLY a disposable Chrome profile, http://localhost:5173, TaskFlow main@5133a6c; writable browser storage; system clock later than 2026-01-06. Open DevTools Console and run the following exact fixture; close DevTools after reload: localStorage.removeItem("taskflow_tasks_backup"); localStorage.setItem("taskflow_tasks", JSON.stringify([{id:"b-alpha",title:"Prepare sprint review",description:"Agenda draft",priority:"Low",status:"In Progress",dueDate:"2028-02-29",createdAt:"2026-01-01T09:00:00.000Z",updatedAt:"2026-01-02T10:00:00.000Z"}, {id:"b-beta",title:"Book meeting room",description:"Room 4",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-03T09:00:00.000Z",updatedAt:"2026-01-04T10:00:00.000Z"}, {id:"b-gamma",title:"Archive review notes",description:"Keep signed copy",priority:"High",status:"Completed",dueDate:"",createdAt:"2026-01-05T09:00:00.000Z",updatedAt:"2026-01-06T10:00:00.000Z"}])); location.reload(); Dashboard, search empty, status/priority filters All, Newest first (setup only). A means id b-alpha, B means b-beta, C means b-gamma, irrespective of card order. Before acting, use Console: window.bBefore = JSON.parse(localStorage.getItem("taskflow_tasks")); close DevTools. To inspect persisted objects later, reopen Console and evaluate JSON.parse(localStorage.getItem("taskflow_tasks")); compare by id with bBefore, not array position. Do not reload before completing an in-memory draft step. Read toasts immediately within 3 seconds. Inspect id/createdAt/updatedAt as raw JSON; list date formatting, counts, query behavior, generic reload/recovery, enum/date semantics and creation are not assertions of these cases.		
#:	Step actions:	Expected Results:
1	Click "Edit Prepare sprint review" on A.	"Edit Task" opens for A with "Cancel" and "Save Changes".
2	Clear Task Title; paste exactly 501 copies of d into Description using copy("d".repeat(501)). Also select High as a proposed valid edit.	Draft is entered; stored A still has Low.
3	Click "Save Changes"; inspect stored JSON without reloading.	"Edit Task" stays open. Both "Title is required." and "Description must be 500 characters or fewer." are displayed. All stored objects equal bBefore field-for-field, including id, createdAt and updatedAt. No "Task updated successfully." appears. Priority remains Low in saved A; the valid field change is not partially saved.
4	Click "Cancel".	Dialog closes; original A remains.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-B-004: Reject invalid edits without any partial commit [Version : 1]	
Keywords:	None	

Test Case TF-59: TC-B-016 - Correct rejected edit and save once [Version : 1]		
Author:	mhammedazad	
Summary:		
TC-B-016 - Correct rejected edit and save once. **Test design technique:** State Transition - edit draft -> rejected draft -> corrected saved task **Requirements:** REQ-B-002, REQ-B-003, REQ-B-004, REQ-B-005		
Preconditions:		
INDEPENDENT RESET: use ONLY a disposable Chrome profile, http://localhost:5173, TaskFlow main@5133a6c; writable browser storage; system clock later than 2026-01-06. Open DevTools Console and run the following exact fixture; close DevTools after reload: localStorage.removeItem("taskflow_tasks_backup"); localStorage.setItem("taskflow_tasks", JSON.stringify([{id:"b-alpha",title:"Prepare sprint review",description:"Agenda draft",priority:"Low",status:"In Progress",dueDate:"2028-02-29",createdAt:"2026-01-01T09:00:00.000Z",updatedAt:"2026-01-02T10:00:00.000Z"}, {id:"b-beta",title:"Book meeting room",description:"Room 4",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-03T09:00:00.000Z",updatedAt:"2026-01-04T10:00:00.000Z"}, {id:"b-gamma",title:"Archive review notes",description:"Keep signed copy",priority:"High",status:"Completed",dueDate:"",createdAt:"2026-01-05T09:00:00.000Z",updatedAt:"2026-01-06T10:00:00.000Z"}])); location.reload(); Dashboard, search empty, status/priority filters All, Newest first (setup only). A means id b-alpha, B means b-beta, C means b-gamma, irrespective of card order. Before acting, use Console: window.bBefore = JSON.parse(localStorage.getItem("taskflow_tasks")); close DevTools. To inspect persisted objects later, reopen Console and evaluate JSON.parse(localStorage.getItem("taskflow_tasks")); compare by id with bBefore, not array position. Do not reload before completing an in-memory draft step. Read toasts immediately within 3 seconds. Inspect id/createdAt/updatedAt as raw JSON; list date formatting, counts, query behavior, generic reload/recovery, enum/date semantics and creation are not assertions of these cases.		
#:	Step actions:	Expected Results:
1	Click "Edit Prepare sprint review" on A.	"Edit Task" opens for A with "Cancel" and "Save Changes".
2	Clear Task Title; set Description to "Revised agenda"; click "Save Changes".	"Title is required."; "Edit Task" stays open; Description draft remains "Revised agenda"; stored JSON equals bBefore.
3	Replace Task Title with "Prepare corrected review"; click "Save Changes"; inspect JSON.	Form closes; "Task updated successfully."; A stores corrected title and "Revised agenda"; same id/createdAt, later updatedAt. Three objects; B and C unchanged.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-B-002: Commit a valid edit atomically to the selected task [Version : 1] REQ-B-003: Preserve identity and creation timestamp while advancing update time [Version : 1] REQ-B-004: Reject invalid edits without any partial commit [Version : 1] REQ-B-005: Recover a rejected edit and commit only the corrected values [Version : 1]	
Keywords:	None	

Test Case TF-60: TC-B-017 - Save priority edit and retain it after reload [Version : 1]		
Author:	mhammedazad	
Summary:		
TC-B-017 - Save priority edit and retain it after reload. **Test design technique:** Use Case - priority-only edit persistence **Requirements:** REQ-B-002, REQ-B-003, REQ-B-006		
Preconditions:		
INDEPENDENT RESET: use ONLY a disposable Chrome profile, http://localhost:5173, TaskFlow main@5133a6c; writable browser storage; system clock later than 2026-01-06. Open DevTools Console and run the following exact fixture; close DevTools after reload: localStorage.removeItem("taskflow_tasks_backup"); localStorage.setItem("taskflow_tasks", JSON.stringify([{id:"b-alpha",title:"Prepare sprint review",description:"Agenda draft",priority:"Low",status:"In Progress",dueDate:"2028-02-29",createdAt:"2026-01-01T09:00:00.000Z",updatedAt:"2026-01-02T10:00:00.000Z"}, {id:"b-beta",title:"Book meeting room",description:"Room 4",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-03T09:00:00.000Z",updatedAt:"2026-01-04T10:00:00.000Z"}, {id:"b-gamma",title:"Archive review notes",description:"Keep signed copy",priority:"High",status:"Completed",dueDate:"",createdAt:"2026-01-05T09:00:00.000Z",updatedAt:"2026-01-06T10:00:00.000Z"}])); location.reload(); Dashboard, search empty, status/priority filters All, Newest first (setup only). A means id b-alpha, B means b-beta, C means b-gamma, irrespective of card order. Before acting, use Console: window.bBefore = JSON.parse(localStorage.getItem("taskflow_tasks")); close DevTools. To inspect persisted objects later, reopen Console and evaluate JSON.parse(localStorage.getItem("taskflow_tasks")); compare by id with bBefore, not array position. Do not reload before completing an in-memory draft step. Read toasts immediately within 3 seconds. Inspect id/createdAt/updatedAt as raw JSON; list date formatting, counts, query behavior, generic reload/recovery, enum/date semantics and creation are not assertions of these cases.		
#:	Step actions:	Expected Results:
1	Click "Edit Prepare sprint review" on A.	"Edit Task" opens for A with "Cancel" and "Save Changes".
2	Change Priority from Low to High; leave every other form value unchanged.	Priority control shows "High".
3	Record new Date().toISOString() in Console immediately before save; close Console, click "Save Changes", observe toast, record the time again and inspect saved JSON.	Dialog closes; "Task updated successfully." appears. Stored array has the same three ids; A retains id b-alpha and createdAt 2026-01-01T09:00:00.000Z; updatedAt is valid ISO, later than 2026-01-02T10:00:00.000Z and within the recorded save interval. B and C are field-for-field unchanged from bBefore. A.priority "High"; its other form values are unchanged; A card badge "High".
4	Reload; inspect A JSON; reopen A edit.	A.priority is still "High"; "Edit Task" Priority is "High"; id and createdAt remain the original values.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-B-002: Commit a valid edit atomically to the selected task [Version : 1] REQ-B-003: Preserve identity and creation timestamp while advancing update time [Version : 1] REQ-B-006: Persist priority edits through the edit workflow [Version : 1]	
Keywords:	None	

Test Case TF-61: TC-B-018 - Latest repeated priority edit wins [Version : 1]		
Author:	mhammedazad	
Summary:		
TC-B-018 - Latest repeated priority edit wins. **Test design technique:** State Transition - saved Low -> saved High -> saved Medium **Requirements:** REQ-B-003, REQ-B-006, REQ-B-007		
Preconditions:		
INDEPENDENT RESET: use ONLY a disposable Chrome profile, http://localhost:5173, TaskFlow main@5133a6c; writable browser storage; system clock later than 2026-01-06. Open DevTools Console and run the following exact fixture; close DevTools after reload: localStorage.removeItem("taskflow_tasks_backup"); localStorage.setItem("taskflow_tasks", JSON.stringify([{id:"b-alpha",title:"Prepare sprint review",description:"Agenda draft",priority:"Low",status:"In Progress",dueDate:"2028-02-29",createdAt:"2026-01-01T09:00:00.000Z",updatedAt:"2026-01-02T10:00:00.000Z"}, {id:"b-beta",title:"Book meeting room",description:"Room 4",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-03T09:00:00.000Z",updatedAt:"2026-01-04T10:00:00.000Z"}, {id:"b-gamma",title:"Archive review notes",description:"Keep signed copy",priority:"High",status:"Completed",dueDate:"",createdAt:"2026-01-05T09:00:00.000Z",updatedAt:"2026-01-06T10:00:00.000Z"}])); location.reload(); Dashboard, search empty, status/priority filters All, Newest first (setup only). A means id b-alpha, B means b-beta, C means b-gamma, irrespective of card order. Before acting, use Console: window.bBefore = JSON.parse(localStorage.getItem("taskflow_tasks")); close DevTools. To inspect persisted objects later, reopen Console and evaluate JSON.parse(localStorage.getItem("taskflow_tasks")); compare by id with bBefore, not array position. Do not reload before completing an in-memory draft step. Read toasts immediately within 3 seconds. Inspect id/createdAt/updatedAt as raw JSON; list date formatting, counts, query behavior, generic reload/recovery, enum/date semantics and creation are not assertions of these cases.		
#:	Step actions:	Expected Results:
1	Click "Edit Prepare sprint review" on A.	"Edit Task" opens for A with "Cancel" and "Save Changes".
2	Choose High; save; record A.updatedAt; wait at least 1 second; reopen A edit.	"Task updated successfully."; reopened Priority is "High".
3	Choose Medium; save; reload; inspect A JSON and reopen edit.	"Task updated successfully." at save; latest saved/control/card priority is "Medium". Same id/createdAt; updatedAt later than the first save. B/C unchanged.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-B-003: Preserve identity and creation timestamp while advancing update time [Version : 1] REQ-B-006: Persist priority edits through the edit workflow [Version : 1] REQ-B-007: Apply repeated edits and target only the selected identity [Version : 1]	
Keywords:	None	

2.2.Test Suite : TS-B2 - Editing cancellation and draft isolation

9 independent manual cases; Cancel, Close X, Escape, dark backdrop, invalid/unchanged drafts, clean reopening, interior hit testing and abandoned priority changes. Dialog focus/navigation accessibility is owned by E.

Test Case TF-62: TC-B-019 - Discard dirty edit using Cancel button [Version : 1]		
Author:	mhammedazad	
Summary:		
TC-B-019 - Discard dirty edit using Cancel button. **Test design technique:** State Transition - saved task -> dirty editing -> closed without commit **Requirements:** REQ-B-008, REQ-B-009		
Preconditions:		
INDEPENDENT RESET: use ONLY a disposable Chrome profile, http://localhost:5173, TaskFlow main@5133a6c; writable browser storage; system clock later than 2026-01-06. Open DevTools Console and run the following exact fixture; close DevTools after reload: localStorage.removeItem("taskflow_tasks_backup"); localStorage.setItem("taskflow_tasks", JSON.stringify([{id:"b-alpha",title:"Prepare sprint review",description:"Agenda draft",priority:"Low",status:"In Progress",dueDate:"2028-02-29",createdAt:"2026-01-01T09:00:00.000Z",updatedAt:"2026-01-02T10:00:00.000Z"}, {id:"b-beta",title:"Book meeting room",description:"Room 4",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-03T09:00:00.000Z",updatedAt:"2026-01-04T10:00:00.000Z"}, {id:"b-gamma",title:"Archive review notes",description:"Keep signed copy",priority:"High",status:"Completed",dueDate:"",createdAt:"2026-01-05T09:00:00.000Z",updatedAt:"2026-01-06T10:00:00.000Z"}])); location.reload(); Dashboard, search empty, status/priority filters All, Newest first (setup only). A means id b-alpha, B means b-beta, C means b-gamma, irrespective of card order. Before acting, use Console: window.bBefore = JSON.parse(localStorage.getItem("taskflow_tasks")); close DevTools. To inspect persisted objects later, reopen Console and evaluate JSON.parse(localStorage.getItem("taskflow_tasks")); compare by id with bBefore, not array position. Do not reload before completing an in-memory draft step. Read toasts immediately within 3 seconds. Inspect id/createdAt/updatedAt as raw JSON; list date formatting, counts, query behavior, generic reload/recovery, enum/date semantics and creation are not assertions of these cases.		
#:	Step actions:	Expected Results:
1	Click "Edit Prepare sprint review" on A.	"Edit Task" opens for A with "Cancel" and "Save Changes".
2	Change title to "Discarded draft", Description to "Unsaved agenda" and Priority to High.	Draft values are visible in "Edit Task".
3	Click "Cancel".	"Edit Task" closes. All stored objects equal bBefore field-for-field, including id, createdAt and updatedAt. No "Task updated successfully." appears.
4	Reopen A edit.	Title "Prepare sprint review", Description "Agenda draft", Priority "Low"; no discarded values.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-B-008: Discard editing through every supported dismissal path [Version : 1] REQ-B-009: Reopening a canceled edit discards draft and validation state [Version : 1]	
Keywords:	None	

Test Case TF-63: TC-B-020 - Discard dirty edit using Close X button [Version : 1]		
Author:	mhammedazad	
Summary:		
TC-B-020 - Discard dirty edit using Close X button. **Test design technique:** State Transition - saved task -> dirty editing -> closed without commit **Requirements:** REQ-B-008, REQ-B-009		
Preconditions:		
INDEPENDENT RESET: use ONLY a disposable Chrome profile, http://localhost:5173, TaskFlow main@5133a6c; writable browser storage; system clock later than 2026-01-06. Open DevTools Console and run the following exact fixture; close DevTools after reload: localStorage.removeItem("taskflow_tasks_backup"); localStorage.setItem("taskflow_tasks", JSON.stringify([{id:"b-alpha",title:"Prepare sprint review",description:"Agenda draft",priority:"Low",status:"In Progress",dueDate:"2028-02-29",createdAt:"2026-01-01T09:00:00.000Z",updatedAt:"2026-01-02T10:00:00.000Z"}, {id:"b-beta",title:"Book meeting room",description:"Room 4",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-03T09:00:00.000Z",updatedAt:"2026-01-04T10:00:00.000Z"}, {id:"b-gamma",title:"Archive review notes",description:"Keep signed copy",priority:"High",status:"Completed",dueDate:"",createdAt:"2026-01-05T09:00:00.000Z",updatedAt:"2026-01-06T10:00:00.000Z"}])); location.reload(); Dashboard, search empty, status/priority filters All, Newest first (setup only). A means id b-alpha, B means b-beta, C means b-gamma, irrespective of card order. Before acting, use Console: window.bBefore = JSON.parse(localStorage.getItem("taskflow_tasks")); close DevTools. To inspect persisted objects later, reopen Console and evaluate JSON.parse(localStorage.getItem("taskflow_tasks")); compare by id with bBefore, not array position. Do not reload before completing an in-memory draft step. Read toasts immediately within 3 seconds. Inspect id/createdAt/updatedAt as raw JSON; list date formatting, counts, query behavior, generic reload/recovery, enum/date semantics and creation are not assertions of these cases.		
#:	Step actions:	Expected Results:
1	Click "Edit Prepare sprint review" on A.	"Edit Task" opens for A with "Cancel" and "Save Changes".
2	Change title to "Discarded draft", Description to "Unsaved agenda" and Priority to High.	Draft values are visible in "Edit Task".
3	Click the dialog X button with accessible label "Close".	"Edit Task" closes. All stored objects equal bBefore field-for-field, including id, createdAt and updatedAt. No "Task updated successfully." appears.
4	Reopen A edit.	Title "Prepare sprint review", Description "Agenda draft", Priority "Low"; no discarded values.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-B-008: Discard editing through every supported dismissal path [Version : 1] REQ-B-009: Reopening a canceled edit discards draft and validation state [Version : 1]	
Keywords:	None	

Test Case TF-64: TC-B-021 - Discard dirty edit using Escape key [Version : 1]		
Author:	mhammedazad	
Summary:		
TC-B-021 - Discard dirty edit using Escape key. **Test design technique:** State Transition - saved task -> dirty editing -> closed without commit **Requirements:** REQ-B-008, REQ-B-009		
Preconditions:		
INDEPENDENT RESET: use ONLY a disposable Chrome profile, http://localhost:5173, TaskFlow main@5133a6c; writable browser storage; system clock later than 2026-01-06. Open DevTools Console and run the following exact fixture; close DevTools after reload: localStorage.removeItem("taskflow_tasks_backup"); localStorage.setItem("taskflow_tasks", JSON.stringify([{id:"b-alpha",title:"Prepare sprint review",description:"Agenda draft",priority:"Low",status:"In Progress",dueDate:"2028-02-29",createdAt:"2026-01-01T09:00:00.000Z",updatedAt:"2026-01-02T10:00:00.000Z"}, {id:"b-beta",title:"Book meeting room",description:"Room 4",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-03T09:00:00.000Z",updatedAt:"2026-01-04T10:00:00.000Z"}, {id:"b-gamma",title:"Archive review notes",description:"Keep signed copy",priority:"High",status:"Completed",dueDate:"",createdAt:"2026-01-05T09:00:00.000Z",updatedAt:"2026-01-06T10:00:00.000Z"}])); location.reload(); Dashboard, search empty, status/priority filters All, Newest first (setup only). A means id b-alpha, B means b-beta, C means b-gamma, irrespective of card order. Before acting, use Console: window.bBefore = JSON.parse(localStorage.getItem("taskflow_tasks")); close DevTools. To inspect persisted objects later, reopen Console and evaluate JSON.parse(localStorage.getItem("taskflow_tasks")); compare by id with bBefore, not array position. Do not reload before completing an in-memory draft step. Read toasts immediately within 3 seconds. Inspect id/createdAt/updatedAt as raw JSON; list date formatting, counts, query behavior, generic reload/recovery, enum/date semantics and creation are not assertions of these cases.		
#:	Step actions:	Expected Results:
1	Click "Edit Prepare sprint review" on A.	"Edit Task" opens for A with "Cancel" and "Save Changes".
2	Change title to "Discarded draft", Description to "Unsaved agenda" and Priority to High.	Draft values are visible in "Edit Task".
3	Press Escape while Task Title is focused.	"Edit Task" closes. All stored objects equal bBefore field-for-field, including id, createdAt and updatedAt. No "Task updated successfully." appears.
4	Reopen A edit.	Title "Prepare sprint review", Description "Agenda draft", Priority "Low"; no discarded values.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-B-008: Discard editing through every supported dismissal path [Version : 1] REQ-B-009: Reopening a canceled edit discards draft and validation state [Version : 1]	
Keywords:	None	

Test Case TF-65: TC-B-022 - Discard dirty edit using dark backdrop [Version : 1]		
Author:	mhammedazad	
Summary: TC-B-022 - Discard dirty edit using dark backdrop. **Test design technique:** State Transition - saved task -> dirty editing -> closed without commit **Requirements:** REQ-B-008, REQ-B-009		
Preconditions: INDEPENDENT RESET: use ONLY a disposable Chrome profile, http://localhost:5173, TaskFlow main@5133a6c; writable browser storage; system clock later than 2026-01-06. Open DevTools Console and run the following exact fixture; close DevTools after reload: localStorage.removeItem("taskflow_tasks_backup"); localStorage.setItem("taskflow_tasks", JSON.stringify([{id:"b-alpha",title:"Prepare sprint review",description:"Agenda draft",priority:"Low",status:"In Progress",dueDate:"2028-02-29",createdAt:"2026-01-01T09:00:00.000Z",updatedAt:"2026-01-02T10:00:00.000Z"}, {id:"b-beta",title:"Book meeting room",description:"Room 4",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-03T09:00:00.000Z",updatedAt:"2026-01-04T10:00:00.000Z"}, {id:"b-gamma",title:"Archive review notes",description:"Keep signed copy",priority:"High",status:"Completed",dueDate:"",createdAt:"2026-01-05T09:00:00.000Z",updatedAt:"2026-01-06T10:00:00.000Z"}])); location.reload(); Dashboard, search empty, status/priority filters All, Newest first (setup only). A means id b-alpha, B means b-beta, C means b-gamma, irrespective of card order. Before acting, use Console: window.bBefore = JSON.parse(localStorage.getItem("taskflow_tasks")); close DevTools. To inspect persisted objects later, reopen Console and evaluate JSON.parse(localStorage.getItem("taskflow_tasks")); compare by id with bBefore, not array position. Do not reload before completing an in-memory draft step. Read toasts immediately within 3 seconds. Inspect id/createdAt/updatedAt as raw JSON; list date formatting, counts, query behavior, generic reload/recovery, enum/date semantics and creation are not assertions of these cases.		
#:	Step actions:	Expected Results:
1	Click "Edit Prepare sprint review" on A.	"Edit Task" opens for A with "Cancel" and "Save Changes".
2	Change title to "Discarded draft", Description to "Unsaved agenda" and Priority to High.	Draft values are visible in "Edit Task".
3	Press and release the mouse on the dark backdrop outside the white dialog.	"Edit Task" closes. All stored objects equal bBefore field-for-field, including id, createdAt and updatedAt. No "Task updated successfully." appears.
4	Reopen A edit.	Title "Prepare sprint review", Description "Agenda draft", Priority "Low"; no discarded values.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-B-008: Discard editing through every supported dismissal path [Version : 1] REQ-B-009: Reopening a canceled edit discards draft and validation state [Version : 1]	
Keywords:	None	

Test Case TF-66: TC-B-023 - Cancel a rejected draft [Version : 1]		
Author:	mhammedazad	
Summary:		
TC-B-023 - Cancel a rejected draft. **Test design technique:** State Transition - rejected editing -> closed without commit **Requirements:** REQ-B-004, REQ-B-008		
Preconditions:		
INDEPENDENT RESET: use ONLY a disposable Chrome profile, http://localhost:5173, TaskFlow main@5133a6c; writable browser storage; system clock later than 2026-01-06. Open DevTools Console and run the following exact fixture; close DevTools after reload: localStorage.removeItem("taskflow_tasks_backup"); localStorage.setItem("taskflow_tasks", JSON.stringify([{id:"b-alpha",title:"Prepare sprint review",description:"Agenda draft",priority:"Low",status:"In Progress",dueDate:"2028-02-29",createdAt:"2026-01-01T09:00:00.000Z",updatedAt:"2026-01-02T10:00:00.000Z"}, {id:"b-beta",title:"Book meeting room",description:"Room 4",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-03T09:00:00.000Z",updatedAt:"2026-01-04T10:00:00.000Z"}, {id:"b-gamma",title:"Archive review notes",description:"Keep signed copy",priority:"High",status:"Completed",dueDate:"",createdAt:"2026-01-05T09:00:00.000Z",updatedAt:"2026-01-06T10:00:00.000Z"}])); location.reload(); Dashboard, search empty, status/priority filters All, Newest first (setup only). A means id b-alpha, B means b-beta, C means b-gamma, irrespective of card order. Before acting, use Console: window.bBefore = JSON.parse(localStorage.getItem("taskflow_tasks")); close DevTools. To inspect persisted objects later, reopen Console and evaluate JSON.parse(localStorage.getItem("taskflow_tasks")); compare by id with bBefore, not array position. Do not reload before completing an in-memory draft step. Read toasts immediately within 3 seconds. Inspect id/createdAt/updatedAt as raw JSON; list date formatting, counts, query behavior, generic reload/recovery, enum/date semantics and creation are not assertions of these cases.		
#:	Step actions:	Expected Results:
1	Click "Edit Prepare sprint review" on A.	"Edit Task" opens for A with "Cancel" and "Save Changes".
2	Clear Task Title; click "Save Changes".	"Title is required."; dialog stays open; saved JSON unchanged.
3	Click "Cancel"; inspect JSON.	"Edit Task" closes. All stored objects equal bBefore field-for-field, including id, createdAt and updatedAt. No "Task updated successfully." appears.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-B-004: Reject invalid edits without any partial commit [Version : 1] REQ-B-008: Discard editing through every supported dismissal path [Version : 1]	
Keywords:	None	

Test Case TF-67: TC-B-024 - Cancel untouched edit without advancing timestamp [Version : 1]		
Author:	mhammedazad	
Summary:		
TC-B-024 - Cancel untouched edit without advancing timestamp. **Test design technique:** EP - unchanged edit dismissed rather than saved **Requirements:** REQ-B-008		
Preconditions:		
INDEPENDENT RESET: use ONLY a disposable Chrome profile, http://localhost:5173, TaskFlow main@5133a6c; writable browser storage; system clock later than 2026-01-06. Open DevTools Console and run the following exact fixture; close DevTools after reload: localStorage.removeItem("taskflow_tasks_backup"); localStorage.setItem("taskflow_tasks", JSON.stringify([{id:"b-alpha",title:"Prepare sprint review",description:"Agenda draft",priority:"Low",status:"In Progress",dueDate:"2028-02-29",createdAt:"2026-01-01T09:00:00.000Z",updatedAt:"2026-01-02T10:00:00.000Z"}, {id:"b-beta",title:"Book meeting room",description:"Room 4",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-03T09:00:00.000Z",updatedAt:"2026-01-04T10:00:00.000Z"}, {id:"b-gamma",title:"Archive review notes",description:"Keep signed copy",priority:"High",status:"Completed",dueDate:"",createdAt:"2026-01-05T09:00:00.000Z",updatedAt:"2026-01-06T10:00:00.000Z"}])); location.reload(); Dashboard, search empty, status/priority filters All, Newest first (setup only). A means id b-alpha, B means b-beta, C means b-gamma, irrespective of card order. Before acting, use Console: window.bBefore = JSON.parse(localStorage.getItem("taskflow_tasks")); close DevTools. To inspect persisted objects later, reopen Console and evaluate JSON.parse(localStorage.getItem("taskflow_tasks")); compare by id with bBefore, not array position. Do not reload before completing an in-memory draft step. Read toasts immediately within 3 seconds. Inspect id/createdAt/updatedAt as raw JSON; list date formatting, counts, query behavior, generic reload/recovery, enum/date semantics and creation are not assertions of these cases.		
#:	Step actions:	Expected Results:
1	Click "Edit Prepare sprint review" on A.	"Edit Task" opens for A with "Cancel" and "Save Changes".
2	Without touching any field, click "Cancel"; inspect raw JSON.	Dialog closes. All stored objects equal bBefore field-for-field, including id, createdAt and updatedAt. No "Task updated successfully." appears.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-B-008: Discard editing through every supported dismissal path [Version : 1]	
Keywords:	None	

Test Case TF-68: TC-B-025 - Reopen after rejected draft dismissal clears draft and errors [Version : 1]		
Author:	mhammedazad	
Summary:		
TC-B-025 - Reopen after rejected draft dismissal clears draft and errors. **Test design technique:** State Transition - rejected editing -> closed -> fresh editing **Requirements:** REQ-B-001, REQ-B-008, REQ-B-009		
Preconditions:		
INDEPENDENT RESET: use ONLY a disposable Chrome profile, http://localhost:5173, TaskFlow main@5133a6c; writable browser storage; system clock later than 2026-01-06. Open DevTools Console and run the following exact fixture; close DevTools after reload: localStorage.removeItem("taskflow_tasks_backup"); localStorage.setItem("taskflow_tasks", JSON.stringify([{id:"b-alpha",title:"Prepare sprint review",description:"Agenda draft",priority:"Low",status:"In Progress",dueDate:"2028-02-29",createdAt:"2026-01-01T09:00:00.000Z",updatedAt:"2026-01-02T10:00:00.000Z"}, {id:"b-beta",title:"Book meeting room",description:"Room 4",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-03T09:00:00.000Z",updatedAt:"2026-01-04T10:00:00.000Z"}, {id:"b-gamma",title:"Archive review notes",description:"Keep signed copy",priority:"High",status:"Completed",dueDate:"",createdAt:"2026-01-05T09:00:00.000Z",updatedAt:"2026-01-06T10:00:00.000Z"}])); location.reload(); Dashboard, search empty, status/priority filters All, Newest first (setup only). A means id b-alpha, B means b-beta, C means b-gamma, irrespective of card order. Before acting, use Console: window.bBefore = JSON.parse(localStorage.getItem("taskflow_tasks")); close DevTools. To inspect persisted objects later, reopen Console and evaluate JSON.parse(localStorage.getItem("taskflow_tasks")); compare by id with bBefore, not array position. Do not reload before completing an in-memory draft step. Read toasts immediately within 3 seconds. Inspect id/createdAt/updatedAt as raw JSON; list date formatting, counts, query behavior, generic reload/recovery, enum/date semantics and creation are not assertions of these cases.		
#:	Step actions:	Expected Results:
1	Click "Edit Prepare sprint review" on A.	"Edit Task" opens for A with "Cancel" and "Save Changes".
2	Clear title; set Description to "Abandoned revision"; click "Save Changes".	"Title is required."; draft Description remains "Abandoned revision".
3	Press Escape; reopen A edit.	New "Edit Task" contains "Prepare sprint review" and "Agenda draft"; previous "Title is required." is absent.
4	Click "Cancel"; inspect JSON.	All stored objects equal bBefore field-for-field, including id, createdAt and updatedAt. No "Task updated successfully." appears.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-B-001: Prefill the selected task for editing [Version : 1] REQ-B-008: Discard editing through every supported dismissal path [Version : 1] REQ-B-009: Reopening a canceled edit discards draft and validation state [Version : 1]	
Keywords:	None	

Test Case TF-69: TC-B-026 - Clicking inside edit modal does not discard draft [Version : 1]		
Author:	mhammedazad	
Summary:		
TC-B-026 - Clicking inside edit modal does not discard draft. **Test design technique:** Error Guessing - bubbling mousedown from interior **Requirements:** REQ-B-010		
Preconditions:		
INDEPENDENT RESET: use ONLY a disposable Chrome profile, http://localhost:5173, TaskFlow main@5133a6c; writable browser storage; system clock later than 2026-01-06. Open DevTools Console and run the following exact fixture; close DevTools after reload: localStorage.removeItem("taskflow_tasks_backup"); localStorage.setItem("taskflow_tasks", JSON.stringify([{id:"b-alpha",title:"Prepare sprint review",description:"Agenda draft",priority:"Low",status:"In Progress",dueDate:"2028-02-29",createdAt:"2026-01-01T09:00:00.000Z",updatedAt:"2026-01-02T10:00:00.000Z"}, {id:"b-beta",title:"Book meeting room",description:"Room 4",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-03T09:00:00.000Z",updatedAt:"2026-01-04T10:00:00.000Z"}, {id:"b-gamma",title:"Archive review notes",description:"Keep signed copy",priority:"High",status:"Completed",dueDate:"",createdAt:"2026-01-05T09:00:00.000Z",updatedAt:"2026-01-06T10:00:00.000Z"}])); location.reload(); Dashboard, search empty, status/priority filters All, Newest first (setup only). A means id b-alpha, B means b-beta, C means b-gamma, irrespective of card order. Before acting, use Console: window.bBefore = JSON.parse(localStorage.getItem("taskflow_tasks")); close DevTools. To inspect persisted objects later, reopen Console and evaluate JSON.parse(localStorage.getItem("taskflow_tasks")); compare by id with bBefore, not array position. Do not reload before completing an in-memory draft step. Read toasts immediately within 3 seconds. Inspect id/createdAt/updatedAt as raw JSON; list date formatting, counts, query behavior, generic reload/recovery, enum/date semantics and creation are not assertions of these cases.		
#:	Step actions:	Expected Results:
1	Click "Edit Prepare sprint review" on A.	"Edit Task" opens for A with "Cancel" and "Save Changes".
2	Set Description to "Interior draft"; click the "Edit Task" heading, then click the Description control.	"Edit Task" remains open with "Interior draft"; neither click saves or discards it.
3	Inspect stored JSON without reload; then click "Cancel".	Stored JSON equals bBefore; Cancel closes the draft.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-B-010: Interior modal interaction is not backdrop dismissal [Version : 1]	
Keywords:	None	

Test Case TF-70: TC-B-027 - Cancel priority-only change then reload [Version : 1]		
Author:	mhammedazad	
Summary:		
TC-B-027 - Cancel priority-only change then reload. **Test design technique:** Use Case - abandoned priority edit persistence **Requirements:** REQ-B-008, REQ-B-009		
Preconditions:		
INDEPENDENT RESET: use ONLY a disposable Chrome profile, http://localhost:5173, TaskFlow main@5133a6c; writable browser storage; system clock later than 2026-01-06. Open DevTools Console and run the following exact fixture; close DevTools after reload: localStorage.removeItem("taskflow_tasks_backup"); localStorage.setItem("taskflow_tasks", JSON.stringify([{id:"b-alpha",title:"Prepare sprint review",description:"Agenda draft",priority:"Low",status:"In Progress",dueDate:"2028-02-29",createdAt:"2026-01-01T09:00:00.000Z",updatedAt:"2026-01-02T10:00:00.000Z"}, {id:"b-beta",title:"Book meeting room",description:"Room 4",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-03T09:00:00.000Z",updatedAt:"2026-01-04T10:00:00.000Z"}, {id:"b-gamma",title:"Archive review notes",description:"Keep signed copy",priority:"High",status:"Completed",dueDate:"",createdAt:"2026-01-05T09:00:00.000Z",updatedAt:"2026-01-06T10:00:00.000Z"}])); location.reload(); Dashboard, search empty, status/priority filters All, Newest first (setup only). A means id b-alpha, B means b-beta, C means b-gamma, irrespective of card order. Before acting, use Console: window.bBefore = JSON.parse(localStorage.getItem("taskflow_tasks")); close DevTools. To inspect persisted objects later, reopen Console and evaluate JSON.parse(localStorage.getItem("taskflow_tasks")); compare by id with bBefore, not array position. Do not reload before completing an in-memory draft step. Read toasts immediately within 3 seconds. Inspect id/createdAt/updatedAt as raw JSON; list date formatting, counts, query behavior, generic reload/recovery, enum/date semantics and creation are not assertions of these cases.		
#:	Step actions:	Expected Results:
1	Click "Edit Prepare sprint review" on A.	"Edit Task" opens for A with "Cancel" and "Save Changes".
2	Choose High; click "Cancel"; reload and inspect A JSON; reopen A edit.	A.priority stays "Low" in JSON and the form; no "Task updated successfully." from cancellation; all fields and timestamps equal bBefore A.
3	Click "Cancel".	Dialog closes without saving.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-B-008: Discard editing through every supported dismissal path [Version : 1] REQ-B-009: Reopening a canceled edit discards draft and validation state [Version : 1]	
Keywords:	None	

2.3.Test Suite : TS-B3 - Deletion confirmation and repeated targeting

14 independent manual cases; exact current-title warning, confirm, all four dismissal paths, interior click, sole/duplicate-title task identities, repeated/mixed operations. No execution or passing result is implied.

Test Case TF-71: TC-B-028 - Exact confirmation before any deletion [Version : 1]		
Author:	mhammedazad	
Summary:		
TC-B-028 - Exact confirmation before any deletion. **Test design technique:** Use Case - request deletion without confirmation **Requirements:** REQ-B-011		
Preconditions:		
INDEPENDENT RESET: use ONLY a disposable Chrome profile, http://localhost:5173, TaskFlow main@5133a6c; writable browser storage; system clock later than 2026-01-06. Open DevTools Console and run the following exact fixture; close DevTools after reload: localStorage.removeItem("taskflow_tasks_backup"); localStorage.setItem("taskflow_tasks", JSON.stringify([{id:"b-alpha",title:"Prepare sprint review",description:"Agenda draft",priority:"Low",status:"In Progress",dueDate:"2028-02-29",createdAt:"2026-01-01T09:00:00.000Z",updatedAt:"2026-01-02T10:00:00.000Z"}, {id:"b-beta",title:"Book meeting room",description:"Room 4",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-03T09:00:00.000Z",updatedAt:"2026-01-04T10:00:00.000Z"}, {id:"b-gamma",title:"Archive review notes",description:"Keep signed copy",priority:"High",status:"Completed",dueDate:"",createdAt:"2026-01-05T09:00:00.000Z",updatedAt:"2026-01-06T10:00:00.000Z"}])); location.reload(); Dashboard, search empty, status/priority filters All, Newest first (setup only). A means id b-alpha, B means b-beta, C means b-gamma, irrespective of card order. Before acting, use Console: window.bBefore = JSON.parse(localStorage.getItem("taskflow_tasks")); close DevTools. To inspect persisted objects later, reopen Console and evaluate JSON.parse(localStorage.getItem("taskflow_tasks")); compare by id with bBefore, not array position. Do not reload before completing an in-memory draft step. Read toasts immediately within 3 seconds. Inspect id/createdAt/updatedAt as raw JSON; list date formatting, counts, query behavior, generic reload/recovery, enum/date semantics and creation are not assertions of these cases.		
#:	Step actions:	Expected Results:
1	Click "Delete Prepare sprint review" on A.	"Delete Task" opens; A is still present.
2	Read the dialog heading, full text and buttons; inspect JSON without reloading.	Heading "Delete Task"; text exactly Are you sure you want to delete "Prepare sprint review"? This cannot be undone. Buttons "Cancel", "Confirm Delete"; all saved objects still equal bBefore.
3	Click "Cancel".	Dialog closes without deleting.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-B-011: Show exact deletion confirmation for the current target [Version : 1]	
Keywords:	None	

Test Case TF-72: TC-B-029 - Confirmation uses latest saved title and punctuation [Version : 1]		
Author:	mhammedazad	
Summary:		
TC-B-029 - Confirmation uses latest saved title and punctuation. **Test design technique:** Error Guessing - stale title or quote interpolation **Requirements:** REQ-B-001, REQ-B-002, REQ-B-011		
Preconditions:		
INDEPENDENT RESET: use ONLY a disposable Chrome profile, http://localhost:5173, TaskFlow main@5133a6c; writable browser storage; system clock later than 2026-01-06. Open DevTools Console and run the following exact fixture; close DevTools after reload: localStorage.removeItem("taskflow_tasks_backup"); localStorage.setItem("taskflow_tasks", JSON.stringify([{id:"b-alpha",title:"Prepare sprint review",description:"Agenda draft",priority:"Low",status:"In Progress",dueDate:"2028-02-29",createdAt:"2026-01-01T09:00:00.000Z",updatedAt:"2026-01-02T10:00:00.000Z"}, {id:"b-beta",title:"Book meeting room",description:"Room 4",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-03T09:00:00.000Z",updatedAt:"2026-01-04T10:00:00.000Z"}, {id:"b-gamma",title:"Archive review notes",description:"Keep signed copy",priority:"High",status:"Completed",dueDate:"",createdAt:"2026-01-05T09:00:00.000Z",updatedAt:"2026-01-06T10:00:00.000Z"}])); location.reload(); Dashboard, search empty, status/priority filters All, Newest first (setup only). A means id b-alpha, B means b-beta, C means b-gamma, irrespective of card order. Before acting, use Console: window.bBefore = JSON.parse(localStorage.getItem("taskflow_tasks")); close DevTools. To inspect persisted objects later, reopen Console and evaluate JSON.parse(localStorage.getItem("taskflow_tasks")); compare by id with bBefore, not array position. Do not reload before completing an in-memory draft step. Read toasts immediately within 3 seconds. Inspect id/createdAt/updatedAt as raw JSON; list date formatting, counts, query behavior, generic reload/recovery, enum/date semantics and creation are not assertions of these cases.		
#:	Step actions:	Expected Results:
1	Click "Edit Prepare sprint review" on A.	"Edit Task" opens for A with "Cancel" and "Save Changes".
2	Set title to the exact text Review "Beta" & notes; save; click Delete on that newly titled card.	"Task updated successfully." at save; "Delete Task" opens for b-alpha.
3	Read full confirmation text.	Exactly: Are you sure you want to delete "Review "Beta" & notes"? This cannot be undone. Original title "Prepare sprint review" is not used in the confirmation; no deletion yet.
4	Click "Cancel".	Edited task remains saved with its current title.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-B-001: Prefill the selected task for editing [Version : 1] REQ-B-002: Commit a valid edit atomically to the selected task [Version : 1] REQ-B-011: Show exact deletion confirmation for the current target [Version : 1]	
Keywords:	None	

Test Case TF-73: TC-B-030 - Confirm deletion leaves siblings intact [Version : 1]		
Author:	mhammedazad	
Summary: TC-B-030 - Confirm deletion leaves siblings intact. **Test design technique:** Use Case - requested deletion -> confirmed removal **Requirements:** REQ-B-011, REQ-B-012		
Preconditions: INDEPENDENT RESET: use ONLY a disposable Chrome profile, http://localhost:5173, TaskFlow main@5133a6c; writable browser storage; system clock later than 2026-01-06. Open DevTools Console and run the following exact fixture; close DevTools after reload: localStorage.removeItem("taskflow_tasks_backup"); localStorage.setItem("taskflow_tasks", JSON.stringify([{id:"b-alpha",title:"Prepare sprint review",description:"Agenda draft",priority:"Low",status:"In Progress",dueDate:"2028-02-29",createdAt:"2026-01-01T09:00:00.000Z",updatedAt:"2026-01-02T10:00:00.000Z"}, {id:"b-beta",title:"Book meeting room",description:"Room 4",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-03T09:00:00.000Z",updatedAt:"2026-01-04T10:00:00.000Z"}, {id:"b-gamma",title:"Archive review notes",description:"Keep signed copy",priority:"High",status:"Completed",dueDate:"",createdAt:"2026-01-05T09:00:00.000Z",updatedAt:"2026-01-06T10:00:00.000Z"}])); location.reload(); Dashboard, search empty, status/priority filters All, Newest first (setup only). A means id b-alpha, B means b-beta, C means b-gamma, irrespective of card order. Before acting, use Console: window.bBefore = JSON.parse(localStorage.getItem("taskflow_tasks")); close DevTools. To inspect persisted objects later, reopen Console and evaluate JSON.parse(localStorage.getItem("taskflow_tasks")); compare by id with bBefore, not array position. Do not reload before completing an in-memory draft step. Read toasts immediately within 3 seconds. Inspect id/createdAt/updatedAt as raw JSON; list date formatting, counts, query behavior, generic reload/recovery, enum/date semantics and creation are not assertions of these cases.		
#:	Step actions:	Expected Results:
1	Click "Delete Prepare sprint review" on A.	"Delete Task" opens; A is still present.
2	Click "Confirm Delete"; observe toast, inspect stored objects, then reload.	"Delete Task" closes; "Task deleted successfully." appears. Only b-alpha is absent from taskflow_tasks; B and C are unchanged, including all timestamps. Reload still contains exactly B and C.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-B-011: Show exact deletion confirmation for the current target [Version : 1] REQ-B-012: Confirm deletion of only the intended task [Version : 1]	
Keywords:	None	

Test Case TF-74: TC-B-031 - Confirm deletion of the sole remaining task [Version : 1]		
Author:	mhammedazad	
Summary:		
TC-B-031 - Confirm deletion of the sole remaining task. **Test design technique:** EP - one-task deletion partition **Requirements:** REQ-B-012		
Preconditions:		
INDEPENDENT RESET: use ONLY a disposable Chrome profile, http://localhost:5173, TaskFlow main@5133a6c; writable browser storage; system clock later than 2026-01-06. Open DevTools Console and run the following exact fixture; close DevTools after reload: localStorage.removeItem("taskflow_tasks_backup"); localStorage.setItem("taskflow_tasks", JSON.stringify([{id:"b-alpha",title:"Prepare sprint review",description:"Agenda draft",priority:"Low",status:"In Progress",dueDate:"2028-02-29",createdAt:"2026-01-01T09:00:00.000Z",updatedAt:"2026-01-02T10:00:00.000Z"}, {id:"b-beta",title:"Book meeting room",description:"Room 4",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-03T09:00:00.000Z",updatedAt:"2026-01-04T10:00:00.000Z"}, {id:"b-gamma",title:"Archive review notes",description:"Keep signed copy",priority:"High",status:"Completed",dueDate:"",createdAt:"2026-01-05T09:00:00.000Z",updatedAt:"2026-01-06T10:00:00.000Z"}])); location.reload(); Dashboard, search empty, status/priority filters All, Newest first (setup only). A means id b-alpha, B means b-beta, C means b-gamma, irrespective of card order. Before acting, use Console: window.bBefore = JSON.parse(localStorage.getItem("taskflow_tasks")); close DevTools. To inspect persisted objects later, reopen Console and evaluate JSON.parse(localStorage.getItem("taskflow_tasks")); compare by id with bBefore, not array position. Do not reload before completing an in-memory draft step. Read toasts immediately within 3 seconds. Inspect id/createdAt/updatedAt as raw JSON; list date formatting, counts, query behavior, generic reload/recovery, enum/date semantics and creation are not assertions of these cases.		
#:	Step actions:	Expected Results:
1	Before opening deletion, replace stored array with only fixture A; reload; recapture bBefore.	Exactly the valid fixture A is present (fixture setup only).
2	Click "Delete Prepare sprint review" on A.	"Delete Task" opens; A is still present.
3	Click "Confirm Delete"; observe toast; inspect taskflow_tasks and reload.	Dialog closes with "Task deleted successfully."; taskflow_tasks is [] and remains [] after reload; no task with id b-alpha exists. Empty-state copy/counts are outside this assertion.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-B-012: Confirm deletion of only the intended task [Version : 1]	
Keywords:	None	

Test Case TF-75: TC-B-032 - Delete only intended same-title sibling [Version : 1]		
Author:	mhammedazad	
Summary:		
TC-B-032 - Delete only intended same-title sibling. **Test design technique:** Error Guessing - duplicate titles must not select by title **Requirements:** REQ-B-011, REQ-B-012		
Preconditions:		
INDEPENDENT RESET: use ONLY a disposable Chrome profile, http://localhost:5173, TaskFlow main@5133a6c; writable browser storage; system clock later than 2026-01-06. Open DevTools Console and run the following exact fixture; close DevTools after reload: localStorage.removeItem("taskflow_tasks_backup"); localStorage.setItem("taskflow_tasks", JSON.stringify([{id:"b-alpha",title:"Prepare sprint review",description:"Agenda draft",priority:"Low",status:"In Progress",dueDate:"2028-02-29",createdAt:"2026-01-01T09:00:00.000Z",updatedAt:"2026-01-02T10:00:00.000Z"}, {id:"b-beta",title:"Book meeting room",description:"Room 4",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-03T09:00:00.000Z",updatedAt:"2026-01-04T10:00:00.000Z"}, {id:"b-gamma",title:"Archive review notes",description:"Keep signed copy",priority:"High",status:"Completed",dueDate:"",createdAt:"2026-01-05T09:00:00.000Z",updatedAt:"2026-01-06T10:00:00.000Z"}])); location.reload(); Dashboard, search empty, status/priority filters All, Newest first (setup only). A means id b-alpha, B means b-beta, C means b-gamma, irrespective of card order. Before acting, use Console: window.bBefore = JSON.parse(localStorage.getItem("taskflow_tasks")); close DevTools. To inspect persisted objects later, reopen Console and evaluate JSON.parse(localStorage.getItem("taskflow_tasks")); compare by id with bBefore, not array position. Do not reload before completing an in-memory draft step. Read toasts immediately within 3 seconds. Inspect id/createdAt/updatedAt as raw JSON; list date formatting, counts, query behavior, generic reload/recovery, enum/date semantics and creation are not assertions of these cases.		
#:	Step actions:	Expected Results:
1	Before deletion set B.title to "Prepare sprint review" in stored JSON; reload; recapture bBefore.	A/B share a title and retain different ids/descriptions.
2	Within the card with Description "Room 4", click Delete.	"Delete Task" says exactly Are you sure you want to delete "Prepare sprint review"? This cannot be undone.
3	Click "Confirm Delete"; inspect JSON and reload.	"Task deleted successfully."; only b-beta is removed; A and C exactly equal their bBefore objects. The remaining same-title card is A with "Agenda draft".
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-B-011: Show exact deletion confirmation for the current target [Version : 1] REQ-B-012: Confirm deletion of only the intended task [Version : 1]	
Keywords:	None	

Test Case TF-76: TC-B-033 - Dismiss deletion using Cancel button [Version : 1]		
Author:	mhammedazad	
Summary:		
TC-B-033 - Dismiss deletion using Cancel button. **Test design technique:** State Transition - saved task -> awaiting confirmation -> saved task retained **Requirements:** REQ-B-013		
Preconditions:		
INDEPENDENT RESET: use ONLY a disposable Chrome profile, http://localhost:5173, TaskFlow main@5133a6c; writable browser storage; system clock later than 2026-01-06. Open DevTools Console and run the following exact fixture; close DevTools after reload: localStorage.removeItem("taskflow_tasks_backup"); localStorage.setItem("taskflow_tasks", JSON.stringify([{id:"b-alpha",title:"Prepare sprint review",description:"Agenda draft",priority:"Low",status:"In Progress",dueDate:"2028-02-29",createdAt:"2026-01-01T09:00:00.000Z",updatedAt:"2026-01-02T10:00:00.000Z"}, {id:"b-beta",title:"Book meeting room",description:"Room 4",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-03T09:00:00.000Z",updatedAt:"2026-01-04T10:00:00.000Z"}, {id:"b-gamma",title:"Archive review notes",description:"Keep signed copy",priority:"High",status:"Completed",dueDate:"",createdAt:"2026-01-05T09:00:00.000Z",updatedAt:"2026-01-06T10:00:00.000Z"}])); location.reload(); Dashboard, search empty, status/priority filters All, Newest first (setup only). A means id b-alpha, B means b-beta, C means b-gamma, irrespective of card order. Before acting, use Console: window.bBefore = JSON.parse(localStorage.getItem("taskflow_tasks")); close DevTools. To inspect persisted objects later, reopen Console and evaluate JSON.parse(localStorage.getItem("taskflow_tasks")); compare by id with bBefore, not array position. Do not reload before completing an in-memory draft step. Read toasts immediately within 3 seconds. Inspect id/createdAt/updatedAt as raw JSON; list date formatting, counts, query behavior, generic reload/recovery, enum/date semantics and creation are not assertions of these cases.		
#:	Step actions:	Expected Results:
1	Click "Delete Prepare sprint review" on A.	"Delete Task" opens; A is still present.
2	Click "Cancel". Inspect stored JSON.	"Delete Task" closes. All three saved objects equal bBefore field-for-field including timestamps; A is still present. No "Task deleted successfully." appears.
3	Reload; inspect saved JSON again.	All three original objects remain, including b-alpha and its unchanged timestamps.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-B-013: Cancel deletion through every supported dismissal path [Version : 1]	
Keywords:	None	

Test Case TF-77: TC-B-034 - Dismiss deletion using Close X button [Version : 1]		
Author:	mhammedazad	
Summary: TC-B-034 - Dismiss deletion using Close X button. **Test design technique:** State Transition - saved task -> awaiting confirmation -> saved task retained **Requirements:** REQ-B-013		
Preconditions: INDEPENDENT RESET: use ONLY a disposable Chrome profile, http://localhost:5173, TaskFlow main@5133a6c; writable browser storage; system clock later than 2026-01-06. Open DevTools Console and run the following exact fixture; close DevTools after reload: localStorage.removeItem("taskflow_tasks_backup"); localStorage.setItem("taskflow_tasks", JSON.stringify([{id:"b-alpha",title:"Prepare sprint review",description:"Agenda draft",priority:"Low",status:"In Progress",dueDate:"2028-02-29",createdAt:"2026-01-01T09:00:00.000Z",updatedAt:"2026-01-02T10:00:00.000Z"}, {id:"b-beta",title:"Book meeting room",description:"Room 4",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-03T09:00:00.000Z",updatedAt:"2026-01-04T10:00:00.000Z"}, {id:"b-gamma",title:"Archive review notes",description:"Keep signed copy",priority:"High",status:"Completed",dueDate:"",createdAt:"2026-01-05T09:00:00.000Z",updatedAt:"2026-01-06T10:00:00.000Z"}])); location.reload(); Dashboard, search empty, status/priority filters All, Newest first (setup only). A means id b-alpha, B means b-beta, C means b-gamma, irrespective of card order. Before acting, use Console: window.bBefore = JSON.parse(localStorage.getItem("taskflow_tasks")); close DevTools. To inspect persisted objects later, reopen Console and evaluate JSON.parse(localStorage.getItem("taskflow_tasks")); compare by id with bBefore, not array position. Do not reload before completing an in-memory draft step. Read toasts immediately within 3 seconds. Inspect id/createdAt/updatedAt as raw JSON; list date formatting, counts, query behavior, generic reload/recovery, enum/date semantics and creation are not assertions of these cases.		
#:	Step actions:	Expected Results:
1	Click "Delete Prepare sprint review" on A.	"Delete Task" opens; A is still present.
2	Click X with accessible label "Close". Inspect stored JSON.	"Delete Task" closes. All three saved objects equal bBefore field-for-field including timestamps; A is still present. No "Task deleted successfully." appears.
3	Reload; inspect saved JSON again.	All three original objects remain, including b-alpha and its unchanged timestamps.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-B-013: Cancel deletion through every supported dismissal path [Version : 1]	
Keywords:	None	

Test Case TF-78: TC-B-035 - Dismiss deletion using Escape key [Version : 1]		
Author:	mhammedazad	
Summary:		
TC-B-035 - Dismiss deletion using Escape key. **Test design technique:** State Transition - saved task -> awaiting confirmation -> saved task retained **Requirements:** REQ-B-013		
Preconditions:		
INDEPENDENT RESET: use ONLY a disposable Chrome profile, http://localhost:5173, TaskFlow main@5133a6c; writable browser storage; system clock later than 2026-01-06. Open DevTools Console and run the following exact fixture; close DevTools after reload: localStorage.removeItem("taskflow_tasks_backup"); localStorage.setItem("taskflow_tasks", JSON.stringify([{id:"b-alpha",title:"Prepare sprint review",description:"Agenda draft",priority:"Low",status:"In Progress",dueDate:"2028-02-29",createdAt:"2026-01-01T09:00:00.000Z",updatedAt:"2026-01-02T10:00:00.000Z"}, {id:"b-beta",title:"Book meeting room",description:"Room 4",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-03T09:00:00.000Z",updatedAt:"2026-01-04T10:00:00.000Z"}, {id:"b-gamma",title:"Archive review notes",description:"Keep signed copy",priority:"High",status:"Completed",dueDate:"",createdAt:"2026-01-05T09:00:00.000Z",updatedAt:"2026-01-06T10:00:00.000Z"}])); location.reload(); Dashboard, search empty, status/priority filters All, Newest first (setup only). A means id b-alpha, B means b-beta, C means b-gamma, irrespective of card order. Before acting, use Console: window.bBefore = JSON.parse(localStorage.getItem("taskflow_tasks")); close DevTools. To inspect persisted objects later, reopen Console and evaluate JSON.parse(localStorage.getItem("taskflow_tasks")); compare by id with bBefore, not array position. Do not reload before completing an in-memory draft step. Read toasts immediately within 3 seconds. Inspect id/createdAt/updatedAt as raw JSON; list date formatting, counts, query behavior, generic reload/recovery, enum/date semantics and creation are not assertions of these cases.		
#:	Step actions:	Expected Results:
1	Click "Delete Prepare sprint review" on A.	"Delete Task" opens; A is still present.
2	Press Escape while the dialog is open. Inspect stored JSON.	"Delete Task" closes. All three saved objects equal bBefore field-for-field including timestamps; A is still present. No "Task deleted successfully." appears.
3	Reload; inspect saved JSON again.	All three original objects remain, including b-alpha and its unchanged timestamps.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-B-013: Cancel deletion through every supported dismissal path [Version : 1]	
Keywords:	None	

Test Case TF-79: TC-B-036 - Dismiss deletion using dark backdrop [Version : 1]		
Author:	mhammedazad	
Summary:		
TC-B-036 - Dismiss deletion using dark backdrop. **Test design technique:** State Transition - saved task -> awaiting confirmation -> saved task retained **Requirements:** REQ-B-013		
Preconditions:		
INDEPENDENT RESET: use ONLY a disposable Chrome profile, http://localhost:5173, TaskFlow main@5133a6c; writable browser storage; system clock later than 2026-01-06. Open DevTools Console and run the following exact fixture; close DevTools after reload: localStorage.removeItem("taskflow_tasks_backup"); localStorage.setItem("taskflow_tasks", JSON.stringify([{id:"b-alpha",title:"Prepare sprint review",description:"Agenda draft",priority:"Low",status:"In Progress",dueDate:"2028-02-29",createdAt:"2026-01-01T09:00:00.000Z",updatedAt:"2026-01-02T10:00:00.000Z"}, {id:"b-beta",title:"Book meeting room",description:"Room 4",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-03T09:00:00.000Z",updatedAt:"2026-01-04T10:00:00.000Z"}, {id:"b-gamma",title:"Archive review notes",description:"Keep signed copy",priority:"High",status:"Completed",dueDate:"",createdAt:"2026-01-05T09:00:00.000Z",updatedAt:"2026-01-06T10:00:00.000Z"}])); location.reload(); Dashboard, search empty, status/priority filters All, Newest first (setup only). A means id b-alpha, B means b-beta, C means b-gamma, irrespective of card order. Before acting, use Console: window.bBefore = JSON.parse(localStorage.getItem("taskflow_tasks")); close DevTools. To inspect persisted objects later, reopen Console and evaluate JSON.parse(localStorage.getItem("taskflow_tasks")); compare by id with bBefore, not array position. Do not reload before completing an in-memory draft step. Read toasts immediately within 3 seconds. Inspect id/createdAt/updatedAt as raw JSON; list date formatting, counts, query behavior, generic reload/recovery, enum/date semantics and creation are not assertions of these cases.		
#:	Step actions:	Expected Results:
1	Click "Delete Prepare sprint review" on A.	"Delete Task" opens; A is still present.
2	Press and release on the dark backdrop outside the white dialog. Inspect stored JSON.	"Delete Task" closes. All three saved objects equal bBefore field-for-field including timestamps; A is still present. No "Task deleted successfully." appears.
3	Reload; inspect saved JSON again.	All three original objects remain, including b-alpha and its unchanged timestamps.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-B-013: Cancel deletion through every supported dismissal path [Version : 1]	
Keywords:	None	

Test Case TF-80: TC-B-037 - Interior deletion click is not a confirmation or dismissal [Version : 1]		
Author:	mhammedazad	
Summary:		
TC-B-037 - Interior deletion click is not a confirmation or dismissal. **Test design technique:** Error Guessing - event bubbling within confirmation dialog **Requirements:** REQ-B-010, REQ-B-011, REQ-B-013		
Preconditions:		
INDEPENDENT RESET: use ONLY a disposable Chrome profile, http://localhost:5173, TaskFlow main@5133a6c; writable browser storage; system clock later than 2026-01-06. Open DevTools Console and run the following exact fixture; close DevTools after reload: localStorage.removeItem("taskflow_tasks_backup"); localStorage.setItem("taskflow_tasks", JSON.stringify([{id:"b-alpha",title:"Prepare sprint review",description:"Agenda draft",priority:"Low",status:"In Progress",dueDate:"2028-02-29",createdAt:"2026-01-01T09:00:00.000Z",updatedAt:"2026-01-02T10:00:00.000Z"}, {id:"b-beta",title:"Book meeting room",description:"Room 4",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-03T09:00:00.000Z",updatedAt:"2026-01-04T10:00:00.000Z"}, {id:"b-gamma",title:"Archive review notes",description:"Keep signed copy",priority:"High",status:"Completed",dueDate:"",createdAt:"2026-01-05T09:00:00.000Z",updatedAt:"2026-01-06T10:00:00.000Z"}])); location.reload(); Dashboard, search empty, status/priority filters All, Newest first (setup only). A means id b-alpha, B means b-beta, C means b-gamma, irrespective of card order. Before acting, use Console: window.bBefore = JSON.parse(localStorage.getItem("taskflow_tasks")); close DevTools. To inspect persisted objects later, reopen Console and evaluate JSON.parse(localStorage.getItem("taskflow_tasks")); compare by id with bBefore, not array position. Do not reload before completing an in-memory draft step. Read toasts immediately within 3 seconds. Inspect id/createdAt/updatedAt as raw JSON; list date formatting, counts, query behavior, generic reload/recovery, enum/date semantics and creation are not assertions of these cases.		
#:	Step actions:	Expected Results:
1	Click "Delete Prepare sprint review" on A.	"Delete Task" opens; A is still present.
2	Click the warning paragraph (not a button).	"Delete Task" stays open with exactly Are you sure you want to delete "Prepare sprint review"? This cannot be undone. No object is changed or removed.
3	Click "Cancel"; inspect JSON.	All three saved objects equal bBefore field-for-field including timestamps; A is still present. No "Task deleted successfully." appears.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-B-010: Interior modal interaction is not backdrop dismissal [Version : 1] REQ-B-011: Show exact deletion confirmation for the current target [Version : 1] REQ-B-013: Cancel deletion through every supported dismissal path [Version : 1]	
Keywords:	None	

Test Case TF-81: TC-B-038 - Reopen after canceled deletion targets newly selected task [Version : 1]		
Author:	mhammedazad	
Summary:		
TC-B-038 - Reopen after canceled deletion targets newly selected task. **Test design technique:** State Transition - A confirmation canceled -> B confirmation opened **Requirements:** REQ-B-011, REQ-B-013, REQ-B-014		
Preconditions:		
INDEPENDENT RESET: use ONLY a disposable Chrome profile, http://localhost:5173, TaskFlow main@5133a6c; writable browser storage; system clock later than 2026-01-06. Open DevTools Console and run the following exact fixture; close DevTools after reload: localStorage.removeItem("taskflow_tasks_backup"); localStorage.setItem("taskflow_tasks", JSON.stringify([{id:"b-alpha",title:"Prepare sprint review",description:"Agenda draft",priority:"Low",status:"In Progress",dueDate:"2028-02-29",createdAt:"2026-01-01T09:00:00.000Z",updatedAt:"2026-01-02T10:00:00.000Z"}, {id:"b-beta",title:"Book meeting room",description:"Room 4",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-03T09:00:00.000Z",updatedAt:"2026-01-04T10:00:00.000Z"}, {id:"b-gamma",title:"Archive review notes",description:"Keep signed copy",priority:"High",status:"Completed",dueDate:"",createdAt:"2026-01-05T09:00:00.000Z",updatedAt:"2026-01-06T10:00:00.000Z"}])); location.reload(); Dashboard, search empty, status/priority filters All, Newest first (setup only). A means id b-alpha, B means b-beta, C means b-gamma, irrespective of card order. Before acting, use Console: window.bBefore = JSON.parse(localStorage.getItem("taskflow_tasks")); close DevTools. To inspect persisted objects later, reopen Console and evaluate JSON.parse(localStorage.getItem("taskflow_tasks")); compare by id with bBefore, not array position. Do not reload before completing an in-memory draft step. Read toasts immediately within 3 seconds. Inspect id/createdAt/updatedAt as raw JSON; list date formatting, counts, query behavior, generic reload/recovery, enum/date semantics and creation are not assertions of these cases.		
#:	Step actions:	Expected Results:
1	Click "Delete Prepare sprint review" on A.	"Delete Task" opens; A is still present.
2	Click "Cancel"; click "Delete Book meeting room".	"Delete Task" now says exactly: Are you sure you want to delete "Book meeting room"? This cannot be undone. A is not used as the new confirmation target.
3	Click "Confirm Delete"; inspect JSON.	"Task deleted successfully."; only b-beta is removed. A and C equal bBefore.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-B-011: Show exact deletion confirmation for the current target [Version : 1] REQ-B-013: Cancel deletion through every supported dismissal path [Version : 1] REQ-B-014: Keep deletion targets correct across repeated and mixed operations [Version : 1]	
Keywords:	None	

Test Case TF-82: TC-B-039 - Repeated cancellation then one confirmed deletion [Version : 1]		
Author:	mhammedazad	
Summary:		
TC-B-039 - Repeated cancellation then one confirmed deletion. **Test design technique:** State Transition - confirmation -> cancel -> confirmation -> cancel -> confirmation -> removed **Requirements:** REQ-B-011, REQ-B-012, REQ-B-013, REQ-B-014		
Preconditions:		
INDEPENDENT RESET: use ONLY a disposable Chrome profile, http://localhost:5173, TaskFlow main@5133a6c; writable browser storage; system clock later than 2026-01-06. Open DevTools Console and run the following exact fixture; close DevTools after reload: localStorage.removeItem("taskflow_tasks_backup"); localStorage.setItem("taskflow_tasks", JSON.stringify([{id:"b-alpha",title:"Prepare sprint review",description:"Agenda draft",priority:"Low",status:"In Progress",dueDate:"2028-02-29",createdAt:"2026-01-01T09:00:00.000Z",updatedAt:"2026-01-02T10:00:00.000Z"}, {id:"b-beta",title:"Book meeting room",description:"Room 4",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-03T09:00:00.000Z",updatedAt:"2026-01-04T10:00:00.000Z"}, {id:"b-gamma",title:"Archive review notes",description:"Keep signed copy",priority:"High",status:"Completed",dueDate:"",createdAt:"2026-01-05T09:00:00.000Z",updatedAt:"2026-01-06T10:00:00.000Z"}])); location.reload(); Dashboard, search empty, status/priority filters All, Newest first (setup only). A means id b-alpha, B means b-beta, C means b-gamma, irrespective of card order. Before acting, use Console: window.bBefore = JSON.parse(localStorage.getItem("taskflow_tasks")); close DevTools. To inspect persisted objects later, reopen Console and evaluate JSON.parse(localStorage.getItem("taskflow_tasks")); compare by id with bBefore, not array position. Do not reload before completing an in-memory draft step. Read toasts immediately within 3 seconds. Inspect id/createdAt/updatedAt as raw JSON; list date formatting, counts, query behavior, generic reload/recovery, enum/date semantics and creation are not assertions of these cases.		
#:	Step actions:	Expected Results:
1	Click "Delete Prepare sprint review" on A.	"Delete Task" opens; A is still present.
2	Click "Cancel"; reopen A Delete; press Escape; reopen A Delete.	Both dismissals retain all original objects; each reopened dialog contains exactly Are you sure you want to delete "Prepare sprint review"? This cannot be undone.
3	Click "Confirm Delete" once; inspect JSON and reload.	"Delete Task" closes; "Task deleted successfully." appears. Only b-alpha is absent from taskflow_tasks; B and C are unchanged, including all timestamps. Reload still contains exactly B and C. There is no second pending deletion dialog.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-B-011: Show exact deletion confirmation for the current target [Version : 1] REQ-B-012: Confirm deletion of only the intended task [Version : 1] REQ-B-013: Cancel deletion through every supported dismissal path [Version : 1] REQ-B-014: Keep deletion targets correct across repeated and mixed operations [Version : 1]	
Keywords:	None	

Test Case TF-83: TC-B-040 - Consecutive deletions never reuse old target [Version : 1]		
Author:	mhammedazad	
Summary:		
TC-B-040 - Consecutive deletions never reuse old target. **Test design technique:** State Transition - three saved -> A removed -> B removed **Requirements:** REQ-B-011, REQ-B-012, REQ-B-014		
Preconditions:		
INDEPENDENT RESET: use ONLY a disposable Chrome profile, http://localhost:5173, TaskFlow main@5133a6c; writable browser storage; system clock later than 2026-01-06. Open DevTools Console and run the following exact fixture; close DevTools after reload: localStorage.removeItem("taskflow_tasks_backup"); localStorage.setItem("taskflow_tasks", JSON.stringify([{id:"b-alpha",title:"Prepare sprint review",description:"Agenda draft",priority:"Low",status:"In Progress",dueDate:"2028-02-29",createdAt:"2026-01-01T09:00:00.000Z",updatedAt:"2026-01-02T10:00:00.000Z"}, {id:"b-beta",title:"Book meeting room",description:"Room 4",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-03T09:00:00.000Z",updatedAt:"2026-01-04T10:00:00.000Z"}, {id:"b-gamma",title:"Archive review notes",description:"Keep signed copy",priority:"High",status:"Completed",dueDate:"",createdAt:"2026-01-05T09:00:00.000Z",updatedAt:"2026-01-06T10:00:00.000Z"}])); location.reload(); Dashboard, search empty, status/priority filters All, Newest first (setup only). A means id b-alpha, B means b-beta, C means b-gamma, irrespective of card order. Before acting, use Console: window.bBefore = JSON.parse(localStorage.getItem("taskflow_tasks")); close DevTools. To inspect persisted objects later, reopen Console and evaluate JSON.parse(localStorage.getItem("taskflow_tasks")); compare by id with bBefore, not array position. Do not reload before completing an in-memory draft step. Read toasts immediately within 3 seconds. Inspect id/createdAt/updatedAt as raw JSON; list date formatting, counts, query behavior, generic reload/recovery, enum/date semantics and creation are not assertions of these cases.		
#:	Step actions:	Expected Results:
1	Click "Delete Prepare sprint review" on A.	"Delete Task" opens; A is still present.
2	Confirm Delete A, then click "Delete Book meeting room".	First toast "Task deleted successfully."; second dialog warns exactly: Are you sure you want to delete "Book meeting room"? This cannot be undone.
3	Click "Confirm Delete" on B; observe toast; inspect JSON; reload.	Second "Task deleted successfully."; only fixture C remains, identical field-for-field to bBefore C; both b-alpha and b-beta are absent.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-B-011: Show exact deletion confirmation for the current target [Version : 1] REQ-B-012: Confirm deletion of only the intended task [Version : 1] REQ-B-014: Keep deletion targets correct across repeated and mixed operations [Version : 1]	
Keywords:	None	

Test Case TF-84: TC-B-041 - Canceled edit does not contaminate subsequent deletion [Version : 1]		
Author:	mhammedazad	
Summary:		
TC-B-041 - Canceled edit does not contaminate subsequent deletion. **Test design technique:** State Transition - dirty editing -> canceled -> deletion confirmation -> removed **Requirements:** REQ-B-008, REQ-B-011, REQ-B-012, REQ-B-014		
Preconditions:		
INDEPENDENT RESET: use ONLY a disposable Chrome profile, http://localhost:5173, TaskFlow main@5133a6c; writable browser storage; system clock later than 2026-01-06. Open DevTools Console and run the following exact fixture; close DevTools after reload: localStorage.removeItem("taskflow_tasks_backup"); localStorage.setItem("taskflow_tasks", JSON.stringify([{id:"b-alpha",title:"Prepare sprint review",description:"Agenda draft",priority:"Low",status:"In Progress",dueDate:"2028-02-29",createdAt:"2026-01-01T09:00:00.000Z",updatedAt:"2026-01-02T10:00:00.000Z"}, {id:"b-beta",title:"Book meeting room",description:"Room 4",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-03T09:00:00.000Z",updatedAt:"2026-01-04T10:00:00.000Z"}, {id:"b-gamma",title:"Archive review notes",description:"Keep signed copy",priority:"High",status:"Completed",dueDate:"",createdAt:"2026-01-05T09:00:00.000Z",updatedAt:"2026-01-06T10:00:00.000Z"}])); location.reload(); Dashboard, search empty, status/priority filters All, Newest first (setup only). A means id b-alpha, B means b-beta, C means b-gamma, irrespective of card order. Before acting, use Console: window.bBefore = JSON.parse(localStorage.getItem("taskflow_tasks")); close DevTools. To inspect persisted objects later, reopen Console and evaluate JSON.parse(localStorage.getItem("taskflow_tasks")); compare by id with bBefore, not array position. Do not reload before completing an in-memory draft step. Read toasts immediately within 3 seconds. Inspect id/createdAt/updatedAt as raw JSON; list date formatting, counts, query behavior, generic reload/recovery, enum/date semantics and creation are not assertions of these cases.		
#:	Step actions:	Expected Results:
1	Click "Edit Prepare sprint review" on A.	"Edit Task" opens for A with "Cancel" and "Save Changes".
2	Replace title with "Unsaved deletion title"; click "Cancel"; click "Delete Prepare sprint review".	"Delete Task" shows exactly Are you sure you want to delete "Prepare sprint review"? This cannot be undone. The abandoned title is not used.
3	Click "Confirm Delete"; inspect JSON and reload.	"Delete Task" closes; "Task deleted successfully." appears. Only b-alpha is absent from taskflow_tasks; B and C are unchanged, including all timestamps. Reload still contains exactly B and C.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-B-008: Discard editing through every supported dismissal path [Version : 1] REQ-B-011: Show exact deletion confirmation for the current target [Version : 1] REQ-B-012: Confirm deletion of only the intended task [Version : 1] REQ-B-014: Keep deletion targets correct across repeated and mixed operations [Version : 1]	
Keywords:	None	

3.Test Suite : C - Lanya Faraidun - Status, dates and counts

Tester: Lanya Faraidun (Member 3, C). SECJ3343 Project 1, Group TaskFlow. Baseline: TaskFlow main@5133a6c. Scope: TF-REQ-004/005/006/016/017; priority and status partitions, list transitions, summary totals, Completed rendering, optional and valid/invalid due dates, calendar boundaries, overdue rules, local-day behavior, and date formatting. Requirements cite README.md and the implementing src/ paths. Reference local day: 2026-10-27, 12:00 Asia/Baghdad (UTC+03:00); date harnesses pass this value explicitly and do not depend on the wall clock. All cases are designed/manual and remain Not Run until actually executed.

Reproducible UI clock: set the disposable browser timezone to Asia/Baghdad. After loading the case fixture and reloading, run in DevTools: window.CRealDate=Date; window.CFixed=Date.parse("2026-10-27T12:00:00+03:00"); window.Date=class extends CRealDate {constructor(...a){super(...(a.length?a:[CFixed]))} static now(){return CFixed}}; then type a temporary search query and clear it to force a React render. This freezes application Date calls for this page only; reload restores Date. For Node utility checks run TZ=Asia/Baghdad node --input-type=module and import functions from the cited src/utils/*.js files. Each manually seeded task needs a distinct string id, a title of at least 3 code points, description "", valid priority/status, dueDate "" unless specified, and createdAt/updatedAt 2026-01-01T00:00:00.000Z. Summary fixtures named A/B/C use valid titles Task A/Task B/Task C.

3.1.Test Suite : TS-C1 - Priority and status partitions

Valid enum choices plus invalid string, casing, type, missing and simultaneous invalid partitions. Unit harness is explicitly called out where native controls block tampering.

Test Case TF-85: TC-C-001 - Accepted priority partition: Low [Version : 1]		
Author:	lanya	
Summary: TC-C-001 - Accepted priority partition: Low. **Test design technique:** EP - valid priority enumeration partition **Requirements:** REQ-C-001		
Preconditions: Use a dedicated disposable Chrome profile on TaskFlow http://localhost:5173, baseline main@5133a6c. Use Asia/Baghdad (UTC+03:00) and fixed local reference 2026-10-27 12:00; for date utility/harness checks pass "2026-10-27" explicitly or construct new Date(2026, 9, 27, 12, 0, 0) under TZ=Asia/Baghdad. Never use the current wall clock for a today/yesterday/tomorrow assertion. Clear only this profile's taskflow_tasks/taskflow_tasks_backup before each independent UI fixture. Local storage is available. In unit-harness cases run node from the repository root and import the cited src/utils module; harness-only cases do not claim a UI execution. Fixture: one saved task titled Priority fixture, priority Medium, status To Do, dueDate empty.		
#:	Step actions:	Expected Results:
1	Open Edit Task for the fixture "Priority fixture" and inspect Priority.	The Priority select contains exactly "Low", "Medium" and "High"; its current value is "Medium".
2	Select "Low" and click Save Changes.	The dialog closes; the card shows the "Low" priority badge; toast "Task updated successfully." appears; storage contains priority "Low".
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-C-001: Priority values and validation [Version : 1]	
Keywords:	None	

Test Case TF-86: TC-C-002 - Accepted priority partition: Medium [Version : 1]		
Author:	lanya	
Summary: TC-C-002 - Accepted priority partition: Medium. **Test design technique:** EP - valid priority enumeration partition **Requirements:** REQ-C-001		
Preconditions: Use a dedicated disposable Chrome profile on TaskFlow http://localhost:5173, baseline main@5133a6c. Use Asia/Baghdad (UTC+03:00) and fixed local reference 2026-10-27 12:00; for date utility/harness checks pass "2026-10-27" explicitly or construct new Date(2026, 9, 27, 12, 0, 0) under TZ=Asia/Baghdad. Never use the current wall clock for a today/yesterday/tomorrow assertion. Clear only this profile's taskflow_tasks/taskflow_tasks_backup before each independent UI fixture. Local storage is available. In unit-harness cases run node from the repository root and import the cited src/utils module; harness-only cases do not claim a UI execution. Fixture: one saved task titled Priority fixture, priority Medium, status To Do, dueDate empty.		
#:	Step actions:	Expected Results:
1	Open Edit Task for the fixture "Priority fixture" and inspect Priority.	The Priority select contains exactly "Low", "Medium" and "High"; its current value is "Medium".
2	Select "Medium" and click Save Changes.	The dialog closes; the card shows the "Medium" priority badge; toast "Task updated successfully." appears; storage contains priority "Medium".
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-C-001: Priority values and validation [Version : 1]	
Keywords:	None	

Test Case TF-87: TC-C-003 - Accepted priority partition: High [Version : 1]		
Author:	Ianya	
Summary: TC-C-003 - Accepted priority partition: High. **Test design technique:** EP - valid priority enumeration partition **Requirements:** REQ-C-001		
Preconditions: Use a dedicated disposable Chrome profile on TaskFlow http://localhost:5173, baseline main@5133a6c. Use Asia/Baghdad (UTC+03:00) and fixed local reference 2026-10-27 12:00; for date utility/harness checks pass "2026-10-27" explicitly or construct new Date(2026, 9, 27, 12, 0, 0) under TZ=Asia/Baghdad. Never use the current wall clock for a today/yesterday/tomorrow assertion. Clear only this profile's taskflow_tasks/taskflow_tasks_backup before each independent UI fixture. Local storage is available. In unit-harness cases run node from the repository root and import the cited src/utils module; harness-only cases do not claim a UI execution. Fixture: one saved task titled Priority fixture, priority Medium, status To Do, dueDate empty.		
#:	Step actions:	Expected Results:
1	Open Edit Task for the fixture "Priority fixture" and inspect Priority.	The Priority select contains exactly "Low", "Medium" and "High"; its current value is "Medium".
2	Select "High" and click Save Changes.	The dialog closes; the card shows the "High" priority badge; toast "Task updated successfully." appears; storage contains priority "High".
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-C-001: Priority values and validation [Version : 1]	
Keywords:	None	

Test Case TF-88: TC-C-004 - Accepted status partition: To Do [Version : 1]		
Author:	lanya	
Summary:		
TC-C-004 - Accepted status partition: To Do. **Test design technique:** EP - valid status enumeration partition **Requirements:** REQ-C-002		
Preconditions:		
Use a dedicated disposable Chrome profile on TaskFlow http://localhost:5173, baseline main@5133a6c. Use Asia/Baghdad (UTC+03:00) and fixed local reference 2026-10-27 12:00; for date utility/harness checks pass "2026-10-27" explicitly or construct new Date(2026, 9, 27, 12, 0, 0) under TZ=Asia/Baghdad. Never use the current wall clock for a today/yesterday/tomorrow assertion. Clear only this profile's taskflow_tasks/taskflow_tasks_backup before each independent UI fixture. Local storage is available. In unit-harness cases run node from the repository root and import the cited src/utils module; harness-only cases do not claim a UI execution. Fixture: one task titled Status fixture with status In Progress, priority Medium and empty dueDate. Initial saved updatedAt is 2026-01-01T00:00:00.000Z; the reference clock is later.		
#:	Step actions:	Expected Results:
1	Inspect the status select on card "Status fixture".	The select is labelled "Change status of Status fixture" and offers exactly "To Do", "In Progress" and "Completed".
2	Select "To Do".	The card status badge reads "To Do"; toast "Task status updated." appears; saved status is "To Do".
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-C-002: Status values and validation [Version : 1]	
Keywords:	None	

Test Case TF-89: TC-C-005 - Accepted status partition: In Progress [Version : 1]		
Author:	lanya	
Summary:		
TC-C-005 - Accepted status partition: In Progress. **Test design technique:** EP - valid status enumeration partition **Requirements:** REQ-C-002		
Preconditions:		
Use a dedicated disposable Chrome profile on TaskFlow http://localhost:5173, baseline main@5133a6c. Use Asia/Baghdad (UTC+03:00) and fixed local reference 2026-10-27 12:00; for date utility/harness checks pass "2026-10-27" explicitly or construct new Date(2026, 9, 27, 12, 0, 0) under TZ=Asia/Baghdad. Never use the current wall clock for a today/yesterday/tomorrow assertion. Clear only this profile's taskflow_tasks/taskflow_tasks_backup before each independent UI fixture. Local storage is available. In unit-harness cases run node from the repository root and import the cited src/utils module; harness-only cases do not claim a UI execution. Fixture: one task titled Status fixture with status To Do, priority Medium and empty dueDate. Initial saved updatedAt is 2026-01-01T00:00:00.000Z; the reference clock is later.		
#:	Step actions:	Expected Results:
1	Inspect the status select on card "Status fixture".	The select is labelled "Change status of Status fixture" and offers exactly "To Do", "In Progress" and "Completed".
2	Select "In Progress".	The card status badge reads "In Progress"; toast "Task status updated." appears; saved status is "In Progress".
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-C-002: Status values and validation [Version : 1]	
Keywords:	None	

Test Case TF-90: TC-C-006 - Accepted status partition: Completed [Version : 1]		
Author:	lanya	
Summary:		
TC-C-006 - Accepted status partition: Completed. **Test design technique:** EP - valid status enumeration partition **Requirements:** REQ-C-002		
Preconditions:		
Use a dedicated disposable Chrome profile on TaskFlow http://localhost:5173, baseline main@5133a6c. Use Asia/Baghdad (UTC+03:00) and fixed local reference 2026-10-27 12:00; for date utility/harness checks pass "2026-10-27" explicitly or construct new Date(2026, 9, 27, 12, 0, 0) under TZ=Asia/Baghdad. Never use the current wall clock for a today/yesterday/tomorrow assertion. Clear only this profile's taskflow_tasks/taskflow_tasks_backup before each independent UI fixture. Local storage is available. In unit-harness cases run node from the repository root and import the cited src/utils module; harness-only cases do not claim a UI execution. Fixture: one task titled Status fixture with status To Do, priority Medium and empty dueDate. Initial saved updatedAt is 2026-01-01T00:00:00.000Z; the reference clock is later.		
#:	Step actions:	Expected Results:
1	Inspect the status select on card "Status fixture".	The select is labelled "Change status of Status fixture" and offers exactly "To Do", "In Progress" and "Completed".
2	Select "Completed".	The card status badge reads "Completed"; toast "Task status updated." appears; saved status is "Completed".
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-C-002: Status values and validation [Version : 1]	
Keywords:	None	

Test Case TF-91: TC-C-007 - Reject unsupported priority string in validator harness [Version : 1]		
Author:	lanya	
Summary:		
TC-C-007 - Reject unsupported priority string in validator harness. **Test design technique:** EP - invalid priority enumeration partition; unit harness **Requirements:** REQ-C-001		
Preconditions:		
Use a dedicated disposable Chrome profile on TaskFlow http://localhost:5173, baseline main@5133a6c. Use Asia/Baghdad (UTC+03:00) and fixed local reference 2026-10-27 12:00; for date utility/harness checks pass "2026-10-27" explicitly or construct new Date(2026, 9, 27, 12, 0, 0) under TZ=Asia/Baghdad. Never use the current wall clock for a today/yesterday/tomorrow assertion. Clear only this profile's taskflow_tasks/taskflow_tasks_backup before each independent UI fixture. Local storage is available. In unit-harness cases run node from the repository root and import the cited src/utils module; harness-only cases do not claim a UI execution. Unit harness only: native Priority select cannot submit an unsupported option. Do not call this a browser form test.		
#:	Step actions:	Expected Results:
1	Run validateTask({title:'Valid task',description:'',priority:'Urgent',status:'To Do',dueDate:''}) in the Node harness.	The returned errors object contains priority: "Please select a valid priority." and no title, status or dueDate error.
2	Run the same fixture with priority:'low'.	The returned priority error remains exactly "Please select a valid priority."; the comparison is case-sensitive.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-C-001: Priority values and validation [Version : 1]	
Keywords:	None	

Test Case TF-92: TC-C-008 - Reject non-string and missing priority values in validator harness [Version : 1]		
Author:	lanya	
Summary:		
TC-C-008 - Reject non-string and missing priority values in validator harness. **Test design technique:** EP - invalid priority type partitions; unit harness **Requirements:** REQ-C-001		
Preconditions:		
Use a dedicated disposable Chrome profile on TaskFlow http://localhost:5173, baseline main@5133a6c. Use Asia/Baghdad (UTC+03:00) and fixed local reference 2026-10-27 12:00; for date utility/harness checks pass "2026-10-27" explicitly or construct new Date(2026, 9, 27, 12, 0, 0) under TZ=Asia/Baghdad. Never use the current wall clock for a today/yesterday/tomorrow assertion. Clear only this profile's taskflow_tasks/taskflow_tasks_backup before each independent UI fixture. Local storage is available. In unit-harness cases run node from the repository root and import the cited src/utils module; harness-only cases do not claim a UI execution. Unit harness only: HTML select controls cannot produce null or an omitted priority field.		
#:	Step actions:	Expected Results:
1	Call validateTask with priority:null, then with the priority property omitted; keep all other required values valid.	Both calls return priority: "Please select a valid priority."; there is no exception.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-C-001: Priority values and validation [Version : 1]	
Keywords:	None	

Test Case TF-93: TC-C-009 - Reject unsupported status string in validator harness [Version : 1]		
Author:	lanya	
Summary:		
TC-C-009 - Reject unsupported status string in validator harness. **Test design technique:** EP - invalid status enumeration partition; unit harness **Requirements:** REQ-C-002		
Preconditions:		
Use a dedicated disposable Chrome profile on TaskFlow http://localhost:5173, baseline main@5133a6c. Use Asia/Baghdad (UTC+03:00) and fixed local reference 2026-10-27 12:00; for date utility/harness checks pass "2026-10-27" explicitly or construct new Date(2026, 9, 27, 12, 0, 0) under TZ=Asia/Baghdad. Never use the current wall clock for a today/yesterday/tomorrow assertion. Clear only this profile's taskflow_tasks/taskflow_tasks_backup before each independent UI fixture. Local storage is available. In unit-harness cases run node from the repository root and import the cited src/utils module; harness-only cases do not claim a UI execution. Unit harness only: native Status select cannot submit an unsupported option.		
#:	Step actions:	Expected Results:
1	Run validateTask({title:'Valid task',description:'',priority:'Medium',status:'Blocked',dueDate:''}) in the Node harness.	The returned errors object contains status: "Please select a valid status." and no title, priority or dueDate error.
2	Run the same fixture with status:'completed'.	The returned status error remains exactly "Please select a valid status."; the comparison is case-sensitive.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-C-002: Status values and validation [Version : 1]	
Keywords:	None	

Test Case TF-94: TC-C-010 - Reject non-string and missing status values in validator harness [Version : 1]		
Author:	lanya	
Summary: TC-C-010 - Reject non-string and missing status values in validator harness. **Test design technique:** EP - invalid status type partitions; unit harness **Requirements:** REQ-C-002		
Preconditions: Use a dedicated disposable Chrome profile on TaskFlow http://localhost:5173, baseline main@5133a6c. Use Asia/Baghdad (UTC+03:00) and fixed local reference 2026-10-27 12:00; for date utility/harness checks pass "2026-10-27" explicitly or construct new Date(2026, 9, 27, 12, 0, 0) under TZ=Asia/Baghdad. Never use the current wall clock for a today/yesterday/tomorrow assertion. Clear only this profile's taskflow_tasks/taskflow_tasks_backup before each independent UI fixture. Local storage is available. In unit-harness cases run node from the repository root and import the cited src/utils module; harness-only cases do not claim a UI execution. Unit harness only: HTML select controls cannot produce a numeric or omitted status value.		
#:	Step actions:	Expected Results:
1	Call validateTask with status:42, then with the status property omitted; keep all other required values valid.	Both calls return status: "Please select a valid status."; there is no exception.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-C-002: Status values and validation [Version : 1]	
Keywords:	None	

Test Case TF-95: TC-C-011 - Report both invalid enum fields together [Version : 1]		
Author:	lanya	
Summary:		
TC-C-011 - Report both invalid enum fields together. **Test design technique:** Decision Table - priority invalid AND status invalid; unit harness **Requirements:** REQ-C-001, REQ-C-002		
Preconditions:		
Use a dedicated disposable Chrome profile on TaskFlow http://localhost:5173, baseline main@5133a6c. Use Asia/Baghdad (UTC+03:00) and fixed local reference 2026-10-27 12:00; for date utility/harness checks pass "2026-10-27" explicitly or construct new Date(2026, 9, 27, 12, 0, 0) under TZ=Asia/Baghdad. Never use the current wall clock for a today/yesterday/tomorrow assertion. Clear only this profile's taskflow_tasks/taskflow_tasks_backup before each independent UI fixture. Local storage is available. In unit-harness cases run node from the repository root and import the cited src/utils module; harness-only cases do not claim a UI execution. Unit harness only: native controls offer only valid enum values.		
#:	Step actions:	Expected Results:
1	Call validateTask with priority:'Urgent' and status:'Blocked', keeping title, description and dueDate valid.	The returned object contains both priority: "Please select a valid priority." and status: "Please select a valid status."; no other keys are present.
2	Change only priority to 'High' and call again.	Only status: "Please select a valid status." remains.
3	Change status to 'Completed' and call again.	The returned errors object is empty.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-C-001: Priority values and validation [Version : 1] REQ-C-002: Status values and validation [Version : 1]	
Keywords:	None	

3.2.Test Suite : TS-C2 - Status transitions, summaries and Completed tasks

All six distinct directed transitions, same-state behavior for all three states, filter-independent summary decision table and Completed presentation/exemption.

Test Case TF-96: TC-C-012 - Status transition To Do to In Progress [Version : 1]		
Author:	lanya	
Summary:		
TC-C-012 - Status transition To Do to In Progress. **Test design technique:** State Transition - source state to distinct destination state **Requirements:** REQ-C-002, REQ-C-003		
Preconditions:		
Use a dedicated disposable Chrome profile on TaskFlow http://localhost:5173, baseline main@5133a6c. Use Asia/Baghdad (UTC+03:00) and fixed local reference 2026-10-27 12:00; for date utility/harness checks pass "2026-10-27" explicitly or construct new Date(2026, 9, 27, 12, 0, 0) under TZ=Asia/Baghdad. Never use the current wall clock for a today/yesterday/tomorrow assertion. Clear only this profile's taskflow_tasks/taskflow_tasks_backup before each independent UI fixture. Local storage is available. In unit-harness cases run node from the repository root and import the cited src/utils module; harness-only cases do not claim a UI execution. Fixture: one task titled Transition fixture, status To Do, priority Medium, dueDate empty; no filters active. Seed createdAt and updatedAt as 2026-01-01T00:00:00.000Z so the first reference-clock mutation advances updatedAt.		
#:	Step actions:	Expected Results:
1	With one card "Transition fixture" in state "To Do", record its updatedAt from localStorage.	The card status badge and Change status select both show "To Do".
2	Choose "In Progress" in Change status of Transition fixture.	The badge and select show "In Progress"; toast "Task status updated." appears; storage status is "In Progress" and updatedAt is later than the recorded value.
3	Inspect the list and localStorage.	Exactly one task remains; its id, title, priority and dueDate are unchanged.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-C-002: Status values and validation [Version : 1] REQ-C-003: Status change and summary totals [Version : 1]	
Keywords:	None	

Test Case TF-97: TC-C-013 - Status transition To Do to Completed [Version : 1]		
Author:	lanya	
Summary:		
TC-C-013 - Status transition To Do to Completed. **Test design technique:** State Transition - source state to distinct destination state **Requirements:** REQ-C-002, REQ-C-003		
Preconditions:		
Use a dedicated disposable Chrome profile on TaskFlow http://localhost:5173, baseline main@5133a6c. Use Asia/Baghdad (UTC+03:00) and fixed local reference 2026-10-27 12:00; for date utility/harness checks pass "2026-10-27" explicitly or construct new Date(2026, 9, 27, 12, 0, 0) under TZ=Asia/Baghdad. Never use the current wall clock for a today/yesterday/tomorrow assertion. Clear only this profile's taskflow_tasks/taskflow_tasks_backup before each independent UI fixture. Local storage is available. In unit-harness cases run node from the repository root and import the cited src/utils module; harness-only cases do not claim a UI execution. Fixture: one task titled Transition fixture, status To Do, priority Medium, dueDate empty; no filters active. Seed createdAt and updatedAt as 2026-01-01T00:00:00.000Z so the first reference-clock mutation advances updatedAt.		
#:	Step actions:	Expected Results:
1	With one card "Transition fixture" in state "To Do", record its updatedAt from localStorage.	The card status badge and Change status select both show "To Do".
2	Choose "Completed" in Change status of Transition fixture.	The badge and select show "Completed"; toast "Task status updated." appears; storage status is "Completed" and updatedAt is later than the recorded value.
3	Inspect the list and localStorage.	Exactly one task remains; its id, title, priority and dueDate are unchanged.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-C-002: Status values and validation [Version : 1] REQ-C-003: Status change and summary totals [Version : 1]	
Keywords:	None	

Test Case TF-98: TC-C-014 - Status transition In Progress to To Do [Version : 1]		
Author:	lanya	
Summary:		
TC-C-014 - Status transition In Progress to To Do. **Test design technique:** State Transition - source state to distinct destination state **Requirements:** REQ-C-002, REQ-C-003		
Preconditions:		
Use a dedicated disposable Chrome profile on TaskFlow http://localhost:5173, baseline main@5133a6c. Use Asia/Baghdad (UTC+03:00) and fixed local reference 2026-10-27 12:00; for date utility/harness checks pass "2026-10-27" explicitly or construct new Date(2026, 9, 27, 12, 0, 0) under TZ=Asia/Baghdad. Never use the current wall clock for a today/yesterday/tomorrow assertion. Clear only this profile's taskflow_tasks/taskflow_tasks_backup before each independent UI fixture. Local storage is available. In unit-harness cases run node from the repository root and import the cited src/utils module; harness-only cases do not claim a UI execution. Fixture: one task titled Transition fixture, status In Progress, priority Medium, dueDate empty; no filters active. Seed createdAt and updatedAt as 2026-01-01T00:00:00.000Z so the first reference-clock mutation advances updatedAt.		
#:	Step actions:	Expected Results:
1	With one card "Transition fixture" in state "In Progress", record its updatedAt from localStorage.	The card status badge and Change status select both show "In Progress".
2	Choose "To Do" in Change status of Transition fixture.	The badge and select show "To Do"; toast "Task status updated." appears; storage status is "To Do" and updatedAt is later than the recorded value.
3	Inspect the list and localStorage.	Exactly one task remains; its id, title, priority and dueDate are unchanged.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-C-002: Status values and validation [Version : 1] REQ-C-003: Status change and summary totals [Version : 1]	
Keywords:	None	

Test Case TF-99: TC-C-015 - Status transition In Progress to Completed [Version : 1]		
Author:	lanya	
Summary:		
TC-C-015 - Status transition In Progress to Completed. **Test design technique:** State Transition - source state to distinct destination state **Requirements:** REQ-C-002, REQ-C-003		
Preconditions:		
Use a dedicated disposable Chrome profile on TaskFlow http://localhost:5173, baseline main@5133a6c. Use Asia/Baghdad (UTC+03:00) and fixed local reference 2026-10-27 12:00; for date utility/harness checks pass "2026-10-27" explicitly or construct new Date(2026, 9, 27, 12, 0, 0) under TZ=Asia/Baghdad. Never use the current wall clock for a today/yesterday/tomorrow assertion. Clear only this profile's taskflow_tasks/taskflow_tasks_backup before each independent UI fixture. Local storage is available. In unit-harness cases run node from the repository root and import the cited src/utils module; harness-only cases do not claim a UI execution. Fixture: one task titled Transition fixture, status In Progress, priority Medium, dueDate empty; no filters active. Seed createdAt and updatedAt as 2026-01-01T00:00:00.000Z so the first reference-clock mutation advances updatedAt.		
#:	Step actions:	Expected Results:
1	With one card "Transition fixture" in state "In Progress", record its updatedAt from localStorage.	The card status badge and Change status select both show "In Progress".
2	Choose "Completed" in Change status of Transition fixture.	The badge and select show "Completed"; toast "Task status updated." appears; storage status is "Completed" and updatedAt is later than the recorded value.
3	Inspect the list and localStorage.	Exactly one task remains; its id, title, priority and dueDate are unchanged.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-C-002: Status values and validation [Version : 1] REQ-C-003: Status change and summary totals [Version : 1]	
Keywords:	None	

Test Case TF-100: TC-C-016 - Status transition Completed to To Do [Version : 1]		
Author:	lanya	
Summary:		
TC-C-016 - Status transition Completed to To Do. **Test design technique:** State Transition - source state to distinct destination state **Requirements:** REQ-C-002, REQ-C-003		
Preconditions:		
Use a dedicated disposable Chrome profile on TaskFlow http://localhost:5173, baseline main@5133a6c. Use Asia/Baghdad (UTC+03:00) and fixed local reference 2026-10-27 12:00; for date utility/harness checks pass "2026-10-27" explicitly or construct new Date(2026, 9, 27, 12, 0, 0) under TZ=Asia/Baghdad. Never use the current wall clock for a today/yesterday/tomorrow assertion. Clear only this profile's taskflow_tasks/taskflow_tasks_backup before each independent UI fixture. Local storage is available. In unit-harness cases run node from the repository root and import the cited src/utils module; harness-only cases do not claim a UI execution. Fixture: one task titled Transition fixture, status Completed, priority Medium, dueDate empty; no filters active. Seed createdAt and updatedAt as 2026-01-01T00:00:00.000Z so the first reference-clock mutation advances updatedAt.		
#:	Step actions:	Expected Results:
1	With one card "Transition fixture" in state "Completed", record its updatedAt from localStorage.	The card status badge and Change status select both show "Completed".
2	Choose "To Do" in Change status of Transition fixture.	The badge and select show "To Do"; toast "Task status updated." appears; storage status is "To Do" and updatedAt is later than the recorded value.
3	Inspect the list and localStorage.	Exactly one task remains; its id, title, priority and dueDate are unchanged.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-C-002: Status values and validation [Version : 1] REQ-C-003: Status change and summary totals [Version : 1]	
Keywords:	None	

Test Case TF-101: TC-C-017 - Status transition Completed to In Progress [Version : 1]		
Author:	lanya	
Summary:		
TC-C-017 - Status transition Completed to In Progress. **Test design technique:** State Transition - source state to distinct destination state **Requirements:** REQ-C-002, REQ-C-003		
Preconditions:		
Use a dedicated disposable Chrome profile on TaskFlow http://localhost:5173, baseline main@5133a6c. Use Asia/Baghdad (UTC+03:00) and fixed local reference 2026-10-27 12:00; for date utility/harness checks pass "2026-10-27" explicitly or construct new Date(2026, 9, 27, 12, 0, 0) under TZ=Asia/Baghdad. Never use the current wall clock for a today/yesterday/tomorrow assertion. Clear only this profile's taskflow_tasks/taskflow_tasks_backup before each independent UI fixture. Local storage is available. In unit-harness cases run node from the repository root and import the cited src/utils module; harness-only cases do not claim a UI execution. Fixture: one task titled Transition fixture, status Completed, priority Medium, dueDate empty; no filters active. Seed createdAt and updatedAt as 2026-01-01T00:00:00.000Z so the first reference-clock mutation advances updatedAt.		
#:	Step actions:	Expected Results:
1	With one card "Transition fixture" in state "Completed", record its updatedAt from localStorage.	The card status badge and Change status select both show "Completed".
2	Choose "In Progress" in Change status of Transition fixture.	The badge and select show "In Progress"; toast "Task status updated." appears; storage status is "In Progress" and updatedAt is later than the recorded value.
3	Inspect the list and localStorage.	Exactly one task remains; its id, title, priority and dueDate are unchanged.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-C-002: Status values and validation [Version : 1] REQ-C-003: Status change and summary totals [Version : 1]	
Keywords:	None	

Test Case TF-102: TC-C-018 - Same-state selection behavior for To Do [Version : 1]		
Author:	lanya	
Summary:		
TC-C-018 - Same-state selection behavior for To Do. **Test design technique:** State Transition - same source and destination state **Requirements:** REQ-C-002, REQ-C-003		
Preconditions:		
Use a dedicated disposable Chrome profile on TaskFlow http://localhost:5173, baseline main@5133a6c. Use Asia/Baghdad (UTC+03:00) and fixed local reference 2026-10-27 12:00; for date utility/harness checks pass "2026-10-27" explicitly or construct new Date(2026, 9, 27, 12, 0, 0) under TZ=Asia/Baghdad. Never use the current wall clock for a today/yesterday/tomorrow assertion. Clear only this profile's taskflow_tasks/taskflow_tasks_backup before each independent UI fixture. Local storage is available. In unit-harness cases run node from the repository root and import the cited src/utils module; harness-only cases do not claim a UI execution. Fixture: one task titled Same state fixture, priority Medium, dueDate empty. Trigger change event explicitly because selecting the already selected native option does not normally emit change. Seed createdAt and updatedAt as 2026-01-01T00:00:00.000Z so the first reference-clock mutation advances updatedAt.		
#:	Step actions:	Expected Results:
1	Load one task "Same state fixture" with status "To Do" and record updatedAt.	The card badge and select both show "To Do".
2	In DevTools dispatch a bubbling change event on that card's status select with its current value.	The status remains unchanged; toast "Task status updated." appears; changeStatus writes a new updatedAt timestamp.
3	Inspect localStorage.	There is still exactly one task with the same id and status; only updatedAt is refreshed among the recorded task fields.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-C-002: Status values and validation [Version : 1] REQ-C-003: Status change and summary totals [Version : 1]	
Keywords:	None	

Test Case TF-103: TC-C-019 - Same-state selection behavior for In Progress [Version : 1]		
Author:	lanya	
Summary: TC-C-019 - Same-state selection behavior for In Progress. **Test design technique:** State Transition - same source and destination state **Requirements:** REQ-C-002, REQ-C-003		
Preconditions: Use a dedicated disposable Chrome profile on TaskFlow http://localhost:5173, baseline main@5133a6c. Use Asia/Baghdad (UTC+03:00) and fixed local reference 2026-10-27 12:00; for date utility/harness checks pass "2026-10-27" explicitly or construct new Date(2026, 9, 27, 12, 0, 0) under TZ=Asia/Baghdad. Never use the current wall clock for a today/yesterday/tomorrow assertion. Clear only this profile's taskflow_tasks/taskflow_tasks_backup before each independent UI fixture. Local storage is available. In unit-harness cases run node from the repository root and import the cited src/utils module; harness-only cases do not claim a UI execution. Fixture: one task titled Same state fixture, priority Medium, dueDate empty. Trigger change event explicitly because selecting the already selected native option does not normally emit change. Seed createdAt and updatedAt as 2026-01-01T00:00:00.000Z so the first reference-clock mutation advances updatedAt.		
#:	Step actions:	Expected Results:
1	Load one task "Same state fixture" with status "In Progress" and record updatedAt.	The card badge and select both show "In Progress".
2	In DevTools dispatch a bubbling change event on that card's status select with its current value.	The status remains unchanged; toast "Task status updated." appears; changeStatus writes a new updatedAt timestamp.
3	Inspect localStorage.	There is still exactly one task with the same id and status; only updatedAt is refreshed among the recorded task fields.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-C-002: Status values and validation [Version : 1] REQ-C-003: Status change and summary totals [Version : 1]	
Keywords:	None	

Test Case TF-104: TC-C-020 - Same-state selection behavior for Completed [Version : 1]		
Author:	lanya	
Summary:		
TC-C-020 - Same-state selection behavior for Completed. **Test design technique:** State Transition - same source and destination state **Requirements:** REQ-C-002, REQ-C-003		
Preconditions:		
Use a dedicated disposable Chrome profile on TaskFlow http://localhost:5173, baseline main@5133a6c. Use Asia/Baghdad (UTC+03:00) and fixed local reference 2026-10-27 12:00; for date utility/harness checks pass "2026-10-27" explicitly or construct new Date(2026, 9, 27, 12, 0, 0) under TZ=Asia/Baghdad. Never use the current wall clock for a today/yesterday/tomorrow assertion. Clear only this profile's taskflow_tasks/taskflow_tasks_backup before each independent UI fixture. Local storage is available. In unit-harness cases run node from the repository root and import the cited src/utils module; harness-only cases do not claim a UI execution. Fixture: one task titled Same state fixture, priority Medium, dueDate empty. Trigger change event explicitly because selecting the already selected native option does not normally emit change. Seed createdAt and updatedAt as 2026-01-01T00:00:00.000Z so the first reference-clock mutation advances updatedAt.		
#:	Step actions:	Expected Results:
1	Load one task "Same state fixture" with status "Completed" and record updatedAt.	The card badge and select both show "Completed".
2	In DevTools dispatch a bubbling change event on that card's status select with its current value.	The status remains unchanged; toast "Task status updated." appears; changeStatus writes a new updatedAt timestamp.
3	Inspect localStorage.	There is still exactly one task with the same id and status; only updatedAt is refreshed among the recorded task fields.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-C-002: Status values and validation [Version : 1] REQ-C-003: Status change and summary totals [Version : 1]	
Keywords:	None	

Test Case TF-105: TC-C-021 - Summary totals ignore search filtering [Version : 1]		
Author:	lanya	
Summary: TC-C-021 - Summary totals ignore search filtering. **Test design technique:** Decision Table - summary calculation independent of visible result set **Requirements:** REQ-C-003		
Preconditions: Use a dedicated disposable Chrome profile on TaskFlow http://localhost:5173, baseline main@5133a6c. Use Asia/Baghdad (UTC+03:00) and fixed local reference 2026-10-27 12:00; for date utility/harness checks pass "2026-10-27" explicitly or construct new Date(2026, 9, 27, 12, 0, 0) under TZ=Asia/Baghdad. Never use the current wall clock for a today/yesterday/tomorrow assertion. Clear only this profile's taskflow_tasks/taskflow_tasks_backup before each independent UI fixture. Local storage is available. In unit-harness cases run node from the repository root and import the cited src/utils module; harness-only cases do not claim a UI execution. Use the exact five-task fixture above, no other saved tasks.		
#:	Step actions:	Expected Results:
1	Load five tasks: A (To Do/Low), B (To Do/High), C (In Progress/Medium), needle work (In Progress/High), needle done (Completed/High).	SummaryCards shows "Total Tasks" 5, "To Do" 2, "In Progress" 2 and "Completed" 1.
2	Type "needle" in the search input.	Only matching cards change; summary remains Total Tasks 5, To Do 2, In Progress 2, Completed 1.
3	Read all four summary cards after the list refresh.	The four counts remain 5, 2, 2 and 1 respectively, regardless of the number of visible cards.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-C-003: Status change and summary totals [Version : 1]	
Keywords:	None	

Test Case TF-106: TC-C-022 - Summary totals ignore status filtering [Version : 1]		
Author:	lanya	
Summary:		
TC-C-022 - Summary totals ignore status filtering. **Test design technique:** Decision Table - summary calculation independent of visible result set **Requirements:** REQ-C-003		
Preconditions:		
Use a dedicated disposable Chrome profile on TaskFlow http://localhost:5173, baseline main@5133a6c. Use Asia/Baghdad (UTC+03:00) and fixed local reference 2026-10-27 12:00; for date utility/harness checks pass "2026-10-27" explicitly or construct new Date(2026, 9, 27, 12, 0, 0) under TZ=Asia/Baghdad. Never use the current wall clock for a today/yesterday/tomorrow assertion. Clear only this profile's taskflow_tasks/taskflow_tasks_backup before each independent UI fixture. Local storage is available. In unit-harness cases run node from the repository root and import the cited src/utils module; harness-only cases do not claim a UI execution. Use the exact five-task fixture above, no other saved tasks.		
#:	Step actions:	Expected Results:
1	Load five tasks: A (To Do/Low), B (To Do/High), C (In Progress/Medium), needle work (In Progress/High), needle done (Completed/High).	SummaryCards shows "Total Tasks" 5, "To Do" 2, "In Progress" 2 and "Completed" 1.
2	Set Status filter to "Completed".	Only the completed card remains visible; summary remains Total Tasks 5, To Do 2, In Progress 2, Completed 1.
3	Read all four summary cards after the list refresh.	The four counts remain 5, 2, 2 and 1 respectively, regardless of the number of visible cards.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-C-003: Status change and summary totals [Version : 1]	
Keywords:	None	

Test Case TF-107: TC-C-023 - Summary totals ignore priority filtering [Version : 1]		
Author:	lanya	
Summary:		
TC-C-023 - Summary totals ignore priority filtering. **Test design technique:** Decision Table - summary calculation independent of visible result set **Requirements:** REQ-C-003		
Preconditions:		
Use a dedicated disposable Chrome profile on TaskFlow http://localhost:5173, baseline main@5133a6c. Use Asia/Baghdad (UTC+03:00) and fixed local reference 2026-10-27 12:00; for date utility/harness checks pass "2026-10-27" explicitly or construct new Date(2026, 9, 27, 12, 0, 0) under TZ=Asia/Baghdad. Never use the current wall clock for a today/yesterday/tomorrow assertion. Clear only this profile's taskflow_tasks/taskflow_tasks_backup before each independent UI fixture. Local storage is available. In unit-harness cases run node from the repository root and import the cited src/utils module; harness-only cases do not claim a UI execution. Use the exact five-task fixture above, no other saved tasks.		
#:	Step actions:	Expected Results:
1	Load five tasks: A (To Do/Low), B (To Do/High), C (In Progress/Medium), needle work (In Progress/High), needle done (Completed/High).	SummaryCards shows "Total Tasks" 5, "To Do" 2, "In Progress" 2 and "Completed" 1.
2	Set Priority filter to "High".	Only High priority cards remain visible; summary remains Total Tasks 5, To Do 2, In Progress 2, Completed 1.
3	Read all four summary cards after the list refresh.	The four counts remain 5, 2, 2 and 1 respectively, regardless of the number of visible cards.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-C-003: Status change and summary totals [Version : 1]	
Keywords:	None	

Test Case TF-108: TC-C-024 - Summary totals ignore combined filtering [Version : 1]		
Author:	lanya	
Summary: TC-C-024 - Summary totals ignore combined filtering. **Test design technique:** Decision Table - summary calculation independent of visible result set **Requirements:** REQ-C-003		
Preconditions: Use a dedicated disposable Chrome profile on TaskFlow http://localhost:5173, baseline main@5133a6c. Use Asia/Baghdad (UTC+03:00) and fixed local reference 2026-10-27 12:00; for date utility/harness checks pass "2026-10-27" explicitly or construct new Date(2026, 9, 27, 12, 0, 0) under TZ=Asia/Baghdad. Never use the current wall clock for a today/yesterday/tomorrow assertion. Clear only this profile's taskflow_tasks/taskflow_tasks_backup before each independent UI fixture. Local storage is available. In unit-harness cases run node from the repository root and import the cited src/utils module; harness-only cases do not claim a UI execution. Use the exact five-task fixture above, no other saved tasks.		
#:	Step actions:	Expected Results:
1	Load five tasks: A (To Do/Low), B (To Do/High), C (In Progress/Medium), needle work (In Progress/High), needle done (Completed/High).	SummaryCards shows "Total Tasks" 5, "To Do" 2, "In Progress" 2 and "Completed" 1.
2	Search for "needle" while Status is Completed and Priority is High.	The list reflects the combined filters (one matching completed card); summary remains Total Tasks 5, To Do 2, In Progress 2, Completed 1.
3	Read all four summary cards after the list refresh.	The four counts remain 5, 2, 2 and 1 respectively, regardless of the number of visible cards.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-C-003: Status change and summary totals [Version : 1]	
Keywords:	None	

Test Case TF-109: TC-C-025 - Completed overdue card has completed styling and no overdue treatment [Version : 1]

Author:	lanya

Summary:

TC-C-025 - Completed overdue card has completed styling and no overdue treatment.

Test design technique: Decision Table - overdue date AND Completed state

Requirements: REQ-C-004, REQ-C-007

Preconditions:

Use a dedicated disposable Chrome profile on TaskFlow http://localhost:5173, baseline main@5133a6c. Use Asia/Baghdad (UTC+03:00) and fixed local reference 2026-10-27 12:00; for date utility/harness checks pass "2026-10-27" explicitly or construct new Date(2026, 9, 27, 12, 0, 0) under TZ=Asia/Baghdad. Never use the current wall clock for a today/yesterday/tomorrow assertion. Clear only this profile's taskflow_tasks/taskflow_tasks_backup before each independent UI fixture. Local storage is available. In unit-harness cases run node from the repository root and import the cited src/utils module; harness-only cases do not claim a UI execution. Use the fixed local day from COMMON. Fixture title: Completed yesterday; dueDate 2026-10-26; status Completed.

#:	Step actions:	Expected Results:
1	With fixed local today 2026-10-27, load a Completed task due 2026-10-26.	The card has class "completed" and status badge "Completed".
2	Inspect the due-date line and badges.	The line reads "Due: Oct 26, 2026" without overdue red styling; no "Overdue" or "Due today" badge is rendered.

Execution type:	Manual
Estimated exec. duration (min):	
Importance:	High
Requirements	REQ-C-004: Completed task presentation [Version : 1] REQ-C-007: Overdue and due-today decision [Version : 1]
Keywords:	None

Test Case TF-110: TC-C-026 - Completed task due today omits Due today badge [Version : 1]		
Author:	lanya	
Summary:		
TC-C-026 - Completed task due today omits Due today badge. **Test design technique:** Decision Table - today date AND Completed state **Requirements:** REQ-C-004, REQ-C-007		
Preconditions:		
Use a dedicated disposable Chrome profile on TaskFlow http://localhost:5173, baseline main@5133a6c. Use Asia/Baghdad (UTC+03:00) and fixed local reference 2026-10-27 12:00; for date utility/harness checks pass "2026-10-27" explicitly or construct new Date(2026, 9, 27, 12, 0, 0) under TZ=Asia/Baghdad. Never use the current wall clock for a today/yesterday/tomorrow assertion. Clear only this profile's taskflow_tasks/taskflow_tasks_backup before each independent UI fixture. Local storage is available. In unit-harness cases run node from the repository root and import the cited src/utils module; harness-only cases do not claim a UI execution. Fixture: Completed today, dueDate 2026-10-27, status Completed; fixed local reference date 2026-10-27.		
#:	Step actions:	Expected Results:
1	With fixed local today 2026-10-27, load a Completed task due 2026-10-27.	The card has class "completed" and status badge "Completed".
2	Inspect its date badges.	Neither "Due today" nor "Overdue" is shown.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-C-004: Completed task presentation [Version : 1] REQ-C-007: Overdue and due-today decision [Version : 1]	
Keywords:	None	

3.3.Test Suite : TS-C3 - Optional dates and calendar validation

Optional/valid/invalid dates, browser sanitization distinguished from validator rejection, exact format and month/day/leap-year boundaries.

Test Case TF-111: TC-C-027 - Empty due date is a valid optional value [Version : 1]		
Author:	lanya	
Summary:		
TC-C-027 - Empty due date is a valid optional value. **Test design technique:** EP - absent optional due-date partition **Requirements:** REQ-C-005		
Preconditions:		
Use a dedicated disposable Chrome profile on TaskFlow http://localhost:5173, baseline main@5133a6c. Use Asia/Baghdad (UTC+03:00) and fixed local reference 2026-10-27 12:00; for date utility/harness checks pass "2026-10-27" explicitly or construct new Date(2026, 9, 27, 12, 0, 0) under TZ=Asia/Baghdad. Never use the current wall clock for a today/yesterday/tomorrow assertion. Clear only this profile's taskflow_tasks/taskflow_tasks_backup before each independent UI fixture. Local storage is available. In unit-harness cases run node from the repository root and import the cited src/utils module; harness-only cases do not claim a UI execution. Fixture starts with no tasks. Use title Optional date fixture, Medium priority and To Do status.		
#:	Step actions:	Expected Results:
1	Open New Task and inspect Due Date.	The native date input is blank and the hint reads "Optional".
2	Create a task with valid required fields and leave Due Date blank.	The task is saved; no due-date error appears; localStorage dueDate is the empty string; the card has no "Due:" line.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-C-005: Optional due date and real calendar validation [Version : 1]	
Keywords:	None	

Test Case TF-112: TC-C-028 - Valid leap-day date is retained and formatted [Version : 1]		
Author:	lanya	
Summary: TC-C-028 - Valid leap-day date is retained and formatted. **Test design technique:** EP - valid optional date partition **Requirements:** REQ-C-005, REQ-C-006, REQ-C-008		
Preconditions: Use a dedicated disposable Chrome profile on TaskFlow http://localhost:5173, baseline main@5133a6c. Use Asia/Baghdad (UTC+03:00) and fixed local reference 2026-10-27 12:00; for date utility/harness checks pass "2026-10-27" explicitly or construct new Date(2026, 9, 27, 12, 0, 0) under TZ=Asia/Baghdad. Never use the current wall clock for a today/yesterday/tomorrow assertion. Clear only this profile's taskflow_tasks/taskflow_tasks_backup before each independent UI fixture. Local storage is available. In unit-harness cases run node from the repository root and import the cited src/utils module; harness-only cases do not claim a UI execution. Fixture: empty task list; title Leap fixture, valid enums.		
#:	Step actions:	Expected Results:
1	Create a task and set Due Date to 2028-02-29.	The native date input displays 2028-02-29 and has aria-invalid="false".
2	Save and inspect the card and localStorage.	Saved dueDate is "2028-02-29"; the card line reads "Due: Feb 29, 2028".
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-C-005: Optional due date and real calendar validation [Version : 1] REQ-C-006: Leap years and calendar boundaries [Version : 1] REQ-C-008: Local calendar day and date display [Version : 1]	
Keywords:	None	

Test Case TF-113: TC-C-029 - Native date input sanitizes impossible date before validator [Version : 1]		
Author:	lanya	
Summary:		
TC-C-029 - Native date input sanitizes impossible date before validator. **Test design technique:** Error Guessing - native date sanitization boundary **Requirements:** REQ-C-005		
Preconditions:		
Use a dedicated disposable Chrome profile on TaskFlow http://localhost:5173, baseline main@5133a6c. Use Asia/Baghdad (UTC+03:00) and fixed local reference 2026-10-27 12:00; for date utility/harness checks pass "2026-10-27" explicitly or construct new Date(2026, 9, 27, 12, 0, 0) under TZ=Asia/Baghdad. Never use the current wall clock for a today/yesterday/tomorrow assertion. Clear only this profile's taskflow_tasks/taskflow_tasks_backup before each independent UI fixture. Local storage is available. In unit-harness cases run node from the repository root and import the cited src/utils module; harness-only cases do not claim a UI execution. Use Chrome native input[type=date]. This case verifies browser sanitization and does not claim validateTask rejected the impossible date.		
#:	Step actions:	Expected Results:
1	Open New Task; in DevTools assign '2026-02-29' to input[name=dueDate].value and read the value back.	The native date input value is the empty string because 2026-02-29 is not a real date; the form has no due-date error because the field is optional.
2	Inspect aria-invalid and submit the otherwise valid task.	aria-invalid remains "false" for dueDate; creation is accepted with dueDate "" and no "Please enter a valid date (YYYY-MM-DD)." message.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-C-005: Optional due date and real calendar validation [Version : 1]	
Keywords:	None	

Test Case TF-114: TC-C-030 - Validator rejects impossible calendar date independently of native control [Version : 1]		
Author:	lanya	
Summary: TC-C-030 - Validator rejects impossible calendar date independently of native control. **Test design technique:** EP - invalid date partition; unit harness **Requirements:** REQ-C-005, REQ-C-006		
Preconditions: Use a dedicated disposable Chrome profile on TaskFlow http://localhost:5173, baseline main@5133a6c. Use Asia/Baghdad (UTC+03:00) and fixed local reference 2026-10-27 12:00; for date utility/harness checks pass "2026-10-27" explicitly or construct new Date(2026, 9, 27, 12, 0, 0) under TZ=Asia/Baghdad. Never use the current wall clock for a today/yesterday/tomorrow assertion. Clear only this profile's taskflow_tasks/taskflow_tasks_backup before each independent UI fixture. Local storage is available. In unit-harness cases run node from the repository root and import the cited src/utils module; harness-only cases do not claim a UI execution. Unit harness only: import validateTask from src/utils/validation.js; do not claim native form rejection.		
#:	Step actions:	Expected Results:
1	Run validateTask with dueDate:'2026-02-29' and all other fields valid.	The returned errors object contains dueDate: "Please enter a valid date (YYYY-MM-DD).".
2	Repeat with dueDate:'2026-13-01'.	The same exact dueDate error is returned; no other field error is present.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-C-005: Optional due date and real calendar validation [Version : 1] REQ-C-006: Leap years and calendar boundaries [Version : 1]	
Keywords:	None	

Test Case TF-115: TC-C-031 - Leap-year divisibility decision table [Version : 1]		
Author:	lanya	
Summary:		
TC-C-031 - Leap-year divisibility decision table. **Test design technique:** Decision Table - Gregorian leap-year rule; unit harness **Requirements:** REQ-C-006		
Preconditions:		
Use a dedicated disposable Chrome profile on TaskFlow http://localhost:5173, baseline main@5133a6c. Use Asia/Baghdad (UTC+03:00) and fixed local reference 2026-10-27 12:00; for date utility/harness checks pass "2026-10-27" explicitly or construct new Date(2026, 9, 27, 12, 0, 0) under TZ=Asia/Baghdad. Never use the current wall clock for a today/yesterday/tomorrow assertion. Clear only this profile's taskflow_tasks/taskflow_tasks_backup before each independent UI fixture. Local storage is available. In unit-harness cases run node from the repository root and import the cited src/utils module; harness-only cases do not claim a UI execution. Unit harness only: use fixed date strings; the check is independent of the current day.		
#:	Step actions:	Expected Results:
1	Call isValidDateString for 2024-02-29, 2000-02-29, 1900-02-29 and 2100-02-29.	Results respectively are true, true, false and false: divisible by 4 except century years unless divisible by 400.
2	Call validateTask for each date with other fields valid.	The first two produce no dueDate error; 1900 and 2100 produce "Please enter a valid date (YYYY-MM-DD).".
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-C-006: Leap years and calendar boundaries [Version : 1]	
Keywords:	None	

Test Case TF-116: TC-C-032 - Day-of-month minimum and maximum boundaries [Version : 1]		
Author:	lanya	
Summary: TC-C-032 - Day-of-month minimum and maximum boundaries. **Test design technique:** BVA - day min-1/min/max/max+1; unit harness **Requirements:** REQ-C-005, REQ-C-006		
Preconditions: Use a dedicated disposable Chrome profile on TaskFlow http://localhost:5173, baseline main@5133a6c. Use Asia/Baghdad (UTC+03:00) and fixed local reference 2026-10-27 12:00; for date utility/harness checks pass "2026-10-27" explicitly or construct new Date(2026, 9, 27, 12, 0, 0) under TZ=Asia/Baghdad. Never use the current wall clock for a today/yesterday/tomorrow assertion. Clear only this profile's taskflow_tasks/taskflow_tasks_backup before each independent UI fixture. Local storage is available. In unit-harness cases run node from the repository root and import the cited src/utils module; harness-only cases do not claim a UI execution. Unit harness only: JavaScript object literals use exact YYYY-MM-DD strings.		
#:	Step actions:	Expected Results:
1	Check isValidDateString for January 00, 01, 31 and 32 in year 2026.	2026-01-00 is false (min-1); 2026-01-01 is true (minimum day); 2026-01-31 is true (maximum day); 2026-01-32 is false (max+1).
2	Check validateTask for the two invalid values.	Each invalid value returns dueDate: "Please enter a valid date (YYYY-MM-DD).".
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-C-005: Optional due date and real calendar validation [Version : 1] REQ-C-006: Leap years and calendar boundaries [Version : 1]	
Keywords:	None	

Test Case TF-117: TC-C-033 - Leap-February day maximum and max+1 [Version : 1]		
Author:	lanya	
Summary:		
TC-C-033 - Leap-February day maximum and max+1. **Test design technique:** BVA - leap month day max/max+1; unit harness **Requirements:** REQ-C-006		
Preconditions:		
Use a dedicated disposable Chrome profile on TaskFlow http://localhost:5173, baseline main@5133a6c. Use Asia/Baghdad (UTC+03:00) and fixed local reference 2026-10-27 12:00; for date utility/harness checks pass "2026-10-27" explicitly or construct new Date(2026, 9, 27, 12, 0, 0) under TZ=Asia/Baghdad. Never use the current wall clock for a today/yesterday/tomorrow assertion. Clear only this profile's taskflow_tasks/taskflow_tasks_backup before each independent UI fixture. Local storage is available. In unit-harness cases run node from the repository root and import the cited src/utils module; harness-only cases do not claim a UI execution. Unit harness only; fixed Gregorian dates.		
#:	Step actions:	Expected Results:
1	Check isValidDateString for 2024-02-28, 2024-02-29 and 2024-02-30.	February 28 and leap day February 29 are true; February 30 is false.
2	Check isValidDateString for 2023-02-28 and 2023-02-29.	February 28 is true; February 29 is false in the non-leap year.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-C-006: Leap years and calendar boundaries [Version : 1]	
Keywords:	None	

Test Case TF-118: TC-C-034 - Thirty-day month maximum and max+1 [Version : 1]		
Author:	lanya	
Summary:		
TC-C-034 - Thirty-day month maximum and max+1. **Test design technique:** BVA - month-specific maximum and max+1; unit harness **Requirements:** REQ-C-006		
Preconditions:		
Use a dedicated disposable Chrome profile on TaskFlow http://localhost:5173, baseline main@5133a6c. Use Asia/Baghdad (UTC+03:00) and fixed local reference 2026-10-27 12:00; for date utility/harness checks pass "2026-10-27" explicitly or construct new Date(2026, 9, 27, 12, 0, 0) under TZ=Asia/Baghdad. Never use the current wall clock for a today/yesterday/tomorrow assertion. Clear only this profile's taskflow_tasks/taskflow_tasks_backup before each independent UI fixture. Local storage is available. In unit-harness cases run node from the repository root and import the cited src/utils module; harness-only cases do not claim a UI execution. Unit harness only; verifies separate 30-day months.		
#:	Step actions:	Expected Results:
1	Check isValidDateString for 2026-04-30 and 2026-04-31.	April 30 is true (month maximum); April 31 is false (max+1).
2	Check isValidDateString for 2026-06-30 and 2026-06-31.	June 30 is true; June 31 is false.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-C-006: Leap years and calendar boundaries [Version : 1]	
Keywords:	None	

Test Case TF-119: TC-C-035 - Month range min-1/min/max/max+1 [Version : 1]		
Author:	lanya	
Summary:		
TC-C-035 - Month range min-1/min/max/max+1. **Test design technique:** BVA - month min-1/min/max/max+1; unit harness **Requirements:** REQ-C-006		
Preconditions:		
Use a dedicated disposable Chrome profile on TaskFlow http://localhost:5173, baseline main@5133a6c. Use Asia/Baghdad (UTC+03:00) and fixed local reference 2026-10-27 12:00; for date utility/harness checks pass "2026-10-27" explicitly or construct new Date(2026, 9, 27, 12, 0, 0) under TZ=Asia/Baghdad. Never use the current wall clock for a today/yesterday/tomorrow assertion. Clear only this profile's taskflow_tasks/taskflow_tasks_backup before each independent UI fixture. Local storage is available. In unit-harness cases run node from the repository root and import the cited src/utils module; harness-only cases do not claim a UI execution. Unit harness only. No application date range beyond calendar month boundaries is inferred.		
#:	Step actions:	Expected Results:
1	Check isValidDateString for months 00, 01, 12 and 13 using year 2026 and day 01.	Month 00 is false (min-1); 01 is true (minimum); 12 is true (maximum); 13 is false (max+1).
2	Pass each value through validateTask.	Months 00 and 13 return "Please enter a valid date (YYYY-MM-DD)."; months 01 and 12 have no dueDate error.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-C-006: Leap years and calendar boundaries [Version : 1]	
Keywords:	None	

Test Case TF-120: TC-C-036 - Date string shape and optional absence partitions [Version : 1]		
Author:	lanya	
Summary:		
TC-C-036 - Date string shape and optional absence partitions. **Test design technique:** EP - valid-format and invalid-format date partitions; unit harness **Requirements:** REQ-C-005, REQ-C-006		
Preconditions:		
Use a dedicated disposable Chrome profile on TaskFlow http://localhost:5173, baseline main@5133a6c. Use Asia/Baghdad (UTC+03:00) and fixed local reference 2026-10-27 12:00; for date utility/harness checks pass "2026-10-27" explicitly or construct new Date(2026, 9, 27, 12, 0, 0) under TZ=Asia/Baghdad. Never use the current wall clock for a today/yesterday/tomorrow assertion. Clear only this profile's taskflow_tasks/taskflow_tasks_backup before each independent UI fixture. Local storage is available. In unit-harness cases run node from the repository root and import the cited src/utils module; harness-only cases do not claim a UI execution. Unit harness only; no native input behavior is asserted.		
#:	Step actions:	Expected Results:
1	Check isValidDateString for '2026-01-01', '2026-1-01', '26-01-01', and '2026/01/01'.	Only exact four-two-two hyphenated YYYY-MM-DD is true.
2	Check validateTask with dueDate omitted, null and empty string.	All three absent-value forms are accepted without a dueDate error.
3	Check dueDate:'2026-1-01' in validateTask.	The returned dueDate error is exactly "Please enter a valid date (YYYY-MM-DD).".
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-C-005: Optional due date and real calendar validation [Version : 1] REQ-C-006: Leap years and calendar boundaries [Version : 1]	
Keywords:	None	

3.4.Test Suite : TS-C4 - Local-day decisions and date formatting

Fixed Asia/Baghdad reference day, explicit date-relation × completion decision table, local midnight boundary and stable formatting.

Test Case TF-121: TC-C-037 - Fixed local yesterday-today-tomorrow by completion state [Version : 1]		
Author:	lanya	
Summary:		
TC-C-037 - Fixed local yesterday-today-tomorrow by completion state. **Test design technique:** Decision Table - date relation by completion state **Requirements:** REQ-C-004, REQ-C-007		
Preconditions:		
Use a dedicated disposable Chrome profile on TaskFlow http://localhost:5173, baseline main@5133a6c. Use Asia/Baghdad (UTC+03:00) and fixed local reference 2026-10-27 12:00; for date utility/harness checks pass "2026-10-27" explicitly or construct new Date(2026, 9, 27, 12, 0, 0) under TZ=Asia/Baghdad. Never use the current wall clock for a today/yesterday/tomorrow assertion. Clear only this profile's taskflow_tasks/taskflow_tasks_backup before each independent UI fixture. Local storage is available. In unit-harness cases run node from the repository root and import the cited src/utils module; harness-only cases do not claim a UI execution. Run the fixed-day harness, then inspect the matching card states in the disposable UI with the same frozen local day. Fix the test date explicitly; do not rely on October 2026 still being current.		
#:	Step actions:	Expected Results:
1	Set reference local today to 2026-10-27 (Asia/Baghdad). Evaluate fixtures for due date 2026-10-26 (yesterday), 2026-10-27 (today), 2026-10-28 (tomorrow) against status To Do and status Completed.	Decision table: Yesterday + To Do => isOverdue true, UI badge "Overdue" and red due-date style; Yesterday + Completed => false, no "Overdue" or "Due today"; Today + To Do => false, badge "Due today"; Today + Completed => false, no date badge; Tomorrow + To Do => false, no date badge; Tomorrow + Completed => false, no date badge.
2	Run the six isOverdue({dueDate,status}, '2026-10-27') assertions in the Node harness.	Only yesterday + To Do returns true; the other five return false.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-C-004: Completed task presentation [Version : 1] REQ-C-007: Overdue and due-today decision [Version : 1]	
Keywords:	None	

Test Case TF-122: TC-C-038 - Overdue result changes when a task becomes Completed [Version : 1]		
Author:	lanya	
Summary: TC-C-038 - Overdue result changes when a task becomes Completed. **Test design technique:** State Transition - active overdue to Completed exempt state **Requirements:** REQ-C-004, REQ-C-007		
Preconditions: Use a dedicated disposable Chrome profile on TaskFlow http://localhost:5173, baseline main@5133a6c. Use Asia/Baghdad (UTC+03:00) and fixed local reference 2026-10-27 12:00; for date utility/harness checks pass "2026-10-27" explicitly or construct new Date(2026, 9, 27, 12, 0, 0) under TZ=Asia/Baghdad. Never use the current wall clock for a today/yesterday/tomorrow assertion. Clear only this profile's taskflow_tasks/taskflow_tasks_backup before each independent UI fixture. Local storage is available. In unit-harness cases run node from the repository root and import the cited src/utils module; harness-only cases do not claim a UI execution. Fixture dueDate 2026-10-26. Fix the app-local clock to 2026-10-27T12:00:00+03:00 before asserting badges.		
#:	Step actions:	Expected Results:
1	With fixed today 2026-10-27, load task Overdue transition due 2026-10-26 in To Do.	The card shows "Overdue" and its due-date line uses overdue styling.
2	Change its status to Completed.	The card gains class "completed"; badge "Overdue" disappears; due-date styling is no longer overdue; toast "Task status updated." appears.
3	Change status back to In Progress.	Because its date is still yesterday, "Overdue" returns and the completed class is removed.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-C-004: Completed task presentation [Version : 1] REQ-C-007: Overdue and due-today decision [Version : 1]	
Keywords:	None	

Test Case TF-123: TC-C-039 - Due-date relation follows local calendar day, not UTC parsing [Version : 1]		
Author:	lanya	
Summary:		
TC-C-039 - Due-date relation follows local calendar day, not UTC parsing. **Test design technique:** BVA - local day boundary around midnight; unit harness **Requirements:** REQ-C-007, REQ-C-008		
Preconditions:		
Use a dedicated disposable Chrome profile on TaskFlow http://localhost:5173, baseline main@5133a6c. Use Asia/Baghdad (UTC+03:00) and fixed local reference 2026-10-27 12:00; for date utility/harness checks pass "2026-10-27" explicitly or construct new Date(2026, 9, 27, 12, 0, 0) under TZ=Asia/Baghdad. Never use the current wall clock for a today/yesterday/tomorrow assertion. Clear only this profile's taskflow_tasks/taskflow_tasks_backup before each independent UI fixture. Local storage is available. In unit-harness cases run node from the repository root and import the cited src/utils module; harness-only cases do not claim a UI execution. Unit harness only. Set process TZ=Asia/Baghdad and use fixed instant 2026-10-26T21:30:00Z; do not use new Date("YYYY-MM-DD") as the clock.		
#:	Step actions:	Expected Results:
1	Under TZ=Asia/Baghdad call todayString(new Date(value)) for 2026-10-26T20:59:59.999Z, 2026-10-26T21:00:00.000Z and 2026-10-26T21:00:00.001Z.	The returned dates are 2026-10-26, 2026-10-27 and 2026-10-27 respectively: immediately before, at and after local midnight.
2	Under TZ=Asia/Baghdad, construct new Date('2026-10-26T21:30:00Z') and pass it to todayString.	The instant is 2026-10-27 00:30 in Baghdad and todayString returns "2026-10-27".
3	Call isOverdue({dueDate:'2026-10-27',status:'To Do'}, todayString(theFixedDate)).	The result is false because the due date is the local current calendar day, even though the UTC timestamp is on the prior date.
4	Call isOverdue({dueDate:'2026-10-26',status:'To Do'}, todayString(theFixedDate)).	The result is true; the prior local calendar day is overdue.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-C-007: Overdue and due-today decision [Version : 1] REQ-C-008: Local calendar day and date display [Version : 1]	
Keywords:	None	

Test Case TF-124: TC-C-040 - Due-date formatting is stable for a fixed date [Version : 1]		
Author:	lanya	
Summary:		
TC-C-040 - Due-date formatting is stable for a fixed date. **Test design technique:** EP - valid display-format partition **Requirements:** REQ-C-008		
Preconditions:		
Use a dedicated disposable Chrome profile on TaskFlow http://localhost:5173, baseline main@5133a6c. Use Asia/Baghdad (UTC+03:00) and fixed local reference 2026-10-27 12:00; for date utility/harness checks pass "2026-10-27" explicitly or construct new Date(2026, 9, 27, 12, 0, 0) under TZ=Asia/Baghdad. Never use the current wall clock for a today/yesterday/tomorrow assertion. Clear only this profile's taskflow_tasks/taskflow_tasks_backup before each independent UI fixture. Local storage is available. In unit-harness cases run node from the repository root and import the cited src/utils module; harness-only cases do not claim a UI execution. Use exact local calendar date values. This formatting assertion is independent of current date/time.		
#:	Step actions:	Expected Results:
1	Load tasks due 2026-02-09, 2028-02-29 and 2026-12-31.	Cards display respectively "Due: Feb 9, 2026", "Due: Feb 29, 2028" and "Due: Dec 31, 2026".
2	Call formatDueDate with those same strings in the utility harness.	The returned strings are respectively "Feb 9, 2026", "Feb 29, 2028" and "Dec 31, 2026".
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-C-008: Local calendar day and date display [Version : 1]	
Keywords:	None	

Test Case TF-125: TC-C-041 - Local today helpers use fixed local date rather than wall clock [Version : 1]		
Author:	lanya	
Summary:		
TC-C-041 - Local today helpers use fixed local date rather than wall clock. **Test design technique:** Use Case - fixed local clock and reproducible date formatting; unit harness **Requirements:** REQ-C-008		
Preconditions:		
Use a dedicated disposable Chrome profile on TaskFlow http://localhost:5173, baseline main@5133a6c. Use Asia/Baghdad (UTC+03:00) and fixed local reference 2026-10-27 12:00; for date utility/harness checks pass "2026-10-27" explicitly or construct new Date(2026, 9, 27, 12, 0, 0) under TZ=Asia/Baghdad. Never use the current wall clock for a today/yesterday/tomorrow assertion. Clear only this profile's taskflow_tasks/taskflow_tasks_backup before each independent UI fixture. Local storage is available. In unit-harness cases run node from the repository root and import the cited src/utils module; harness-only cases do not claim a UI execution. Unit harness only; set TZ=Asia/Baghdad before starting Node so local Date construction is explicit.		
#:	Step actions:	Expected Results:
1	Under TZ=Asia/Baghdad create new Date(2026, 9, 27, 12, 0, 0); call todayString(date).	The result is exactly "2026-10-27".
2	Call formatToday(date).	The result is exactly "Tuesday, October 27, 2026".
3	Repeat on a machine whose wall clock is after October 2026 using the same constructed Date.	Both expected results remain the fixed October 27, 2026 local values; neither assertion depends on the machine current date.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-C-008: Local calendar day and date display [Version : 1]	
Keywords:	None	

4.Test Suite : D - Ahmed - Search filters and sorting

Member 4 / D, baseline TaskFlow main@5133a6c. Test basis: README.md TF-REQ-019 and Behaviour notes. Code: src/utils/tasks.js filterAndSortTasks/SORT_OPTIONS; src/components/TaskToolbar.jsx, TopBar.jsx, TaskList.jsx; src/App.jsx clearFilters.

Fixture CORE installed afresh before each independent case in a disposable Chrome profile through DevTools Console/localStorage taskflow_tasks, then location.reload(): six records, IDs d1-d6. d1: Alpha Planning | Build the billing dashboard | High | To Do | due 2026-11-30 | created 2026-01-10T08:00:00Z. d2: Alpha Support | Reconcile monthly billing | High | In Progress | due 2026-11-20 | created 2026-01-10T10:00:00Z. d3: Beta Launch | Prepare user notes | Medium | To Do | due 2026-11-20 | created 2026-01-05T09:00:00Z. d4: Gamma Review | Alpha appears in notes | Low | Completed | no due date | created 2026-01-15T08:00:00Z. d5: Alpha-100% (urgent) | Review [QA]? | Low | In Progress | due 2027-02-01 | created 2026-01-15T12:00:00Z. d6: Undated Later | No deadline | Medium | Completed | no due date | created 2026-01-20T08:00:00Z. For each record updatedAt equals createdAt; dueDate without a date is empty string. The explicit one-record and zero-record exceptions are stated in their case preconditions.

Reset taskflow_tasks and taskflow_tasks_backup before each case; fixture creation is setup only. Open http://localhost:5173, use Dashboard, and do not use UI CRUD as an assertion. Sort labels are Newest first, Oldest first, Due date: soonest, Due date: latest. Cases are manual and initially Not Run.

4.1.Test Suite : TS-D1 - Search and result feedback

EP and error guessing for query boundaries, title/description match, shared inputs, literal punctuation, counts and no-hit feedback.

Test Case TF-126: TC-D-001 Empty query shows all tasks [Version : 1]		
Author:	ahmed	
Summary:	TC-D-001 Empty query shows all tasks. **Test design technique:** EP - empty query partition **Requirements:** REQ-D-003, REQ-D-011	
Preconditions:	Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards.	
#:	Step actions:	Expected Results:
1	Leave both search inputs empty.	All six cards appear; text reads "Showing 6 of 6 tasks".
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-D-003: Blank query and literal punctuation [Version : 1] REQ-D-011: Singular and plural result counts [Version : 1]	
Keywords:	None	

Test Case TF-127: TC-D-002 Whitespace-only query is blank after trimming [Version : 1]		
Author:	ahmed	
Summary: TC-D-002 Whitespace-only query is blank after trimming. **Test design technique:** EP - whitespace query partition **Requirements:** REQ-D-001, REQ-D-003		
Preconditions: Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards.		
#:	Step actions:	Expected Results:
1	Enter three spaces in toolbar "Search".	TopBar "Search tasks" also contains three spaces; all six cards remain visible.
2	Inspect result text.	It reads "Showing 6 of 6 tasks"; no empty state appears.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-D-001: Trimmed case-insensitive title substring [Version : 1] REQ-D-003: Blank query and literal punctuation [Version : 1]	
Keywords:	None	

Test Case TF-128: TC-D-003 Case-insensitive title substring [Version : 1]		
Author:	ahmed	
Summary:		
TC-D-003 Case-insensitive title substring. **Test design technique:** EP - title substring partition **Requirements:** REQ-D-001		
Preconditions:		
Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards.		
#:	Step actions:	Expected Results:
1	Enter "pLaNn" in toolbar "Search".	Only "Alpha Planning" is visible.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-D-001: Trimmed case-insensitive title substring [Version : 1]	
Keywords:	None	

Test Case TF-129: TC-D-004 Description-only substring [Version : 1]		
Author:	ahmed	
Summary:		
TC-D-004 Description-only substring. **Test design technique:** EP - description partition **Requirements:** REQ-D-002		
Preconditions:		
Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards.		
#:	Step actions:	Expected Results:
1	Enter "dashboard" in "Search".	Only "Alpha Planning" is visible because dashboard occurs in its description.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-D-002: Description substring and title-or-description [Version : 1]	
Keywords:	None	

Test Case TF-130: TC-D-005 Title OR description returns each match once [Version : 1]		
Author:	ahmed	
Summary: TC-D-005 Title OR description returns each match once. **Test design technique:** Decision Table - title OR description **Requirements:** REQ-D-001, REQ-D-002, REQ-D-007, REQ-D-011		
Preconditions: Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards.		
#:	Step actions:	Expected Results:
1	Using the CORE fixture, change only d1.description to "Alpha billing dashboard" in stored JSON, reload, then enter "alpha" in Search.	Alpha Planning, Alpha Support, Alpha-100% (urgent), and Gamma Review appear once each. Alpha Planning matches both title and description but is not duplicated; Gamma Review matches description only.
2	Inspect result text.	It reads "Showing 4 of 6 tasks".
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Low	
Requirements	REQ-D-001: Trimmed case-insensitive title substring [Version : 1] REQ-D-002: Description substring and title-or-description [Version : 1] REQ-D-007: Search/status/priority AND decision table [Version : 1] REQ-D-011: Singular and plural result counts [Version : 1]	
Keywords:	None	

Test Case TF-131: TC-D-006 Case-insensitive description substring [Version : 1]		
Author:	ahmed	
Summary:		
TC-D-006 Case-insensitive description substring. **Test design technique:** EP - case partition in description **Requirements:** REQ-D-002		
Preconditions:		
Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards.		
#:	Step actions:	Expected Results:
1	Enter "RECONCILE MONTHLY" in "Search".	Only "Alpha Support" appears.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-D-002: Description substring and title-or-description [Version : 1]	
Keywords:	None	

Test Case TF-132: TC-D-007 Nonmatch displays exact search empty state [Version : 1]		
Author:	ahmed	
Summary:		
TC-D-007 Nonmatch displays exact search empty state. **Test design technique:** EP - no-match partition **Requirements:** REQ-D-003, REQ-D-012		
Preconditions:		
Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards.		
#:	Step actions:	Expected Results:
1	Enter " Qzx-No-Task " in "Search".	The title reads "No tasks match "Qzx-No-Task""; text reads "Try a different search term."; button reads "Clear search".
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Low	
Requirements	REQ-D-003: Blank query and literal punctuation [Version : 1] REQ-D-012: No-result message precedence and actions [Version : 1]	
Keywords:	None	

Test Case TF-133: TC-D-008 Percent and parentheses are literal search characters [Version : 1]		
Author:	ahmed	
Summary:		
TC-D-008 Percent and parentheses are literal search characters. **Test design technique:** Error Guessing - punctuation **Requirements:** REQ-D-003		
Preconditions:		
Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards.		
#:	Step actions:	Expected Results:
1	Enter "100% (urgent)" in "Search".	Only "Alpha-100% (urgent)" appears; punctuation is matched literally.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-D-003: Blank query and literal punctuation [Version : 1]	
Keywords:	None	

Test Case TF-134: TC-D-009 Square bracket and question mark are literal [Version : 1]		
Author:	ahmed	
Summary:		
TC-D-009 Square bracket and question mark are literal. **Test design technique:** Error Guessing - regex-like punctuation **Requirements:** REQ-D-002, REQ-D-003		
Preconditions:		
Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards.		
#:	Step actions:	Expected Results:
1	Enter "[QA]?" in "Search".	Only "Alpha-100% (urgent)" appears from description "Review [QA]?".
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-D-002: Description substring and title-or-description [Version : 1] REQ-D-003: Blank query and literal punctuation [Version : 1]	
Keywords:	None	

Test Case TF-135: TC-D-010 TopBar search synchronizes toolbar value and results [Version : 1]		
Author:	ahmed	
Summary:		
TC-D-010 TopBar search synchronizes toolbar value and results. **Test design technique:** State Transition - TopBar query **Requirements:** REQ-D-001, REQ-D-004		
Preconditions:		
Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards.		
#:	Step actions:	Expected Results:
1	Enter "support" in TopBar input aria-label "Search tasks".	Toolbar "Search" reads "support"; only "Alpha Support" appears.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-D-001: Trimmed case-insensitive title substring [Version : 1] REQ-D-004: Synchronized search boxes [Version : 1]	
Keywords:	None	

Test Case TF-136: TC-D-011 Toolbar search synchronizes TopBar value and results [Version : 1]		
Author:	ahmed	
Summary:		
TC-D-011 Toolbar search synchronizes TopBar value and results. **Test design technique:** State Transition - toolbar query **Requirements:** REQ-D-001, REQ-D-004		
Preconditions:		
Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards.		
#:	Step actions:	Expected Results:
1	Enter "launch" in toolbar "Search".	TopBar "Search tasks" reads "launch"; only "Beta Launch" appears.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-D-001: Trimmed case-insensitive title substring [Version : 1] REQ-D-004: Synchronized search boxes [Version : 1]	
Keywords:	None	

Test Case TF-137: TC-D-012 One visible among six uses plural total wording [Version : 1]		
Author:	ahmed	
Summary:		
TC-D-012 One visible among six uses plural total wording. **Test design technique:** EP - one visible among many total **Requirements:** REQ-D-011		
Preconditions:		
Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards.		
#:	Step actions:	Expected Results:
1	Enter "dashboard" in "Search".	One card appears; text reads "Showing 1 of 6 tasks".
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-D-011: Singular and plural result counts [Version : 1]	
Keywords:	None	

Test Case TF-138: TC-D-013 Several visible tasks use plural total wording [Version : 1]		
Author:	ahmed	
Summary:		
TC-D-013 Several visible tasks use plural total wording. **Test design technique:** EP - many visible partition **Requirements:** REQ-D-001, REQ-D-002, REQ-D-011		
Preconditions:		
Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards.		
#:	Step actions:	Expected Results:
1	Enter "alpha" in "Search".	"Alpha Planning", "Alpha Support", "Alpha-100% (urgent)", and "Gamma Review" appear; text reads "Showing 4 of 6 tasks".
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-D-001: Trimmed case-insensitive title substring [Version : 1] REQ-D-002: Description substring and title-or-description [Version : 1] REQ-D-011: Singular and plural result counts [Version : 1]	
Keywords:	None	

Test Case TF-139: TC-D-014 Single-task total uses singular wording [Version : 1]		
Author:	ahmed	
Summary: TC-D-014 Single-task total uses singular wording. **Test design technique:** EP - total count one **Requirements:** REQ-D-011		
Preconditions: Independent setup: clear both TaskFlow storage keys and reload the app. Use only one valid task record: id d1, title "Alpha Planning", description "Build dashboard", priority High, status To Do, dueDate "2026-11-30", createdAt and updatedAt "2026-01-10T08:00:00.000Z". Store it as the sole array item in taskflow_tasks and reload.		
#:	Step actions:	Expected Results:
1	Inspect the Dashboard list after reload.	One card appears; text reads "Showing 1 of 1 task".
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-D-011: Singular and plural result counts [Version : 1]	
Keywords:	None	

4.2.Test Suite : TS-D2 - Status, priority and AND decision tables

EP for status and priority partitions; decision tables cover every non-All status-by-priority cell and combined query/status/priority logic.

Test Case TF-140: TC-D-015 To Do status partition [Version : 1]		
Author:	ahmed	
Summary:		
TC-D-015 To Do status partition. **Test design technique:** EP - status partition To Do **Requirements:** REQ-D-005, REQ-D-011		
Preconditions:		
Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards.		
#:	Step actions:	Expected Results:
1	Choose "To Do" from "Status".	Only "Alpha Planning" and "Beta Launch" appear; text reads "Showing 2 of 6 tasks".
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-D-005: Status filter partitions [Version : 1] REQ-D-011: Singular and plural result counts [Version : 1]	
Keywords:	None	

Test Case TF-141: TC-D-016 In Progress status partition [Version : 1]		
Author:	ahmed	
Summary:		
TC-D-016 In Progress status partition. **Test design technique:** EP - status partition In Progress **Requirements:** REQ-D-005		
Preconditions:		
Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards.		
#:	Step actions:	Expected Results:
1	Choose "In Progress" from "Status".	Only "Alpha Support" and "Alpha-100% (urgent)" appear.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-D-005: Status filter partitions [Version : 1]	
Keywords:	None	

Test Case TF-142: TC-D-017 Completed status partition [Version : 1]		
Author:	ahmed	
Summary: TC-D-017 Completed status partition. **Test design technique:** EP - status partition Completed **Requirements:** REQ-D-005		
Preconditions: Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards.		
#:	Step actions:	Expected Results:
1	Choose "Completed" from "Status".	Only "Gamma Review" and "Undated Later" appear.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-D-005: Status filter partitions [Version : 1]	
Keywords:	None	

Test Case TF-143: TC-D-018 High priority partition [Version : 1]		
Author:	ahmed	
Summary: TC-D-018 High priority partition. **Test design technique:** EP - priority partition High **Requirements:** REQ-D-006		
Preconditions: Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards.		
#:	Step actions:	Expected Results:
1	Choose "High" from "Priority".	Only "Alpha Planning" and "Alpha Support" appear.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-D-006: Priority filter partitions [Version : 1]	
Keywords:	None	

Test Case TF-144: TC-D-019 Medium priority partition [Version : 1]		
Author:	ahmed	
Summary: TC-D-019 Medium priority partition. **Test design technique:** EP - priority partition Medium **Requirements:** REQ-D-006		
Preconditions: Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards.		
#:	Step actions:	Expected Results:
1	Choose "Medium" from "Priority".	Only "Beta Launch" and "Undated Later" appear.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-D-006: Priority filter partitions [Version : 1]	
Keywords:	None	

Test Case TF-145: TC-D-020 Low priority partition [Version : 1]		
Author:	ahmed	
Summary: TC-D-020 Low priority partition. **Test design technique:** EP - priority partition Low **Requirements:** REQ-D-006		
Preconditions: Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards.		
#:	Step actions:	Expected Results:
1	Choose "Low" from "Priority".	Only "Gamma Review" and "Alpha-100% (urgent)" appear.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-D-006: Priority filter partitions [Version : 1]	
Keywords:	None	

Test Case TF-146: TC-D-021 Decision table: To Do AND each priority [Version : 1]		
Author:	ahmed	
Summary: TC-D-021 Decision table: To Do AND each priority. **Test design technique:** Decision Table - To Do by priority **Requirements:** REQ-D-005, REQ-D-006, REQ-D-007, REQ-D-012		
Preconditions: Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards.		
#:	Step actions:	Expected Results:
1	Select Status "To Do" and Priority "High".	Only "Alpha Planning" appears.
2	Keep Status "To Do"; select Priority "Medium".	Only "Beta Launch" appears.
3	Keep Status "To Do"; select Priority "Low".	"No tasks match the current filters" and button "Clear filters" appear.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Low	
Requirements	REQ-D-005: Status filter partitions [Version : 1] REQ-D-006: Priority filter partitions [Version : 1] REQ-D-007: Search/status/priority AND decision table [Version : 1] REQ-D-012: No-result message precedence and actions [Version : 1]	
Keywords:	None	

Test Case TF-147: TC-D-022 Decision table: In Progress AND each priority [Version : 1]		
Author:	ahmed	
Summary: TC-D-022 Decision table: In Progress AND each priority. **Test design technique:** Decision Table - In Progress by priority **Requirements:** REQ-D-005, REQ-D-006, REQ-D-007, REQ-D-012		
Preconditions: Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards.		
#:	Step actions:	Expected Results:
1	Select Status "In Progress" and Priority "High".	Only "Alpha Support" appears.
2	Keep Status "In Progress"; select Priority "Medium".	"No tasks match the current filters" appears.
3	Keep Status "In Progress"; select Priority "Low".	Only "Alpha-100% (urgent)" appears.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Low	
Requirements	REQ-D-005: Status filter partitions [Version : 1] REQ-D-006: Priority filter partitions [Version : 1] REQ-D-007: Search/status/priority AND decision table [Version : 1] REQ-D-012: No-result message precedence and actions [Version : 1]	
Keywords:	None	

Test Case TF-148: TC-D-023 Decision table: Completed AND each priority [Version : 1]		
Author:	ahmed	
Summary: TC-D-023 Decision table: Completed AND each priority. **Test design technique:** Decision Table - Completed by priority **Requirements:** REQ-D-005, REQ-D-006, REQ-D-007, REQ-D-012		
Preconditions: Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards.		
#:	Step actions:	Expected Results:
1	Select Status "Completed" and Priority "High".	"No tasks match the current filters" appears.
2	Keep Status "Completed"; select Priority "Medium".	Only "Undated Later" appears.
3	Keep Status "Completed"; select Priority "Low".	Only "Gamma Review" appears.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Low	
Requirements	REQ-D-005: Status filter partitions [Version : 1] REQ-D-006: Priority filter partitions [Version : 1] REQ-D-007: Search/status/priority AND decision table [Version : 1] REQ-D-012: No-result message precedence and actions [Version : 1]	
Keywords:	None	

Test Case TF-149: TC-D-024 Decision table: query AND status AND priority [Version : 1]		
Author:	ahmed	
Summary: TC-D-024 Decision table: query AND status AND priority. **Test design technique:** Decision Table - query/status/priority AND **Requirements:** REQ-D-001, REQ-D-002, REQ-D-005, REQ-D-006, REQ-D-007, REQ-D-012		
Preconditions: Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards.		
#:	Step actions:	Expected Results:
1	Enter "billing", choose Status "In Progress", Priority "High".	Only "Alpha Support" appears; it meets all three conditions.
2	Keep query and status; select Priority "Low".	The title is exactly No tasks match "billing"; button "Clear search". Nonblank search takes precedence even when filters also exclude all tasks.
3	Keep query "billing"; set Status "To Do" and Priority "High".	Only "Alpha Planning" appears. Its description contains billing and it has To Do/High.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Low	
Requirements	REQ-D-001: Trimmed case-insensitive title substring [Version : 1] REQ-D-002: Description substring and title-or-description [Version : 1] REQ-D-005: Status filter partitions [Version : 1] REQ-D-006: Priority filter partitions [Version : 1] REQ-D-007: Search/status/priority AND decision table [Version : 1] REQ-D-012: No-result message precedence and actions [Version : 1]	
Keywords:	None	

4.3.Test Suite : TS-D3 - Sort orders and due-date boundaries

EP for each sort and default; BVA for equal due dates, creation-time tie order and undated-last behavior in both date sorts.

Test Case TF-150: TC-D-025 Newest first is default and orders creation newest first [Version : 1]		
Author:	ahmed	
Summary:		
TC-D-025 Newest first is default and orders creation newest first. **Test design technique:** EP - default sort **Requirements:** REQ-D-008, REQ-D-009		
Preconditions:		
Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards.		
#:	Step actions:	Expected Results:
1	Reload CORE without changing "Sort by".	"Newest first" is selected; order: "Undated Later", "Alpha-100% (urgent)", "Gamma Review", "Alpha Support", "Alpha Planning", "Beta Launch".
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-D-008: Four sorts and newest default [Version : 1] REQ-D-009: Creation order and due-date tie order [Version : 1]	
Keywords:	None	

Test Case TF-151: TC-D-026 Oldest first orders creation oldest first [Version : 1]		
Author:	ahmed	
Summary:		
TC-D-026 Oldest first orders creation oldest first. **Test design technique:** EP - Oldest sort **Requirements:** REQ-D-008, REQ-D-009		
Preconditions:		
Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards.		
#:	Step actions:	Expected Results:
1	Choose "Oldest first" from "Sort by".	Order: "Beta Launch", "Alpha Planning", "Alpha Support", "Gamma Review", "Alpha-100% (urgent)", "Undated Later".
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-D-008: Four sorts and newest default [Version : 1] REQ-D-009: Creation order and due-date tie order [Version : 1]	
Keywords:	None	

Test Case TF-152: TC-D-027 Due soonest orders dates and ties then undated last [Version : 1]		
Author:	ahmed	
Summary: TC-D-027 Due soonest orders dates and ties then undated last. **Test design technique:** EP - earlier/later/equal/absent due-date partitions **Requirements:** REQ-D-008, REQ-D-009, REQ-D-010		
Preconditions: Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards.		
#:	Step actions:	Expected Results:
1	Choose "Due date: soonest".	Order: "Alpha Support", "Beta Launch", "Alpha Planning", "Alpha-100% (urgent)", "Undated Later", "Gamma Review".
2	Inspect the 2026-11-20 tie and undated pair.	Newer "Alpha Support" precedes "Beta Launch"; undated tasks are last, newest "Undated Later" before "Gamma Review".
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Low	
Requirements	REQ-D-008: Four sorts and newest default [Version : 1] REQ-D-009: Creation order and due-date tie order [Version : 1] REQ-D-010: Undated-last behavior [Version : 1]	
Keywords:	None	

Test Case TF-153: TC-D-028 Due latest reverses date order and keeps tie/blank rules [Version : 1]		
Author:	ahmed	
Summary:		
TC-D-028 Due latest reverses date order and keeps tie/blank rules. **Test design technique:** EP - descending date partitions with equal and absent dates **Requirements:** REQ-D-008, REQ-D-009, REQ-D-010		
Preconditions:		
Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards.		
#:	Step actions:	Expected Results:
1	Choose "Due date: latest".	Order: "Alpha-100% (urgent)", "Alpha Planning", "Alpha Support", "Beta Launch", "Undated Later", "Gamma Review".
2	Inspect tied and undated tasks.	For 2026-11-20, newer "Alpha Support" precedes "Beta Launch"; undated tasks are last and newest first.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Low	
Requirements	REQ-D-008: Four sorts and newest default [Version : 1] REQ-D-009: Creation order and due-date tie order [Version : 1] REQ-D-010: Undated-last behavior [Version : 1]	
Keywords:	None	

Test Case TF-154: TC-D-029 Soonest sort places both undated tasks last [Version : 1]		
Author:	ahmed	
Summary: TC-D-029 Soonest sort places both undated tasks last. **Test design technique:** EP - empty due-date partition **Requirements:** REQ-D-010		
Preconditions: Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards.		
#:	Step actions:	Expected Results:
1	Choose "Due date: soonest".	The last two cards are "Undated Later", then "Gamma Review"; all dated tasks precede them.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-D-010: Undated-last behavior [Version : 1]	
Keywords:	None	

Test Case TF-155: TC-D-030 Latest sort places both undated tasks last [Version : 1]		
Author:	ahmed	
Summary: TC-D-030 Latest sort places both undated tasks last. **Test design technique:** EP - empty due-date partition **Requirements:** REQ-D-010		
Preconditions: Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards.		
#:	Step actions:	Expected Results:
1	Choose "Due date: latest".	The last two cards are "Undated Later", then "Gamma Review"; all dated tasks precede them.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-D-010: Undated-last behavior [Version : 1]	
Keywords:	None	

4.4.Test Suite : TS-D4 - Empty states and clearing behavior

Decision-table empty-state precedence and state transitions for Clear search, toolbar Clear Filters and empty-state Clear filters.

Test Case TF-156: TC-D-031 Search empty state echoes trimmed query [Version : 1]		
Author:	ahmed	
Summary: TC-D-031 Search empty state echoes trimmed query. **Test design technique:** EP - search empty-state partition **Requirements:** REQ-D-003, REQ-D-012		
Preconditions: Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards.		
#:	Step actions:	Expected Results:
1	Enter " Missing task " in "Search".	Title reads "No tasks match "Missing task""; text reads "Try a different search term."; button reads "Clear search".
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-D-003: Blank query and literal punctuation [Version : 1] REQ-D-012: No-result message precedence and actions [Version : 1]	
Keywords:	None	

Test Case TF-157: TC-D-032 Blank query and no matching filters show filter empty state [Version : 1]		
Author:	ahmed	
Summary:		
TC-D-032 Blank query and no matching filters show filter empty state. **Test design technique:** EP - filter empty-state partition **Requirements:** REQ-D-005, REQ-D-006, REQ-D-012		
Preconditions:		
Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards.		
#:	Step actions:	Expected Results:
1	Leave search blank; select Status "To Do" and Priority "Low".	Title reads "No tasks match the current filters"; text reads "Try changing or clearing your filters."; button reads "Clear filters".
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-D-005: Status filter partitions [Version : 1] REQ-D-006: Priority filter partitions [Version : 1] REQ-D-012: No-result message precedence and actions [Version : 1]	
Keywords:	None	

Test Case TF-158: TC-D-033 Search no-hit takes precedence over filter no-hit [Version : 1]		
Author:	ahmed	
Summary:		
TC-D-033 Search no-hit takes precedence over filter no-hit. **Test design technique:** Decision Table - search-empty precedence **Requirements:** REQ-D-007, REQ-D-012		
Preconditions:		
Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards.		
#:	Step actions:	Expected Results:
1	Enter "NoSuchTask" and choose Status "Completed", Priority "High".	Title reads "No tasks match "NoSuchTask""; button reads "Clear search"; filter empty-state title is absent.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Low	
Requirements	REQ-D-007: Search/status/priority AND decision table [Version : 1] REQ-D-012: No-result message precedence and actions [Version : 1]	
Keywords:	None	

Test Case TF-159: TC-D-034 Zero total tasks takes precedence over query and filters [Version : 1]		
Author:	ahmed	
Summary: TC-D-034 Zero total tasks takes precedence over query and filters. **Test design technique:** Decision Table - zero total tasks **Requirements:** REQ-D-012		
Preconditions: Independent setup: clear both TaskFlow storage keys and reload the app. Use an empty task array instead of CORE: set taskflow_tasks to [] and remove taskflow_tasks_backup before reload; verify there are zero task records.		
#:	Step actions:	Expected Results:
1	Enter "Missing" in "Search" and select Status "Completed".	The list shows "No tasks yet", "Tasks you create will appear here.", and button "Create your first task".
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-D-012: No-result message precedence and actions [Version : 1]	
Keywords:	None	

Test Case TF-160: TC-D-035 Clear search preserves status priority and sort [Version : 1]		
Author:	ahmed	
Summary: TC-D-035 Clear search preserves status priority and sort. **Test design technique:** State Transition - search-empty to cleared **Requirements:** REQ-D-013		
Preconditions: Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards.		
#:	Step actions:	Expected Results:
1	Set Status "In Progress", Priority "Low", Sort by "Due date: latest"; search "NoSuchTask".	Search empty state shows button "Clear search".
2	Click "Clear search".	Both search inputs are empty; Status remains "In Progress", Priority "Low", Sort by "Due date: latest"; "Alpha-100% (urgent)" appears.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Low	
Requirements	REQ-D-013: Clear search preserves filters and sort [Version : 1]	
Keywords:	None	

Test Case TF-161: TC-D-036 Empty-state Clear filters restores all defaults [Version : 1]		
Author:	ahmed	
Summary: TC-D-036 Empty-state Clear filters restores all defaults. **Test design technique:** State Transition - filter-empty to defaults **Requirements:** REQ-D-014		
Preconditions: Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards.		
#:	Step actions:	Expected Results:
1	Leave search blank; set Status "To Do", Priority "Low", Sort by "Due date: latest".	Filter empty state shows button "Clear filters".
2	Click "Clear filters".	Both search inputs empty; Status "All Statuses", Priority "All Priorities", Sort by "Newest first"; all six cards return newest first.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Low	
Requirements	REQ-D-014: Both Clear Filters actions reset all controls [Version : 1]	
Keywords:	None	

Test Case TF-162: TC-D-037 Toolbar Clear Filters resets synchronized controls and sort [Version : 1]		
Author:	ahmed	
Summary: TC-D-037 Toolbar Clear Filters resets synchronized controls and sort. **Test design technique:** State Transition - controls to defaults **Requirements:** REQ-D-004, REQ-D-014		
Preconditions: Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards.		
#:	Step actions:	Expected Results:
1	Search "billing" in TopBar; set Status "In Progress", Priority "High", Sort by "Due date: latest".	Toolbar Search also reads "billing"; controls show the chosen values.
2	Click toolbar button "Clear Filters".	Both search inputs are empty; Status "All Statuses", Priority "All Priorities", Sort by "Newest first"; all six cards appear.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Low	
Requirements	REQ-D-004: Synchronized search boxes [Version : 1] REQ-D-014: Both Clear Filters actions reset all controls [Version : 1]	
Keywords:	None	

Test Case TF-163: TC-D-038 Toolbar Clear Filters resets sort alone [Version : 1]		
Author:	ahmed	
Summary:		
TC-D-038 Toolbar Clear Filters resets sort alone. **Test design technique:** State Transition - chosen sort to default **Requirements:** REQ-D-008, REQ-D-014		
Preconditions:		
Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards.		
#:	Step actions:	Expected Results:
1	Choose "Oldest first"; click toolbar "Clear Filters".	"Newest first" is selected and cards return to newest-first order.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-D-008: Four sorts and newest default [Version : 1] REQ-D-014: Both Clear Filters actions reset all controls [Version : 1]	
Keywords:	None	

Test Case TF-164: TC-D-039 Toolbar Clear Filters clears a matching query [Version : 1]		
Author:	ahmed	
Summary:		
TC-D-039 Toolbar Clear Filters clears a matching query. **Test design technique:** State Transition - matching query to defaults **Requirements:** REQ-D-004, REQ-D-014		
Preconditions:		
Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards.		
#:	Step actions:	Expected Results:
1	Search "billing"; click toolbar "Clear Filters".	Both search inputs become empty; all six cards appear; text reads "Showing 6 of 6 tasks".
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-D-004: Synchronized search boxes [Version : 1] REQ-D-014: Both Clear Filters actions reset all controls [Version : 1]	
Keywords:	None	

Test Case TF-165: TC-D-040 Search and filter clear actions act in sequence [Version : 1]		
Author:	ahmed	
Summary: TC-D-040 Search and filter clear actions act in sequence. **Test design technique:** State Transition - search-empty then filter-empty **Requirements:** REQ-D-004, REQ-D-014		
Preconditions: Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards.		
#:	Step actions:	Expected Results:
1	Enter "NoSuchTask"; set Status "To Do", Priority "Low", and Sort by "Due date: latest".	Search empty state shows button "Clear search".
2	Click "Clear search".	Both search inputs are empty; Status remains "To Do", Priority remains "Low", Sort by remains "Due date: latest"; filter empty state now shows "Clear filters".
3	Click empty-state "Clear filters".	Both search inputs remain empty; Status "All Statuses", Priority "All Priorities", Sort by "Newest first".
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-D-004: Synchronized search boxes [Version : 1] REQ-D-014: Both Clear Filters actions reset all controls [Version : 1]	
Keywords:	None	

5.Test Suite : E - Rasan soran - Storage navigation and accessibility

Tester: Rasan soran (Member 5, E). SECJ3343 Project 1, TaskFlow main@5133a6c. Scope: reload persistence; storage recovery/failure; warning behavior; navigation/title; responsive sidebar; dialog focus/name; toast timing/semantics. A owns creation/text limits/draft cancellation, B editing/deletion, C enums/dates/status/counts, D querying. Shared actions are setup only.

Basis: README.md Storage, Requirements traceability, Behaviour notes and Exact messages, plus implementing functions cited by each code-derived requirement. Cases are designs, initially Not Run; no execution or peer review claimed.

Use a disposable Chrome profile at http://localhost:5173. Only seed/remove taskflow_tasks and taskflow_tasks_backup in that profile. Never clear personal browser data. For storage functions inaccessible through normal UI, cases marked UNIT HARNESS use DevTools Console on Vite, dynamically import /src/utils/storage.js, replace window.localStorage with a stub, and call loadTasks/saveTasks/resetStorage directly. This is a unit harness, not browser-level fault injection. To simulate failed UI writes without reload, patch Storage.prototype.setItem to throw a QuotaExceededError before the action; use the disposable profile. For storage fixtures define const validTask=(id,o={})=>({id,title:"Task "+id,description:"",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-02T03:04:05.000Z",updatedAt:"2026-01-02T03:04:05.000Z",...o}); const seedTasks=a=>localStorage.setItem("taskflow_tasks",JSON.stringify(a));. To inspect normalized loader objects use const m=await import("/src/utils/storage.js"); console.log(m.loadTasks().tasks). For read faults use UNIT HARNESS: const m=await import("/src/utils/storage.js"); Object.defineProperty(window,"localStorage", {configurable:true,value:{getItem(){throw Error("blocked")},setItem(){throw Error("blocked")},removeItem(){throw Error("blocked")}}}); console.log(m.loadTasks());. For write fault on live UI: Storage.prototype.setItem=function() {throw new DOMException("blocked","QuotaExceededError")}. Restore only by closing the disposable profile. Toast target is 3000ms; accept manual timing from 2700 through 3800ms.

5.1.Test Suite : TS-E1 - Storage loading and recovery

Reload persistence; missing/corrupt/non-array data; validation/duplicate skips; timestamps and normalization.

Test Case TF-166: TC-E-001 - Missing task key loads quietly [Version : 1]		
Author:	rasan	
Summary:		
TC-E-001 - Missing task key loads quietly. **Test design technique:** EP - missing key **Requirements:** REQ-E-002		
Preconditions:		
Independent reset: in this disposable profile restore any patched storage by reloading; remove only taskflow_tasks and taskflow_tasks_backup, then reload again. Disposable Chrome profile; app main@5133a6c at http://localhost:5173; use DevTools only on this profile. Storage-fixture helper: define validTask=(id,o={})=>({id,title:"Task "+id,description:"",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-02T03:04:05.000Z",updatedAt:"2026-01-02T03:04:05.000Z",...o}) and seedTasks=a=>localStorage.setItem("taskflow_tasks",JSON.stringify(a)); use seedTasks([validTask("x")]) for an exact valid baseline. Unless specified start Dashboard with no drawer/dialog open.		
#:	Step actions:	Expected Results:
1	Remove only taskflow_tasks and taskflow_tasks_backup in the disposable profile; reload.	No tasks yet; no warning; primary key remains absent until a mutation.
2	Inspect backup key.	Backup is absent.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-E-002: Missing and corrupt storage [Version : 1]	
Keywords:	None	

Test Case TF-167: TC-E-002 - Persist task through ordinary reload [Version : 1]		
Author:	rasan	
Summary: TC-E-002 - Persist task through ordinary reload. **Test design technique:** Use Case - save and restart **Requirements:** REQ-E-001		
Preconditions: Independent reset: in this disposable profile restore any patched storage by reloading; remove only taskflow_tasks and taskflow_tasks_backup, then reload again. Disposable Chrome profile; app main@5133a6c at http://localhost:5173; use DevTools only on this profile. Storage-fixture helper: define validTask=(id,o={})=>({id,title:"Task "+id,description:"",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-02T03:04:05.000Z",updatedAt:"2026-01-02T03:04:05.000Z",...o}) and seedTasks=a=>localStorage.setItem("taskflow_tasks",JSON.stringify(a)); use seedTasks([validTask("x")]) for an exact valid baseline. Unless specified start Dashboard with no drawer/dialog open.		
#:	Step actions:	Expected Results:
1	Create one valid task titled Reload proof (creation is setup only).	Reload proof card appears.
2	Inspect saved JSON, then reload.	One JSON array entry has id, title, description, priority, status, dueDate, createdAt, updatedAt; same id and card values remain.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-E-001: Reload persistence [Version : 1]	
Keywords:	None	

Test Case TF-168: TC-E-003 - Malformed JSON copied byte-for-byte [Version : 1]		
Author:	rasan	
Summary:		
TC-E-003 - Malformed JSON copied byte-for-byte. **Test design technique:** EP - malformed JSON **Requirements:** REQ-E-002		
Preconditions:		
Independent reset: in this disposable profile restore any patched storage by reloading; remove only taskflow_tasks and taskflow_tasks_backup, then reload again. Disposable Chrome profile; app main@5133a6c at http://localhost:5173; use DevTools only on this profile. Storage-fixture helper: define validTask=(id,o={})=>({id,title:"Task "+id,description:"",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-02T03:04:05.000Z",updatedAt:"2026-01-02T03:04:05.000Z",...o}) and seedTasks=a=>localStorage.setItem("taskflow_tasks",JSON.stringify(a)); use seedTasks([validTask("x")]) for an exact valid baseline. Unless specified start Dashboard with no drawer/dialog open.		
#:	Step actions:	Expected Results:
1	Set taskflow_tasks to exact string { "unclosed": including spaces; reload.	Empty list and alert Saved task data was corrupted and could not be loaded. A backup was kept. with Reset storage.
2	Inspect taskflow_tasks_backup.	Exact original raw string { "unclosed": is retained.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-E-002: Missing and corrupt storage [Version : 1]	
Keywords:	None	

Test Case TF-169: TC-E-004 - Parsed object rejected as non-array [Version : 1]		
Author:	rasan	
Summary:		
TC-E-004 - Parsed object rejected as non-array. **Test design technique:** EP - non-array JSON **Requirements:** REQ-E-002		
Preconditions:		
Independent reset: in this disposable profile restore any patched storage by reloading; remove only taskflow_tasks and taskflow_tasks_backup, then reload again. Disposable Chrome profile; app main@5133a6c at http://localhost:5173; use DevTools only on this profile. Storage-fixture helper: define validTask=(id,o={})=>({id,title:"Task "+id,description:"",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-02T03:04:05.000Z",updatedAt:"2026-01-02T03:04:05.000Z",...o}) and seedTasks=a=>localStorage.setItem("taskflow_tasks",JSON.stringify(a)); use seedTasks([validTask("x")]) for an exact valid baseline. Unless specified start Dashboard with no drawer/dialog open.		
#:	Step actions:	Expected Results:
1	Set taskflow_tasks to exact string {"tasks":[]} and reload.	No tasks load; exact corruption alert and Reset storage appear.
2	Inspect backup.	Backup equals exact original string {"tasks":[]}.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-E-002: Missing and corrupt storage [Version : 1]	
Keywords:	None	

Test Case TF-170: TC-E-005 - Valid stored task loads normalized [Version : 1]		
Author:	rasan	
Summary:		
TC-E-005 - Valid stored task loads normalized. **Test design technique:** EP - valid saved-entry partition **Requirements:** REQ-E-003, REQ-E-004		
Preconditions:		
Independent reset: in this disposable profile restore any patched storage by reloading; remove only taskflow_tasks and taskflow_tasks_backup, then reload again. Disposable Chrome profile; app main@5133a6c at http://localhost:5173; use DevTools only on this profile. Storage-fixture helper: define validTask=(id,o={})=>({id,title:"Task "+id,description:"",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-02T03:04:05.000Z",updatedAt:"2026-01-02T03:04:05.000Z",...o}) and seedTasks=a=>localStorage.setItem("taskflow_tasks",JSON.stringify(a)); use seedTasks([validTask("x")]) for an exact valid baseline. Unless specified start Dashboard with no drawer/dialog open.		
#:	Step actions:	Expected Results:
1	Set taskflow_tasks to JSON.stringify([validTask("ok-1",{title:" Stored task ",description:" note "})]); reload.	One card appears titled Stored task; description is note; no warning.
2	Inspect original localStorage string.	Primary value stays as seeded until a later mutation; loader normalizes in memory only.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-E-003: Invalid entries and duplicate ids [Version : 1] REQ-E-004: Updated timestamp fallback and normalization [Version : 1]	
Keywords:	None	

Test Case TF-171: TC-E-006 - Missing id skipped with singular warning [Version : 1]		
Author:	rasan	
Summary: TC-E-006 - Missing id skipped with singular warning. **Test design technique:** EP - invalid identity **Requirements:** REQ-E-003		
Preconditions: Independent reset: in this disposable profile restore any patched storage by reloading; remove only taskflow_tasks and taskflow_tasks_backup, then reload again. Disposable Chrome profile; app main@5133a6c at http://localhost:5173; use DevTools only on this profile. Storage-fixture helper: define validTask=(id,o={})=>({id,title:"Task "+id,description:"",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-02T03:04:05.000Z",updatedAt:"2026-01-02T03:04:05.000Z",...o}) and seedTasks=a=>localStorage.setItem("taskflow_tasks",JSON.stringify(a)); use seedTasks([validTask("x")]) for an exact valid baseline. Unless specified start Dashboard with no drawer/dialog open.		
#:	Step actions:	Expected Results:
1	Set primary to exact JSON string [{"title":"No id","description":"","priority":"Medium","status":"To Do","dueDate":"","createdAt":"2026-01-02T03:04:05.000Z","updatedAt":"2026-01-02T03:04:05.000Z"}]; reload.	No card; alert is exactly 1 saved entry was invalid and skipped. A backup was kept.; Reset storage absent.
2	Inspect backup.	Full original JSON array is retained byte-for-byte.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-E-003: Invalid entries and duplicate ids [Version : 1]	
Keywords:	None	

Test Case TF-172: TC-E-007 - Empty id skipped [Version : 1]		
Author:	rasan	
Summary:		
TC-E-007 - Empty id skipped. **Test design technique:** EP - empty identity **Requirements:** REQ-E-003		
Preconditions:		
Independent reset: in this disposable profile restore any patched storage by reloading; remove only taskflow_tasks and taskflow_tasks_backup, then reload again. Disposable Chrome profile; app main@5133a6c at http://localhost:5173; use DevTools only on this profile. Storage-fixture helper: define validTask=(id,o={})=>({id,title:"Task "+id,description:"",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-02T03:04:05.000Z",updatedAt:"2026-01-02T03:04:05.000Z",...o}) and seedTasks=a=>localStorage.setItem("taskflow_tasks",JSON.stringify(a)); use seedTasks([validTask("x")]) for an exact valid baseline. Unless specified start Dashboard with no drawer/dialog open.		
#:	Step actions:	Expected Results:
1	For each id value "", 42 and null, independently set taskflow_tasks to JSON.stringify([validTask(id, {title:"Invalid id"})]); reload after each value.	Each identity partition is skipped. Exact alert: "1 saved entry was invalid and skipped. A backup was kept." No Reset storage button; backup equals the raw array for that run.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-E-003: Invalid entries and duplicate ids [Version : 1]	
Keywords:	None	

Test Case TF-173: TC-E-008 - Duplicate id keeps first valid record [Version : 1]		
Author:	rasan	
Summary: TC-E-008 - Duplicate id keeps first valid record. **Test design technique:** Error Guessing - duplicate identity **Requirements:** REQ-E-003		
Preconditions: Independent reset: in this disposable profile restore any patched storage by reloading; remove only taskflow_tasks and taskflow_tasks_backup, then reload again. Disposable Chrome profile; app main@5133a6c at http://localhost:5173; use DevTools only on this profile. Storage-fixture helper: define validTask=(id,o={})=>({id,title:"Task "+id,description:"",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-02T03:04:05.000Z",updatedAt:"2026-01-02T03:04:05.000Z",...o}) and seedTasks=a=>localStorage.setItem("taskflow_tasks",JSON.stringify(a)); use seedTasks([validTask("x")]) for an exact valid baseline. Unless specified start Dashboard with no drawer/dialog open.		
#:	Step actions:	Expected Results:
1	Set primary to JSON.stringify([validTask("dup-7",{title:"First"}),validTask("dup-7",{title:"Second"})]); reload.	Only First card loads; warning counts one skipped entry.
2	Inspect backup.	Full original two-item JSON remains byte-for-byte as backup.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-E-003: Invalid entries and duplicate ids [Version : 1]	
Keywords:	None	

Test Case TF-174: TC-E-009 - Plural invalid count grammar [Version : 1]		
Author:	rasan	
Summary:		
TC-E-009 - Plural invalid count grammar. **Test design technique:** EP - multiple invalid saved-entry partition and plural count **Requirements:** REQ-E-003		
Preconditions:		
Independent reset: in this disposable profile restore any patched storage by reloading; remove only taskflow_tasks and taskflow_tasks_backup, then reload again. Disposable Chrome profile; app main@5133a6c at http://localhost:5173; use DevTools only on this profile. Storage-fixture helper: define validTask=(id,o={})=>({id,title:"Task "+id,description:"",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-02T03:04:05.000Z",updatedAt:"2026-01-02T03:04:05.000Z",...o}) and seedTasks=a=>localStorage.setItem("taskflow_tasks",JSON.stringify(a)); use seedTasks([validTask("x")]) for an exact valid baseline. Unless specified start Dashboard with no drawer/dialog open.		
#:	Step actions:	Expected Results:
1	Set primary to exact JSON string [null, {"id":"bad","title":"x","description":"","priority":"Medium","status":"To Do","dueDate":"","createdAt":"2026-01-02T03:04:05.000Z","updatedAt":"2026-01-02T03:04:05.000Z"}] and reload.	No rows load; alert exactly 2 saved entries were invalid and skipped. A backup was kept.
2	Inspect Reset storage and backup.	No Reset button; backup retains complete original array string.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-E-003: Invalid entries and duplicate ids [Version : 1]	
Keywords:	None	

Test Case TF-175: TC-E-010 - Reject bad priority in storage [Version : 1]		
Author:	rasan	
Summary: TC-E-010 - Reject bad priority in storage. **Test design technique:** EP - invalid saved enum **Requirements:** REQ-E-003		
Preconditions: Independent reset: in this disposable profile restore any patched storage by reloading; remove only taskflow_tasks and taskflow_tasks_backup, then reload again. Disposable Chrome profile; app main@5133a6c at http://localhost:5173; use DevTools only on this profile. Storage-fixture helper: define validTask=(id,o={})=>({id,title:"Task "+id,description:"",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-02T03:04:05.000Z",updatedAt:"2026-01-02T03:04:05.000Z",...o}) and seedTasks=a=>localStorage.setItem("taskflow_tasks",JSON.stringify(a)); use seedTasks([validTask("x")]) for an exact valid baseline. Unless specified start Dashboard with no drawer/dialog open.		
#:	Step actions:	Expected Results:
1	Set primary to JSON.stringify([validTask("p1", {priority:"Urgent"})]); reload.	Row is skipped; exact alert "1 saved entry was invalid and skipped. A backup was kept." Backup equals the original raw JSON; no Reset storage button.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-E-003: Invalid entries and duplicate ids [Version : 1]	
Keywords:	None	

Test Case TF-176: TC-E-011 - Reject bad status in storage [Version : 1]		
Author:	rasan	
Summary: TC-E-011 - Reject bad status in storage. **Test design technique:** EP - invalid saved enum **Requirements:** REQ-E-003		
Preconditions: Independent reset: in this disposable profile restore any patched storage by reloading; remove only taskflow_tasks and taskflow_tasks_backup, then reload again. Disposable Chrome profile; app main@5133a6c at http://localhost:5173; use DevTools only on this profile. Storage-fixture helper: define validTask=(id,o={})=>({id,title:"Task "+id,description:"",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-02T03:04:05.000Z",updatedAt:"2026-01-02T03:04:05.000Z",...o}) and seedTasks=a=>localStorage.setItem("taskflow_tasks",JSON.stringify(a)); use seedTasks([validTask("x")]) for an exact valid baseline. Unless specified start Dashboard with no drawer/dialog open.		
#:	Step actions:	Expected Results:
1	Set primary to JSON.stringify([validTask("s1", {status:"Done"})]); reload.	Row is skipped; exact alert "1 saved entry was invalid and skipped. A backup was kept." Backup equals the original raw JSON; no Reset storage button.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-E-003: Invalid entries and duplicate ids [Version : 1]	
Keywords:	None	

Test Case TF-177: TC-E-012 - Reject invalid date and missing creation time [Version : 1]		
Author:	rasan	
Summary:		
TC-E-012 - Reject invalid date and missing creation time. **Test design technique:** EP - invalid saved fields **Requirements:** REQ-E-003		
Preconditions:		
Independent reset: in this disposable profile restore any patched storage by reloading; remove only taskflow_tasks and taskflow_tasks_backup, then reload again. Disposable Chrome profile; app main@5133a6c at http://localhost:5173; use DevTools only on this profile. Storage-fixture helper: define validTask=(id,o={})=>({id,title:"Task "+id,description:"",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-02T03:04:05.000Z",updatedAt:"2026-01-02T03:04:05.000Z",...o}) and seedTasks=a=>localStorage.setItem("taskflow_tasks",JSON.stringify(a)); use seedTasks([validTask("x")]) for an exact valid baseline. Unless specified start Dashboard with no drawer/dialog open.		
#:	Step actions:	Expected Results:
1	Set primary to JSON.stringify([validTask("d1", {dueDate:"2026-02-30"})]); reload.	Row is skipped, count one, backup is exact original primary string.
2	Set primary to JSON.stringify([validTask("d2", {dueDate:"2026-02-28",createdAt:undefined})]); reload.	JSON serialization omits undefined createdAt; row is skipped, count one because createdAt is required.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-E-003: Invalid entries and duplicate ids [Version : 1]	
Keywords:	None	

Test Case TF-178: TC-E-013 - Missing updatedAt falls back to createdAt [Version : 1]		
Author:	rasan	
Summary:		
TC-E-013 - Missing updatedAt falls back to createdAt. **Test design technique:** EP - omitted optional timestamp **Requirements:** REQ-E-004		
Preconditions:		
Independent reset: in this disposable profile restore any patched storage by reloading; remove only taskflow_tasks and taskflow_tasks_backup, then reload again. Disposable Chrome profile; app main@5133a6c at http://localhost:5173; use DevTools only on this profile. Storage-fixture helper: define validTask=(id,o={})=>({id,title:"Task "+id,description:"",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-02T03:04:05.000Z",updatedAt:"2026-01-02T03:04:05.000Z",...o}) and seedTasks=a=>localStorage.setItem("taskflow_tasks",JSON.stringify(a)); use seedTasks([validTask("x")]) for an exact valid baseline. Unless specified start Dashboard with no drawer/dialog open.		
#:	Step actions:	Expected Results:
1	Set primary to JSON.stringify([validTask("u1", {updatedAt:undefined})]); reload.	Task loads without warning.
2	In DevTools run const m=await import("/src/utils/storage.js"); console.log(m.loadTasks().tasks[0]).	updatedAt equals exactly 2026-01-02T03:04:05.000Z.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-E-004: Updated timestamp fallback and normalization [Version : 1]	
Keywords:	None	

Test Case TF-179: TC-E-014 - Malformed updatedAt falls back [Version : 1]		
Author:	rasan	
Summary: TC-E-014 - Malformed updatedAt falls back. **Test design technique:** EP - invalid optional timestamp **Requirements:** REQ-E-004		
Preconditions: Independent reset: in this disposable profile restore any patched storage by reloading; remove only taskflow_tasks and taskflow_tasks_backup, then reload again. Disposable Chrome profile; app main@5133a6c at http://localhost:5173; use DevTools only on this profile. Storage-fixture helper: define validTask=(id,o={})=>({id,title:"Task "+id,description:"",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-02T03:04:05.000Z",updatedAt:"2026-01-02T03:04:05.000Z",...o}) and seedTasks=a=>localStorage.setItem("taskflow_tasks",JSON.stringify(a)); use seedTasks([validTask("x")]) for an exact valid baseline. Unless specified start Dashboard with no drawer/dialog open.		
#:	Step actions:	Expected Results:
1	Set primary to JSON.stringify([validTask("u2", {updatedAt:"not-a-date"})]); reload.	Task is retained; invalid updatedAt alone does not skip entry.
2	In DevTools run const m=await import("/src/utils/storage.js"); console.log(m.loadTasks().tasks[0]).	updatedAt equals createdAt exactly.
3	UNIT HARNESS: load a valid entry with description:undefined and dueDate:undefined; inspect loadTasks().tasks[0].	Both normalized description and dueDate are empty strings; no warning.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-E-004: Updated timestamp fallback and normalization [Version : 1]	
Keywords:	None	

Test Case TF-180: TC-E-015 - Valid siblings retained around rejected row [Version : 1]		
Author:	rasan	
Summary: TC-E-015 - Valid siblings retained around rejected row. **Test design technique:** EP - mixed valid and invalid saved-entry partitions **Requirements:** REQ-E-003		
Preconditions: Independent reset: in this disposable profile restore any patched storage by reloading; remove only taskflow_tasks and taskflow_tasks_backup, then reload again. Disposable Chrome profile; app main@5133a6c at http://localhost:5173; use DevTools only on this profile. Storage-fixture helper: define validTask=(id,o={})=>({id,title:"Task "+id,description:"",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-02T03:04:05.000Z",updatedAt:"2026-01-02T03:04:05.000Z",...o}) and seedTasks=a=>localStorage.setItem("taskflow_tasks",JSON.stringify(a)); use seedTasks([validTask("x")]) for an exact valid baseline. Unless specified start Dashboard with no drawer/dialog open.		
#:	Step actions:	Expected Results:
1	Set primary to JSON.stringify([validTask("A",{title:"Task A"}),null,validTask("B",{title:"Task B"})]); reload.	Task A and Task B load in source order (their creation times are equal); exact alert "1 saved entry was invalid and skipped. A backup was kept." Backup equals the full raw array.
2	Dismiss warning then reload without changing storage.	The warning returns and both valid tasks remain.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-E-003: Invalid entries and duplicate ids [Version : 1]	
Keywords:	None	

5.2.Test Suite : TS-E2 - Storage failures warnings and navigation

Blocked storage, optimistic failed writes, reset/backup, warning dismissal, page navigation and responsive sidebar.

Test Case TF-181: TC-E-016 - Read exception returns unavailable warning [Version : 1]		
Author:	rasan	
Summary: TC-E-016 - Read exception returns unavailable warning. **Test design technique:** Error Guessing - blocked read **Requirements:** REQ-E-005		
Preconditions: Independent reset: in this disposable profile restore any patched storage by reloading; remove only taskflow_tasks and taskflow_tasks_backup, then reload again. Disposable Chrome profile; app main@5133a6c at http://localhost:5173; use DevTools only on this profile. Storage-fixture helper: define validTask=(id,o={})=>({id,title:"Task "+id,description:"",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-02T03:04:05.000Z",updatedAt:"2026-01-02T03:04:05.000Z",...o}) and seedTasks=a=>localStorage.setItem("taskflow_tasks",JSON.stringify(a)); use seedTasks([validTask("x")]) for an exact valid baseline. Unless specified start Dashboard with no drawer/dialog open.		
#:	Step actions:	Expected Results:
1	UNIT HARNESS: dynamic-import /src/utils/storage.js after replacing window.localStorage with stub whose getItem throws; call loadTasks.	No exception; result tasks=[] and warning message Browser storage is unavailable, so tasks cannot be loaded or saved. with canReset false.
2	Inspect stub calls.	No reset control can be offered; loadTasks does not attempt backup.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-E-005: Storage read failure [Version : 1]	
Keywords:	None	

Test Case TF-182: TC-E-017 - Blocked backup write does not throw [Version : 1]		
Author:	rasan	
Summary: TC-E-017 - Blocked backup write does not throw. **Test design technique:** Error Guessing - backup write failure **Requirements:** REQ-E-002		
Preconditions: Independent reset: in this disposable profile restore any patched storage by reloading; remove only taskflow_tasks and taskflow_tasks_backup, then reload again. Disposable Chrome profile; app main@5133a6c at http://localhost:5173; use DevTools only on this profile. Storage-fixture helper: define validTask=(id,o={})=>({id,title:"Task "+id,description:"",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-02T03:04:05.000Z",updatedAt:"2026-01-02T03:04:05.000Z",...o}) and seedTasks=a=>localStorage.setItem("taskflow_tasks",JSON.stringify(a)); use seedTasks([validTask("x")]) for an exact valid baseline. Unless specified start Dashboard with no drawer/dialog open.		
#:	Step actions:	Expected Results:
1	UNIT HARNESS: const m=await import("/src/utils/storage.js"); Object.defineProperty(window,"localStorage", {configurable:true,value:{getItem(){return "garbage"},setItem(k,v){throw Error("blocked")},removeItem(){}}}); console.log(m.loadTasks()).	Returns empty tasks and corruption warning with canReset true; no exception escapes.
2	Inspect stub behavior.	Backup write was attempted using taskflow_tasks_backup and exact raw string garbage.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-E-002: Missing and corrupt storage [Version : 1]	
Keywords:	None	

Test Case TF-183: TC-E-018 - Failed creation save reports error but stays optimistic [Version : 1]		
Author:	rasan	
Summary: TC-E-018 - Failed creation save reports error but stays optimistic. **Test design technique:** Error Guessing - quota failure **Requirements:** REQ-E-007		
Preconditions: Independent reset: in this disposable profile restore any patched storage by reloading; remove only taskflow_tasks and taskflow_tasks_backup, then reload again. Disposable Chrome profile; app main@5133a6c at http://localhost:5173; use DevTools only on this profile. Storage-fixture helper: define validTask=(id,o={})=>({id,title:"Task "+id,description:"",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-02T03:04:05.000Z",updatedAt:"2026-01-02T03:04:05.000Z",...o}) and seedTasks=a=>localStorage.setItem("taskflow_tasks",JSON.stringify(a)); use seedTasks([validTask("x")]) for an exact valid baseline. Unless specified start Dashboard with no drawer/dialog open.		
#:	Step actions:	Expected Results:
1	On clean UI patch Storage.prototype.setItem to throw QuotaExceededError, then create valid task Unsaved optimistic.	Dialog closes, card appears in current in-memory UI; toast is Could not save tasks to browser storage. with error semantics.
2	Reload disposable profile after restoring storage.	Task is absent because write did not persist.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-E-007: Failed write remains optimistic [Version : 1]	
Keywords:	None	

Test Case TF-184: TC-E-019 - Failed status save is optimistic [Version : 1]		
Author:	rasan	
Summary:		
TC-E-019 - Failed status save is optimistic. **Test design technique:** Error Guessing - failed mutation write **Requirements:** REQ-E-007		
Preconditions:		
Independent reset: in this disposable profile restore any patched storage by reloading; remove only taskflow_tasks and taskflow_tasks_backup, then reload again. Disposable Chrome profile; app main@5133a6c at http://localhost:5173; use DevTools only on this profile. Storage-fixture helper: define validTask=(id,o={})=>({id,title:"Task "+id,description:"",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-02T03:04:05.000Z",updatedAt:"2026-01-02T03:04:05.000Z",...o}) and seedTasks=a=>localStorage.setItem("taskflow_tasks",JSON.stringify(a)); use seedTasks([validTask("x")]) for an exact valid baseline. Unless specified start Dashboard with no drawer/dialog open.		
#:	Step actions:	Expected Results:
1	Seed a To Do task, load app, patch setItem to throw, change status to In Progress.	Card changes immediately and error toast appears.
2	Restore storage and reload.	Persisted status remains To Do.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-E-007: Failed write remains optimistic [Version : 1]	
Keywords:	None	

Test Case TF-185: TC-E-020 - Reset removes primary and retains backup [Version : 1]		
Author:	rasan	
Summary: TC-E-020 - Reset removes primary and retains backup. **Test design technique:** Use Case - storage reset **Requirements:** REQ-E-002, REQ-E-006		
Preconditions: Independent reset: in this disposable profile restore any patched storage by reloading; remove only taskflow_tasks and taskflow_tasks_backup, then reload again. Disposable Chrome profile; app main@5133a6c at http://localhost:5173; use DevTools only on this profile. Storage-fixture helper: define validTask=(id,o={})=>({id,title:"Task "+id,description:"",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-02T03:04:05.000Z",updatedAt:"2026-01-02T03:04:05.000Z",...o}) and seedTasks=a=>localStorage.setItem("taskflow_tasks",JSON.stringify(a)); use seedTasks([validTask("x")]) for an exact valid baseline. Unless specified start Dashboard with no drawer/dialog open.		
#:	Step actions:	Expected Results:
1	Set taskflow_tasks to "not-json" and taskflow_tasks_backup to "older-backup"; reload.	The exact corruption warning appears; loading replaces the old backup with "not-json".
2	Click Reset storage, inspect keys, then reload.	Warning clears; "No tasks yet" appears. Primary key is absent and backup still equals "not-json". No warning on reload.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-E-002: Missing and corrupt storage [Version : 1] REQ-E-006: Reset and backup retention [Version : 1]	
Keywords:	None	

Test Case TF-186: TC-E-021 - Repeated reset remains safe [Version : 1]		
Author:	rasan	
Summary:		
TC-E-021 - Repeated reset remains safe. **Test design technique:** Error Guessing - repeated reset **Requirements:** REQ-E-006		
Preconditions:		
Independent reset: in this disposable profile restore any patched storage by reloading; remove only taskflow_tasks and taskflow_tasks_backup, then reload again. Disposable Chrome profile; app main@5133a6c at http://localhost:5173; use DevTools only on this profile. Storage-fixture helper: define validTask=(id,o={})=>({id,title:"Task "+id,description:"",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-02T03:04:05.000Z",updatedAt:"2026-01-02T03:04:05.000Z",...o}) and seedTasks=a=>localStorage.setItem("taskflow_tasks",JSON.stringify(a)); use seedTasks([validTask("x")]) for an exact valid baseline. Unless specified start Dashboard with no drawer/dialog open.		
#:	Step actions:	Expected Results:
1	Trigger corruption warning and click Reset storage. Trigger corruption again using malformed primary and repeat.	Both attempts clear warning and tasks; no runtime error.
2	Inspect backup.	Backup retained unchanged by reset.
3	UNIT HARNESS: import /src/utils/storage.js; replace localStorage with a stub whose removeItem throws; call resetStorage().	resetStorage returns without throwing; it never removes taskflow_tasks_backup.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-E-006: Reset and backup retention [Version : 1]	
Keywords:	None	

Test Case TF-187: TC-E-022 - Dismiss warning changes no storage [Version : 1]		
Author:	rasan	
Summary: TC-E-022 - Dismiss warning changes no storage. **Test design technique:** State Transition - warning visible to dismissed **Requirements:** REQ-E-008		
Preconditions: Independent reset: in this disposable profile restore any patched storage by reloading; remove only taskflow_tasks and taskflow_tasks_backup, then reload again. Disposable Chrome profile; app main@5133a6c at http://localhost:5173; use DevTools only on this profile. Storage-fixture helper: define validTask=(id,o={})=>({id,title:"Task "+id,description:"",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-02T03:04:05.000Z",updatedAt:"2026-01-02T03:04:05.000Z",...o}) and seedTasks=a=>localStorage.setItem("taskflow_tasks",JSON.stringify(a)); use seedTasks([validTask("x")]) for an exact valid baseline. Unless specified start Dashboard with no drawer/dialog open.		
#:	Step actions:	Expected Results:
1	Load malformed data, record primary and backup, click Dismiss warning.	Alert disappears.
2	Compare keys and reload.	Both strings unchanged; warning appears again on reload.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-E-008: Warning announcement and dismissal [Version : 1]	
Keywords:	None	

Test Case TF-188: TC-E-023 - Warning role and dismissal name [Version : 1]		
Author:	rasan	
Summary: TC-E-023 - Warning role and dismissal name. **Test design technique:** Use Case - accessible warning announcement and dismissal **Requirements:** REQ-E-008		
Preconditions: Independent reset: in this disposable profile restore any patched storage by reloading; remove only taskflow_tasks and taskflow_tasks_backup, then reload again. Disposable Chrome profile; app main@5133a6c at http://localhost:5173; use DevTools only on this profile. Storage-fixture helper: define validTask=(id,o={})=>({id,title:"Task "+id,description:"",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-02T03:04:05.000Z",updatedAt:"2026-01-02T03:04:05.000Z",...o}) and seedTasks=a=>localStorage.setItem("taskflow_tasks",JSON.stringify(a)); use seedTasks([validTask("x")]) for an exact valid baseline. Unless specified start Dashboard with no drawer/dialog open.		
#:	Step actions:	Expected Results:
1	Trigger invalid-entry warning and inspect DOM/accessibility tree.	Warning has role alert and Dismiss warning button accessible name.
2	Activate dismissal.	Banner disappears; primary and backup are unchanged.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-E-008: Warning announcement and dismissal [Version : 1]	
Keywords:	None	

Test Case TF-189: TC-E-024 - Dashboard and All Tasks show all statuses [Version : 1]		
Author:	rasan	
Summary: TC-E-024 - Dashboard and All Tasks show all statuses. **Test design technique:** State Transition - all-status navigation **Requirements:** REQ-E-009		
Preconditions: Independent reset: in this disposable profile restore any patched storage by reloading; remove only taskflow_tasks and taskflow_tasks_backup, then reload again. Disposable Chrome profile; app main@5133a6c at http://localhost:5173; use DevTools only on this profile. Storage-fixture helper: define validTask=(id,o={})=>({id,title:"Task "+id,description:"",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-02T03:04:05.000Z",updatedAt:"2026-01-02T03:04:05.000Z",...o}) and seedTasks=a=>localStorage.setItem("taskflow_tasks",JSON.stringify(a)); use seedTasks([validTask("x")]) for an exact valid baseline. Unless specified start Dashboard with no drawer/dialog open.		
#:	Step actions:	Expected Results:
1	Seed one task of each status; select Dashboard.	Dashboard aria-current=page; h1 Dashboard; status filter All.
2	Select All Tasks.	All Tasks active, h1 All Tasks; status filter All.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-E-009: Navigation and page title [Version : 1]	
Keywords:	None	

Test Case TF-190: TC-E-025 - Each status navigation sets title and active state [Version : 1]		
Author:	rasan	
Summary:		
TC-E-025 - Each status navigation sets title and active state. **Test design technique:** State Transition - status navigation **Requirements:** REQ-E-009		
Preconditions:		
Independent reset: in this disposable profile restore any patched storage by reloading; remove only taskflow_tasks and taskflow_tasks_backup, then reload again. Disposable Chrome profile; app main@5133a6c at http://localhost:5173; use DevTools only on this profile. Storage-fixture helper: define validTask=(id,o={})=>({id,title:"Task "+id,description:"",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-02T03:04:05.000Z",updatedAt:"2026-01-02T03:04:05.000Z",...o}) and seedTasks=a=>localStorage.setItem("taskflow_tasks",JSON.stringify(a)); use seedTasks([validTask("x")]) for an exact valid baseline. Unless specified start Dashboard with no drawer/dialog open.		
#:	Step actions:	Expected Results:
1	Select To Do, In Progress, then Completed.	After each click, matching nav item alone has aria-current=page, h1 matches label and status filter matches.
2	Select Dashboard.	Dashboard active; h1 Dashboard; filter returns All.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-E-009: Navigation and page title [Version : 1]	
Keywords:	None	

Test Case TF-191: TC-E-026 - Desktop sidebar collapse toggles labels [Version : 1]		
Author:	rasan	
Summary: TC-E-026 - Desktop sidebar collapse toggles labels. **Test design technique:** State Transition - expanded/collapsed **Requirements:** REQ-E-010		
Preconditions: Independent reset: in this disposable profile restore any patched storage by reloading; remove only taskflow_tasks and taskflow_tasks_backup, then reload again. Disposable Chrome profile; app main@5133a6c at http://localhost:5173; use DevTools only on this profile. Storage-fixture helper: define validTask=(id,o={})=>({id,title:"Task "+id,description:"",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-02T03:04:05.000Z",updatedAt:"2026-01-02T03:04:05.000Z",...o}) and seedTasks=a=>localStorage.setItem("taskflow_tasks",JSON.stringify(a)); use seedTasks([validTask("x")]) for an exact valid baseline. Unless specified start Dashboard with no drawer/dialog open.		
#:	Step actions:	Expected Results:
1	At viewport 1024px inspect expanded sidebar; click Collapse sidebar.	Width transitions 248px to 72px; brand/nav/profile labels hide; aria-expanded=false and control name Expand sidebar.
2	Click Expand sidebar.	Width returns 248px; labels show; aria-expanded=true.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-E-010: Responsive sidebar breakpoint [Version : 1]	
Keywords:	None	

Test Case TF-192: TC-E-027 - Responsive behavior at 767px [Version : 1]		
Author:	rasan	
Summary: TC-E-027 - Responsive behavior at 767px. **Test design technique:** BVA - breakpoint below 768 **Requirements:** REQ-E-010		
Preconditions: Independent reset: in this disposable profile restore any patched storage by reloading; remove only taskflow_tasks and taskflow_tasks_backup, then reload again. Disposable Chrome profile; app main@5133a6c at http://localhost:5173; use DevTools only on this profile. Storage-fixture helper: define validTask=(id,o={})=>({id,title:"Task "+id,description:"",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-02T03:04:05.000Z",updatedAt:"2026-01-02T03:04:05.000Z",...o}) and seedTasks=a=>localStorage.setItem("taskflow_tasks",JSON.stringify(a)); use seedTasks([validTask("x")]) for an exact valid baseline. Unless specified start Dashboard with no drawer/dialog open.		
#:	Step actions:	Expected Results:
1	Set viewport exactly 767px and reload.	Mobile media rules apply: closed sidebar off-canvas/hidden; hamburger shown; collapse hidden.
2	Click Open menu.	272px drawer opens and overlay appears.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-E-010: Responsive sidebar breakpoint [Version : 1]	
Keywords:	None	

Test Case TF-193: TC-E-028 - Responsive behavior at 768px and README discrepancy [Version : 1]		
Author:	rasan	
Summary: TC-E-028 - Responsive behavior at 768px and README discrepancy. **Test design technique:** BVA - exact breakpoint **Requirements:** REQ-E-010		
Preconditions: Independent reset: in this disposable profile restore any patched storage by reloading; remove only taskflow_tasks and taskflow_tasks_backup, then reload again. Disposable Chrome profile; app main@5133a6c at http://localhost:5173; use DevTools only on this profile. Storage-fixture helper: define validTask=(id,o={})=>({id,title:"Task "+id,description:"",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-02T03:04:05.000Z",updatedAt:"2026-01-02T03:04:05.000Z",...o}) and seedTasks=a=>localStorage.setItem("taskflow_tasks",JSON.stringify(a)); use seedTasks([validTask("x")]) for an exact valid baseline. Unless specified start Dashboard with no drawer/dialog open.		
#:	Step actions:	Expected Results:
1	Set viewport exactly 768px and reload.	App.css max-width:768px applies mobile drawer rules at this width.
2	Compare README Behaviour notes.	README says under 768px, excluding 768; code includes 768. Record discrepancy; CSS determines implemented behavior.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-E-010: Responsive sidebar breakpoint [Version : 1]	
Keywords:	None	

Test Case TF-194: TC-E-029 - Responsive behavior at 769px [Version : 1]		
Author:	rasan	
Summary:		
TC-E-029 - Responsive behavior at 769px. **Test design technique:** BVA - breakpoint above 768 **Requirements:** REQ-E-010		
Preconditions:		
Independent reset: in this disposable profile restore any patched storage by reloading; remove only taskflow_tasks and taskflow_tasks_backup, then reload again. Disposable Chrome profile; app main@5133a6c at http://localhost:5173; use DevTools only on this profile. Storage-fixture helper: define validTask=(id,o={})=>({id,title:"Task "+id,description:"",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-02T03:04:05.000Z",updatedAt:"2026-01-02T03:04:05.000Z",...o}) and seedTasks=a=>localStorage.setItem("taskflow_tasks",JSON.stringify(a)); use seedTasks([validTask("x")]) for an exact valid baseline. Unless specified start Dashboard with no drawer/dialog open.		
#:	Step actions:	Expected Results:
1	Set viewport exactly 769px and reload.	Mobile rules no longer apply; desktop sidebar 248px; hamburger/close hidden; collapse shown.
2	Collapse sidebar.	Width becomes 72px and labels hide.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-E-010: Responsive sidebar breakpoint [Version : 1]	
Keywords:	None	

Test Case TF-195: TC-E-030 - Close drawer via close control and navigation [Version : 1]		
Author:	rasan	
Summary: TC-E-030 - Close drawer via close control and navigation. **Test design technique:** State Transition - drawer close paths **Requirements:** REQ-E-011		
Preconditions: Independent reset: in this disposable profile restore any patched storage by reloading; remove only taskflow_tasks and taskflow_tasks_backup, then reload again. Disposable Chrome profile; app main@5133a6c at http://localhost:5173; use DevTools only on this profile. Storage-fixture helper: define validTask=(id,o={})=>({id,title:"Task "+id,description:"",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-02T03:04:05.000Z",updatedAt:"2026-01-02T03:04:05.000Z",...o}) and seedTasks=a=>localStorage.setItem("taskflow_tasks",JSON.stringify(a)); use seedTasks([validTask("x")]) for an exact valid baseline. Unless specified start Dashboard with no drawer/dialog open.		
#:	Step actions:	Expected Results:
1	At 767px open menu, click Close menu.	Drawer and overlay disappear.
2	Reopen and select Completed.	Drawer closes; Completed filter/title/active state updates.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-E-011: Drawer close paths [Version : 1]	
Keywords:	None	

Test Case TF-196: TC-E-031 - Backdrop closes drawer but inside click does not [Version : 1]		
Author:	rasan	
Summary:		
TC-E-031 - Backdrop closes drawer but inside click does not. **Test design technique:** Error Guessing - overlay target **Requirements:** REQ-E-011		
Preconditions:		
Independent reset: in this disposable profile restore any patched storage by reloading; remove only taskflow_tasks and taskflow_tasks_backup, then reload again. Disposable Chrome profile; app main@5133a6c at http://localhost:5173; use DevTools only on this profile. Storage-fixture helper: define validTask=(id,o={})=>({id,title:"Task "+id,description:"",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-02T03:04:05.000Z",updatedAt:"2026-01-02T03:04:05.000Z",...o}) and seedTasks=a=>localStorage.setItem("taskflow_tasks",JSON.stringify(a)); use seedTasks([validTask("x")]) for an exact valid baseline. Unless specified start Dashboard with no drawer/dialog open.		
#:	Step actions:	Expected Results:
1	At 767px open menu and click overlay outside drawer.	Drawer closes and overlay disappears.
2	Reopen; click inside drawer without selecting item.	Drawer remains open.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-E-011: Drawer close paths [Version : 1]	
Keywords:	None	

Test Case TF-197: TC-E-032 - Mobile navigation updates page title [Version : 1]		
Author:	rasan	
Summary: TC-E-032 - Mobile navigation updates page title. **Test design technique:** Use Case - drawer navigation **Requirements:** REQ-E-009, REQ-E-011		
Preconditions: Independent reset: in this disposable profile restore any patched storage by reloading; remove only taskflow_tasks and taskflow_tasks_backup, then reload again. Disposable Chrome profile; app main@5133a6c at http://localhost:5173; use DevTools only on this profile. Storage-fixture helper: define validTask=(id,o={})=>({id,title:"Task "+id,description:"",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-02T03:04:05.000Z",updatedAt:"2026-01-02T03:04:05.000Z",...o}) and seedTasks=a=>localStorage.setItem("taskflow_tasks",JSON.stringify(a)); use seedTasks([validTask("x")]) for an exact valid baseline. Unless specified start Dashboard with no drawer/dialog open.		
#:	Step actions:	Expected Results:
1	At 767px open menu and select Completed.	Drawer closes; Completed is aria-current=page; h1 Completed; status filter Completed.
2	Reopen and select Dashboard.	Drawer closes; h1 Dashboard; filter All.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-E-009: Navigation and page title [Version : 1] REQ-E-011: Drawer close paths [Version : 1]	
Keywords:	None	

5.3.Test Suite : TS-E3 - Dialog focus and toast accessibility

Implemented dialog semantics, autofocus and opener restoration; success/error toast roles, dismissal and timeout.

Test Case TF-198: TC-E-033 - Dialog name and modal accessibility properties [Version : 1]		
Author:	rasan	
Summary: TC-E-033 - Dialog name and modal accessibility properties. **Test design technique:** Use Case - modal accessible name and semantics **Requirements:** REQ-E-012		
Preconditions: Independent reset: in this disposable profile restore any patched storage by reloading; remove only taskflow_tasks and taskflow_tasks_backup, then reload again. Disposable Chrome profile; app main@5133a6c at http://localhost:5173; use DevTools only on this profile. Storage-fixture helper: define validTask=(id,o={})=>({id,title:"Task "+id,description:"",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-02T03:04:05.000Z",updatedAt:"2026-01-02T03:04:05.000Z",...o}) and seedTasks=a=>localStorage.setItem("taskflow_tasks",JSON.stringify(a)); use seedTasks([validTask("x")]) for an exact valid baseline. Unless specified start Dashboard with no drawer/dialog open.		
#:	Step actions:	Expected Results:
1	Open New Task and inspect dialog DOM/accessibility tree.	role dialog, aria-modal true, aria-labelledby points to visible h2 named New Task.
2	Close using Cancel.	Dialog is removed; no focus trap is asserted because implementation has none.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-E-012: Dialog name, focus and opener restoration [Version : 1]	
Keywords:	None	

Test Case TF-199: TC-E-034 - Dialog autofocuses marked control [Version : 1]		
Author:	rasan	
Summary: TC-E-034 - Dialog autofocuses marked control. **Test design technique:** Use Case - modal entry focus **Requirements:** REQ-E-012		
Preconditions: Independent reset: in this disposable profile restore any patched storage by reloading; remove only taskflow_tasks and taskflow_tasks_backup, then reload again. Disposable Chrome profile; app main@5133a6c at http://localhost:5173; use DevTools only on this profile. Storage-fixture helper: define validTask=(id,o={})=>({id,title:"Task "+id,description:"",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-02T03:04:05.000Z",updatedAt:"2026-01-02T03:04:05.000Z",...o}) and seedTasks=a=>localStorage.setItem("taskflow_tasks",JSON.stringify(a)); use seedTasks([validTask("x")]) for an exact valid baseline. Unless specified start Dashboard with no drawer/dialog open. Seed validTask("focus") and reload before opening any dialog.		
#:	Step actions:	Expected Results:
1	Open New Task and inspect document.activeElement.	Task Title receives focus via data-autofocus.
2	Click Cancel, then Delete on Task focus and inspect document.activeElement.	Delete Task opens and its Cancel button receives focus via data-autofocus.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-E-012: Dialog name, focus and opener restoration [Version : 1]	
Keywords:	None	

Test Case TF-200: TC-E-035 - Dialog close restores opener focus [Version : 1]		
Author:	rasan	
Summary:		
TC-E-035 - Dialog close restores opener focus. **Test design technique:** State Transition - focus return **Requirements:** REQ-E-012		
Preconditions:		
Independent reset: in this disposable profile restore any patched storage by reloading; remove only taskflow_tasks and taskflow_tasks_backup, then reload again. Disposable Chrome profile; app main@5133a6c at http://localhost:5173; use DevTools only on this profile. Storage-fixture helper: define validTask=(id,o={})=>({id,title:"Task "+id,description:"",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-02T03:04:05.000Z",updatedAt:"2026-01-02T03:04:05.000Z",...o}) and seedTasks=a=>localStorage.setItem("taskflow_tasks",JSON.stringify(a)); use seedTasks([validTask("x")]) for an exact valid baseline. Unless specified start Dashboard with no drawer/dialog open.		
#:	Step actions:	Expected Results:
1	Focus + New Task and activate it; click Cancel.	Focus returns to same + New Task opener after unmount.
2	Remove the primary/backup keys and reload to the empty state. Focus Create your first task, activate it, then press Escape.	New Task closes and focus returns to the still-mounted Create your first task opener.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-E-012: Dialog name, focus and opener restoration [Version : 1]	
Keywords:	None	

Test Case TF-201: TC-E-036 - Success toast uses status and dismiss control [Version : 1]		
Author:	rasan	
Summary: TC-E-036 - Success toast uses status and dismiss control. **Test design technique:** EP - success announcement **Requirements:** REQ-E-013		
Preconditions: Independent reset: in this disposable profile restore any patched storage by reloading; remove only taskflow_tasks and taskflow_tasks_backup, then reload again. Disposable Chrome profile; app main@5133a6c at http://localhost:5173; use DevTools only on this profile. Storage-fixture helper: define validTask=(id,o={})=>({id,title:"Task "+id,description:"",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-02T03:04:05.000Z",updatedAt:"2026-01-02T03:04:05.000Z",...o}) and seedTasks=a=>localStorage.setItem("taskflow_tasks",JSON.stringify(a)); use seedTasks([validTask("x")]) for an exact valid baseline. Unless specified start Dashboard with no drawer/dialog open.		
#:	Step actions:	Expected Results:
1	Create one task titled Toast success with valid defaults, then inspect the toast immediately.	Exact message "Task created successfully."; role=status; accessible button "Dismiss notification".
2	Dismiss before timeout.	Toast disappears immediately.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-E-013: Toast timing and semantics [Version : 1]	
Keywords:	None	

Test Case TF-202: TC-E-037 - Error toast uses alert and dismiss control [Version : 1]		
Author:	rasan	
Summary:		
TC-E-037 - Error toast uses alert and dismiss control. **Test design technique:** EP - error announcement **Requirements:** REQ-E-007, REQ-E-013		
Preconditions:		
Independent reset: in this disposable profile restore any patched storage by reloading; remove only taskflow_tasks and taskflow_tasks_backup, then reload again. Disposable Chrome profile; app main@5133a6c at http://localhost:5173; use DevTools only on this profile. Storage-fixture helper: define validTask=(id,o={})=>({id,title:"Task "+id,description:"",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-02T03:04:05.000Z",updatedAt:"2026-01-02T03:04:05.000Z",...o}) and seedTasks=a=>localStorage.setItem("taskflow_tasks",JSON.stringify(a)); use seedTasks([validTask("x")]) for an exact valid baseline. Unless specified start Dashboard with no drawer/dialog open.		
#:	Step actions:	Expected Results:
1	Patch setItem to throw, then perform valid mutation.	role alert and exact Could not save tasks to browser storage. message; Dismiss notification button.
2	Dismiss notification.	Toast disappears immediately; optimistic state remains until reload.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-E-007: Failed write remains optimistic [Version : 1] REQ-E-013: Toast timing and semantics [Version : 1]	
Keywords:	None	

Test Case TF-203: TC-E-038 - Toast automatic duration tolerance [Version : 1]		
Author:	rasan	
Summary:		
TC-E-038 - Toast automatic duration tolerance. **Test design technique:** State Transition - visible toast to timed automatic dismissal at 3000ms **Requirements:** REQ-E-013		
Preconditions:		
Independent reset: in this disposable profile restore any patched storage by reloading; remove only taskflow_tasks and taskflow_tasks_backup, then reload again. Disposable Chrome profile; app main@5133a6c at http://localhost:5173; use DevTools only on this profile. Storage-fixture helper: define validTask=(id,o={})=>({id,title:"Task "+id,description:"",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-02T03:04:05.000Z",updatedAt:"2026-01-02T03:04:05.000Z",...o}) and seedTasks=a=>localStorage.setItem("taskflow_tasks",JSON.stringify(a)); use seedTasks([validTask("x")]) for an exact valid baseline. Unless specified start Dashboard with no drawer/dialog open.		
#:	Step actions:	Expected Results:
1	Trigger success toast and time from visible onset to removal.	Initial toast visible; measure duration.
2	Repeat for an error toast.	Each auto-closes between 2700 and 3800ms; outside range is a defect.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-E-013: Toast timing and semantics [Version : 1]	
Keywords:	None	