

Test Specification

Test Project: TaskFlow
Test Suite: TaskFlow - B - Mhamad - Editing and deletion

Printed by TestLink on 27/10/2026

2026 Group TaskFlow - Project 1 Test Case Design

Table Of Contents

1.B - Mhamad - Editing and deletion

1.1.TS-B1 - Prefilled editing and committed changes

TF-44: TC-B-001 - Prefill all saved fields

TF-45: TC-B-002 - Prefill empty optional fields

TF-46: TC-B-003 - Save title-only edit with identity retained

TF-47: TC-B-004 - Save description-only edit

TF-48: TC-B-005 - Save all editable fields together

TF-49: TC-B-006 - Clear existing optional description and date

TF-50: TC-B-007 - Save unchanged form still updates metadata

TF-51: TC-B-008 - Edit one same-title sibling only

TF-52: TC-B-009 - Repeat edits to the same task

TF-53: TC-B-010 - Edit different tasks in sequence

TF-54: TC-B-011 - Reject blank-title edit atomically

TF-55: TC-B-012 - Reject short-title edit atomically

TF-56: TC-B-013 - Reject overlong-title edit atomically

TF-57: TC-B-014 - Reject overlong-description edit atomically

TF-58: TC-B-015 - Reject two invalid fields without partial save

TF-59: TC-B-016 - Correct rejected edit and save once

TF-60: TC-B-017 - Save priority edit and retain it after reload

TF-61: TC-B-018 - Latest repeated priority edit wins

1.2.TS-B2 - Editing cancellation and draft isolation

TF-62: TC-B-019 - Discard dirty edit using Cancel button

TF-63: TC-B-020 - Discard dirty edit using Close X button

TF-64: TC-B-021 - Discard dirty edit using Escape key

TF-65: TC-B-022 - Discard dirty edit using dark backdrop

TF-66: TC-B-023 - Cancel a rejected draft

TF-67: TC-B-024 - Cancel untouched edit without advancing timestamp

TF-68: TC-B-025 - Reopen after rejected draft dismissal clears draft and errors

TF-69: TC-B-026 - Clicking inside edit modal does not discard draft

TF-70: TC-B-027 - Cancel priority-only change then reload

1.3.TS-B3 - Deletion confirmation and repeated targeting

TF-71: TC-B-028 - Exact confirmation before any deletion

TF-72: TC-B-029 - Confirmation uses latest saved title and punctuation

TF-73: TC-B-030 - Confirm deletion leaves siblings intact

TF-74: TC-B-031 - Confirm deletion of the sole remaining task

TF-75: TC-B-032 - Delete only intended same-title sibling

TF-76: TC-B-033 - Dismiss deletion using Cancel button

TF-77: TC-B-034 - Dismiss deletion using Close X button

TF-78: TC-B-035 - Dismiss deletion using Escape key

TF-79: TC-B-036 - Dismiss deletion using dark backdrop

TF-80: TC-B-037 - Interior deletion click is not a confirmation or dismissal

TF-81: TC-B-038 - Reopen after canceled deletion targets newly selected task

TF-82: TC-B-039 - Repeated cancellation then one confirmed deletion

TF-83: TC-B-040 - Consecutive deletions never reuse old target

TF-84: TC-B-041 - Canceled edit does not contaminate subsequent deletion

Scope

TaskFlow - single-user React/Vite task manager. SECJ3343 Project 1 local preparation environment. Import exports into the lecturer's existing project.

1.Test Suite : B - Mhamad - Editing and deletion

Member 2 / B: Mhamad (GitHub MhammedAzad). Group TaskFlow; leader Aland Karwan. SECJ3343 Project 1 Test Case Design, due 27 October 2026. Basis: README.md TF-REQ-009 through TF-REQ-015 and editing persistence in TF-REQ-018, TaskFlow main@5133a6c. Code-derived refinements are identified in the requirements.

Scope: prefilled edits, valid and rejected edits, identity/timestamps, every edit dismissal path, priority edit persistence, exact deletion confirmation, every deletion dismissal path, intended-target isolation and repeated operations. Creation, text boundary sweeps, enum/date partitions, counts/status transitions, queries, general storage recovery and navigation belong to other members. Their actions are setup only. All cases are manual and Not Run.

Each case independently resets ONLY a disposable Chrome profile at http://localhost:5173 using the complete fixture instructions in its preconditions. Never use personal task storage. Read ISO timestamps in stored JSON, not the day-resolution Created label. Observe specified success messages within three seconds. Numbered steps are generated from the ordered action/expected-result tuples.

1.1.Test Suite : TS-B1 - Prefilled editing and committed changes

18 independent manual cases; valid/rejected edits, atomicity, identity/timestamps, latest-value/target isolation and priority persistence. Representative invalid text inputs exercise edit rejection; A owns comprehensive text boundaries; C owns enum/date semantics.

Test Case TF-44: TC-B-001 - Prefill all saved fields [Version : 1]		
Author:	mhammedazad	
Summary:		
TC-B-001 - Prefill all saved fields. **Test design technique:** Use Case - selected existing task opens for edit **Requirements:** REQ-B-001		
Preconditions:		
INDEPENDENT RESET: use ONLY a disposable Chrome profile, http://localhost:5173, TaskFlow main@5133a6c; writable browser storage; system clock later than 2026-01-06. Open DevTools Console and run the following exact fixture; close DevTools after reload: localStorage.removeItem("taskflow_tasks_backup"); localStorage.setItem("taskflow_tasks", JSON.stringify([{id:"b-alpha",title:"Prepare sprint review",description:"Agenda draft",priority:"Low",status:"In Progress",dueDate:"2028-02-29",createdAt:"2026-01-01T09:00:00.000Z",updatedAt:"2026-01-02T10:00:00.000Z"}, {id:"b-beta",title:"Book meeting room",description:"Room 4",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-03T09:00:00.000Z",updatedAt:"2026-01-04T10:00:00.000Z"}, {id:"b-gamma",title:"Archive review notes",description:"Keep signed copy",priority:"High",status:"Completed",dueDate:"",createdAt:"2026-01-05T09:00:00.000Z",updatedAt:"2026-01-06T10:00:00.000Z"}])); location.reload(); Dashboard, search empty, status/priority filters All, Newest first (setup only). A means id b-alpha, B means b-beta, C means b-gamma, irrespective of card order. Before acting, use Console: window.bBefore = JSON.parse(localStorage.getItem("taskflow_tasks")); close DevTools. To inspect persisted objects later, reopen Console and evaluate JSON.parse(localStorage.getItem("taskflow_tasks")); compare by id with bBefore, not array position. Do not reload before completing an in-memory draft step. Read toasts immediately within 3 seconds. Inspect id/createdAt/updatedAt as raw JSON; list date formatting, counts, query behavior, generic reload/recovery, enum/date semantics and creation are not assertions of these cases.		
#:	Step actions:	Expected Results:
1	Click "Edit Prepare sprint review" on A.	"Edit Task" opens for A with "Cancel" and "Save Changes".
2	Inspect the five form controls without changing or submitting them.	Task Title "Prepare sprint review"; Description "Agenda draft"; Priority "Low"; Status "In Progress"; Due Date value "2028-02-29". No saved value has been replaced by a creation default.
3	Click "Cancel".	Dialog closes; no edit is committed.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-B-001: Prefill the selected task for editing [Version : 1]	
Keywords:	None	

Test Case TF-45: TC-B-002 - Prefill empty optional fields [Version : 1]		
Author:	mhammedazad	
Summary:		
TC-B-002 - Prefill empty optional fields. **Test design technique:** EP - existing task with absent optional content **Requirements:** REQ-B-001		
Preconditions:		
INDEPENDENT RESET: use ONLY a disposable Chrome profile, http://localhost:5173, TaskFlow main@5133a6c; writable browser storage; system clock later than 2026-01-06. Open DevTools Console and run the following exact fixture; close DevTools after reload: localStorage.removeItem("taskflow_tasks_backup"); localStorage.setItem("taskflow_tasks", JSON.stringify([{id:"b-alpha",title:"Prepare sprint review",description:"Agenda draft",priority:"Low",status:"In Progress",dueDate:"2028-02-29",createdAt:"2026-01-01T09:00:00.000Z",updatedAt:"2026-01-02T10:00:00.000Z"}, {id:"b-beta",title:"Book meeting room",description:"Room 4",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-03T09:00:00.000Z",updatedAt:"2026-01-04T10:00:00.000Z"}, {id:"b-gamma",title:"Archive review notes",description:"Keep signed copy",priority:"High",status:"Completed",dueDate:"",createdAt:"2026-01-05T09:00:00.000Z",updatedAt:"2026-01-06T10:00:00.000Z"}])); location.reload(); Dashboard, search empty, status/priority filters All, Newest first (setup only). A means id b-alpha, B means b-beta, C means b-gamma, irrespective of card order. Before acting, use Console: window.bBefore = JSON.parse(localStorage.getItem("taskflow_tasks")); close DevTools. To inspect persisted objects later, reopen Console and evaluate JSON.parse(localStorage.getItem("taskflow_tasks")); compare by id with bBefore, not array position. Do not reload before completing an in-memory draft step. Read toasts immediately within 3 seconds. Inspect id/createdAt/updatedAt as raw JSON; list date formatting, counts, query behavior, generic reload/recovery, enum/date semantics and creation are not assertions of these cases.		
#:	Step actions:	Expected Results:
1	For this case only, before opening edit, set B.description to "" in stored JSON and reload; recapture bBefore.	Fixture B is available with description "" and dueDate "".
2	Click "Edit Book meeting room".	"Edit Task" has title "Book meeting room", empty Description and Due Date, "Medium", "To Do".
3	Click "Cancel".	Dialog closes without saving.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-B-001: Prefill the selected task for editing [Version : 1]	
Keywords:	None	

Test Case TF-46: TC-B-003 - Save title-only edit with identity retained [Version : 1]		
Author:	mhammedazad	
Summary: TC-B-003 - Save title-only edit with identity retained. **Test design technique:** Use Case - single-field edit **Requirements:** REQ-B-002, REQ-B-003		
Preconditions: INDEPENDENT RESET: use ONLY a disposable Chrome profile, http://localhost:5173, TaskFlow main@5133a6c; writable browser storage; system clock later than 2026-01-06. Open DevTools Console and run the following exact fixture; close DevTools after reload: localStorage.removeItem("taskflow_tasks_backup"); localStorage.setItem("taskflow_tasks", JSON.stringify([{id:"b-alpha",title:"Prepare sprint review",description:"Agenda draft",priority:"Low",status:"In Progress",dueDate:"2028-02-29",createdAt:"2026-01-01T09:00:00.000Z",updatedAt:"2026-01-02T10:00:00.000Z"}, {id:"b-beta",title:"Book meeting room",description:"Room 4",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-03T09:00:00.000Z",updatedAt:"2026-01-04T10:00:00.000Z"}, {id:"b-gamma",title:"Archive review notes",description:"Keep signed copy",priority:"High",status:"Completed",dueDate:"",createdAt:"2026-01-05T09:00:00.000Z",updatedAt:"2026-01-06T10:00:00.000Z"}])); location.reload(); Dashboard, search empty, status/priority filters All, Newest first (setup only). A means id b-alpha, B means b-beta, C means b-gamma, irrespective of card order. Before acting, use Console: window.bBefore = JSON.parse(localStorage.getItem("taskflow_tasks")); close DevTools. To inspect persisted objects later, reopen Console and evaluate JSON.parse(localStorage.getItem("taskflow_tasks")); compare by id with bBefore, not array position. Do not reload before completing an in-memory draft step. Read toasts immediately within 3 seconds. Inspect id/createdAt/updatedAt as raw JSON; list date formatting, counts, query behavior, generic reload/recovery, enum/date semantics and creation are not assertions of these cases.		
#:	Step actions:	Expected Results:
1	Click "Edit Prepare sprint review" on A.	"Edit Task" opens for A with "Cancel" and "Save Changes".
2	Replace Task Title with "Prepare final sprint review"; leave other controls unchanged.	Draft title is "Prepare final sprint review".
3	Record new Date().toISOString() in Console immediately before save; close Console, click "Save Changes", observe toast, record the time again and inspect saved JSON.	Dialog closes; "Task updated successfully." appears. Stored array has the same three ids; A retains id b-alpha and createdAt 2026-01-01T09:00:00.000Z; updatedAt is valid ISO, later than 2026-01-02T10:00:00.000Z and within the recorded save interval. B and C are field-for-field unchanged from bBefore. A.title is "Prepare final sprint review"; description, priority, status and dueDate equal bBefore A.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-B-002: Commit a valid edit atomically to the selected task [Version : 1] REQ-B-003: Preserve identity and creation timestamp while advancing update time [Version : 1]	
Keywords:	None	

Test Case TF-47: TC-B-004 - Save description-only edit [Version : 1]		
Author:	mhammedazad	
Summary:		
TC-B-004 - Save description-only edit. **Test design technique:** Use Case - optional text edit **Requirements:** REQ-B-002, REQ-B-003		
Preconditions:		
INDEPENDENT RESET: use ONLY a disposable Chrome profile, http://localhost:5173, TaskFlow main@5133a6c; writable browser storage; system clock later than 2026-01-06. Open DevTools Console and run the following exact fixture; close DevTools after reload: localStorage.removeItem("taskflow_tasks_backup"); localStorage.setItem("taskflow_tasks", JSON.stringify([{id:"b-alpha",title:"Prepare sprint review",description:"Agenda draft",priority:"Low",status:"In Progress",dueDate:"2028-02-29",createdAt:"2026-01-01T09:00:00.000Z",updatedAt:"2026-01-02T10:00:00.000Z"}, {id:"b-beta",title:"Book meeting room",description:"Room 4",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-03T09:00:00.000Z",updatedAt:"2026-01-04T10:00:00.000Z"}, {id:"b-gamma",title:"Archive review notes",description:"Keep signed copy",priority:"High",status:"Completed",dueDate:"",createdAt:"2026-01-05T09:00:00.000Z",updatedAt:"2026-01-06T10:00:00.000Z"}])); location.reload(); Dashboard, search empty, status/priority filters All, Newest first (setup only). A means id b-alpha, B means b-beta, C means b-gamma, irrespective of card order. Before acting, use Console: window.bBefore = JSON.parse(localStorage.getItem("taskflow_tasks")); close DevTools. To inspect persisted objects later, reopen Console and evaluate JSON.parse(localStorage.getItem("taskflow_tasks")); compare by id with bBefore, not array position. Do not reload before completing an in-memory draft step. Read toasts immediately within 3 seconds. Inspect id/createdAt/updatedAt as raw JSON; list date formatting, counts, query behavior, generic reload/recovery, enum/date semantics and creation are not assertions of these cases.		
#:	Step actions:	Expected Results:
1	Click "Edit Prepare sprint review" on A.	"Edit Task" opens for A with "Cancel" and "Save Changes".
2	Replace Description with "Final agenda Bring demo".	Draft retains the two entered lines.
3	Record new Date().toISOString() in Console immediately before save; close Console, click "Save Changes", observe toast, record the time again and inspect saved JSON.	Dialog closes; "Task updated successfully." appears. Stored array has the same three ids; A retains id b-alpha and createdAt 2026-01-01T09:00:00.000Z; updatedAt is valid ISO, later than 2026-01-02T10:00:00.000Z and within the recorded save interval. B and C are field-for-field unchanged from bBefore. A.description is exactly "Final agenda Bring demo"; A title/priority/status/dueDate stay unchanged.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-B-002: Commit a valid edit atomically to the selected task [Version : 1] REQ-B-003: Preserve identity and creation timestamp while advancing update time [Version : 1]	
Keywords:	None	

Test Case TF-48: TC-B-005 - Save all editable fields together [Version : 1]		
Author:	mhammedazad	
Summary:		
TC-B-005 - Save all editable fields together. **Test design technique:** Use Case - complete valid edit **Requirements:** REQ-B-002, REQ-B-003, REQ-B-006		
Preconditions:		
INDEPENDENT RESET: use ONLY a disposable Chrome profile, http://localhost:5173, TaskFlow main@5133a6c; writable browser storage; system clock later than 2026-01-06. Open DevTools Console and run the following exact fixture; close DevTools after reload: localStorage.removeItem("taskflow_tasks_backup"); localStorage.setItem("taskflow_tasks", JSON.stringify([{id:"b-alpha",title:"Prepare sprint review",description:"Agenda draft",priority:"Low",status:"In Progress",dueDate:"2028-02-29",createdAt:"2026-01-01T09:00:00.000Z",updatedAt:"2026-01-02T10:00:00.000Z"}, {id:"b-beta",title:"Book meeting room",description:"Room 4",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-03T09:00:00.000Z",updatedAt:"2026-01-04T10:00:00.000Z"}, {id:"b-gamma",title:"Archive review notes",description:"Keep signed copy",priority:"High",status:"Completed",dueDate:"",createdAt:"2026-01-05T09:00:00.000Z",updatedAt:"2026-01-06T10:00:00.000Z"}])); location.reload(); Dashboard, search empty, status/priority filters All, Newest first (setup only). A means id b-alpha, B means b-beta, C means b-gamma, irrespective of card order. Before acting, use Console: window.bBefore = JSON.parse(localStorage.getItem("taskflow_tasks")); close DevTools. To inspect persisted objects later, reopen Console and evaluate JSON.parse(localStorage.getItem("taskflow_tasks")); compare by id with bBefore, not array position. Do not reload before completing an in-memory draft step. Read toasts immediately within 3 seconds. Inspect id/createdAt/updatedAt as raw JSON; list date formatting, counts, query behavior, generic reload/recovery, enum/date semantics and creation are not assertions of these cases.		
#:	Step actions:	Expected Results:
1	Click "Edit Prepare sprint review" on A.	"Edit Task" opens for A with "Cancel" and "Save Changes".
2	Enter title "Review launch plan", description "Review checklist"; select High, Completed; set Due Date to 2028-03-15.	Draft contains those five values (status/date selection is setup, not a validation or status/count assertion).
3	Record new Date().toISOString() in Console immediately before save; close Console, click "Save Changes", observe toast, record the time again and inspect saved JSON.	Dialog closes; "Task updated successfully." appears. Stored array has the same three ids; A retains id b-alpha and createdAt 2026-01-01T09:00:00.000Z; updatedAt is valid ISO, later than 2026-01-02T10:00:00.000Z and within the recorded save interval. B and C are field-for-field unchanged from bBefore. A stores "Review launch plan", "Review checklist", "High", "Completed", "2028-03-15".
4	Reopen "Edit Review launch plan".	"Edit Task" contains all five saved values.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-B-002: Commit a valid edit atomically to the selected task [Version : 1] REQ-B-003: Preserve identity and creation timestamp while advancing update time [Version : 1] REQ-B-006: Persist priority edits through the edit workflow [Version : 1]	
Keywords:	None	

Test Case TF-49: TC-B-006 - Clear existing optional description and date [Version : 1]		
Author:	mhammedazad	
Summary:		
TC-B-006 - Clear existing optional description and date. **Test design technique:** EP - valid removal of optional values during edit **Requirements:** REQ-B-002, REQ-B-003		
Preconditions:		
INDEPENDENT RESET: use ONLY a disposable Chrome profile, http://localhost:5173, TaskFlow main@5133a6c; writable browser storage; system clock later than 2026-01-06. Open DevTools Console and run the following exact fixture; close DevTools after reload: localStorage.removeItem("taskflow_tasks_backup"); localStorage.setItem("taskflow_tasks", JSON.stringify([{id:"b-alpha",title:"Prepare sprint review",description:"Agenda draft",priority:"Low",status:"In Progress",dueDate:"2028-02-29",createdAt:"2026-01-01T09:00:00.000Z",updatedAt:"2026-01-02T10:00:00.000Z"}, {id:"b-beta",title:"Book meeting room",description:"Room 4",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-03T09:00:00.000Z",updatedAt:"2026-01-04T10:00:00.000Z"}, {id:"b-gamma",title:"Archive review notes",description:"Keep signed copy",priority:"High",status:"Completed",dueDate:"",createdAt:"2026-01-05T09:00:00.000Z",updatedAt:"2026-01-06T10:00:00.000Z"}])); location.reload(); Dashboard, search empty, status/priority filters All, Newest first (setup only). A means id b-alpha, B means b-beta, C means b-gamma, irrespective of card order. Before acting, use Console: window.bBefore = JSON.parse(localStorage.getItem("taskflow_tasks")); close DevTools. To inspect persisted objects later, reopen Console and evaluate JSON.parse(localStorage.getItem("taskflow_tasks")); compare by id with bBefore, not array position. Do not reload before completing an in-memory draft step. Read toasts immediately within 3 seconds. Inspect id/createdAt/updatedAt as raw JSON; list date formatting, counts, query behavior, generic reload/recovery, enum/date semantics and creation are not assertions of these cases.		
#:	Step actions:	Expected Results:
1	Click "Edit Prepare sprint review" on A.	"Edit Task" opens for A with "Cancel" and "Save Changes".
2	Clear Description and Due Date; leave the other values unchanged.	Both optional controls are empty.
3	Record new Date().toISOString() in Console immediately before save; close Console, click "Save Changes", observe toast, record the time again and inspect saved JSON.	Dialog closes; "Task updated successfully." appears. Stored array has the same three ids; A retains id b-alpha and createdAt 2026-01-01T09:00:00.000Z; updatedAt is valid ISO, later than 2026-01-02T10:00:00.000Z and within the recorded save interval. B and C are field-for-field unchanged from bBefore. A.description and A.dueDate are both ""; other editable values remain unchanged.
4	Reopen A edit.	Description and Due Date are empty in "Edit Task".
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-B-002: Commit a valid edit atomically to the selected task [Version : 1] REQ-B-003: Preserve identity and creation timestamp while advancing update time [Version : 1]	
Keywords:	None	

Test Case TF-50: TC-B-007 - Save unchanged form still updates metadata [Version : 1]		
Author:	mhammedazad	
Summary:		
TC-B-007 - Save unchanged form still updates metadata. **Test design technique:** Error Guessing - no-op submit still calls updateTask **Requirements:** REQ-B-002, REQ-B-003		
Preconditions:		
INDEPENDENT RESET: use ONLY a disposable Chrome profile, http://localhost:5173, TaskFlow main@5133a6c; writable browser storage; system clock later than 2026-01-06. Open DevTools Console and run the following exact fixture; close DevTools after reload: localStorage.removeItem("taskflow_tasks_backup"); localStorage.setItem("taskflow_tasks", JSON.stringify([{id:"b-alpha",title:"Prepare sprint review",description:"Agenda draft",priority:"Low",status:"In Progress",dueDate:"2028-02-29",createdAt:"2026-01-01T09:00:00.000Z",updatedAt:"2026-01-02T10:00:00.000Z"}, {id:"b-beta",title:"Book meeting room",description:"Room 4",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-03T09:00:00.000Z",updatedAt:"2026-01-04T10:00:00.000Z"}, {id:"b-gamma",title:"Archive review notes",description:"Keep signed copy",priority:"High",status:"Completed",dueDate:"",createdAt:"2026-01-05T09:00:00.000Z",updatedAt:"2026-01-06T10:00:00.000Z"}])); location.reload(); Dashboard, search empty, status/priority filters All, Newest first (setup only). A means id b-alpha, B means b-beta, C means b-gamma, irrespective of card order. Before acting, use Console: window.bBefore = JSON.parse(localStorage.getItem("taskflow_tasks")); close DevTools. To inspect persisted objects later, reopen Console and evaluate JSON.parse(localStorage.getItem("taskflow_tasks")); compare by id with bBefore, not array position. Do not reload before completing an in-memory draft step. Read toasts immediately within 3 seconds. Inspect id/createdAt/updatedAt as raw JSON; list date formatting, counts, query behavior, generic reload/recovery, enum/date semantics and creation are not assertions of these cases.		
#:	Step actions:	Expected Results:
1	Click "Edit Prepare sprint review" on A.	"Edit Task" opens for A with "Cancel" and "Save Changes".
2	Record new Date().toISOString() in Console immediately before save; close Console, click "Save Changes", observe toast, record the time again and inspect saved JSON.	Dialog closes; "Task updated successfully." appears. Stored array has the same three ids; A retains id b-alpha and createdAt 2026-01-01T09:00:00.000Z; updatedAt is valid ISO, later than 2026-01-02T10:00:00.000Z and within the recorded save interval. B and C are field-for-field unchanged from bBefore. All five editable values equal bBefore A; only updatedAt changes.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-B-002: Commit a valid edit atomically to the selected task [Version : 1] REQ-B-003: Preserve identity and creation timestamp while advancing update time [Version : 1]	
Keywords:	None	

Test Case TF-51: TC-B-008 - Edit one same-title sibling only [Version : 1]		
Author:	mhammedazad	
Summary: TC-B-008 - Edit one same-title sibling only. **Test design technique:** Error Guessing - target identity differs despite equal titles **Requirements:** REQ-B-002, REQ-B-003, REQ-B-007		
Preconditions: INDEPENDENT RESET: use ONLY a disposable Chrome profile, http://localhost:5173, TaskFlow main@5133a6c; writable browser storage; system clock later than 2026-01-06. Open DevTools Console and run the following exact fixture; close DevTools after reload: localStorage.removeItem("taskflow_tasks_backup"); localStorage.setItem("taskflow_tasks", JSON.stringify([{id:"b-alpha",title:"Prepare sprint review",description:"Agenda draft",priority:"Low",status:"In Progress",dueDate:"2028-02-29",createdAt:"2026-01-01T09:00:00.000Z",updatedAt:"2026-01-02T10:00:00.000Z"}, {id:"b-beta",title:"Book meeting room",description:"Room 4",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-03T09:00:00.000Z",updatedAt:"2026-01-04T10:00:00.000Z"}, {id:"b-gamma",title:"Archive review notes",description:"Keep signed copy",priority:"High",status:"Completed",dueDate:"",createdAt:"2026-01-05T09:00:00.000Z",updatedAt:"2026-01-06T10:00:00.000Z"}])); location.reload(); Dashboard, search empty, status/priority filters All, Newest first (setup only). A means id b-alpha, B means b-beta, C means b-gamma, irrespective of card order. Before acting, use Console: window.bBefore = JSON.parse(localStorage.getItem("taskflow_tasks")); close DevTools. To inspect persisted objects later, reopen Console and evaluate JSON.parse(localStorage.getItem("taskflow_tasks")); compare by id with bBefore, not array position. Do not reload before completing an in-memory draft step. Read toasts immediately within 3 seconds. Inspect id/createdAt/updatedAt as raw JSON; list date formatting, counts, query behavior, generic reload/recovery, enum/date semantics and creation are not assertions of these cases.		
#:	Step actions:	Expected Results:
1	Before opening edit, set B.title to "Prepare sprint review" in stored JSON; reload; recapture bBefore.	A and B share the title but retain ids b-alpha and b-beta and distinct descriptions.
2	Within the card whose description is "Room 4", click Edit; replace Description with "Room 7".	"Edit Task" opens with B's values and accepts the draft description.
3	Click "Save Changes"; inspect JSON by id.	"Task updated successfully."; only b-beta.description becomes "Room 7" and its updatedAt advances. Its id/createdAt stay unchanged; A and C equal bBefore. There are still three objects.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-B-002: Commit a valid edit atomically to the selected task [Version : 1] REQ-B-003: Preserve identity and creation timestamp while advancing update time [Version : 1] REQ-B-007: Apply repeated edits and target only the selected identity [Version : 1]	
Keywords:	None	

Test Case TF-52: TC-B-009 - Repeat edits to the same task [Version : 1]		
Author:	mhammedazad	
Summary:		
TC-B-009 - Repeat edits to the same task. **Test design technique:** State Transition - saved original -> saved revision one -> saved revision two **Requirements:** REQ-B-001, REQ-B-003, REQ-B-007		
Preconditions:		
INDEPENDENT RESET: use ONLY a disposable Chrome profile, http://localhost:5173, TaskFlow main@5133a6c; writable browser storage; system clock later than 2026-01-06. Open DevTools Console and run the following exact fixture; close DevTools after reload: localStorage.removeItem("taskflow_tasks_backup"); localStorage.setItem("taskflow_tasks", JSON.stringify([{id:"b-alpha",title:"Prepare sprint review",description:"Agenda draft",priority:"Low",status:"In Progress",dueDate:"2028-02-29",createdAt:"2026-01-01T09:00:00.000Z",updatedAt:"2026-01-02T10:00:00.000Z"}, {id:"b-beta",title:"Book meeting room",description:"Room 4",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-03T09:00:00.000Z",updatedAt:"2026-01-04T10:00:00.000Z"}, {id:"b-gamma",title:"Archive review notes",description:"Keep signed copy",priority:"High",status:"Completed",dueDate:"",createdAt:"2026-01-05T09:00:00.000Z",updatedAt:"2026-01-06T10:00:00.000Z"}])); location.reload(); Dashboard, search empty, status/priority filters All, Newest first (setup only). A means id b-alpha, B means b-beta, C means b-gamma, irrespective of card order. Before acting, use Console: window.bBefore = JSON.parse(localStorage.getItem("taskflow_tasks")); close DevTools. To inspect persisted objects later, reopen Console and evaluate JSON.parse(localStorage.getItem("taskflow_tasks")); compare by id with bBefore, not array position. Do not reload before completing an in-memory draft step. Read toasts immediately within 3 seconds. Inspect id/createdAt/updatedAt as raw JSON; list date formatting, counts, query behavior, generic reload/recovery, enum/date semantics and creation are not assertions of these cases.		
#:	Step actions:	Expected Results:
1	Click "Edit Prepare sprint review" on A.	"Edit Task" opens for A with "Cancel" and "Save Changes".
2	Set Description to "Revision one"; save; inspect A JSON and record first updatedAt.	"Task updated successfully."; A.description "Revision one"; original id/createdAt preserved.
3	Wait at least 1 second; reopen A edit, set Description to "Revision two"; save.	Form initially shows "Revision one"; closes with "Task updated successfully." after save.
4	Inspect JSON by id.	Only A contains "Revision two"; updatedAt is later than the first save. No extra object; B/C unchanged.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-B-001: Prefill the selected task for editing [Version : 1] REQ-B-003: Preserve identity and creation timestamp while advancing update time [Version : 1] REQ-B-007: Apply repeated edits and target only the selected identity [Version : 1]	
Keywords:	None	

Test Case TF-53: TC-B-010 - Edit different tasks in sequence [Version : 1]		
Author:	mhammedazad	
Summary:		
TC-B-010 - Edit different tasks in sequence. **Test design technique:** State Transition - A edit saved -> B edit opened **Requirements:** REQ-B-001, REQ-B-007		
Preconditions:		
INDEPENDENT RESET: use ONLY a disposable Chrome profile, http://localhost:5173, TaskFlow main@5133a6c; writable browser storage; system clock later than 2026-01-06. Open DevTools Console and run the following exact fixture; close DevTools after reload: localStorage.removeItem("taskflow_tasks_backup"); localStorage.setItem("taskflow_tasks", JSON.stringify([{id:"b-alpha",title:"Prepare sprint review",description:"Agenda draft",priority:"Low",status:"In Progress",dueDate:"2028-02-29",createdAt:"2026-01-01T09:00:00.000Z",updatedAt:"2026-01-02T10:00:00.000Z"}, {id:"b-beta",title:"Book meeting room",description:"Room 4",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-03T09:00:00.000Z",updatedAt:"2026-01-04T10:00:00.000Z"}, {id:"b-gamma",title:"Archive review notes",description:"Keep signed copy",priority:"High",status:"Completed",dueDate:"",createdAt:"2026-01-05T09:00:00.000Z",updatedAt:"2026-01-06T10:00:00.000Z"}])); location.reload(); Dashboard, search empty, status/priority filters All, Newest first (setup only). A means id b-alpha, B means b-beta, C means b-gamma, irrespective of card order. Before acting, use Console: window.bBefore = JSON.parse(localStorage.getItem("taskflow_tasks")); close DevTools. To inspect persisted objects later, reopen Console and evaluate JSON.parse(localStorage.getItem("taskflow_tasks")); compare by id with bBefore, not array position. Do not reload before completing an in-memory draft step. Read toasts immediately within 3 seconds. Inspect id/createdAt/updatedAt as raw JSON; list date formatting, counts, query behavior, generic reload/recovery, enum/date semantics and creation are not assertions of these cases.		
#:	Step actions:	Expected Results:
1	Click "Edit Prepare sprint review" on A.	"Edit Task" opens for A with "Cancel" and "Save Changes".
2	Set Description to "A revised"; click "Save Changes"; then click "Edit Book meeting room".	Edit success toast; new "Edit Task" shows B: "Book meeting room", "Room 4", "Medium", "To Do", empty date.
3	Set Description to "B revised"; save; inspect JSON.	"Task updated successfully."; A has "A revised", B has "B revised". Their original ids/createdAt remain; C unchanged.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-B-001: Prefill the selected task for editing [Version : 1] REQ-B-007: Apply repeated edits and target only the selected identity [Version : 1]	
Keywords:	None	

Test Case TF-54: TC-B-011 - Reject blank-title edit atomically [Version : 1]		
Author:	mhammedazad	
Summary:		
TC-B-011 - Reject blank-title edit atomically. **Test design technique:** EP - representative invalid edit partition **Requirements:** REQ-B-004		
Preconditions:		
INDEPENDENT RESET: use ONLY a disposable Chrome profile, http://localhost:5173, TaskFlow main@5133a6c; writable browser storage; system clock later than 2026-01-06. Open DevTools Console and run the following exact fixture; close DevTools after reload: localStorage.removeItem("taskflow_tasks_backup"); localStorage.setItem("taskflow_tasks", JSON.stringify([{id:"b-alpha",title:"Prepare sprint review",description:"Agenda draft",priority:"Low",status:"In Progress",dueDate:"2028-02-29",createdAt:"2026-01-01T09:00:00.000Z",updatedAt:"2026-01-02T10:00:00.000Z"}, {id:"b-beta",title:"Book meeting room",description:"Room 4",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-03T09:00:00.000Z",updatedAt:"2026-01-04T10:00:00.000Z"}, {id:"b-gamma",title:"Archive review notes",description:"Keep signed copy",priority:"High",status:"Completed",dueDate:"",createdAt:"2026-01-05T09:00:00.000Z",updatedAt:"2026-01-06T10:00:00.000Z"}])); location.reload(); Dashboard, search empty, status/priority filters All, Newest first (setup only). A means id b-alpha, B means b-beta, C means b-gamma, irrespective of card order. Before acting, use Console: window.bBefore = JSON.parse(localStorage.getItem("taskflow_tasks")); close DevTools. To inspect persisted objects later, reopen Console and evaluate JSON.parse(localStorage.getItem("taskflow_tasks")); compare by id with bBefore, not array position. Do not reload before completing an in-memory draft step. Read toasts immediately within 3 seconds. Inspect id/createdAt/updatedAt as raw JSON; list date formatting, counts, query behavior, generic reload/recovery, enum/date semantics and creation are not assertions of these cases.		
#:	Step actions:	Expected Results:
1	Click "Edit Prepare sprint review" on A.	"Edit Task" opens for A with "Cancel" and "Save Changes".
2	Replace Task Title with three spaces. Also select High as a proposed valid edit.	Draft is entered; stored A still has Low.
3	Click "Save Changes"; inspect stored JSON without reloading.	"Edit Task" stays open. "Title is required." is displayed. All stored objects equal bBefore field-for-field, including id, createdAt and updatedAt. No "Task updated successfully." appears. Priority remains Low in saved A; the valid field change is not partially saved.
4	Click "Cancel".	Dialog closes; original A remains.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-B-004: Reject invalid edits without any partial commit [Version : 1]	
Keywords:	None	

Test Case TF-55: TC-B-012 - Reject short-title edit atomically [Version : 1]	
Author:	mhammedazad

Summary:

TC-B-012 - Reject short-title edit atomically.

Test design technique: EP - representative invalid edit partition

Requirements: REQ-B-004

Preconditions:

INDEPENDENT RESET: use ONLY a disposable Chrome profile, http://localhost:5173, TaskFlow main@5133a6c; writable browser storage; system clock later than 2026-01-06. Open DevTools Console and run the following exact fixture; close DevTools after reload: localStorage.removeItem("taskflow_tasks_backup"); localStorage.setItem("taskflow_tasks", JSON.stringify([{id:"b-alpha",title:"Prepare sprint review",description:"Agenda draft",priority:"Low",status:"In Progress",dueDate:"2028-02-29",createdAt:"2026-01-01T09:00:00.000Z",updatedAt:"2026-01-02T10:00:00.000Z"}, {id:"b-beta",title:"Book meeting room",description:"Room 4",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-03T09:00:00.000Z",updatedAt:"2026-01-04T10:00:00.000Z"}, {id:"b-gamma",title:"Archive review notes",description:"Keep signed copy",priority:"High",status:"Completed",dueDate:"",createdAt:"2026-01-05T09:00:00.000Z",updatedAt:"2026-01-06T10:00:00.000Z"}])); location.reload(); Dashboard, search empty, status/priority filters All, Newest first (setup only). A means id b-alpha, B means b-beta, C means b-gamma, irrespective of card order. Before acting, use Console: window.bBefore = JSON.parse(localStorage.getItem("taskflow_tasks")); close DevTools. To inspect persisted objects later, reopen Console and evaluate JSON.parse(localStorage.getItem("taskflow_tasks")); compare by id with bBefore, not array position. Do not reload before completing an in-memory draft step. Read toasts immediately within 3 seconds. Inspect id/createdAt/updatedAt as raw JSON; list date formatting, counts, query behavior, generic reload/recovery, enum/date semantics and creation are not assertions of these cases.

#:	Step actions:	Expected Results:
1	Click "Edit Prepare sprint review" on A.	"Edit Task" opens for A with "Cancel" and "Save Changes".
2	Replace Task Title with "ab". Also select High as a proposed valid edit.	Draft is entered; stored A still has Low.
3	Click "Save Changes"; inspect stored JSON without reloading.	"Edit Task" stays open. "Title must be at least 3 characters." is displayed. All stored objects equal bBefore field-for-field, including id, createdAt and updatedAt. No "Task updated successfully." appears. Priority remains Low in saved A; the valid field change is not partially saved.
4	Click "Cancel".	Dialog closes; original A remains.

Execution type:	Manual
Estimated exec. duration (min):	
Importance:	High
Requirements	REQ-B-004: Reject invalid edits without any partial commit [Version : 1]
Keywords:	None

Test Case TF-56: TC-B-013 - Reject overlong-title edit atomically [Version : 1]		
Author:	mhammedazad	
Summary:		
TC-B-013 - Reject overlong-title edit atomically. **Test design technique:** EP - representative invalid edit partition **Requirements:** REQ-B-004		
Preconditions:		
INDEPENDENT RESET: use ONLY a disposable Chrome profile, http://localhost:5173, TaskFlow main@5133a6c; writable browser storage; system clock later than 2026-01-06. Open DevTools Console and run the following exact fixture; close DevTools after reload: localStorage.removeItem("taskflow_tasks_backup"); localStorage.setItem("taskflow_tasks", JSON.stringify([{id:"b-alpha",title:"Prepare sprint review",description:"Agenda draft",priority:"Low",status:"In Progress",dueDate:"2028-02-29",createdAt:"2026-01-01T09:00:00.000Z",updatedAt:"2026-01-02T10:00:00.000Z"}, {id:"b-beta",title:"Book meeting room",description:"Room 4",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-03T09:00:00.000Z",updatedAt:"2026-01-04T10:00:00.000Z"}, {id:"b-gamma",title:"Archive review notes",description:"Keep signed copy",priority:"High",status:"Completed",dueDate:"",createdAt:"2026-01-05T09:00:00.000Z",updatedAt:"2026-01-06T10:00:00.000Z"}])); location.reload(); Dashboard, search empty, status/priority filters All, Newest first (setup only). A means id b-alpha, B means b-beta, C means b-gamma, irrespective of card order. Before acting, use Console: window.bBefore = JSON.parse(localStorage.getItem("taskflow_tasks")); close DevTools. To inspect persisted objects later, reopen Console and evaluate JSON.parse(localStorage.getItem("taskflow_tasks")); compare by id with bBefore, not array position. Do not reload before completing an in-memory draft step. Read toasts immediately within 3 seconds. Inspect id/createdAt/updatedAt as raw JSON; list date formatting, counts, query behavior, generic reload/recovery, enum/date semantics and creation are not assertions of these cases.		
#:	Step actions:	Expected Results:
1	Click "Edit Prepare sprint review" on A.	"Edit Task" opens for A with "Cancel" and "Save Changes".
2	Use DevTools copy("x".repeat(81)); close Console and paste into Task Title. Also select High as a proposed valid edit.	Draft is entered; stored A still has Low.
3	Click "Save Changes"; inspect stored JSON without reloading.	"Edit Task" stays open. "Title must be 80 characters or fewer." is displayed. All stored objects equal bBefore field-for-field, including id, createdAt and updatedAt. No "Task updated successfully." appears. Priority remains Low in saved A; the valid field change is not partially saved.
4	Click "Cancel".	Dialog closes; original A remains.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-B-004: Reject invalid edits without any partial commit [Version : 1]	
Keywords:	None	

Test Case TF-57: TC-B-014 - Reject overlong-description edit atomically [Version : 1]		
Author:	mhammedazad	
Summary:		
TC-B-014 - Reject overlong-description edit atomically. **Test design technique:** EP - representative invalid edit partition **Requirements:** REQ-B-004		
Preconditions:		
INDEPENDENT RESET: use ONLY a disposable Chrome profile, http://localhost:5173, TaskFlow main@5133a6c; writable browser storage; system clock later than 2026-01-06. Open DevTools Console and run the following exact fixture; close DevTools after reload: localStorage.removeItem("taskflow_tasks_backup"); localStorage.setItem("taskflow_tasks", JSON.stringify([{id:"b-alpha",title:"Prepare sprint review",description:"Agenda draft",priority:"Low",status:"In Progress",dueDate:"2028-02-29",createdAt:"2026-01-01T09:00:00.000Z",updatedAt:"2026-01-02T10:00:00.000Z"}, {id:"b-beta",title:"Book meeting room",description:"Room 4",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-03T09:00:00.000Z",updatedAt:"2026-01-04T10:00:00.000Z"}, {id:"b-gamma",title:"Archive review notes",description:"Keep signed copy",priority:"High",status:"Completed",dueDate:"",createdAt:"2026-01-05T09:00:00.000Z",updatedAt:"2026-01-06T10:00:00.000Z"}])); location.reload(); Dashboard, search empty, status/priority filters All, Newest first (setup only). A means id b-alpha, B means b-beta, C means b-gamma, irrespective of card order. Before acting, use Console: window.bBefore = JSON.parse(localStorage.getItem("taskflow_tasks")); close DevTools. To inspect persisted objects later, reopen Console and evaluate JSON.parse(localStorage.getItem("taskflow_tasks")); compare by id with bBefore, not array position. Do not reload before completing an in-memory draft step. Read toasts immediately within 3 seconds. Inspect id/createdAt/updatedAt as raw JSON; list date formatting, counts, query behavior, generic reload/recovery, enum/date semantics and creation are not assertions of these cases.		
#:	Step actions:	Expected Results:
1	Click "Edit Prepare sprint review" on A.	"Edit Task" opens for A with "Cancel" and "Save Changes".
2	Use DevTools copy("d".repeat(501)); close Console and paste into Description. Also select High as a proposed valid edit.	Draft is entered; stored A still has Low.
3	Click "Save Changes"; inspect stored JSON without reloading.	"Edit Task" stays open. "Description must be 500 characters or fewer." is displayed. All stored objects equal bBefore field-for-field, including id, createdAt and updatedAt. No "Task updated successfully." appears. Priority remains Low in saved A; the valid field change is not partially saved.
4	Click "Cancel".	Dialog closes; original A remains.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-B-004: Reject invalid edits without any partial commit [Version : 1]	
Keywords:	None	

Test Case TF-58: TC-B-015 - Reject two invalid fields without partial save [Version : 1]		
Author:	mhammedazad	
Summary:		
TC-B-015 - Reject two invalid fields without partial save. **Test design technique:** Decision Table - title valid=No, description valid=No, remaining fields valid=Yes; action=reject entire edit **Requirements:** REQ-B-004		
Preconditions:		
INDEPENDENT RESET: use ONLY a disposable Chrome profile, http://localhost:5173, TaskFlow main@5133a6c; writable browser storage; system clock later than 2026-01-06. Open DevTools Console and run the following exact fixture; close DevTools after reload: localStorage.removeItem("taskflow_tasks_backup"); localStorage.setItem("taskflow_tasks", JSON.stringify([{id:"b-alpha",title:"Prepare sprint review",description:"Agenda draft",priority:"Low",status:"In Progress",dueDate:"2028-02-29",createdAt:"2026-01-01T09:00:00.000Z",updatedAt:"2026-01-02T10:00:00.000Z"}, {id:"b-beta",title:"Book meeting room",description:"Room 4",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-03T09:00:00.000Z",updatedAt:"2026-01-04T10:00:00.000Z"}, {id:"b-gamma",title:"Archive review notes",description:"Keep signed copy",priority:"High",status:"Completed",dueDate:"",createdAt:"2026-01-05T09:00:00.000Z",updatedAt:"2026-01-06T10:00:00.000Z"}])); location.reload(); Dashboard, search empty, status/priority filters All, Newest first (setup only). A means id b-alpha, B means b-beta, C means b-gamma, irrespective of card order. Before acting, use Console: window.bBefore = JSON.parse(localStorage.getItem("taskflow_tasks")); close DevTools. To inspect persisted objects later, reopen Console and evaluate JSON.parse(localStorage.getItem("taskflow_tasks")); compare by id with bBefore, not array position. Do not reload before completing an in-memory draft step. Read toasts immediately within 3 seconds. Inspect id/createdAt/updatedAt as raw JSON; list date formatting, counts, query behavior, generic reload/recovery, enum/date semantics and creation are not assertions of these cases.		
#:	Step actions:	Expected Results:
1	Click "Edit Prepare sprint review" on A.	"Edit Task" opens for A with "Cancel" and "Save Changes".
2	Clear Task Title; paste exactly 501 copies of d into Description using copy("d".repeat(501)). Also select High as a proposed valid edit.	Draft is entered; stored A still has Low.
3	Click "Save Changes"; inspect stored JSON without reloading.	"Edit Task" stays open. Both "Title is required." and "Description must be 500 characters or fewer." are displayed. All stored objects equal bBefore field-for-field, including id, createdAt and updatedAt. No "Task updated successfully." appears. Priority remains Low in saved A; the valid field change is not partially saved.
4	Click "Cancel".	Dialog closes; original A remains.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-B-004: Reject invalid edits without any partial commit [Version : 1]	
Keywords:	None	

Test Case TF-59: TC-B-016 - Correct rejected edit and save once [Version : 1]		
Author:	mhammedazad	
Summary:		
TC-B-016 - Correct rejected edit and save once. **Test design technique:** State Transition - edit draft -> rejected draft -> corrected saved task **Requirements:** REQ-B-002, REQ-B-003, REQ-B-004, REQ-B-005		
Preconditions:		
INDEPENDENT RESET: use ONLY a disposable Chrome profile, http://localhost:5173, TaskFlow main@5133a6c; writable browser storage; system clock later than 2026-01-06. Open DevTools Console and run the following exact fixture; close DevTools after reload: localStorage.removeItem("taskflow_tasks_backup"); localStorage.setItem("taskflow_tasks", JSON.stringify([{id:"b-alpha",title:"Prepare sprint review",description:"Agenda draft",priority:"Low",status:"In Progress",dueDate:"2028-02-29",createdAt:"2026-01-01T09:00:00.000Z",updatedAt:"2026-01-02T10:00:00.000Z"}, {id:"b-beta",title:"Book meeting room",description:"Room 4",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-03T09:00:00.000Z",updatedAt:"2026-01-04T10:00:00.000Z"}, {id:"b-gamma",title:"Archive review notes",description:"Keep signed copy",priority:"High",status:"Completed",dueDate:"",createdAt:"2026-01-05T09:00:00.000Z",updatedAt:"2026-01-06T10:00:00.000Z"}])); location.reload(); Dashboard, search empty, status/priority filters All, Newest first (setup only). A means id b-alpha, B means b-beta, C means b-gamma, irrespective of card order. Before acting, use Console: window.bBefore = JSON.parse(localStorage.getItem("taskflow_tasks")); close DevTools. To inspect persisted objects later, reopen Console and evaluate JSON.parse(localStorage.getItem("taskflow_tasks")); compare by id with bBefore, not array position. Do not reload before completing an in-memory draft step. Read toasts immediately within 3 seconds. Inspect id/createdAt/updatedAt as raw JSON; list date formatting, counts, query behavior, generic reload/recovery, enum/date semantics and creation are not assertions of these cases.		
#:	Step actions:	Expected Results:
1	Click "Edit Prepare sprint review" on A.	"Edit Task" opens for A with "Cancel" and "Save Changes".
2	Clear Task Title; set Description to "Revised agenda"; click "Save Changes".	"Title is required."; "Edit Task" stays open; Description draft remains "Revised agenda"; stored JSON equals bBefore.
3	Replace Task Title with "Prepare corrected review"; click "Save Changes"; inspect JSON.	Form closes; "Task updated successfully."; A stores corrected title and "Revised agenda"; same id/createdAt, later updatedAt. Three objects; B and C unchanged.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-B-002: Commit a valid edit atomically to the selected task [Version : 1] REQ-B-003: Preserve identity and creation timestamp while advancing update time [Version : 1] REQ-B-004: Reject invalid edits without any partial commit [Version : 1] REQ-B-005: Recover a rejected edit and commit only the corrected values [Version : 1]	
Keywords:	None	

Test Case TF-60: TC-B-017 - Save priority edit and retain it after reload [Version : 1]		
Author:	mhammedazad	
Summary: TC-B-017 - Save priority edit and retain it after reload. **Test design technique:** Use Case - priority-only edit persistence **Requirements:** REQ-B-002, REQ-B-003, REQ-B-006		
Preconditions: INDEPENDENT RESET: use ONLY a disposable Chrome profile, http://localhost:5173, TaskFlow main@5133a6c; writable browser storage; system clock later than 2026-01-06. Open DevTools Console and run the following exact fixture; close DevTools after reload: localStorage.removeItem("taskflow_tasks_backup"); localStorage.setItem("taskflow_tasks", JSON.stringify([{id:"b-alpha",title:"Prepare sprint review",description:"Agenda draft",priority:"Low",status:"In Progress",dueDate:"2028-02-29",createdAt:"2026-01-01T09:00:00.000Z",updatedAt:"2026-01-02T10:00:00.000Z"}, {id:"b-beta",title:"Book meeting room",description:"Room 4",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-03T09:00:00.000Z",updatedAt:"2026-01-04T10:00:00.000Z"}, {id:"b-gamma",title:"Archive review notes",description:"Keep signed copy",priority:"High",status:"Completed",dueDate:"",createdAt:"2026-01-05T09:00:00.000Z",updatedAt:"2026-01-06T10:00:00.000Z"}])); location.reload(); Dashboard, search empty, status/priority filters All, Newest first (setup only). A means id b-alpha, B means b-beta, C means b-gamma, irrespective of card order. Before acting, use Console: window.bBefore = JSON.parse(localStorage.getItem("taskflow_tasks")); close DevTools. To inspect persisted objects later, reopen Console and evaluate JSON.parse(localStorage.getItem("taskflow_tasks")); compare by id with bBefore, not array position. Do not reload before completing an in-memory draft step. Read toasts immediately within 3 seconds. Inspect id/createdAt/updatedAt as raw JSON; list date formatting, counts, query behavior, generic reload/recovery, enum/date semantics and creation are not assertions of these cases.		
#:	Step actions:	Expected Results:
1	Click "Edit Prepare sprint review" on A.	"Edit Task" opens for A with "Cancel" and "Save Changes".
2	Change Priority from Low to High; leave every other form value unchanged.	Priority control shows "High".
3	Record new Date().toISOString() in Console immediately before save; close Console, click "Save Changes", observe toast, record the time again and inspect saved JSON.	Dialog closes; "Task updated successfully." appears. Stored array has the same three ids; A retains id b-alpha and createdAt 2026-01-01T09:00:00.000Z; updatedAt is valid ISO, later than 2026-01-02T10:00:00.000Z and within the recorded save interval. B and C are field-for-field unchanged from bBefore. A.priority "High"; its other form values are unchanged; A card badge "High".
4	Reload; inspect A JSON; reopen A edit.	A.priority is still "High"; "Edit Task" Priority is "High"; id and createdAt remain the original values.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-B-002: Commit a valid edit atomically to the selected task [Version : 1] REQ-B-003: Preserve identity and creation timestamp while advancing update time [Version : 1] REQ-B-006: Persist priority edits through the edit workflow [Version : 1]	
Keywords:	None	

Test Case TF-61: TC-B-018 - Latest repeated priority edit wins [Version : 1]		
Author:	mhammedazad	
Summary:		
TC-B-018 - Latest repeated priority edit wins. **Test design technique:** State Transition - saved Low -> saved High -> saved Medium **Requirements:** REQ-B-003, REQ-B-006, REQ-B-007		
Preconditions:		
INDEPENDENT RESET: use ONLY a disposable Chrome profile, http://localhost:5173, TaskFlow main@5133a6c; writable browser storage; system clock later than 2026-01-06. Open DevTools Console and run the following exact fixture; close DevTools after reload: localStorage.removeItem("taskflow_tasks_backup"); localStorage.setItem("taskflow_tasks", JSON.stringify([{id:"b-alpha",title:"Prepare sprint review",description:"Agenda draft",priority:"Low",status:"In Progress",dueDate:"2028-02-29",createdAt:"2026-01-01T09:00:00.000Z",updatedAt:"2026-01-02T10:00:00.000Z"}, {id:"b-beta",title:"Book meeting room",description:"Room 4",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-03T09:00:00.000Z",updatedAt:"2026-01-04T10:00:00.000Z"}, {id:"b-gamma",title:"Archive review notes",description:"Keep signed copy",priority:"High",status:"Completed",dueDate:"",createdAt:"2026-01-05T09:00:00.000Z",updatedAt:"2026-01-06T10:00:00.000Z"}])); location.reload(); Dashboard, search empty, status/priority filters All, Newest first (setup only). A means id b-alpha, B means b-beta, C means b-gamma, irrespective of card order. Before acting, use Console: window.bBefore = JSON.parse(localStorage.getItem("taskflow_tasks")); close DevTools. To inspect persisted objects later, reopen Console and evaluate JSON.parse(localStorage.getItem("taskflow_tasks")); compare by id with bBefore, not array position. Do not reload before completing an in-memory draft step. Read toasts immediately within 3 seconds. Inspect id/createdAt/updatedAt as raw JSON; list date formatting, counts, query behavior, generic reload/recovery, enum/date semantics and creation are not assertions of these cases.		
#:	Step actions:	Expected Results:
1	Click "Edit Prepare sprint review" on A.	"Edit Task" opens for A with "Cancel" and "Save Changes".
2	Choose High; save; record A.updatedAt; wait at least 1 second; reopen A edit.	"Task updated successfully."; reopened Priority is "High".
3	Choose Medium; save; reload; inspect A JSON and reopen edit.	"Task updated successfully." at save; latest saved/control/card priority is "Medium". Same id/createdAt; updatedAt later than the first save. B/C unchanged.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-B-003: Preserve identity and creation timestamp while advancing update time [Version : 1] REQ-B-006: Persist priority edits through the edit workflow [Version : 1] REQ-B-007: Apply repeated edits and target only the selected identity [Version : 1]	
Keywords:	None	

1.2.Test Suite : TS-B2 - Editing cancellation and draft isolation

9 independent manual cases; Cancel, Close X, Escape, dark backdrop, invalid/unchanged drafts, clean reopening, interior hit testing and abandoned priority changes. Dialog focus/navigation accessibility is owned by E.

Test Case TF-62: TC-B-019 - Discard dirty edit using Cancel button [Version : 1]		
Author:	mhammedazad	
Summary:		
TC-B-019 - Discard dirty edit using Cancel button. **Test design technique:** State Transition - saved task -> dirty editing -> closed without commit **Requirements:** REQ-B-008, REQ-B-009		
Preconditions:		
INDEPENDENT RESET: use ONLY a disposable Chrome profile, http://localhost:5173, TaskFlow main@5133a6c; writable browser storage; system clock later than 2026-01-06. Open DevTools Console and run the following exact fixture; close DevTools after reload: localStorage.removeItem("taskflow_tasks_backup"); localStorage.setItem("taskflow_tasks", JSON.stringify([{id:"b-alpha",title:"Prepare sprint review",description:"Agenda draft",priority:"Low",status:"In Progress",dueDate:"2028-02-29",createdAt:"2026-01-01T09:00:00.000Z",updatedAt:"2026-01-02T10:00:00.000Z"}, {id:"b-beta",title:"Book meeting room",description:"Room 4",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-03T09:00:00.000Z",updatedAt:"2026-01-04T10:00:00.000Z"}, {id:"b-gamma",title:"Archive review notes",description:"Keep signed copy",priority:"High",status:"Completed",dueDate:"",createdAt:"2026-01-05T09:00:00.000Z",updatedAt:"2026-01-06T10:00:00.000Z"}])); location.reload(); Dashboard, search empty, status/priority filters All, Newest first (setup only). A means id b-alpha, B means b-beta, C means b-gamma, irrespective of card order. Before acting, use Console: window.bBefore = JSON.parse(localStorage.getItem("taskflow_tasks")); close DevTools. To inspect persisted objects later, reopen Console and evaluate JSON.parse(localStorage.getItem("taskflow_tasks")); compare by id with bBefore, not array position. Do not reload before completing an in-memory draft step. Read toasts immediately within 3 seconds. Inspect id/createdAt/updatedAt as raw JSON; list date formatting, counts, query behavior, generic reload/recovery, enum/date semantics and creation are not assertions of these cases.		
#:	Step actions:	Expected Results:
1	Click "Edit Prepare sprint review" on A.	"Edit Task" opens for A with "Cancel" and "Save Changes".
2	Change title to "Discarded draft", Description to "Unsaved agenda" and Priority to High.	Draft values are visible in "Edit Task".
3	Click "Cancel".	"Edit Task" closes. All stored objects equal bBefore field-for-field, including id, createdAt and updatedAt. No "Task updated successfully." appears.
4	Reopen A edit.	Title "Prepare sprint review", Description "Agenda draft", Priority "Low"; no discarded values.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-B-008: Discard editing through every supported dismissal path [Version : 1] REQ-B-009: Reopening a canceled edit discards draft and validation state [Version : 1]	
Keywords:	None	

Test Case TF-63: TC-B-020 - Discard dirty edit using Close X button [Version : 1]		
Author:	mhammedazad	
Summary: TC-B-020 - Discard dirty edit using Close X button. **Test design technique:** State Transition - saved task -> dirty editing -> closed without commit **Requirements:** REQ-B-008, REQ-B-009		
Preconditions: INDEPENDENT RESET: use ONLY a disposable Chrome profile, http://localhost:5173, TaskFlow main@5133a6c; writable browser storage; system clock later than 2026-01-06. Open DevTools Console and run the following exact fixture; close DevTools after reload: localStorage.removeItem("taskflow_tasks_backup"); localStorage.setItem("taskflow_tasks", JSON.stringify([{id:"b-alpha",title:"Prepare sprint review",description:"Agenda draft",priority:"Low",status:"In Progress",dueDate:"2028-02-29",createdAt:"2026-01-01T09:00:00.000Z",updatedAt:"2026-01-02T10:00:00.000Z"}, {id:"b-beta",title:"Book meeting room",description:"Room 4",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-03T09:00:00.000Z",updatedAt:"2026-01-04T10:00:00.000Z"}, {id:"b-gamma",title:"Archive review notes",description:"Keep signed copy",priority:"High",status:"Completed",dueDate:"",createdAt:"2026-01-05T09:00:00.000Z",updatedAt:"2026-01-06T10:00:00.000Z"}])); location.reload(); Dashboard, search empty, status/priority filters All, Newest first (setup only). A means id b-alpha, B means b-beta, C means b-gamma, irrespective of card order. Before acting, use Console: window.bBefore = JSON.parse(localStorage.getItem("taskflow_tasks")); close DevTools. To inspect persisted objects later, reopen Console and evaluate JSON.parse(localStorage.getItem("taskflow_tasks")); compare by id with bBefore, not array position. Do not reload before completing an in-memory draft step. Read toasts immediately within 3 seconds. Inspect id/createdAt/updatedAt as raw JSON; list date formatting, counts, query behavior, generic reload/recovery, enum/date semantics and creation are not assertions of these cases.		
#:	Step actions:	Expected Results:
1	Click "Edit Prepare sprint review" on A.	"Edit Task" opens for A with "Cancel" and "Save Changes".
2	Change title to "Discarded draft", Description to "Unsaved agenda" and Priority to High.	Draft values are visible in "Edit Task".
3	Click the dialog X button with accessible label "Close".	"Edit Task" closes. All stored objects equal bBefore field-for-field, including id, createdAt and updatedAt. No "Task updated successfully." appears.
4	Reopen A edit.	Title "Prepare sprint review", Description "Agenda draft", Priority "Low"; no discarded values.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-B-008: Discard editing through every supported dismissal path [Version : 1] REQ-B-009: Reopening a canceled edit discards draft and validation state [Version : 1]	
Keywords:	None	

Test Case TF-64: TC-B-021 - Discard dirty edit using Escape key [Version : 1]		
Author:	mhammedazad	
Summary:		
TC-B-021 - Discard dirty edit using Escape key. **Test design technique:** State Transition - saved task -> dirty editing -> closed without commit **Requirements:** REQ-B-008, REQ-B-009		
Preconditions:		
INDEPENDENT RESET: use ONLY a disposable Chrome profile, http://localhost:5173, TaskFlow main@5133a6c; writable browser storage; system clock later than 2026-01-06. Open DevTools Console and run the following exact fixture; close DevTools after reload: localStorage.removeItem("taskflow_tasks_backup"); localStorage.setItem("taskflow_tasks", JSON.stringify([{id:"b-alpha",title:"Prepare sprint review",description:"Agenda draft",priority:"Low",status:"In Progress",dueDate:"2028-02-29",createdAt:"2026-01-01T09:00:00.000Z",updatedAt:"2026-01-02T10:00:00.000Z"}, {id:"b-beta",title:"Book meeting room",description:"Room 4",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-03T09:00:00.000Z",updatedAt:"2026-01-04T10:00:00.000Z"}, {id:"b-gamma",title:"Archive review notes",description:"Keep signed copy",priority:"High",status:"Completed",dueDate:"",createdAt:"2026-01-05T09:00:00.000Z",updatedAt:"2026-01-06T10:00:00.000Z"}])); location.reload(); Dashboard, search empty, status/priority filters All, Newest first (setup only). A means id b-alpha, B means b-beta, C means b-gamma, irrespective of card order. Before acting, use Console: window.bBefore = JSON.parse(localStorage.getItem("taskflow_tasks")); close DevTools. To inspect persisted objects later, reopen Console and evaluate JSON.parse(localStorage.getItem("taskflow_tasks")); compare by id with bBefore, not array position. Do not reload before completing an in-memory draft step. Read toasts immediately within 3 seconds. Inspect id/createdAt/updatedAt as raw JSON; list date formatting, counts, query behavior, generic reload/recovery, enum/date semantics and creation are not assertions of these cases.		
#:	Step actions:	Expected Results:
1	Click "Edit Prepare sprint review" on A.	"Edit Task" opens for A with "Cancel" and "Save Changes".
2	Change title to "Discarded draft", Description to "Unsaved agenda" and Priority to High.	Draft values are visible in "Edit Task".
3	Press Escape while Task Title is focused.	"Edit Task" closes. All stored objects equal bBefore field-for-field, including id, createdAt and updatedAt. No "Task updated successfully." appears.
4	Reopen A edit.	Title "Prepare sprint review", Description "Agenda draft", Priority "Low"; no discarded values.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-B-008: Discard editing through every supported dismissal path [Version : 1] REQ-B-009: Reopening a canceled edit discards draft and validation state [Version : 1]	
Keywords:	None	

Test Case TF-65: TC-B-022 - Discard dirty edit using dark backdrop [Version : 1]		
Author:	mhammedazad	
Summary:		
TC-B-022 - Discard dirty edit using dark backdrop. **Test design technique:** State Transition - saved task -> dirty editing -> closed without commit **Requirements:** REQ-B-008, REQ-B-009		
Preconditions:		
INDEPENDENT RESET: use ONLY a disposable Chrome profile, http://localhost:5173, TaskFlow main@5133a6c; writable browser storage; system clock later than 2026-01-06. Open DevTools Console and run the following exact fixture; close DevTools after reload: localStorage.removeItem("taskflow_tasks_backup"); localStorage.setItem("taskflow_tasks", JSON.stringify([{id:"b-alpha",title:"Prepare sprint review",description:"Agenda draft",priority:"Low",status:"In Progress",dueDate:"2028-02-29",createdAt:"2026-01-01T09:00:00.000Z",updatedAt:"2026-01-02T10:00:00.000Z"}, {id:"b-beta",title:"Book meeting room",description:"Room 4",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-03T09:00:00.000Z",updatedAt:"2026-01-04T10:00:00.000Z"}, {id:"b-gamma",title:"Archive review notes",description:"Keep signed copy",priority:"High",status:"Completed",dueDate:"",createdAt:"2026-01-05T09:00:00.000Z",updatedAt:"2026-01-06T10:00:00.000Z"}])); location.reload(); Dashboard, search empty, status/priority filters All, Newest first (setup only). A means id b-alpha, B means b-beta, C means b-gamma, irrespective of card order. Before acting, use Console: window.bBefore = JSON.parse(localStorage.getItem("taskflow_tasks")); close DevTools. To inspect persisted objects later, reopen Console and evaluate JSON.parse(localStorage.getItem("taskflow_tasks")); compare by id with bBefore, not array position. Do not reload before completing an in-memory draft step. Read toasts immediately within 3 seconds. Inspect id/createdAt/updatedAt as raw JSON; list date formatting, counts, query behavior, generic reload/recovery, enum/date semantics and creation are not assertions of these cases.		
#:	Step actions:	Expected Results:
1	Click "Edit Prepare sprint review" on A.	"Edit Task" opens for A with "Cancel" and "Save Changes".
2	Change title to "Discarded draft", Description to "Unsaved agenda" and Priority to High.	Draft values are visible in "Edit Task".
3	Press and release the mouse on the dark backdrop outside the white dialog.	"Edit Task" closes. All stored objects equal bBefore field-for-field, including id, createdAt and updatedAt. No "Task updated successfully." appears.
4	Reopen A edit.	Title "Prepare sprint review", Description "Agenda draft", Priority "Low"; no discarded values.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-B-008: Discard editing through every supported dismissal path [Version : 1] REQ-B-009: Reopening a canceled edit discards draft and validation state [Version : 1]	
Keywords:	None	

Test Case TF-66: TC-B-023 - Cancel a rejected draft [Version : 1]		
Author:	mhammedazad	
Summary:		
TC-B-023 - Cancel a rejected draft. **Test design technique:** State Transition - rejected editing -> closed without commit **Requirements:** REQ-B-004, REQ-B-008		
Preconditions:		
INDEPENDENT RESET: use ONLY a disposable Chrome profile, http://localhost:5173, TaskFlow main@5133a6c; writable browser storage; system clock later than 2026-01-06. Open DevTools Console and run the following exact fixture; close DevTools after reload: localStorage.removeItem("taskflow_tasks_backup"); localStorage.setItem("taskflow_tasks", JSON.stringify([{id:"b-alpha",title:"Prepare sprint review",description:"Agenda draft",priority:"Low",status:"In Progress",dueDate:"2028-02-29",createdAt:"2026-01-01T09:00:00.000Z",updatedAt:"2026-01-02T10:00:00.000Z"}, {id:"b-beta",title:"Book meeting room",description:"Room 4",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-03T09:00:00.000Z",updatedAt:"2026-01-04T10:00:00.000Z"}, {id:"b-gamma",title:"Archive review notes",description:"Keep signed copy",priority:"High",status:"Completed",dueDate:"",createdAt:"2026-01-05T09:00:00.000Z",updatedAt:"2026-01-06T10:00:00.000Z"}])); location.reload(); Dashboard, search empty, status/priority filters All, Newest first (setup only). A means id b-alpha, B means b-beta, C means b-gamma, irrespective of card order. Before acting, use Console: window.bBefore = JSON.parse(localStorage.getItem("taskflow_tasks")); close DevTools. To inspect persisted objects later, reopen Console and evaluate JSON.parse(localStorage.getItem("taskflow_tasks")); compare by id with bBefore, not array position. Do not reload before completing an in-memory draft step. Read toasts immediately within 3 seconds. Inspect id/createdAt/updatedAt as raw JSON; list date formatting, counts, query behavior, generic reload/recovery, enum/date semantics and creation are not assertions of these cases.		
#:	Step actions:	Expected Results:
1	Click "Edit Prepare sprint review" on A.	"Edit Task" opens for A with "Cancel" and "Save Changes".
2	Clear Task Title; click "Save Changes".	"Title is required."; dialog stays open; saved JSON unchanged.
3	Click "Cancel"; inspect JSON.	"Edit Task" closes. All stored objects equal bBefore field-for-field, including id, createdAt and updatedAt. No "Task updated successfully." appears.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-B-004: Reject invalid edits without any partial commit [Version : 1] REQ-B-008: Discard editing through every supported dismissal path [Version : 1]	
Keywords:	None	

Test Case TF-67: TC-B-024 - Cancel untouched edit without advancing timestamp [Version : 1]		
Author:	mhammedazad	
Summary:		
TC-B-024 - Cancel untouched edit without advancing timestamp. **Test design technique:** EP - unchanged edit dismissed rather than saved **Requirements:** REQ-B-008		
Preconditions:		
INDEPENDENT RESET: use ONLY a disposable Chrome profile, http://localhost:5173, TaskFlow main@5133a6c; writable browser storage; system clock later than 2026-01-06. Open DevTools Console and run the following exact fixture; close DevTools after reload: localStorage.removeItem("taskflow_tasks_backup"); localStorage.setItem("taskflow_tasks", JSON.stringify([{id:"b-alpha",title:"Prepare sprint review",description:"Agenda draft",priority:"Low",status:"In Progress",dueDate:"2028-02-29",createdAt:"2026-01-01T09:00:00.000Z",updatedAt:"2026-01-02T10:00:00.000Z"}, {id:"b-beta",title:"Book meeting room",description:"Room 4",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-03T09:00:00.000Z",updatedAt:"2026-01-04T10:00:00.000Z"}, {id:"b-gamma",title:"Archive review notes",description:"Keep signed copy",priority:"High",status:"Completed",dueDate:"",createdAt:"2026-01-05T09:00:00.000Z",updatedAt:"2026-01-06T10:00:00.000Z"}])); location.reload(); Dashboard, search empty, status/priority filters All, Newest first (setup only). A means id b-alpha, B means b-beta, C means b-gamma, irrespective of card order. Before acting, use Console: window.bBefore = JSON.parse(localStorage.getItem("taskflow_tasks")); close DevTools. To inspect persisted objects later, reopen Console and evaluate JSON.parse(localStorage.getItem("taskflow_tasks")); compare by id with bBefore, not array position. Do not reload before completing an in-memory draft step. Read toasts immediately within 3 seconds. Inspect id/createdAt/updatedAt as raw JSON; list date formatting, counts, query behavior, generic reload/recovery, enum/date semantics and creation are not assertions of these cases.		
#:	Step actions:	Expected Results:
1	Click "Edit Prepare sprint review" on A.	"Edit Task" opens for A with "Cancel" and "Save Changes".
2	Without touching any field, click "Cancel"; inspect raw JSON.	Dialog closes. All stored objects equal bBefore field-for-field, including id, createdAt and updatedAt. No "Task updated successfully." appears.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-B-008: Discard editing through every supported dismissal path [Version : 1]	
Keywords:	None	

Test Case TF-68: TC-B-025 - Reopen after rejected draft dismissal clears draft and errors [Version : 1]		
Author:	mhammedazad	
Summary:		
TC-B-025 - Reopen after rejected draft dismissal clears draft and errors. **Test design technique:** State Transition - rejected editing -> closed -> fresh editing **Requirements:** REQ-B-001, REQ-B-008, REQ-B-009		
Preconditions:		
INDEPENDENT RESET: use ONLY a disposable Chrome profile, http://localhost:5173, TaskFlow main@5133a6c; writable browser storage; system clock later than 2026-01-06. Open DevTools Console and run the following exact fixture; close DevTools after reload: localStorage.removeItem("taskflow_tasks_backup"); localStorage.setItem("taskflow_tasks", JSON.stringify([{id:"b-alpha",title:"Prepare sprint review",description:"Agenda draft",priority:"Low",status:"In Progress",dueDate:"2028-02-29",createdAt:"2026-01-01T09:00:00.000Z",updatedAt:"2026-01-02T10:00:00.000Z"}, {id:"b-beta",title:"Book meeting room",description:"Room 4",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-03T09:00:00.000Z",updatedAt:"2026-01-04T10:00:00.000Z"}, {id:"b-gamma",title:"Archive review notes",description:"Keep signed copy",priority:"High",status:"Completed",dueDate:"",createdAt:"2026-01-05T09:00:00.000Z",updatedAt:"2026-01-06T10:00:00.000Z"}])); location.reload(); Dashboard, search empty, status/priority filters All, Newest first (setup only). A means id b-alpha, B means b-beta, C means b-gamma, irrespective of card order. Before acting, use Console: window.bBefore = JSON.parse(localStorage.getItem("taskflow_tasks")); close DevTools. To inspect persisted objects later, reopen Console and evaluate JSON.parse(localStorage.getItem("taskflow_tasks")); compare by id with bBefore, not array position. Do not reload before completing an in-memory draft step. Read toasts immediately within 3 seconds. Inspect id/createdAt/updatedAt as raw JSON; list date formatting, counts, query behavior, generic reload/recovery, enum/date semantics and creation are not assertions of these cases.		
#:	Step actions:	Expected Results:
1	Click "Edit Prepare sprint review" on A.	"Edit Task" opens for A with "Cancel" and "Save Changes".
2	Clear title; set Description to "Abandoned revision"; click "Save Changes".	"Title is required."; draft Description remains "Abandoned revision".
3	Press Escape; reopen A edit.	New "Edit Task" contains "Prepare sprint review" and "Agenda draft"; previous "Title is required." is absent.
4	Click "Cancel"; inspect JSON.	All stored objects equal bBefore field-for-field, including id, createdAt and updatedAt. No "Task updated successfully." appears.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-B-001: Prefill the selected task for editing [Version : 1] REQ-B-008: Discard editing through every supported dismissal path [Version : 1] REQ-B-009: Reopening a canceled edit discards draft and validation state [Version : 1]	
Keywords:	None	

Test Case TF-69: TC-B-026 - Clicking inside edit modal does not discard draft [Version : 1]		
Author:	mhammedazad	
Summary:		
TC-B-026 - Clicking inside edit modal does not discard draft. **Test design technique:** Error Guessing - bubbling mousedown from interior **Requirements:** REQ-B-010		
Preconditions:		
INDEPENDENT RESET: use ONLY a disposable Chrome profile, http://localhost:5173, TaskFlow main@5133a6c; writable browser storage; system clock later than 2026-01-06. Open DevTools Console and run the following exact fixture; close DevTools after reload: localStorage.removeItem("taskflow_tasks_backup"); localStorage.setItem("taskflow_tasks", JSON.stringify([{id:"b-alpha",title:"Prepare sprint review",description:"Agenda draft",priority:"Low",status:"In Progress",dueDate:"2028-02-29",createdAt:"2026-01-01T09:00:00.000Z",updatedAt:"2026-01-02T10:00:00.000Z"}, {id:"b-beta",title:"Book meeting room",description:"Room 4",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-03T09:00:00.000Z",updatedAt:"2026-01-04T10:00:00.000Z"}, {id:"b-gamma",title:"Archive review notes",description:"Keep signed copy",priority:"High",status:"Completed",dueDate:"",createdAt:"2026-01-05T09:00:00.000Z",updatedAt:"2026-01-06T10:00:00.000Z"}])); location.reload(); Dashboard, search empty, status/priority filters All, Newest first (setup only). A means id b-alpha, B means b-beta, C means b-gamma, irrespective of card order. Before acting, use Console: window.bBefore = JSON.parse(localStorage.getItem("taskflow_tasks")); close DevTools. To inspect persisted objects later, reopen Console and evaluate JSON.parse(localStorage.getItem("taskflow_tasks")); compare by id with bBefore, not array position. Do not reload before completing an in-memory draft step. Read toasts immediately within 3 seconds. Inspect id/createdAt/updatedAt as raw JSON; list date formatting, counts, query behavior, generic reload/recovery, enum/date semantics and creation are not assertions of these cases.		
#:	Step actions:	Expected Results:
1	Click "Edit Prepare sprint review" on A.	"Edit Task" opens for A with "Cancel" and "Save Changes".
2	Set Description to "Interior draft"; click the "Edit Task" heading, then click the Description control.	"Edit Task" remains open with "Interior draft"; neither click saves or discards it.
3	Inspect stored JSON without reload; then click "Cancel".	Stored JSON equals bBefore; Cancel closes the draft.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-B-010: Interior modal interaction is not backdrop dismissal [Version : 1]	
Keywords:	None	

Test Case TF-70: TC-B-027 - Cancel priority-only change then reload [Version : 1]		
Author:	mhammedazad	
Summary:		
TC-B-027 - Cancel priority-only change then reload. **Test design technique:** Use Case - abandoned priority edit persistence **Requirements:** REQ-B-008, REQ-B-009		
Preconditions:		
INDEPENDENT RESET: use ONLY a disposable Chrome profile, http://localhost:5173, TaskFlow main@5133a6c; writable browser storage; system clock later than 2026-01-06. Open DevTools Console and run the following exact fixture; close DevTools after reload: localStorage.removeItem("taskflow_tasks_backup"); localStorage.setItem("taskflow_tasks", JSON.stringify([{id:"b-alpha",title:"Prepare sprint review",description:"Agenda draft",priority:"Low",status:"In Progress",dueDate:"2028-02-29",createdAt:"2026-01-01T09:00:00.000Z",updatedAt:"2026-01-02T10:00:00.000Z"}, {id:"b-beta",title:"Book meeting room",description:"Room 4",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-03T09:00:00.000Z",updatedAt:"2026-01-04T10:00:00.000Z"}, {id:"b-gamma",title:"Archive review notes",description:"Keep signed copy",priority:"High",status:"Completed",dueDate:"",createdAt:"2026-01-05T09:00:00.000Z",updatedAt:"2026-01-06T10:00:00.000Z"}])); location.reload(); Dashboard, search empty, status/priority filters All, Newest first (setup only). A means id b-alpha, B means b-beta, C means b-gamma, irrespective of card order. Before acting, use Console: window.bBefore = JSON.parse(localStorage.getItem("taskflow_tasks")); close DevTools. To inspect persisted objects later, reopen Console and evaluate JSON.parse(localStorage.getItem("taskflow_tasks")); compare by id with bBefore, not array position. Do not reload before completing an in-memory draft step. Read toasts immediately within 3 seconds. Inspect id/createdAt/updatedAt as raw JSON; list date formatting, counts, query behavior, generic reload/recovery, enum/date semantics and creation are not assertions of these cases.		
#:	Step actions:	Expected Results:
1	Click "Edit Prepare sprint review" on A.	"Edit Task" opens for A with "Cancel" and "Save Changes".
2	Choose High; click "Cancel"; reload and inspect A JSON; reopen A edit.	A.priority stays "Low" in JSON and the form; no "Task updated successfully." from cancellation; all fields and timestamps equal bBefore A.
3	Click "Cancel".	Dialog closes without saving.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-B-008: Discard editing through every supported dismissal path [Version : 1] REQ-B-009: Reopening a canceled edit discards draft and validation state [Version : 1]	
Keywords:	None	

1.3.Test Suite : TS-B3 - Deletion confirmation and repeated targeting

14 independent manual cases; exact current-title warning, confirm, all four dismissal paths, interior click, sole/duplicate-title task identities, repeated/mixed operations. No execution or passing result is implied.

Test Case TF-71: TC-B-028 - Exact confirmation before any deletion [Version : 1]		
Author:	mhammedazad	
Summary:		
TC-B-028 - Exact confirmation before any deletion. **Test design technique:** Use Case - request deletion without confirmation **Requirements:** REQ-B-011		
Preconditions:		
INDEPENDENT RESET: use ONLY a disposable Chrome profile, http://localhost:5173, TaskFlow main@5133a6c; writable browser storage; system clock later than 2026-01-06. Open DevTools Console and run the following exact fixture; close DevTools after reload: localStorage.removeItem("taskflow_tasks_backup"); localStorage.setItem("taskflow_tasks", JSON.stringify([{id:"b-alpha",title:"Prepare sprint review",description:"Agenda draft",priority:"Low",status:"In Progress",dueDate:"2028-02-29",createdAt:"2026-01-01T09:00:00.000Z",updatedAt:"2026-01-02T10:00:00.000Z"}, {id:"b-beta",title:"Book meeting room",description:"Room 4",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-03T09:00:00.000Z",updatedAt:"2026-01-04T10:00:00.000Z"}, {id:"b-gamma",title:"Archive review notes",description:"Keep signed copy",priority:"High",status:"Completed",dueDate:"",createdAt:"2026-01-05T09:00:00.000Z",updatedAt:"2026-01-06T10:00:00.000Z"}])); location.reload(); Dashboard, search empty, status/priority filters All, Newest first (setup only). A means id b-alpha, B means b-beta, C means b-gamma, irrespective of card order. Before acting, use Console: window.bBefore = JSON.parse(localStorage.getItem("taskflow_tasks")); close DevTools. To inspect persisted objects later, reopen Console and evaluate JSON.parse(localStorage.getItem("taskflow_tasks")); compare by id with bBefore, not array position. Do not reload before completing an in-memory draft step. Read toasts immediately within 3 seconds. Inspect id/createdAt/updatedAt as raw JSON; list date formatting, counts, query behavior, generic reload/recovery, enum/date semantics and creation are not assertions of these cases.		
#:	Step actions:	Expected Results:
1	Click "Delete Prepare sprint review" on A.	"Delete Task" opens; A is still present.
2	Read the dialog heading, full text and buttons; inspect JSON without reloading.	Heading "Delete Task"; text exactly Are you sure you want to delete "Prepare sprint review"? This cannot be undone. Buttons "Cancel", "Confirm Delete"; all saved objects still equal bBefore.
3	Click "Cancel".	Dialog closes without deleting.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-B-011: Show exact deletion confirmation for the current target [Version : 1]	
Keywords:	None	

Test Case TF-72: TC-B-029 - Confirmation uses latest saved title and punctuation [Version : 1]		
Author:	mhammedazad	
Summary:		
TC-B-029 - Confirmation uses latest saved title and punctuation. **Test design technique:** Error Guessing - stale title or quote interpolation **Requirements:** REQ-B-001, REQ-B-002, REQ-B-011		
Preconditions:		
INDEPENDENT RESET: use ONLY a disposable Chrome profile, http://localhost:5173, TaskFlow main@5133a6c; writable browser storage; system clock later than 2026-01-06. Open DevTools Console and run the following exact fixture; close DevTools after reload: localStorage.removeItem("taskflow_tasks_backup"); localStorage.setItem("taskflow_tasks", JSON.stringify([{id:"b-alpha",title:"Prepare sprint review",description:"Agenda draft",priority:"Low",status:"In Progress",dueDate:"2028-02-29",createdAt:"2026-01-01T09:00:00.000Z",updatedAt:"2026-01-02T10:00:00.000Z"}, {id:"b-beta",title:"Book meeting room",description:"Room 4",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-03T09:00:00.000Z",updatedAt:"2026-01-04T10:00:00.000Z"}, {id:"b-gamma",title:"Archive review notes",description:"Keep signed copy",priority:"High",status:"Completed",dueDate:"",createdAt:"2026-01-05T09:00:00.000Z",updatedAt:"2026-01-06T10:00:00.000Z"}])); location.reload(); Dashboard, search empty, status/priority filters All, Newest first (setup only). A means id b-alpha, B means b-beta, C means b-gamma, irrespective of card order. Before acting, use Console: window.bBefore = JSON.parse(localStorage.getItem("taskflow_tasks")); close DevTools. To inspect persisted objects later, reopen Console and evaluate JSON.parse(localStorage.getItem("taskflow_tasks")); compare by id with bBefore, not array position. Do not reload before completing an in-memory draft step. Read toasts immediately within 3 seconds. Inspect id/createdAt/updatedAt as raw JSON; list date formatting, counts, query behavior, generic reload/recovery, enum/date semantics and creation are not assertions of these cases.		
#:	Step actions:	Expected Results:
1	Click "Edit Prepare sprint review" on A.	"Edit Task" opens for A with "Cancel" and "Save Changes".
2	Set title to the exact text Review "Beta" & notes; save; click Delete on that newly titled card.	"Task updated successfully." at save; "Delete Task" opens for b-alpha.
3	Read full confirmation text.	Exactly: Are you sure you want to delete "Review "Beta" & notes"? This cannot be undone. Original title "Prepare sprint review" is not used in the confirmation; no deletion yet.
4	Click "Cancel".	Edited task remains saved with its current title.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-B-001: Prefill the selected task for editing [Version : 1] REQ-B-002: Commit a valid edit atomically to the selected task [Version : 1] REQ-B-011: Show exact deletion confirmation for the current target [Version : 1]	
Keywords:	None	

Test Case TF-73: TC-B-030 - Confirm deletion leaves siblings intact [Version : 1]		
Author:	mhammedazad	
Summary:		
TC-B-030 - Confirm deletion leaves siblings intact. **Test design technique:** Use Case - requested deletion -> confirmed removal **Requirements:** REQ-B-011, REQ-B-012		
Preconditions:		
INDEPENDENT RESET: use ONLY a disposable Chrome profile, http://localhost:5173, TaskFlow main@5133a6c; writable browser storage; system clock later than 2026-01-06. Open DevTools Console and run the following exact fixture; close DevTools after reload: localStorage.removeItem("taskflow_tasks_backup"); localStorage.setItem("taskflow_tasks", JSON.stringify([{id:"b-alpha",title:"Prepare sprint review",description:"Agenda draft",priority:"Low",status:"In Progress",dueDate:"2028-02-29",createdAt:"2026-01-01T09:00:00.000Z",updatedAt:"2026-01-02T10:00:00.000Z"}, {id:"b-beta",title:"Book meeting room",description:"Room 4",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-03T09:00:00.000Z",updatedAt:"2026-01-04T10:00:00.000Z"}, {id:"b-gamma",title:"Archive review notes",description:"Keep signed copy",priority:"High",status:"Completed",dueDate:"",createdAt:"2026-01-05T09:00:00.000Z",updatedAt:"2026-01-06T10:00:00.000Z"}])); location.reload(); Dashboard, search empty, status/priority filters All, Newest first (setup only). A means id b-alpha, B means b-beta, C means b-gamma, irrespective of card order. Before acting, use Console: window.bBefore = JSON.parse(localStorage.getItem("taskflow_tasks")); close DevTools. To inspect persisted objects later, reopen Console and evaluate JSON.parse(localStorage.getItem("taskflow_tasks")); compare by id with bBefore, not array position. Do not reload before completing an in-memory draft step. Read toasts immediately within 3 seconds. Inspect id/createdAt/updatedAt as raw JSON; list date formatting, counts, query behavior, generic reload/recovery, enum/date semantics and creation are not assertions of these cases.		
#:	Step actions:	Expected Results:
1	Click "Delete Prepare sprint review" on A.	"Delete Task" opens; A is still present.
2	Click "Confirm Delete"; observe toast, inspect stored objects, then reload.	"Delete Task" closes; "Task deleted successfully." appears. Only b-alpha is absent from taskflow_tasks; B and C are unchanged, including all timestamps. Reload still contains exactly B and C.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-B-011: Show exact deletion confirmation for the current target [Version : 1] REQ-B-012: Confirm deletion of only the intended task [Version : 1]	
Keywords:	None	

Test Case TF-74: TC-B-031 - Confirm deletion of the sole remaining task [Version : 1]		
Author:	mhammedazad	
Summary: TC-B-031 - Confirm deletion of the sole remaining task. **Test design technique:** EP - one-task deletion partition **Requirements:** REQ-B-012		
Preconditions: INDEPENDENT RESET: use ONLY a disposable Chrome profile, http://localhost:5173, TaskFlow main@5133a6c; writable browser storage; system clock later than 2026-01-06. Open DevTools Console and run the following exact fixture; close DevTools after reload: localStorage.removeItem("taskflow_tasks_backup"); localStorage.setItem("taskflow_tasks", JSON.stringify([{id:"b-alpha",title:"Prepare sprint review",description:"Agenda draft",priority:"Low",status:"In Progress",dueDate:"2028-02-29",createdAt:"2026-01-01T09:00:00.000Z",updatedAt:"2026-01-02T10:00:00.000Z"}, {id:"b-beta",title:"Book meeting room",description:"Room 4",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-03T09:00:00.000Z",updatedAt:"2026-01-04T10:00:00.000Z"}, {id:"b-gamma",title:"Archive review notes",description:"Keep signed copy",priority:"High",status:"Completed",dueDate:"",createdAt:"2026-01-05T09:00:00.000Z",updatedAt:"2026-01-06T10:00:00.000Z"}])); location.reload(); Dashboard, search empty, status/priority filters All, Newest first (setup only). A means id b-alpha, B means b-beta, C means b-gamma, irrespective of card order. Before acting, use Console: window.bBefore = JSON.parse(localStorage.getItem("taskflow_tasks")); close DevTools. To inspect persisted objects later, reopen Console and evaluate JSON.parse(localStorage.getItem("taskflow_tasks")); compare by id with bBefore, not array position. Do not reload before completing an in-memory draft step. Read toasts immediately within 3 seconds. Inspect id/createdAt/updatedAt as raw JSON; list date formatting, counts, query behavior, generic reload/recovery, enum/date semantics and creation are not assertions of these cases.		
#:	Step actions:	Expected Results:
1	Before opening deletion, replace stored array with only fixture A; reload; recapture bBefore.	Exactly the valid fixture A is present (fixture setup only).
2	Click "Delete Prepare sprint review" on A.	"Delete Task" opens; A is still present.
3	Click "Confirm Delete"; observe toast; inspect taskflow_tasks and reload.	Dialog closes with "Task deleted successfully."; taskflow_tasks is [] and remains [] after reload; no task with id b-alpha exists. Empty-state copy/counts are outside this assertion.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-B-012: Confirm deletion of only the intended task [Version : 1]	
Keywords:	None	

Test Case TF-75: TC-B-032 - Delete only intended same-title sibling [Version : 1]		
Author:	mhammedazad	
Summary:		
TC-B-032 - Delete only intended same-title sibling. **Test design technique:** Error Guessing - duplicate titles must not select by title **Requirements:** REQ-B-011, REQ-B-012		
Preconditions:		
INDEPENDENT RESET: use ONLY a disposable Chrome profile, http://localhost:5173, TaskFlow main@5133a6c; writable browser storage; system clock later than 2026-01-06. Open DevTools Console and run the following exact fixture; close DevTools after reload: localStorage.removeItem("taskflow_tasks_backup"); localStorage.setItem("taskflow_tasks", JSON.stringify([{id:"b-alpha",title:"Prepare sprint review",description:"Agenda draft",priority:"Low",status:"In Progress",dueDate:"2028-02-29",createdAt:"2026-01-01T09:00:00.000Z",updatedAt:"2026-01-02T10:00:00.000Z"}, {id:"b-beta",title:"Book meeting room",description:"Room 4",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-03T09:00:00.000Z",updatedAt:"2026-01-04T10:00:00.000Z"}, {id:"b-gamma",title:"Archive review notes",description:"Keep signed copy",priority:"High",status:"Completed",dueDate:"",createdAt:"2026-01-05T09:00:00.000Z",updatedAt:"2026-01-06T10:00:00.000Z"}])); location.reload(); Dashboard, search empty, status/priority filters All, Newest first (setup only). A means id b-alpha, B means b-beta, C means b-gamma, irrespective of card order. Before acting, use Console: window.bBefore = JSON.parse(localStorage.getItem("taskflow_tasks")); close DevTools. To inspect persisted objects later, reopen Console and evaluate JSON.parse(localStorage.getItem("taskflow_tasks")); compare by id with bBefore, not array position. Do not reload before completing an in-memory draft step. Read toasts immediately within 3 seconds. Inspect id/createdAt/updatedAt as raw JSON; list date formatting, counts, query behavior, generic reload/recovery, enum/date semantics and creation are not assertions of these cases.		
#:	Step actions:	Expected Results:
1	Before deletion set B.title to "Prepare sprint review" in stored JSON; reload; recapture bBefore.	A/B share a title and retain different ids/descriptions.
2	Within the card with Description "Room 4", click Delete.	"Delete Task" says exactly Are you sure you want to delete "Prepare sprint review"? This cannot be undone.
3	Click "Confirm Delete"; inspect JSON and reload.	"Task deleted successfully."; only b-beta is removed; A and C exactly equal their bBefore objects. The remaining same-title card is A with "Agenda draft".
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-B-011: Show exact deletion confirmation for the current target [Version : 1] REQ-B-012: Confirm deletion of only the intended task [Version : 1]	
Keywords:	None	

Test Case TF-76: TC-B-033 - Dismiss deletion using Cancel button [Version : 1]		
Author:	mhammedazad	
Summary:		
TC-B-033 - Dismiss deletion using Cancel button. **Test design technique:** State Transition - saved task -> awaiting confirmation -> saved task retained **Requirements:** REQ-B-013		
Preconditions:		
INDEPENDENT RESET: use ONLY a disposable Chrome profile, http://localhost:5173, TaskFlow main@5133a6c; writable browser storage; system clock later than 2026-01-06. Open DevTools Console and run the following exact fixture; close DevTools after reload: localStorage.removeItem("taskflow_tasks_backup"); localStorage.setItem("taskflow_tasks", JSON.stringify([{id:"b-alpha",title:"Prepare sprint review",description:"Agenda draft",priority:"Low",status:"In Progress",dueDate:"2028-02-29",createdAt:"2026-01-01T09:00:00.000Z",updatedAt:"2026-01-02T10:00:00.000Z"}, {id:"b-beta",title:"Book meeting room",description:"Room 4",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-03T09:00:00.000Z",updatedAt:"2026-01-04T10:00:00.000Z"}, {id:"b-gamma",title:"Archive review notes",description:"Keep signed copy",priority:"High",status:"Completed",dueDate:"",createdAt:"2026-01-05T09:00:00.000Z",updatedAt:"2026-01-06T10:00:00.000Z"}])); location.reload(); Dashboard, search empty, status/priority filters All, Newest first (setup only). A means id b-alpha, B means b-beta, C means b-gamma, irrespective of card order. Before acting, use Console: window.bBefore = JSON.parse(localStorage.getItem("taskflow_tasks")); close DevTools. To inspect persisted objects later, reopen Console and evaluate JSON.parse(localStorage.getItem("taskflow_tasks")); compare by id with bBefore, not array position. Do not reload before completing an in-memory draft step. Read toasts immediately within 3 seconds. Inspect id/createdAt/updatedAt as raw JSON; list date formatting, counts, query behavior, generic reload/recovery, enum/date semantics and creation are not assertions of these cases.		
#:	Step actions:	Expected Results:
1	Click "Delete Prepare sprint review" on A.	"Delete Task" opens; A is still present.
2	Click "Cancel". Inspect stored JSON.	"Delete Task" closes. All three saved objects equal bBefore field-for-field including timestamps; A is still present. No "Task deleted successfully." appears.
3	Reload; inspect saved JSON again.	All three original objects remain, including b-alpha and its unchanged timestamps.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-B-013: Cancel deletion through every supported dismissal path [Version : 1]	
Keywords:	None	

Test Case TF-77: TC-B-034 - Dismiss deletion using Close X button [Version : 1]		
Author:	mhammedazad	
Summary: TC-B-034 - Dismiss deletion using Close X button. **Test design technique:** State Transition - saved task -> awaiting confirmation -> saved task retained **Requirements:** REQ-B-013		
Preconditions: INDEPENDENT RESET: use ONLY a disposable Chrome profile, http://localhost:5173, TaskFlow main@5133a6c; writable browser storage; system clock later than 2026-01-06. Open DevTools Console and run the following exact fixture; close DevTools after reload: localStorage.removeItem("taskflow_tasks_backup"); localStorage.setItem("taskflow_tasks", JSON.stringify([{id:"b-alpha",title:"Prepare sprint review",description:"Agenda draft",priority:"Low",status:"In Progress",dueDate:"2028-02-29",createdAt:"2026-01-01T09:00:00.000Z",updatedAt:"2026-01-02T10:00:00.000Z"}, {id:"b-beta",title:"Book meeting room",description:"Room 4",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-03T09:00:00.000Z",updatedAt:"2026-01-04T10:00:00.000Z"}, {id:"b-gamma",title:"Archive review notes",description:"Keep signed copy",priority:"High",status:"Completed",dueDate:"",createdAt:"2026-01-05T09:00:00.000Z",updatedAt:"2026-01-06T10:00:00.000Z"}])); location.reload(); Dashboard, search empty, status/priority filters All, Newest first (setup only). A means id b-alpha, B means b-beta, C means b-gamma, irrespective of card order. Before acting, use Console: window.bBefore = JSON.parse(localStorage.getItem("taskflow_tasks")); close DevTools. To inspect persisted objects later, reopen Console and evaluate JSON.parse(localStorage.getItem("taskflow_tasks")); compare by id with bBefore, not array position. Do not reload before completing an in-memory draft step. Read toasts immediately within 3 seconds. Inspect id/createdAt/updatedAt as raw JSON; list date formatting, counts, query behavior, generic reload/recovery, enum/date semantics and creation are not assertions of these cases.		
#:	Step actions:	Expected Results:
1	Click "Delete Prepare sprint review" on A.	"Delete Task" opens; A is still present.
2	Click X with accessible label "Close". Inspect stored JSON.	"Delete Task" closes. All three saved objects equal bBefore field-for-field including timestamps; A is still present. No "Task deleted successfully." appears.
3	Reload; inspect saved JSON again.	All three original objects remain, including b-alpha and its unchanged timestamps.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-B-013: Cancel deletion through every supported dismissal path [Version : 1]	
Keywords:	None	

Test Case TF-78: TC-B-035 - Dismiss deletion using Escape key [Version : 1]		
Author:	mhammedazad	
Summary:		
TC-B-035 - Dismiss deletion using Escape key. **Test design technique:** State Transition - saved task -> awaiting confirmation -> saved task retained **Requirements:** REQ-B-013		
Preconditions:		
INDEPENDENT RESET: use ONLY a disposable Chrome profile, http://localhost:5173, TaskFlow main@5133a6c; writable browser storage; system clock later than 2026-01-06. Open DevTools Console and run the following exact fixture; close DevTools after reload: localStorage.removeItem("taskflow_tasks_backup"); localStorage.setItem("taskflow_tasks", JSON.stringify([{id:"b-alpha",title:"Prepare sprint review",description:"Agenda draft",priority:"Low",status:"In Progress",dueDate:"2028-02-29",createdAt:"2026-01-01T09:00:00.000Z",updatedAt:"2026-01-02T10:00:00.000Z"}, {id:"b-beta",title:"Book meeting room",description:"Room 4",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-03T09:00:00.000Z",updatedAt:"2026-01-04T10:00:00.000Z"}, {id:"b-gamma",title:"Archive review notes",description:"Keep signed copy",priority:"High",status:"Completed",dueDate:"",createdAt:"2026-01-05T09:00:00.000Z",updatedAt:"2026-01-06T10:00:00.000Z"}])); location.reload(); Dashboard, search empty, status/priority filters All, Newest first (setup only). A means id b-alpha, B means b-beta, C means b-gamma, irrespective of card order. Before acting, use Console: window.bBefore = JSON.parse(localStorage.getItem("taskflow_tasks")); close DevTools. To inspect persisted objects later, reopen Console and evaluate JSON.parse(localStorage.getItem("taskflow_tasks")); compare by id with bBefore, not array position. Do not reload before completing an in-memory draft step. Read toasts immediately within 3 seconds. Inspect id/createdAt/updatedAt as raw JSON; list date formatting, counts, query behavior, generic reload/recovery, enum/date semantics and creation are not assertions of these cases.		
#:	Step actions:	Expected Results:
1	Click "Delete Prepare sprint review" on A.	"Delete Task" opens; A is still present.
2	Press Escape while the dialog is open. Inspect stored JSON.	"Delete Task" closes. All three saved objects equal bBefore field-for-field including timestamps; A is still present. No "Task deleted successfully." appears.
3	Reload; inspect saved JSON again.	All three original objects remain, including b-alpha and its unchanged timestamps.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-B-013: Cancel deletion through every supported dismissal path [Version : 1]	
Keywords:	None	

Test Case TF-79: TC-B-036 - Dismiss deletion using dark backdrop [Version : 1]		
Author:	mhammedazad	
Summary: TC-B-036 - Dismiss deletion using dark backdrop. **Test design technique:** State Transition - saved task -> awaiting confirmation -> saved task retained **Requirements:** REQ-B-013		
Preconditions: INDEPENDENT RESET: use ONLY a disposable Chrome profile, http://localhost:5173, TaskFlow main@5133a6c; writable browser storage; system clock later than 2026-01-06. Open DevTools Console and run the following exact fixture; close DevTools after reload: localStorage.removeItem("taskflow_tasks_backup"); localStorage.setItem("taskflow_tasks", JSON.stringify([{id:"b-alpha",title:"Prepare sprint review",description:"Agenda draft",priority:"Low",status:"In Progress",dueDate:"2028-02-29",createdAt:"2026-01-01T09:00:00.000Z",updatedAt:"2026-01-02T10:00:00.000Z"}, {id:"b-beta",title:"Book meeting room",description:"Room 4",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-03T09:00:00.000Z",updatedAt:"2026-01-04T10:00:00.000Z"}, {id:"b-gamma",title:"Archive review notes",description:"Keep signed copy",priority:"High",status:"Completed",dueDate:"",createdAt:"2026-01-05T09:00:00.000Z",updatedAt:"2026-01-06T10:00:00.000Z"}])); location.reload(); Dashboard, search empty, status/priority filters All, Newest first (setup only). A means id b-alpha, B means b-beta, C means b-gamma, irrespective of card order. Before acting, use Console: window.bBefore = JSON.parse(localStorage.getItem("taskflow_tasks")); close DevTools. To inspect persisted objects later, reopen Console and evaluate JSON.parse(localStorage.getItem("taskflow_tasks")); compare by id with bBefore, not array position. Do not reload before completing an in-memory draft step. Read toasts immediately within 3 seconds. Inspect id/createdAt/updatedAt as raw JSON; list date formatting, counts, query behavior, generic reload/recovery, enum/date semantics and creation are not assertions of these cases.		
#:	Step actions:	Expected Results:
1	Click "Delete Prepare sprint review" on A.	"Delete Task" opens; A is still present.
2	Press and release on the dark backdrop outside the white dialog. Inspect stored JSON.	"Delete Task" closes. All three saved objects equal bBefore field-for-field including timestamps; A is still present. No "Task deleted successfully." appears.
3	Reload; inspect saved JSON again.	All three original objects remain, including b-alpha and its unchanged timestamps.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-B-013: Cancel deletion through every supported dismissal path [Version : 1]	
Keywords:	None	

Test Case TF-80: TC-B-037 - Interior deletion click is not a confirmation or dismissal [Version : 1]		
Author:	mhammedazad	
Summary:		
TC-B-037 - Interior deletion click is not a confirmation or dismissal. **Test design technique:** Error Guessing - event bubbling within confirmation dialog **Requirements:** REQ-B-010, REQ-B-011, REQ-B-013		
Preconditions:		
INDEPENDENT RESET: use ONLY a disposable Chrome profile, http://localhost:5173, TaskFlow main@5133a6c; writable browser storage; system clock later than 2026-01-06. Open DevTools Console and run the following exact fixture; close DevTools after reload: localStorage.removeItem("taskflow_tasks_backup"); localStorage.setItem("taskflow_tasks", JSON.stringify([{id:"b-alpha",title:"Prepare sprint review",description:"Agenda draft",priority:"Low",status:"In Progress",dueDate:"2028-02-29",createdAt:"2026-01-01T09:00:00.000Z",updatedAt:"2026-01-02T10:00:00.000Z"}, {id:"b-beta",title:"Book meeting room",description:"Room 4",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-03T09:00:00.000Z",updatedAt:"2026-01-04T10:00:00.000Z"}, {id:"b-gamma",title:"Archive review notes",description:"Keep signed copy",priority:"High",status:"Completed",dueDate:"",createdAt:"2026-01-05T09:00:00.000Z",updatedAt:"2026-01-06T10:00:00.000Z"}])); location.reload(); Dashboard, search empty, status/priority filters All, Newest first (setup only). A means id b-alpha, B means b-beta, C means b-gamma, irrespective of card order. Before acting, use Console: window.bBefore = JSON.parse(localStorage.getItem("taskflow_tasks")); close DevTools. To inspect persisted objects later, reopen Console and evaluate JSON.parse(localStorage.getItem("taskflow_tasks")); compare by id with bBefore, not array position. Do not reload before completing an in-memory draft step. Read toasts immediately within 3 seconds. Inspect id/createdAt/updatedAt as raw JSON; list date formatting, counts, query behavior, generic reload/recovery, enum/date semantics and creation are not assertions of these cases.		
#:	Step actions:	Expected Results:
1	Click "Delete Prepare sprint review" on A.	"Delete Task" opens; A is still present.
2	Click the warning paragraph (not a button).	"Delete Task" stays open with exactly Are you sure you want to delete "Prepare sprint review"? This cannot be undone. No object is changed or removed.
3	Click "Cancel"; inspect JSON.	All three saved objects equal bBefore field-for-field including timestamps; A is still present. No "Task deleted successfully." appears.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-B-010: Interior modal interaction is not backdrop dismissal [Version : 1] REQ-B-011: Show exact deletion confirmation for the current target [Version : 1] REQ-B-013: Cancel deletion through every supported dismissal path [Version : 1]	
Keywords:	None	

Test Case TF-81: TC-B-038 - Reopen after canceled deletion targets newly selected task [Version : 1]		
Author:	mhammedazad	
Summary:		
TC-B-038 - Reopen after canceled deletion targets newly selected task. **Test design technique:** State Transition - A confirmation canceled -> B confirmation opened **Requirements:** REQ-B-011, REQ-B-013, REQ-B-014		
Preconditions:		
INDEPENDENT RESET: use ONLY a disposable Chrome profile, http://localhost:5173, TaskFlow main@5133a6c; writable browser storage; system clock later than 2026-01-06. Open DevTools Console and run the following exact fixture; close DevTools after reload: localStorage.removeItem("taskflow_tasks_backup"); localStorage.setItem("taskflow_tasks", JSON.stringify([{id:"b-alpha",title:"Prepare sprint review",description:"Agenda draft",priority:"Low",status:"In Progress",dueDate:"2028-02-29",createdAt:"2026-01-01T09:00:00.000Z",updatedAt:"2026-01-02T10:00:00.000Z"}, {id:"b-beta",title:"Book meeting room",description:"Room 4",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-03T09:00:00.000Z",updatedAt:"2026-01-04T10:00:00.000Z"}, {id:"b-gamma",title:"Archive review notes",description:"Keep signed copy",priority:"High",status:"Completed",dueDate:"",createdAt:"2026-01-05T09:00:00.000Z",updatedAt:"2026-01-06T10:00:00.000Z"}])); location.reload(); Dashboard, search empty, status/priority filters All, Newest first (setup only). A means id b-alpha, B means b-beta, C means b-gamma, irrespective of card order. Before acting, use Console: window.bBefore = JSON.parse(localStorage.getItem("taskflow_tasks")); close DevTools. To inspect persisted objects later, reopen Console and evaluate JSON.parse(localStorage.getItem("taskflow_tasks")); compare by id with bBefore, not array position. Do not reload before completing an in-memory draft step. Read toasts immediately within 3 seconds. Inspect id/createdAt/updatedAt as raw JSON; list date formatting, counts, query behavior, generic reload/recovery, enum/date semantics and creation are not assertions of these cases.		
#:	Step actions:	Expected Results:
1	Click "Delete Prepare sprint review" on A.	"Delete Task" opens; A is still present.
2	Click "Cancel"; click "Delete Book meeting room".	"Delete Task" now says exactly: Are you sure you want to delete "Book meeting room"? This cannot be undone. A is not used as the new confirmation target.
3	Click "Confirm Delete"; inspect JSON.	"Task deleted successfully."; only b-beta is removed. A and C equal bBefore.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-B-011: Show exact deletion confirmation for the current target [Version : 1] REQ-B-013: Cancel deletion through every supported dismissal path [Version : 1] REQ-B-014: Keep deletion targets correct across repeated and mixed operations [Version : 1]	
Keywords:	None	

Test Case TF-82: TC-B-039 - Repeated cancellation then one confirmed deletion [Version : 1]		
Author:	mhammedazad	
Summary:		
TC-B-039 - Repeated cancellation then one confirmed deletion. **Test design technique:** State Transition - confirmation -> cancel -> confirmation -> cancel -> confirmation -> removed **Requirements:** REQ-B-011, REQ-B-012, REQ-B-013, REQ-B-014		
Preconditions:		
INDEPENDENT RESET: use ONLY a disposable Chrome profile, http://localhost:5173, TaskFlow main@5133a6c; writable browser storage; system clock later than 2026-01-06. Open DevTools Console and run the following exact fixture; close DevTools after reload: localStorage.removeItem("taskflow_tasks_backup"); localStorage.setItem("taskflow_tasks", JSON.stringify([{id:"b-alpha",title:"Prepare sprint review",description:"Agenda draft",priority:"Low",status:"In Progress",dueDate:"2028-02-29",createdAt:"2026-01-01T09:00:00.000Z",updatedAt:"2026-01-02T10:00:00.000Z"}, {id:"b-beta",title:"Book meeting room",description:"Room 4",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-03T09:00:00.000Z",updatedAt:"2026-01-04T10:00:00.000Z"}, {id:"b-gamma",title:"Archive review notes",description:"Keep signed copy",priority:"High",status:"Completed",dueDate:"",createdAt:"2026-01-05T09:00:00.000Z",updatedAt:"2026-01-06T10:00:00.000Z"}])); location.reload(); Dashboard, search empty, status/priority filters All, Newest first (setup only). A means id b-alpha, B means b-beta, C means b-gamma, irrespective of card order. Before acting, use Console: window.bBefore = JSON.parse(localStorage.getItem("taskflow_tasks")); close DevTools. To inspect persisted objects later, reopen Console and evaluate JSON.parse(localStorage.getItem("taskflow_tasks")); compare by id with bBefore, not array position. Do not reload before completing an in-memory draft step. Read toasts immediately within 3 seconds. Inspect id/createdAt/updatedAt as raw JSON; list date formatting, counts, query behavior, generic reload/recovery, enum/date semantics and creation are not assertions of these cases.		
#:	Step actions:	Expected Results:
1	Click "Delete Prepare sprint review" on A.	"Delete Task" opens; A is still present.
2	Click "Cancel"; reopen A Delete; press Escape; reopen A Delete.	Both dismissals retain all original objects; each reopened dialog contains exactly Are you sure you want to delete "Prepare sprint review"? This cannot be undone.
3	Click "Confirm Delete" once; inspect JSON and reload.	"Delete Task" closes; "Task deleted successfully." appears. Only b-alpha is absent from taskflow_tasks; B and C are unchanged, including all timestamps. Reload still contains exactly B and C. There is no second pending deletion dialog.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-B-011: Show exact deletion confirmation for the current target [Version : 1] REQ-B-012: Confirm deletion of only the intended task [Version : 1] REQ-B-013: Cancel deletion through every supported dismissal path [Version : 1] REQ-B-014: Keep deletion targets correct across repeated and mixed operations [Version : 1]	
Keywords:	None	

Test Case TF-83: TC-B-040 - Consecutive deletions never reuse old target [Version : 1]		
Author:	mhammedazad	
Summary:		
TC-B-040 - Consecutive deletions never reuse old target. **Test design technique:** State Transition - three saved -> A removed -> B removed **Requirements:** REQ-B-011, REQ-B-012, REQ-B-014		
Preconditions:		
INDEPENDENT RESET: use ONLY a disposable Chrome profile, http://localhost:5173, TaskFlow main@5133a6c; writable browser storage; system clock later than 2026-01-06. Open DevTools Console and run the following exact fixture; close DevTools after reload: localStorage.removeItem("taskflow_tasks_backup"); localStorage.setItem("taskflow_tasks", JSON.stringify([{id:"b-alpha",title:"Prepare sprint review",description:"Agenda draft",priority:"Low",status:"In Progress",dueDate:"2028-02-29",createdAt:"2026-01-01T09:00:00.000Z",updatedAt:"2026-01-02T10:00:00.000Z"}, {id:"b-beta",title:"Book meeting room",description:"Room 4",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-03T09:00:00.000Z",updatedAt:"2026-01-04T10:00:00.000Z"}, {id:"b-gamma",title:"Archive review notes",description:"Keep signed copy",priority:"High",status:"Completed",dueDate:"",createdAt:"2026-01-05T09:00:00.000Z",updatedAt:"2026-01-06T10:00:00.000Z"}])); location.reload(); Dashboard, search empty, status/priority filters All, Newest first (setup only). A means id b-alpha, B means b-beta, C means b-gamma, irrespective of card order. Before acting, use Console: window.bBefore = JSON.parse(localStorage.getItem("taskflow_tasks")); close DevTools. To inspect persisted objects later, reopen Console and evaluate JSON.parse(localStorage.getItem("taskflow_tasks")); compare by id with bBefore, not array position. Do not reload before completing an in-memory draft step. Read toasts immediately within 3 seconds. Inspect id/createdAt/updatedAt as raw JSON; list date formatting, counts, query behavior, generic reload/recovery, enum/date semantics and creation are not assertions of these cases.		
#:	Step actions:	Expected Results:
1	Click "Delete Prepare sprint review" on A.	"Delete Task" opens; A is still present.
2	Confirm Delete A, then click "Delete Book meeting room".	First toast "Task deleted successfully."; second dialog warns exactly: Are you sure you want to delete "Book meeting room"? This cannot be undone.
3	Click "Confirm Delete" on B; observe toast; inspect JSON; reload.	Second "Task deleted successfully."; only fixture C remains, identical field-for-field to bBefore C; both b-alpha and b-beta are absent.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-B-011: Show exact deletion confirmation for the current target [Version : 1] REQ-B-012: Confirm deletion of only the intended task [Version : 1] REQ-B-014: Keep deletion targets correct across repeated and mixed operations [Version : 1]	
Keywords:	None	

Test Case TF-84: TC-B-041 - Canceled edit does not contaminate subsequent deletion [Version : 1]		
Author:	mhammedazad	
Summary:		
TC-B-041 - Canceled edit does not contaminate subsequent deletion. **Test design technique:** State Transition - dirty editing -> canceled -> deletion confirmation -> removed **Requirements:** REQ-B-008, REQ-B-011, REQ-B-012, REQ-B-014		
Preconditions:		
INDEPENDENT RESET: use ONLY a disposable Chrome profile, http://localhost:5173, TaskFlow main@5133a6c; writable browser storage; system clock later than 2026-01-06. Open DevTools Console and run the following exact fixture; close DevTools after reload: localStorage.removeItem("taskflow_tasks_backup"); localStorage.setItem("taskflow_tasks", JSON.stringify([{id:"b-alpha",title:"Prepare sprint review",description:"Agenda draft",priority:"Low",status:"In Progress",dueDate:"2028-02-29",createdAt:"2026-01-01T09:00:00.000Z",updatedAt:"2026-01-02T10:00:00.000Z"}, {id:"b-beta",title:"Book meeting room",description:"Room 4",priority:"Medium",status:"To Do",dueDate:"",createdAt:"2026-01-03T09:00:00.000Z",updatedAt:"2026-01-04T10:00:00.000Z"}, {id:"b-gamma",title:"Archive review notes",description:"Keep signed copy",priority:"High",status:"Completed",dueDate:"",createdAt:"2026-01-05T09:00:00.000Z",updatedAt:"2026-01-06T10:00:00.000Z"}])); location.reload(); Dashboard, search empty, status/priority filters All, Newest first (setup only). A means id b-alpha, B means b-beta, C means b-gamma, irrespective of card order. Before acting, use Console: window.bBefore = JSON.parse(localStorage.getItem("taskflow_tasks")); close DevTools. To inspect persisted objects later, reopen Console and evaluate JSON.parse(localStorage.getItem("taskflow_tasks")); compare by id with bBefore, not array position. Do not reload before completing an in-memory draft step. Read toasts immediately within 3 seconds. Inspect id/createdAt/updatedAt as raw JSON; list date formatting, counts, query behavior, generic reload/recovery, enum/date semantics and creation are not assertions of these cases.		
#:	Step actions:	Expected Results:
1	Click "Edit Prepare sprint review" on A.	"Edit Task" opens for A with "Cancel" and "Save Changes".
2	Replace title with "Unsaved deletion title"; click "Cancel"; click "Delete Prepare sprint review".	"Delete Task" shows exactly Are you sure you want to delete "Prepare sprint review"? This cannot be undone. The abandoned title is not used.
3	Click "Confirm Delete"; inspect JSON and reload.	"Delete Task" closes; "Task deleted successfully." appears. Only b-alpha is absent from taskflow_tasks; B and C are unchanged, including all timestamps. Reload still contains exactly B and C.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-B-008: Discard editing through every supported dismissal path [Version : 1] REQ-B-011: Show exact deletion confirmation for the current target [Version : 1] REQ-B-012: Confirm deletion of only the intended task [Version : 1] REQ-B-014: Keep deletion targets correct across repeated and mixed operations [Version : 1]	
Keywords:	None	