

Requirements Specification Document

Test Project: TaskFlow

Printed by TestLink on 26/10/2026

2026 Group TaskFlow - Project 1 Test Case Design

Table Of Contents

1. SRS-B-EDIT : Member B - Editing and priority persistence

REQ-B-001 : Prefill the selected task for editing

REQ-B-002 : Commit a valid edit atomically to the selected task

REQ-B-003 : Preserve identity and creation timestamp while advancing update time

REQ-B-004 : Reject invalid edits without any partial commit

REQ-B-005 : Recover a rejected edit and commit only the corrected values

REQ-B-006 : Persist priority edits through the edit workflow

REQ-B-007 : Apply repeated edits and target only the selected identity

1. Requirements Spec.: SRS-B-EDIT : Member B - Editing and priority persistence

revision	1
Author	mhammedazad
Type	User Requirement Specification
Total count of requirements (Coverage)	N/A (7/0)

README.md TF-REQ-009/010/011/018 edit persistence; src/App.jsx updateTask; src/components/TaskFormModal.jsx; src/utils/tasks.js and validation.js. Derived refinements of documented rules, not an invented customer SRS.

Requirement: REQ-B-001 : Prefill the selected task for editing	
Version :	1
revision:	1
Author:	mhammedazad
Status	Valid
Type	Use Case
Coverage	100% (1/1)

Opening Edit shall show "Edit Task", "Cancel" and "Save Changes". Task Title, Description, Priority, Status and Due Date shall contain that selected task's saved values; optional empty values remain empty. Reopening or selecting another task initializes from its latest saved object. Basis: README.md (TF-REQ-009; Exact messages / Dialog text); implementation: src/App.jsx editingTask and keyed TaskFormModal; src/components/TaskFormModal.jsx task initializer; baseline main@5133a6c. Code-derived refinements supplement the documented rule; no separate customer SRS is claimed.

Related Test Cases	TF-1 : TC-B-001 - Prefill all saved fields [Version :1] TF-2 : TC-B-002 - Prefill empty optional fields [Version :1] TF-9 : TC-B-009 - Repeat edits to the same task [Version :1] TF-10 : TC-B-010 - Edit different tasks in sequence [Version :1] TF-25 : TC-B-025 - Reopen after rejected draft dismissal clears draft and errors [Version :1] TF-29 : TC-B-029 - Confirmation uses latest saved title and punctuation [Version :1]

Requirement: REQ-B-002 : Commit a valid edit atomically to the selected task	
Version :	1
revision:	1
Author:	mhammedazad
Status	Valid
Type	Use Case
Coverage	100% (1/1)

A valid "Save Changes" replaces the selected task's normalized form values, immediately saves taskflow_tasks, closes "Edit Task" and shows "Task updated successfully." Unedited fields and all other task objects remain unchanged; empty optional description/date may be saved. Title and description are trimmed by normalizeValues (text boundary testing belongs to A). Basis: README.md (TF-REQ-010; Storage; Exact messages / Edit); implementation: src/components/TaskFormModal.jsx handleSubmit; src/App.jsx updateTask/commit; src/utils/tasks.js normalizeValues; src/utils/storage.js saveTasks; baseline main@5133a6c. Code-derived refinements supplement the documented rule; no separate customer SRS is claimed.

Related Test Cases	TF-3 : TC-B-003 - Save title-only edit with identity retained [Version :1] TF-4 : TC-B-004 - Save description-only edit [Version :1] TF-5 : TC-B-005 - Save all editable fields together [Version :1] TF-6 : TC-B-006 - Clear existing optional description and date [Version :1] TF-7 : TC-B-007 - Save unchanged form still updates metadata [Version :1] TF-8 : TC-B-008 - Edit one same-title sibling only [Version :1] TF-16 : TC-B-016 - Correct rejected edit and save once [Version :1] TF-17 : TC-B-017 - Save priority edit and retain it after reload [Version :1] TF-29 : TC-B-029 - Confirmation uses latest saved title and punctuation [Version :1]

Requirement: REQ-B-003 : Preserve identity and creation timestamp while advancing update time	
Version :	1
revision:	1
Author:	mhammedazad
Status	Valid
Type	Use Case
Coverage	100% (1/1)

A successful edit preserves id and createdAt exactly and sets updatedAt to the current ISO timestamp, even when form values are unchanged. With a clock later than the fixture timestamp, updatedAt must be strictly later than before the save. A title change must not create a new task. Basis: README.md (TF-REQ-010; Storage / Task fields); implementation: src/App.jsx updateTask object spread and new Date().toISOString(); baseline main@5133a6c. Code-derived refinements supplement the documented rule; no separate customer SRS is claimed.

Related Test Cases	TF-3 : TC-B-003 - Save title-only edit with identity retained [Version :1] TF-4 : TC-B-004 - Save description-only edit [Version :1] TF-5 : TC-B-005 - Save all editable fields together [Version :1] TF-6 : TC-B-006 - Clear existing optional description and date [Version :1] TF-7 : TC-B-007 - Save unchanged form still updates metadata [Version :1] TF-8 : TC-B-008 - Edit one same-title sibling only [Version :1] TF-9 : TC-B-009 - Repeat edits to the same task [Version :1] TF-16 : TC-B-016 - Correct rejected edit and save once [Version :1] TF-17 : TC-B-017 - Save priority edit and retain it after reload [Version :1] TF-18 : TC-B-018 - Latest repeated priority edit wins [Version :1]

Requirement: REQ-B-004 : Reject invalid edits without any partial commit	
Version :	1
revision:	1
Author:	mhammedazad
Status	Valid
Type	Use Case
Coverage	100% (1/1)

Any validation error keeps "Edit Task" open and leaves every stored task field, including updatedAt, unchanged. Representative failures: blank/space-only title gives "Title is required."; two trimmed characters gives "Title must be at least 3 characters."; 81 characters gives "Title must be 80 characters or fewer."; 501 description characters gives "Description must be 500 characters or fewer." No "Task updated successfully." is emitted. These are edit rejection checks, not A's text boundary sweep or C's enum/date partitions. Basis: README.md (TF-REQ-011; Exact messages / Validation); implementation: src/components/TaskFormModal.jsx handleSubmit return before onSave; src/utils/validation.js validateTask; src/App.jsx updateTask; baseline main@5133a6c. Code-derived refinements supplement the documented rule; no separate customer SRS is claimed.

Related Test Cases	TF-11 : TC-B-011 - Reject blank-title edit atomically [Version :1] TF-12 : TC-B-012 - Reject short-title edit atomically [Version :1] TF-13 : TC-B-013 - Reject overlong-title edit atomically [Version :1] TF-14 : TC-B-014 - Reject overlong-description edit atomically [Version :1] TF-15 : TC-B-015 - Reject two invalid fields without partial save [Version :1] TF-16 : TC-B-016 - Correct rejected edit and save once [Version :1] TF-23 : TC-B-023 - Cancel a rejected draft [Version :1]

Requirement: REQ-B-005 : Recover a rejected edit and commit only the corrected values	
Version :	1
revision:	1
Author:	mhammedazad
Status	Valid
Type	Use Case
Coverage	100% (1/1)
A rejected edit retains the entered draft. Correcting its invalid values then choosing "Save Changes" commits exactly one update, closes the form and shows "Task updated successfully." Original id/createdAt remain intact. Basis: README.md (TF-REQ-010/011; Exact messages / Edit); implementation: src/components/TaskFormModal.jsx values/submitted/handleSubmit; src/App.jsx updateTask; baseline main@5133a6c. Code-derived refinements supplement the documented rule; no separate customer SRS is claimed.	
Related Test Cases	TF-16 : TC-B-016 - Correct rejected edit and save once [Version :1]

Requirement: REQ-B-006 : Persist priority edits through the edit workflow	
Version :	1
revision:	1
Author:	mhammedazad
Status	Valid
Type	Use Case
Coverage	100% (1/1)
Saving a changed Priority through "Save Changes" retains the selected priority in taskflow_tasks, the card badge and the next edit form, including after reload. Repeated priority edits retain the latest saved choice. Query/filter semantics and enum partition validation are excluded. Basis: README.md (TF-REQ-018 (edit persistence only); TF-REQ-010; Storage); implementation: src/components/TaskFormModal.jsx priority select; src/App.jsx updateTask/commit; src/utils/tasks.js normalizeValues; src/components/TaskCard.jsx priority badge; baseline main@5133a6c. Code-derived refinements supplement the documented rule; no separate customer SRS is claimed.	
Related Test Cases	TF-5 : TC-B-005 - Save all editable fields together [Version :1] TF-17 : TC-B-017 - Save priority edit and retain it after reload [Version :1] TF-18 : TC-B-018 - Latest repeated priority edit wins [Version :1]

Requirement: REQ-B-007 : Apply repeated edits and target only the selected identity	
Version :	1
revision:	1
Author:	mhammedazad
Status	Valid
Type	Use Case
Coverage	100% (1/1)
Successive edit sessions start from the latest committed values. Editing a task among same-title siblings updates only its id; switching between tasks must not reuse another task's draft. Each successful save shows "Task updated successfully." Basis: README.md (TF-REQ-009/010; Exact messages / Edit); implementation: src/App.jsx updateTask id comparison, editingTask and keyed TaskFormModal; src/components/TaskFormModal.jsx task initializer; baseline main@5133a6c. Code-derived refinements supplement the documented rule; no separate customer SRS is claimed.	
Related Test Cases	TF-8 : TC-B-008 - Edit one same-title sibling only [Version :1] TF-9 : TC-B-009 - Repeat edits to the same task [Version :1] TF-10 : TC-B-010 - Edit different tasks in sequence [Version :1] TF-18 : TC-B-018 - Latest repeated priority edit wins [Version :1]



Requirements Specification Document

Test Project: TaskFlow

Printed by TestLink on 26/10/2026

2026 Group TaskFlow - Project 1 Test Case Design

Table Of Contents

1. **SRS-B-CANCEL : Member B - Editing dismissal and draft isolation**
    - REQ-B-008 : Discard editing through every supported dismissal path
    - REQ-B-009 : Reopening a canceled edit discards draft and validation state
    - REQ-B-010 : Interior modal interaction is not backdrop dismissal

1. Requirements Spec.: SRS-B-CANCEL : Member B - Editing dismissal and draft isolation

revision	1
Author	mhammedazad
Type	User Requirement Specification
Total count of requirements (Coverage)	N/A (3/0)

README.md TF-REQ-012 plus code-derived dismissal refinements; src/components/Modal.jsx, TaskFormModal.jsx; src/App.jsx closeModal.

Requirement: REQ-B-008 : Discard editing through every supported dismissal path	
Version :	1
revision:	1
Author:	mhammedazad
Status	Valid
Type	Use Case
Coverage	100% (1/1)

"Cancel", "Close" (X), Escape and a mouse press on the dark backdrop close "Edit Task" without saving any draft, changing id/createdAt/updatedAt, or showing "Task updated successfully." This applies to valid, invalid, unchanged and priority-only drafts. Basis: README.md (TF-REQ-012; Exact messages / Dialog text); implementation: src/components/TaskFormModal.jsx Cancel; src/components/Modal.jsx Close/onKeyDown/onMouseDown; src/App.jsx closeModal; baseline main@5133a6c. Code-derived refinements supplement the documented rule; no separate customer SRS is claimed.

Related Test Cases	TF-19 : TC-B-019 - Discard dirty edit using Cancel button [Version :1] TF-20 : TC-B-020 - Discard dirty edit using Close X button [Version :1] TF-21 : TC-B-021 - Discard dirty edit using Escape key [Version :1] TF-22 : TC-B-022 - Discard dirty edit using dark backdrop [Version :1] TF-23 : TC-B-023 - Cancel a rejected draft [Version :1] TF-24 : TC-B-024 - Cancel untouched edit without advancing timestamp [Version :1] TF-25 : TC-B-025 - Reopen after rejected draft dismissal clears draft and errors [Version :1] TF-27 : TC-B-027 - Cancel priority-only change then reload [Version :1] TF-41 : TC-B-041 - Canceled edit does not contaminate subsequent deletion [Version :1]

Requirement: REQ-B-009 : Reopening a canceled edit discards draft and validation state	
Version :	1
revision:	1
Author:	mhammedazad
Status	Valid
Type	Use Case
Coverage	100% (1/1)

After dismissal, a new "Edit Task" session contains only the saved values and no previous draft/error state. A canceled priority edit cannot appear on the next edit session or reload. Basis: README.md (TF-REQ-009/012); implementation: src/App.jsx closeModal and conditional TaskFormModal mount; src/components/TaskFormModal.jsx useState initializers; baseline main@5133a6c. Code-derived refinements supplement the documented rule; no separate customer SRS is claimed.

Related Test Cases	TF-19 : TC-B-019 - Discard dirty edit using Cancel button [Version :1] TF-20 : TC-B-020 - Discard dirty edit using Close X button [Version :1] TF-21 : TC-B-021 - Discard dirty edit using Escape key [Version :1] TF-22 : TC-B-022 - Discard dirty edit using dark backdrop [Version :1] TF-25 : TC-B-025 - Reopen after rejected draft dismissal clears draft and errors [Version :1] TF-27 : TC-B-027 - Cancel priority-only change then reload [Version :1]

Requirement: REQ-B-010 : Interior modal interaction is not backdrop dismissal	
Version :	1
revision:	1
Author:	mhammedazad
Status	Valid
Type	Use Case
Coverage	100% (1/1)
A mouse press inside either dialog must not close it or commit an edit/delete. Only event.target === event.currentTarget on the dark backdrop invokes onClose. Ordinary interaction with edit controls keeps "Edit Task" open until explicit save/dismissal. Basis: README.md (TF-REQ-012/015 supplemented by code-derived backdrop hit-test behavior); implementation: src/components/Modal.jsx onMouseDown target equality; src/App.jsx closeModal; baseline main@5133a6c. Code-derived refinements supplement the documented rule; no separate customer SRS is claimed.	
Related Test Cases	TF-26 : TC-B-026 - Clicking inside edit modal does not discard draft [Version :1] TF-37 : TC-B-037 - Interior deletion click is not a confirmation or dismissal [Version :1]



Requirements Specification Document

Test Project: TaskFlow

Printed by TestLink on 26/10/2026

2026 Group TaskFlow - Project 1 Test Case Design

Table Of Contents

1. **SRS-B-DELETE : Member B - Deletion confirmation and target isolation**
    - REQ-B-011 : Show exact deletion confirmation for the current target
    - REQ-B-012 : Confirm deletion of only the intended task
    - REQ-B-013 : Cancel deletion through every supported dismissal path
    - REQ-B-014 : Keep deletion targets correct across repeated and mixed operations

1. Requirements Spec.: SRS-B-DELETE : Member B - Deletion confirmation and target isolation

revision	1
Author	mhammedazad
Type	User Requirement Specification
Total count of requirements (Coverage)	N/A (4/0)

README.md TF-REQ-013/014/015; src/components/ConfirmDeleteModal.jsx and Modal.jsx; src/App.jsx deleteTask. Only normal writable-storage workflows.

Requirement: REQ-B-011 : Show exact deletion confirmation for the current target	
Version :	1
revision:	1
Author:	mhammedazad
Status	Valid
Type	Use Case
Coverage	100% (1/1)

"Delete" opens "Delete Task" with exactly: Are you sure you want to delete "<title>"? This cannot be undone. The title is the current saved target title (including quotes or punctuation), and buttons are "Cancel" and "Confirm Delete". Opening the dialog alone must not remove or mutate any task. Basis: README.md (TF-REQ-013; Exact messages / Dialog text); implementation: src/App.jsx deletingTask by modal.id; src/components/ConfirmDeleteModal.jsx; baseline main@5133a6c. Code-derived refinements supplement the documented rule; no separate customer SRS is claimed.

Related Test Cases	TF-28 : TC-B-028 - Exact confirmation before any deletion [Version :1] TF-29 : TC-B-029 - Confirmation uses latest saved title and punctuation [Version :1] TF-30 : TC-B-030 - Confirm deletion leaves siblings intact [Version :1] TF-32 : TC-B-032 - Delete only intended same-title sibling [Version :1] TF-37 : TC-B-037 - Interior deletion click is not a confirmation or dismissal [Version :1] TF-38 : TC-B-038 - Reopen after canceled deletion targets newly selected task [Version :1] TF-39 : TC-B-039 - Repeated cancellation then one confirmed deletion [Version :1] TF-40 : TC-B-040 - Consecutive deletions never reuse old target [Version :1] TF-41 : TC-B-041 - Canceled edit does not contaminate subsequent deletion [Version :1]

Requirement: REQ-B-012 : Confirm deletion of only the intended task	
Version :	1
revision:	1
Author:	mhammedazad
Status	Valid
Type	Use Case
Coverage	100% (1/1)

"Confirm Delete" removes only the selected id, immediately saves the remaining array, closes "Delete Task" and shows "Task deleted successfully." Every other task object remains exactly unchanged. The deleted object remains absent after reload, including when it was the sole task or shared a title with another object. Same-title setup is not a creation assertion. Basis: README.md (TF-REQ-014; Storage; Exact messages / Delete); implementation: src/App.jsx deleteTask/commit; src/components/ConfirmDeleteModal.jsx onConfirm; src/utils/storage.js saveTasks; baseline main@5133a6c. Code-derived refinements supplement the documented rule; no separate customer SRS is claimed.

Related Test Cases	TF-30 : TC-B-030 - Confirm deletion leaves siblings intact [Version :1] TF-31 : TC-B-031 - Confirm deletion of the sole remaining task [Version :1] TF-32 : TC-B-032 - Delete only intended same-title sibling [Version :1] TF-39 : TC-B-039 - Repeated cancellation then one confirmed deletion [Version :1] TF-40 : TC-B-040 - Consecutive deletions never reuse old target [Version :1] TF-41 : TC-B-041 - Canceled edit does not contaminate subsequent deletion [Version :1]

Requirement: REQ-B-013 : Cancel deletion through every supported dismissal path	
Version :	1
revision:	1
Author:	mhammedazad
Status	Valid
Type	Use Case
Coverage	100% (1/1)

"Cancel", "Close" (X), Escape and pressing the dark backdrop close "Delete Task" without removing or changing any task or timestamp and without "Task deleted successfully." Reopening must offer confirmation for the correct saved task. Basis: README.md (TF-REQ-015 supplemented by shared Modal close paths); implementation: src/components/ConfirmDeleteModal.jsx onClose; src/components/Modal.jsx Close/onKeyDown/onMouseDown; src/App.jsx closeModal; baseline main@5133a6c. Code-derived refinements supplement the documented rule; no separate customer SRS is claimed.

Related Test Cases	TF-33 : TC-B-033 - Dismiss deletion using Cancel button [Version :1] TF-34 : TC-B-034 - Dismiss deletion using Close X button [Version :1] TF-35 : TC-B-035 - Dismiss deletion using Escape key [Version :1] TF-36 : TC-B-036 - Dismiss deletion using dark backdrop [Version :1] TF-37 : TC-B-037 - Interior deletion click is not a confirmation or dismissal [Version :1] TF-38 : TC-B-038 - Reopen after canceled deletion targets newly selected task [Version :1] TF-39 : TC-B-039 - Repeated cancellation then one confirmed deletion [Version :1]

Requirement: REQ-B-014 : Keep deletion targets correct across repeated and mixed operations	
Version :	1
revision:	1
Author:	mhammedazad
Status	Valid
Type	Use Case
Coverage	100% (1/1)

Canceling and reopening a deletion, deleting different tasks in sequence, or canceling an edit before deletion shall use the latest selected saved object. A confirmed id is removed once; siblings remain intact. Each completed deletion shows "Task deleted successfully." Basis: README.md (TF-REQ-013/014/015 supplemented by code-derived repeated workflow behavior); implementation: src/App.jsx modal/deletingTask/deleteTask/closeModal; src/components/ConfirmDeleteModal.jsx; baseline main@5133a6c. Code-derived refinements supplement the documented rule; no separate customer SRS is claimed.

Related Test Cases	TF-38 : TC-B-038 - Reopen after canceled deletion targets newly selected task [Version :1] TF-39 : TC-B-039 - Repeated cancellation then one confirmed deletion [Version :1] TF-40 : TC-B-040 - Consecutive deletions never reuse old target [Version :1] TF-41 : TC-B-041 - Canceled edit does not contaminate subsequent deletion [Version :1]